MALAYSIAN JOURNAL OF Medicine and Health Sciences Vol. 17 No. SUPP6 / Sept 2021 Supplementary Issue: The 18th International Virtual Conference of Asia Pacific Association of Surgical Tissue Bank



Medicine and Health Sciences

Vol. 17 No. SUPP6 / Sept 2021 Supplementary Issue:

The 18th International Virtual Conference of Asia Pacific Association of Surgical Tissue Bank (APASTB-2021)



A scientific journal published by Universiti Putra Malaysia Press

sian Journal of Vol. 17 No.SUPP6, Sept 2021



Faculty of Medicine and Health Sciences Universiti Putra Malaysia 43400 UPM Serdang Selangor Darul Ehsan Malavsia http://medic.upm.edu.my/

UPM Press Universiti Putra Malaysia 43400 UPM Serdang Selangor Darul Ehsan Malavsia http://penerbit.upm.edu.my

PENERBIT

UPM

PRESS



Abstracted / indexed in the Scopus database

MALAYSIAN JOURNAL OF



PERTANIKA

About the Journal

The Malaysian Journal of Medicine and Health Sciences (MJMHS) is published by the Faculty of Medicine and Health Sciences, Universiti Putra Malaysia. The main aim of the MJMHS is to be a premier journal on all aspects of medicine and health sciences in Malaysia and internationally. The focus of the MJMHS will be on results of original scientific research and development, emerging issues and policy analyses pertaining to medical, biomedical and clinical sciences. The Malaysian Journal of Medicine and Health Sciences is now indexed in the following data bases: Scopus, EBSCOhost, ISC, and Rubriq.

Editorial Board

Editor in Chief: Prof. Dr. Normala Ibrahim

Members: Prof. Dr. Rukman Awang Hamat Prof. Dr. Christopher Lim Thiam Seong Prof. Dr. Ching Siew Mooi Prof. Dr. Sharmili Vidyadaran Assoc. Prof. Dr. Rajesh Ramasamy Assoc. Prof. Dr. Sethu Thakachy Subha Assoc. Prof. Dr. Loh Su Peng Assoc. Prof. Dr. Nor Afiah Mohd Zulkefli Assoc. Prof. Dr. Nor Afiah Mohd Zulkefli Assoc. Prof. Dr. Wan Aliaa Wan Sulaiman Assoc. Prof. Dr. Ling King Hwa Assoc. Prof. Dr. Ling King Hwa Assoc. Prof. Dr. Zubaidah Nor Hanipah Assoc. Prof. Dr. Intan Hakimah Ismail Assoc. Prof. Dr. Ho Yu Bin Assoc. Prof. Dr. Karmegam Karuppiah Assoc. Prof. Dr. Subapriya Suppiah

Lead Guest Editor: Dr. Heri Suroto

Guest Editors: Dr. Hendrik Setia Budi Dr. Kukuh Dwiputra Hernugrahanto Dr. Pratiwi Soesilawati

Technical Coordinator: Dr. Tan Kit Aun

International Advisory Board

Prof. Dr. Pierce Anthony Grace Prof. Dr. David Isaacs Prof. Dr. P. Ronan O'Connell Prof. Dr. Graham Alexander Mc Gregor Prof. Dr. Tan Ser Kiat Prof. Dr. Gregory Y.H. Lip Prof. Dr. Roger Pepperell

(https://www.malaysia.gov.my/portal/index)	HOME (/)	SITE MAP (/sitemap)	DIRECTORY (/direktori)	FAQ (/faq) FEEDBACK (/maklum	ıbalas)	EN ¥
				Search	Q	
(https://www.upm.edu.my)						
(https://50tahun.upm.edu.my) Welcome To The Official Portal Of FACULTY OF MEDICINE AND HEALTH SCIENCES						Our Entity
ABOUT US (/about_us-358) DEPARTMENT (/	/departme	ent-381) RESEA	RCH (/research-43	1)		
ACADEMIC (/academic-393) INDUSTRY AND	•	•				Documents
TEACHING HOSPITAL UPM (/teaching_hospita	al_upm-25	81) OUR JOUR	NAL (/our_journal-	3046)		
HEALTH INFOGRAPHICS (/health_infographics	-	-	-			
ADMISSIONS UPDATE FOR THE 2021-2022 APF	PLICATION	I (/admissions_u	pdate_for_the_20	21_2022_application-3727	7)	Newsletter

(/) » OUR JOURNAL (/our_journal-3046) » Malaysian Journal of Medicine and Health Sciences (MJMHS) (/our_journal/malaysian_journal_of_medicine VOL.17 SUPP 6 - SEPTEMBER 2021
Setting

MJMHS VOL.17 SUPP 6 - SEPTEMBER 2021

Editorial board (/upload/dokumen/20210922001954EDITORIAL_BOARD_APASTB.pdf) (/upload/dokumen/20210922001954EDITORIAL_BOARD_APASTB.pdf)

Content (/upload/dokumen/20210922100611Cover_Page_APASTB.pdf)

Acknowledgements (/upload/dokumen/20210922002405ACKNOWLEDGEMENTS.pdf)

Authors Guideline (/upload/dokumen/20210922002500Author_Guidelines-Version_XI.pdf)

ORIGINAL ARTICLES

1. Comparison of Permanent Teeth Eruption by Chronological Age in Indonesian Children (/upload/dokumen/202109220025591)_2021_0348.pdf)

2. Microcurrent Neuromuscular Electrical Stimulation Helps to Promote Fibroblast and Capillary Formation in the Early Healing Phase of Achilles Tendor (/upload/dokumen/202109220026442)_2021_0103.pdf)

3. Beneficial Effect of Resveratrol on Conditioned Medium Human Adipose-derived Mesenchymal Stem Cell for Cutaneous Wound Healing Related Grov (/upload/dokumen/202109220027553)_2021_0039.pdf)

4. Development of Spider Silk-based Substrate for the Attachment and Spreading of Human Wharton's Jelly-derived Mesenchymal Stem Cells (hWJ-MS (/upload/dokumen/202109220029094)_2021_0251.pdf)

5. Synthesis and Characterization Scaffold Chitosan / Poly (&-caprolactone) as Candidate for Skin Tissue Engineering in Burns (/upload/dokumen/202109

6. Efficacy of Amniotic Membrane Stem Cell Conditioned Medium (AMSC-CM) and Vitamin C Following CO₂ Fractional Laser for Photoaging Therapy (/upload/dokumen/202109220037076)_2021_0012.pdf)

SYSTEMATIC REVIEW

7. Hypertonic Dextrose Injection (Prolotherapy) Effectiveness for Rotator Cuff Tendinopathy : (/upload/dokumen/202109220032117)_2021_0053.pdf) A Systematic Review (/upload/dokumen/202109220032117)_2021_0053.pdf)

8. Effects of Human Amniotic Membrane (HAM) on Rectovaginal Fistula Healing: A Systematic Review and Meta-analysis of Animal Studies (/upload/d

9. Effectiveness of Platelet-Rich Plasma for Fracture Non-Union Management: a Systematic Review and Meta-Analysis (/upload/dokumen/20210922004

MJMHS VOL.17 SUPP 6 - SEPTEMBER 2021 | FACULTY OF MEDICINE AND HEALTH SCIENCES

10. Infrapatellar Fat Pad-Derived Mesenchymal Stem Cells as an Alternative Cell Source for Cell-based Osteoarthritis Treatment: A Systematic Review o (/upload/dokumen/2021092200405310)_2021_0063.pdf)

REVIEW ARTICLE

11. Application of Bone Allograft in Diaphyseal Critical-sized Bone Defects: Lesson From Clinical Reports (/upload/dokumen/2021092200421711)_2021_

12. Investigating Effectiveness of Topical Autologous Platelet-rich Plasma as Prophylaxis to Prevent Wound Infection: A Systematic Review and Meta-ar (/upload/dokumen/2021092200450112)_2020_1190.pdf)

13. Nanohydroxiapatite Using Chicken Eggshell Waste and Its Characterization (/upload/dokumen/2021092200460413)_2021_0338.pdf)

14. Utilization of Anchovy in Dentistry (/upload/dokumen/2021092200470214)_2021_0339.pdf)

Our Entity

Documents

EN 🗸

15. The Efficacy of Fractional CO2 Laser and Microneedling - Amniotic Membrane Stem Cell Conditioned Media for Photoaging (/upload/dokumen/2021

16. Demineralized Dentin Material Sponge as a Guided Bone Regeneration (/upload/dokumen/2021092200491116)_2021_0382.pdf)

17. Bovine Pericardium-Chitosan As A Biomaterial Prospect For Substitute and Accelerate Tissue Healing of Dural Defect: A Review (/upload/dokumen/

18. Challenging of Stem Cells for Biological Tooth and Tissue Repair in Dentistry – A Review (/upload/dokumen/2021092200524718)_2021_0311.pdf

19. The Role of Demineralized Dentin Material Membrane as Guided Bone Regeneration (/upload/dokumen/2021092200535419)_2021_0313.pdf)

20. Potential of Bovine Amniotic Membrane and Hydroxyapatite as Biocomposite Materials for Enhanced Bone Formation (/upload/dokumen)202210922

21. Guided Bone Regeneration to Improve Osseointegration in Dental Implant (/upload/dokumen/2021092317210321)_2021_0653.pdf)

Updated:: 23/09/2021 [sohaya]

MEDIA SHARING

(https://www.addtoany.com/share#url=https%3A%2F%2Fmedic.upm.edu.my%2Four_journal%2Fmalaysian_journal_of_medicine_and_health_scie/ 2021-63375&title=MJMHS%20VOL.17%20SUPP%206%20-%20SEPTEMBER%202021%20%7C%20FACULTY%20OF%20MEDICINE%20AND%20F (/#facebook) (/#twitter) (/#linkedin) (/#email) (/#copy_link) (/#wordpress) (/#print)

W 1 U K B Q A e ~

SYSTEMATIC REVIEW

Infrapatellar Fat Pad-Derived Mesenchymal Stem Cells as an Alternative Cell Source for Cell-based Osteoarthritis Treatment: A Systematic Review on Preclinical and Clinical Evidence

Kukuh Dwiputra Hernugrahanto^{1,2}, Jifaldi Afrian Maharaja Dinda Sedar^{1,2}, Djoko Santoso³, Dwikora Novembri Utomo^{2,4}, Dewi Masrifah Ayub⁵, Fani Deapsari⁴, M. Zaim Chilmi², Komang Agung Irianto²

- ¹ Doctoral Programme, Faculty of Medicine, Universitas Airlangga, Jawa Timur 60115, Surabaya, Indonesia
- ² Department of Orthopaedic & Traumatology, Faculty of Medicine, Universitas Airlangga, Dr.Soetomo General Academic Hospital, Jawa Timur 60115 Surabaya, Indonesia
- ³ Department of Internal Medicine, Faculty of Medicine, Universitas Airlangga, Dr.Soetomo General Academic Hospital, Jawa Timur 60115 Surabaya, Indonesia
- ⁴ Regenerative Medicine Cell and Tissue Bank, Dr.Soetomo General Academic Hospital, Jawa Timur 60115 Surabaya, Indonesia
- ⁵ Department of Physical Medicine and Rehabilitation, Faculty of Medicine, Universitas Airlangga, Dr.Soetomo General Academic Hospital, Jawa Timur 60115, Surabaya, Indonesia

ABSTRACT

Introduction: There is still no definitive treatment to either inhibit the degradation process or restore the damaged cartilage in osteoarthritis (OA). Various cell sources have been studied and in vitro studies showed that infrapatellar fat pad-derived mesenchymal stem cells (IFPDMSCs) exhibit higher chondrogenic potential than other adipose-derived cells. Still, very few in vivo studies on IFPDMSCs for cartilage healing in OA have been reported. **Aims:** This systematic review will analyze the therapeutic potential of IFPDMSCs for cartilage healing in osteoarthritis from preclinical and clinical studies. **Design, Methods, and Data Source:** Using the PubMed, EMBASE, and Cochrane Library database up to November 30, 2020, a systematic review according to PRISMA reporting guideline was conducted on IFPDMSCs application to treat osteoarthritis *in vivo* studies. Inclusion criteria were *in vivo* preclinical and clinical studies are scarce. Only four studies are included: two animals and two clinical studies. All included studies demonstrate favourable results of IFPDMSCs in osteoarthritis, but there is heterogeneity in outcome measurement among all studies. **Conclusion:** The *in vitro* and currently limited *in vivo* studies showed that infrapatellar fat pad-derived mesenchymal stem cells offer an alternative cell source with promising chondrogenic healing potential. **Impact:** More preclinical and clinical *in vivo* studies should be encouraged to explore and support the efficacy of IFPDMSCs in cell-based OA treatment to prove the promising result as those of the *in vitro* studies.

Keywords: Osteoarthritis, In vivo, Infrapatellar fat pad, Mesenchymal stem cells, Cell-based treatment

Corresponding Author:

Komang Agung Irianto, PhD Email: komang-agung-i-s@fk.unair.ac.id Tel: +62811 336080

INTRODUCTION

Osteoarthritis (OA) involves not only the degradation of articular cartilage but also the intraarticular inflammatory process. The degenerative process progression may eventually result in permanent disabling conditions, affecting an individual's daily activity and quality of life (1,2). Current treatments, both pharmacological and surgical, aim to improve patients' quality of life by reducing pain, but no definitive treatment to either inhibit the degradation process or restore the damaged cartilage has been agreed upon. One of the emerging efforts to delay the disease progression is the application of cell-based therapy using mesenchymal stem cells (MSCs), thanks to their abilities of multipotency, selfrenewal, and immunomodulation. These abilities differ according to cell sources (3–6).

Adipose-derived mesenchymal stem cells (ADMSCs) are believed to have more edges than the more conventional bone marrow mesenchymal stem cells (BMSCs) due to their advantages in abundance, ease of harvesting, higher differentiation and proliferation potential, and resilience over multiple culture passages. Among the ADMSCs, the cells harvested from the infrapatellar fat pad (IFP) are reported to yield higher chondrogenic potential. *In vitro* studies on the chondrogenic potential of IFP-derived mesenchymal stem cells (IFPDMSCs) showed encouraging results of larger cell volume and higher proliferative capacity (7–9). Still, very few in vivo studies on IFPDMSCs for cartilage repair in OA have been reported. This systematic review aims to analyze the therapeutic potential of IFPDMSCs for cartilage healing in osteoarthritis from preclinical and clinical studies.

METHODS AND MATERIALS

Study Design

This systematic review has been registered on PROSPERO (no. 256996) and follows the guideline of Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) (10). The research question was formulated according to PICO method: the population (P) was *in vivo* studies either preclinical or clinical that involve osteoarthritic model or clinical cases; the intervention (I) was the treatment with infrapatellar fat pad-derived mesenchymal stem cells (IFPDMSCs); the Comparison (C) involved control, placebo, or any other methods of treatment standardized for osteoarthritis; and the outcome (O) was the preclinical or clinical efficacy of the treatment method.

Search Protocol

The search was performed using the PubMed, EMBASE, and Cochrane Library database from January 2010 up to November 30, 2020, with the following keywords: *"osteoarthritis"* AND (*"infrapatellar fat pad stem cells" OR "infrapatellar fat pad-derived stem cells"* OR *"infrapatellar fat pad-derived stem cells"*). Any updates of the recruited studies were also followed up and included.

Study Selection

According to PRISMA guidelines, three independent reviewers (KUH, JIF, and DW) conducted the screening process and the analysis of the papers. Any disagreement in opinion was resolved through discussion with the senior reviewers (KIS, DS, and DNU). The inclusion criteria for selection included only English language articles that reported in vivo studies of any level of evidence using osteoarthritis knee model (preclinical studies) or osteoarthritis cases (clinical studies) and application of cells derived from IFP. For preclinical studies, osteoarthritic models permit the use of any surgical or chemical method to induce OA. The exclusion criteria were articles of conference proceedings, inaccessible full text, reviews, and studies that did not use or analyze the efficacy of IFPDMSCs. Before screening the full text, all articles were initially

screened by titles and abstracts. Screening through the bibliography of the included articles was also conducted to recruit more studies. The flowchart that describes the process is shown in Figure 1.




Figure 1: The flowchart that describes the process

Data Extraction and Synthesis

Relevant data from the included studies were extracted, organized, summarized, and analyzed. The data that includes the author, study type, study design, IFPDMSCs processing, delivery method, and the result were extracted. For preclinical studies, any results on cartilage quality, subchondral changes, histological evaluation, or immunohistochemical examination were extracted. For clinical studies, the extracted results include all clinical scores or MRI assessments. Two independent reviewers extracted the data. Due to the high heterogeneity and scarcity of the recruited studies, it was not possible to perform a meta-analysis.

Quality and Risk of Bias Assessment

Assessment of quality and risk of bias (RoB) of all preclinical studies were performed according to the ARRIVE(Animal Research: Reporting In Vivo Experiments) guidelines and a modification of the Systematic Review Centre for Laboratory animal Experimentation (SYRCLE) respectively (11,12). SYRCLE's tool includes several domains such as baseline characteristics, allocation concealment, random housing, blinding, and outcome reporting. For the clinical studies, the quality and

RoB assessment were conducted using the Cochrane tool (13). The quality and RoB of all included studies were assessed as having "clearly insufficient/possibly sufficient/clearly sufficient" and "low/high/unclear RoB", respectively (14).

RESULTS

According to the previously described search strategy, 72 articles were initially found in PubMed, EMBASE, and Cochrane Library databases. After removal of duplication, forty-five articles were further screened after six titles, and abstracts were excluded. After removing *in*

Table I. Assessment of quality and risk of bias

	Quality assess- ment	Risk of bias assessment
Toghraie et al., 2011, <i>The Knee</i> (15)	highª	low ^b
Ude et al., 2014, <i>PLoS One</i> (16)	highª	low ^b
Koh and Choi, 2012, <i>The Knee</i> (17)	clearly suffi- cient ^c	low ^d
Koh et al., 2013, <i>Arthroscopy</i> (18)	n.a. ^e	n.a. ^e

*ARRIVE (Animal Research: Reporting In Vivo Experiments) guidelines; "SYRCLE (Systematic Review Centre for Laboratory Animal Experimentation); "Cochrane tool for quality assessment; "ROBINS-I (Risk of Bias in Non-randomised Studies - of Interventions); "not assessed for case series

Table II. Data extraction of the included studies

vitro studies, literature review, and studies that did not describe the use of IFPDMSCs, two preclinical animal studies and two clinical studies were included. Quality and RoB assessment showed that the selected studies were of good quality with low risk of bias, except for one case series in which the assessment was not applicable (Table 1). The characteristics of the included studies are displayed in Table 2.

The two preclinical studies used different types of animals. A study from Toghraie et al. used IFPDMSCs retrieved from the knees of adult New Zealand White rabbits. Transection of anterior cruciate ligament (ACL) was chosen to create an OA model in the animals. Both groups received treatment to the medial compartment of the operated knee joints. Injection of 10⁶ cells suspended in 1 ml of medium was used in the study group, whereas 1 ml of medium without cells was given to the control group. Both groups were evaluated for plain x-rays and histological evaluation. X-rays confirmed the induction of OA in all knees at twelve weeks. At sixteen weeks, another x-ray was taken and compared to that of the twelve weeks. In the study group, the radiological score of OA showed a slight decrease or remained unchanged, but there was an increase in the radiological score of OA in the control group. Another x-ray was taken at the twenty weeks. Osteophyte and subchondral sclerosis formation showed a further decline compared to 12

	Study type	Study design	IFPDMSCs processing	Delivery method	Results
Toghraie et al., 2011, <i>The Knee</i> (15)	Experimental animal study (Rabbit)	Two groups induced with ACLT: (1)IFPDMSCs, (2)The control group (medium only)	Expanded homolo- gous. Cell source: New Zealand white rabbit's infrapatellar fat pad adipose mes- enchymal stem cells	Injec- tion	The study group showed better quality of regenerated cartilage with lower subchondral changes and less prominent OA features as shown by better mean histolog- ical score in 12 and 20 weeks (p=0.01 and 0.008, respectively).
Ude et al., 2014, <i>PLoS</i> <i>One</i> (16)	Experi- mental animal study Sheep)	Three groups, induced with ACLT and meniscus removal: (1) IFPDMSCs, (2) BMSCs, and (3) control group.	Expanded chondro- genic-induced autol- ogous. Cell source: sheep's infrapatellar fat pad adipose mes- enchymal stem cells	Injec- tion	ICRS score showed no difference between IFPDMSCs and BMSCs. IFPDMSCs showed more rapid cell proliferation (p=0.01)
Koh and Choi, 2012 <i>, The</i> <i>Knee</i> (17)	Case control	Comparative study between two groups with knee OA: (1) study group (25 patients), treated with an injection of PRP+IFPDMSCs; (2) control group (25 patients), treated with PRP only. The average follow-up of 16.4 months.	Cell source: human adipose synovium from infrapatellar fat pad from arthroscopic surgery	Injection	The short-term results demonstrated that IFPDMSCs therapy with intraar- ticular injections is safe and aids in pain reduction and functional improvement in patients with knee OA. Significant improvement in all clinical scores of Lysholm and Tegner (p=0.01 and 0.003, respec- tively). No significant difference at the final follow-up.
Koh et al., 2013, <i>Ar-</i> <i>throscopy</i> (18)	Case series	Case series of 18 patients with knee OA. All patients received one injection of IFPDMSCs + PRP after de- bridement. Average follow-up of 24.3 months.	Cell source: human adipose synovium from infrapatellar fat pad from ar- throscopic surgery	Injec- tion	Pre- and post-treatment evalua- tion of :ysholm and MRI scores. At the final follow-up, both Lysholm and MRI scores demon- strated significant improvement (p=0.011 and 0.005)

ACLT, anterior cruciate ligament transection; BMSCs, bone marrow mesenchymal stem cells; ICRS, International Cartilage Research Society; IFPDMSCs, infrapatellar fat pad-derived mesenchymal stem cells; MRI, magnetic resonance imaging; OA, osteoarthritis; PRP, platelet-rich plasma. weeks in the study group. The radiological score of the study group showed a better result than the control group (15). Histologically, the study group demonstrated a significant reduction in the mean histological score of cartilage lesions twenty weeks after the surgery compared to the control group (15).

The other study by Ude et al. used IFPDMSCs from the sheep model. This study included three groups: the study group with IFPDMSCs, the study group with BMSCs, and the control group. Induction of OA model at the sheep's right knee was carried out by complete resection of the ACL and removal of the medial meniscus. The harvested IFDSCs from the sheep's right infrapatellar fat pad were cultured, expanded, and chondrogenically induced. The BMSCs were processed from aspirated bone marrow at the iliac spine. The two study groups were treated with a 5-ml injection of IFPDMSCs and a 5-ml of BMSCs, respectively. The control group was given a 5-ml injection of culture medium. Macroscopically, both study groups showed comparable de novo regeneration of cartilages after six weeks of treatment. Comparing further between IFPSDCS and BMSCs, there was evidence that IFPDMSCs showed a significantly higher proliferation rate than BMSCs. Interestingly, expressions of chondrogenic specific genes, such as collagen II, SOX9, and aggrecan, were higher in the BMSCS group than that of IFPDMSCs. Based on the International Cartilage Repair Society (ICRS) score, no significant difference was observed between the two groups (16).

A clinical study of case-control by Koh and Choi compared two groups with knee osteoarthritis. Arthroscopic debridement was performed on both groups before injection. The study group received an intraarticular injection of IFPDMSCs (a mean of 1.89 x 10⁶ stem cells) and 3 ml of platelet-rich plasma (PRP). The control group received only 3 ml of PRP. Preoperative and postoperative evaluation using Lysholm score, Tegner activity scale, and visual analog scale (VAS) were performed in both groups to evaluate the treatment's efficacy. The study group that received both the cells and PRP demonstrated significant improvement of the mean Lysholm score, Tegner activity scale, and VAS scores by the last follow-up visit compared to the control group (mean follow-up period of 16.4 months). This study also evaluated the safety of IFPDMSCs injection. There was no record of adverse events related to the injections during the treatment and follow-up periods in both groups. This study concluded that intraarticular injection of IFPDMSCs showed favorable short-term outcomes of good safety, better pain reduction, and improved function in patients with knee osteoarthritis (17).

Koh et al. reported a case series that involved eighteen patients with knee osteoarthritis (average age of 54.6 years old) who received intraarticular injections of autologous IFPDMSCs after the patients underwent arthroscopic debridement. A mean of 1.18 x 10⁶ cells were injected into the knees with 3 ml of PRP. Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), Lysholm score, and visual analog scale were recorded preoperatively and at the final follow-up for clinical outcome evaluation. Radiological evaluation using magnetic resonance imaging (MRI) was carried out before the treatment and at the final follow-up for Comparison. The mean follow-up was 24.3 months (range of 24 to 26 months). The WOMAC score showed a significant decrease from 49.9 points to 30.3 points at the final follow-up. There was also a significant improvement of the Lysholm scores from 40.1 points to 73.4 points. Improvement of VAS score was also recorded in all patients during the follow-up period. Radiological assessment using MRI score demonstrated significant improvement from 60.0 to 48.3 points by the end of the follow-up period. This study concluded that intraarticular injection of IFPDMSCs showed encouraging results as shown by satisfying pain reduction, improved knee function, and better radiological evaluation in patients with knee osteoarthritis (18).

DISCUSSION

Mesenchymal stem cells have been studied extensively for regeneration in various tissue (19-22). Conventionally, mesenchymal stem cells have been isolated from bone marrow. The isolation of stem cells from the bone marrow is considered tedious and gives a low yield (21,23). Recent evidence demonstrated that the adipose tissue of the infrapatellar fat pad or Hoffa's pad could be an alternative source of mesenchymal stem cells. The adipose tissue harvested from the IFP differs from the adipose tissue recovered from liposuction, as the IFP consists of a higher composition of dense collagenous tissue (24,25). This characteristic of IFP tissue can provide a more abundant source of progenitor cells for cell-based therapies or another tissue engineering. Therefore, the isolation of mesenchymal stem cells from the IFP can produce a comparatively larger cell volume (26,27). A 30-ml bone marrow aspirate may produce approximately 1 x 10⁵ cells, whereas every 100 cm³ of IFP may yield approximately 3.3×10^6 cells (28,29).

There was also evidence of the multipotent nature and chondrogenic potential of stem cells derived from the infrapatellar fat pad. The chondrogenic potential of IFPDMSCs was independent of donor age. The cells will not be affected by aging when expanded *in vitro*. Procurement of IFPDMSCs also showed to have lower donor-site morbidity. The donor well tolerates resection and removal of IFP since this is a routine procedure in total knee arthroplasty. IFPDMSCs are also accessible by a minimally invasive procedure of knee arthroscopy. No complication or sequelae was ever recorded after partial resection or removal of IFP in routine knee arthroscopy (30–32).

Various in vitro studies showed favorable results of infrapatellar fat pad-derived mesenchymal stem cells in terms of chondrogenic potential (33-35). IFPDMSCs have a higher proliferation capacity compared to BMSCs (36,37). Furthermore, IFPDMSCs are more resistant to apoptosis than BMSCs in vitro conditions (38). However, in vivo studies on the application of IFPDMSCs are still scarce and vastly heterogeneous. In this study, only two animals and two clinical studies on OA used IFPDMSCs. These results showed that there is still a minimal number of studies on the efficacy of IPFDSCs in osteoarthritis treatment. The studies' heterogenicity varies from the type of cell source, the number of cells used, and outcome measurement. The two animal studies used cells from different animals: rabbits and sheep. Different types of cells applied to different knee models would hardly provide an exact comparison for subsequent extrapolation of the result (39).

The outcome measurement of the included studies was also heterogeneous. In animal studies, only one study used a more objective histological score. In the clinical study, only one study used a control group as a comparison. The other study was a case series comparing pre and post-treatment assessments. Unfortunately, there has been no randomized control study to evaluate the efficacy of IFPDMSCs in patients with knee OA. Therefore, for future studies both in animal and clinical, standardized measurement tools with control groups should be used to understand better the efficacy of IFPDMSCs in osteoarthritis (16–18,31).

There is some limitation in this study. Firstly, the number of the included studies is small. Secondly, this study includes both animal and human studies. The reason is that IFPDMSCs are a relatively new cell source of cartilage tissue engineering, and therefore, studies on this topic are still limited.

Infrapatellar fat pad-derived mesenchymal stem cells might provide an alternative cell with promising chondrogenic potential, as demonstrated by the in vitro studies (1,17,27–29,39,40). However, due to the minimal number of *in vivo* studies, concluding the efficacy of IFPDMSCs as an alternative to cell-based therapy for OA is still a long journey. Therefore, to provide more firm evidence of the efficacy of IPDSCs as an alternative treatment to OA, the direction of future studies should focus on both preclinical studies and clinical trials with more homogenous methods, intervention, evaluation parameters, and scoring tools.

CONCLUSION

There are currently a limited number of studies on infrapatellar fat pad-derived mesenchymal stem cells (IFPDMSCs) use for cell-based osteoarthritis treatment. Two preclinical studies showed encouraging results on the use of IFPDMSCs in animal models, as shown by the better quality of regenerated cartilage in radiological and histological evaluation. A comparative study and a case series also showed promising post-treatment outcomes in the clinical setting. Therefore, IFPDMSCs can be considered as an alternative cell source for cartilage tissue regeneration although the efficacy of IFPDMSCs in cell-based osteoarthritis treatment still needs to be explored and proven further with more *in vivo* studies, both preclinical and clinical, to yield the same promising result as those of the *in vitro* studies.

REFERENCES

- Mantiri A, Kambey G, Sekeon SAS. Rotator Cuff
 Cui L, Wu Y, Cen L, Zhou H, Yin S, Liu G, et al. Repair of articular cartilage defect in nonweight bearing areas using adipose derived stem cells loaded polyglycolic acid mesh. Biomaterials. 2009;30(14):2683–93.
- 2. Frisbie DD, Kisiday JD, Kawcak CE, Werpy NM, McIlwraith CW. Evaluation of adipose-derived stromal vascular fraction or bone marrowderived mesenchymal stem cells for treatment of osteoarthritis. J Orthop Res. 2009;27(12):1675–80.
- 3. Gong L, Zhou X, Wu Y, Zhang Y, Wang C, Zhou H, et al. Proteomic analysis profile of engineered articular cartilage with chondrogenic differentiated adipose tissue-derived stem cells loaded polyglycolic acid mesh for weight-bearing area defect repair. Tissue Eng - Part A. 2014;20(3– 4):575–87.
- 4. Im G II, Lee JH. Repair of osteochondral defects with adipose stem cells and a dual growth factorreleasing scaffold in rabbits. J Biomed Mater Res - Part B Appl Biomater. 2010;92(2):552–60.
- 5. Jurgens WJFM, Kroeze RJ, Zandieh-Doulabi B, van Dijk A, Renders GAP, Smit TH, et al. One-Step Surgical Procedure for the Treatment of Osteochondral Defects with Adipose-Derived Stem Cells in a Caprine Knee Defect: A Pilot Study. Biores Open Access. 2013;2(4):315–25.
- 6. Wirashada BC, Utomo DN, Purwati, Widhiyanto L, Hernugrahanto KD. Immunogenicity evaluation of polimorphonuclear (PMN) cells, IL-2, IL-10 and IgG of biodegradable porous sponge cartilage scaffold (BPSCS), adipose derived mesenchymal stem cell (ADMSC) and secretome in New Zealand white rabbits with cartilage defect: In v. Biochem Cell Arch. 2019;19(2007):4811–8.
- Jurgens WJFM, Oedayrajsingh-Varma MJ, Helder MN, ZandiehDoulabi B, Schouten TE, Kuik DJ, et al. Effect of tissue-harvesting site on yield of stem cells derived from adipose tissue: Implications for cellbased therapies. Cell Tissue Res. 2008;332(3):415– 26.
- 8. Khan WS, Adesida AB, Hardingham TE. Hypoxic conditions increase hypoxia-inducible transcription

factor 2α and enhance chondrogenesis in stem cells from the infrapatellar fat pad of osteoarthritis patients. Arthritis Res Ther. 2007;9(3):1–9.

- 9. Koga H, Muneta T, Nagase T, Nimura A, Ju YJ, Mochizuki T, et al. Comparison of mesenchymal tissues-derived stem cells for in vivo chondrogenesis: Suitable conditions for cell therapy of cartilage defects in Rabbit. Cell Tissue Res. 2008;333(2):207–15.
- 10. Moher D, Liberati A, Tetszlaff J, Altman GD. Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. Phys Ther. 2014;89(9):1–5.
- 11. Kilkenny C, Browne WJ, Cuthill IC, Emerson M, Altman DG. Improving bioscience research reporting: The ARRIVE guidelines for reporting animal research. PLoS Biol. 2010;24(4):6–10.
- 12. Hoojimans CR, Rovers MM, dr Vries RB, Leenars M, Ritskes-Hoitinga ML. SYRCLE's risk of bias tool for animal studies. BMC Med Res Methodol. 2014;14(10):1281–5.
- 13. Jurgensen L, Paludan-muller AS, Laursen DRT, Savovi J, Boutron I, Sterne JAC, et al. Evaluation of the Cochrane tool for assessing risk of bias in randomized clinical trials : overview of published comments and analysis of user practice in Cochrane and non-Cochrane reviews. Sytematic Rev. 2016;5(80):1–13.
- 14. Sterne J, Hernan M, Reeves B, Savovic J, Berkman N, Viswanathan M, et al. ROBINS-I: a tool for assessing risk of bias in non-randomized studies of interventions. BMJ J. 2016;355:i4919.
- 15. Toghraie FS, Chenari N, Gholipour MA, Faghih Z, Torabinejad S, Dehghani S, et al. Treatment of osteoarthritis with infrapatellar fat pad derived mesenchymal stem cells in Rabbit. Knee. 2011;18(2):71–5.
- 16. Ude CC, Sulaiman SB, Min-Hwei N, Hui-Cheng C, Ahmad J, Yahaya NM, et al. Cartilage regeneration by chondrogenic induced adult stem cells in osteoarthritic sheep model. PLoS One. 2014;9(6):1–10.
- 17. Koh YG, Choi YJ. Infrapatellar fat pad-derived mesenchymal stem cell therapy for knee osteoarthritis. Knee. 2012;19(6):902–7.
- Koh YG, Jo SB, Kwon OR, Suh D-S, Lee S-W, Park S-H, et al. Mesenchymal Stem Cell Injections Improve Symptoms of Knee Osteoarthritis. Arthrosc J Arthrosc Relat Surg. 2013 Apr;29(4):748–55.
- 19. Utomo DN, Mahyudin F, Hernugrahanto KD, Suroto H, Chilmi MZ, Rantam FA. Implantation of platelet rich fibrin and allogenic mesenchymal stem cells facilitate the healing of muscle injury: An experimental study on animal. Int J Surg Open. 2018;11:4–9.
- 20. Utomo DN, Hernugrahanto KD, Edward M, Widhiyanto L, Mahyudin F. Combination of bone marrow aspirate, cancellous bone allograft, and platelet-rich plasma as an alternative solution to

critical-sized diaphyseal bone defect: A case series. Int J Surg Case Rep. 2019;58:178–85.

- 21. Widhiyanto L, Utomo DN, Perbowo AP, Hernugrahanto KD. Macroscopic and histologic evaluation of cartilage regeneration treated using xenogenic biodegradable porous sponge cartilage scaffold composite supplemented with allogenic adipose derived mesenchymal stem cells (ASCs) and secretome: An in vivo experiment. J Biomater Appl. 2020;35(3):422–9.
- 22. Lin H. H, Sohn J. J, Shen HH., Langhans MT. MT, Tuan RSRS. Bone marrow mesenchymal stem cells: Aging and tissue engineering applications to enhance bone healing. Biomaterials. 2019;203:96– 110.
- 23. Perbowo A, Utomo D, Widhiyanto L, Airlangga P, Purwati. Collagen type I and type II expression evaluation on cartilage defect regeneration treated with Dwikora–Ferdiansyah–Lesmono–Purwati (DFLP) scaffold supplemented with adipose–derived stem cells (ASCs) or secretome: an in-vivo study. Qanun Med. 2020;4(1):225–35.
- 24. Li Q, Tang J, Wang R, Bei C, Xin L, Zeng Y, et al. Comparing the chondrogenic potential in vivo of autogeneic mesenchymal stem cells derived from different tissues. Artif Cells, Blood Substitutes, Biotechnol. 2011;39(1):31–8.
- 25. Masuoka K, Asazuma T, Hattori H, Yoshihara Y, Sato M, Matsumura K, et al. Tissue engineering of articular cartilage with autologous cultured adipose tissue-derived stromal cells using atelocollagen honeycomb-shaped scaffold with a membrane sealing in rabbits. J Biomed Mater Res - Part B Appl Biomater. 2006;79(1):25–34.
- 26. Lee JM, Im G II. SOX trio-co-transduced adipose stem cells in fibrin gel to enhance cartilage repair and delay the progression of osteoarthritis in the rat. Biomaterials. 2012;33(7):2016–24.
- 27. Lee SY, Nakagawa T, Reddi AH. Mesenchymal progenitor cells derived from synovium and infrapatellar fat pad as a source for superficial zone cartilage tissue engineering: Analysis of superficial zone protein/lubricin expression. Tissue Eng Part A. 2010;16(1):317–25.
- 28. Dragoo JL, Carlson G, McCormick F, Khan-Farooqi H, Zhu M, Zuk PA, et al. Healing full-thickness cartilage defects using adipose-derived stem cells. Tissue Eng. 2007;13(7):1615–21.
- 29. Dragoo JL, Samimi B, Zhu M, Hame SL, Thomas BJ, Lieberman JR, et al. Tissue-engineered cartilage and bone using stem cells from human infrapatellar fat pads. J Bone Jt Surg Ser B. 2003;85(5):740–7.
- 30. Shi J, Zhang X, Zhu J, Pi Y, Hu X, Zhou C, et al. Nanoparticle delivery of the bone morphogenetic protein 4 gene to adipose-derived stem cells promotes articular cartilage repair in vitro and in vivo. Arthrosc - J Arthrosc Relat Surg. 2013;29(12):2001–11.
- 31. Walter SG, Ossendorff R, Schildberg FA. Articular

cartilage regeneration and tissue engineering models : a systematic review. Arch Orthop Trauma Surg. 2019;139(3):305–16.

- 32. Ter Huurne M, Schelbergen R, Blattes R, Blom A, De Munter W, Grevers LC, et al. Antiinflammatory and chondroprotective effects of intraarticular injection of adipose-derived stem cells in experimental osteoarthritis. Arthritis Rheum. 2012;64(11):3604– 13.
- 33. Nathan S, De S Das, Thambyah A, Fen C, Goh J, Lee EH. Cell-based therapy in the repair of osteochondral defects: A novel use for adipose tissue. Tissue Eng. 2003;9(4):733–44.
- 34. Oliveira JT, Gardel LS, Rada T, Martins L, Gomes ME, Reis RL. Injectable gellan gum hydrogels with autologous cells for the treatment of rabbit articular cartilage defects. J Orthop Res. 2010;28(9):1193–9.
- 35. Phuc VP, Khanh Hong-Thien B, Dat Quoc N, Ngoc Bich V, Nhung Hai T, Nhan Lu-Chinh P, et al. Activated platelet-rich plasma improves adiposederived stem cell transplantation efficiency in injured articular cartilage. Stem Cell Res Ther. 2013;4(4):1–11.
- 36. Meligy F, Shigemura K, Behnsawy H, Fujisawa M, Kawabata M, Shirakawa T. The efficiency of

in vitro isolation and myogenic differentiation of MSCs derived from adipose connective tissue, bone marrow, and skeletal muscle tissue. Vitr Cell Dev Biol Anim. 2012;48:203–15.

- 37. Varma M, Breuls R, Schouten T, Jurgens W, Bontkes H, Schuurhuis G, et al. Phenotypical and functional characterization of freshly isolated adipose tissue-derived stem cells. Stem cells dev. 2007;16:91–104.
- 38. Ertas G, Ural E, Ural D, Aksoy A, Kozdag G, Gacar G, et al. Comparative analysis of apoptotic resistance of mesenchymal stem cells isolated from human bone marrow and adipose tissue. Sci world J. 2012;2012:105698.
- 39. Saleh F, Itani L, Calugi S, Grave RD, El Ghoch M. Adipose-derived Mesenchymal Stem Cells in the Treatment of Obesity: A Systematic Review of Longitudinal Studies on Preclinical Evidence. Curr Stem Cell Res Ther. 2018;13(6):466–75.
- 40. Sasaki A, Mizuno M, Ozeki N, Katano H, Otabe K, Tsuji K, et al. Canine mesenchymal stem cells from synovium have a higher chondrogenic potential than those from infrapatellar fat pad, adipose tissue, and bone marrow. PLoS One. 2018;13(8):1–20.