Journal of Chemical Technology and Metallurgy

Home

Editorial Board

EDITOR-IN-CHIEF

Prof. Dr. Bogdana Koumanova

University of Chemical Technology and Metallurgy, Bulgaria

S.J. Allen,

Queens University of Belfast, UK	I.P. Mazur,			
N.Yu. Bashkirceva,	Lipetsk State Technical University, Russia			
National Research Technological University,	D. Mehandjiev,			
Kazali, Kussia	Bulgarian Academy of Sciences			
M. Bojinov,	E. Mihailov, University of Chemical Technology and Metallurgy, Bulgaria L. Mörl,			
University of Chemical Technology and Metallurgy, Bulgaria				
V. Bojinov, University of Chemical Technology and Metallurgy, Bulgaria				
J. Carda,	University "Otto-von-Guericke", Magdeburg, Germany			
University Jaume I, Castellon, Spain	B. Nath			
D. Danalev,				
University of Chemical Technology and	London, UK			
Metallurgy, Bulgaria	A.B. Nayzabekov			
V. Dimitrov,	Rudny Industrial Institute, Rudny,			
Bulgarian Academy of Sciences	Kazakhstan			
N. Dishovsky,	L. Petrov,			
University of Chemical Technology and Metallurgy, Bulgaria	Bulgarian Academy of Sciences			
	S. Piskin,			
S.J.C. Feyo de Azevedo,	Yildiz Technical University, Istanbul, Turkey			
Universidade do Porto, Portugal	A. K. Pogodaev,			
M. Jitaru,				

University "Babeş -Bolyai", Cluj-Napoca, Romania

S. Kalcheva,

University of Chemical Technology and Metallurgy, Bulgaria

F. Keil,

Hamburg University of Technology, Germany

T. Koinov,

University of Chemical Technology and Metallurgy, Bulgaria

T. Komatsu,

Nagaoka University of Technology, Japan

J.M. LeLann,

Institut National Polytechnique,École nationale supérieure des ingénieurs en arts chimiques et technologiques, France

S.N. Lezhnev,

Rudny Industrial Institute, Rudny, Kazakhstan

A. Mavrova,

University of Chemical Technology and Metallurgy, Bulgaria Lipetsk State Technical University, Russia

G. Radeva,

University of Chemical Technology and Metallurgy, Bulgaria

A. Di Schino,

University of Perugia, Italy

M. Simeonova,

University of Chemical Technology and Metallurgy, Bulgaria

V. Stefanova,

University of Chemical Technology and Metallurgy, Bulgaria

D. Stoilova,

Bulgarian Academy of Sciences

N. Tsarevsky,

Southern Methodist University, Dallas, Texas, USA

I. Turunen,

Lappeenranta University of Technology, Finland

L. Vezenkov,

University of Chemical Technology and Metallurgy, Bulgaria

Log in or register to post comments

Journal of Chemical Technology and Metallurgy

Home

Volume 52, Iss. 6, 2017

Journal of Chemical Technology and Metallurgy

52, Iss. 6, 2017 ISSN 1314-7471 (print) ISSN 1314-7978 (on line)

EDITOR-IN- CHIEF Prof. Dr. Bogdana Koumanova Tel: (+ 359 2) 81 63 302 University of Chemical Technology and Metallurgy 8 Kl. Ohridski, 1756 Sofia, Bulgaria E-mail: journal@uctm.edu

SELECTED ARTICLES

International Conference

"Collaboration Seminar of Chemistry and

Industry (CoSCI-2016)"

5-6 October, 2016

Surabaya, Indonesia

Invited Editor

Dr. Purkan Purkan

Primary study of cellulose acetate hollow fiber as a green membrane applied to hemodialysis

Yanuardi Raharjo, Siti Wafiroh, Mahdya Nayla, Vita Yuliana, Mochamad Zakki Fahmi

Composite beads of chitosan/bentonite as a matrix for phosphate fertilizer controlledrelease

Bambang Piluharto, Veinardi Suendo, Ida Maulida, Asnawati

Serum acetaldehyde as a potential biomarker for the detection of pathogenic biofilm formation by *Candida albicans*

Masfufatun, Sumayyah Luqman Bayasud, Mei Shirli Yasinta, Ni'matuzahro, Afaf Baktir

The influence of ascorbic acid, creatine, and creatinine on the uric acid analysis by potentiometry using a carbon paste modified imprinting zeolite electrode

Miratul Khasanah, Muji Harsini, Alfa Akustia Widati, Prihantari Mukti Ibrani

A novel spectrophotometric method for determination of histamine based on its complex reaction with Cu(II) and alizarin red S

Miftakhul Jannatin, Ayu Nabila I.L, Ganden Supriyanto, Pratiwi Pudjiastuti

Application of ionic liquid dispersive liquid-liquid microextraction for analysis of nnitrosodipropylamine in salted fish

Aning Purwaningsih, Yanuardi Raharjo, Hendarta Agasi

Determination of chlorpyrifos pesticide by effervescence liquid phase microextraction HPLC UV-Vis

Usreg Sri Handajani, Yanuardi Raharjo, Bagas Wantoro

Effect of aliphatic and aromatic hydrocarbons on the oxygenase production from hydrocarbonoclastic bacteria

Sri Sumarsih, Ni'matuzahroh, Fatimah, Miranti Puspitasari, Meilisa Rusdiana

Identification of Candida species by assimilation and Multiplex-PCR methods

Hermansyah, Nurmalina Adhiyanti, Julinar, Kemas Yakub Rahadiyanto, Susilawati

Xylanase enzyme from a local strain of Pseudomonas stutzeri

Purkan Purkan, Emma Huruniawati, Sri Sumarsih

Study of a catalyst of citric acid crosslinking on locust bean gum

Wuryanto Hadinugroho, Suwaldi Martodihardjo, Achmad Fudholi, Sugeng Riyanto

Production and characterization of sulfonated chitosan-calcium oxide composite membrane as a proton exchange fuel cell membrane

Siti Wafiroh, Abdulloh, Winda Kusuma Wardani

An excellent way to prepare conductive glass using a simple glass plate aiming a promising solar cell

Harsasi Setyawati, Handoko Darmokoesoemo, Hamami, Faidur Rochman, Ahmadi Jaya Permana

Partial oxidative synthesis of fluorescent carbon derived from local bamboo leaves

Ahmadi Jaya Permana, Abdul Haris, Harsasi Setyawati, Mochamad Zakki Fahmi

Stability of coordination compounds obtained by reduction of copper(II) halide and 1,3– bis(diphenylphosphino)propane (DPPP)

Nike Prilil Puspita Sari, Lis Siaturohmah, Effendy, Fariati

Phenolic compounds from Aquilaria microcarpa stem bark

Alfinda Novi Kristanti, Mulyadi Tanjung, Okky P. Rahayu, Erika Herdiana

Electrochemical degradation of naphthol AS-BO batik dyes

Muji Harsini, Suyanto, Yhosep Gita Y. Y., Lilik Rhodifasari, Handoko Darmokoesomo

Silica-methyltrimethoxysilane based hydrophobic coatings on a glass substrate

Alfa A. Widati, Nuryono Nuryono, Indriana Kartini, Noah D. Martino

Chitosan-based neem seed extract nanocapsules: a new approach on enhancing its effectiveness as an insecticide delivery agent

Mochamad Zakki Fahmi, Hery Suwito, Achmadi Susilo, Elika Joeniarti, Anninda Mughniy Rahayu Jaswdi, Nindayu Indrasari

Confusarin and nudol, two phenathrene group compounds, from *Dioscorea esculenta* L. and their antioxidant acitivities

Nanik Siti Aminah, Ratih Hidayah, Mulyadi Tanjung

Drug delivery hard shell capsules from seaweed extracts

Pratiwi Pudjiastuti, Muhammad Al Rizqi Dharma Fauzi, Handoko Darmokoesoemo

Organic template free hierarchical ZSM-5 prepared by desilication

Hartati, Alfa Akustia Widati, Aning Purwaningsih, Alfinda Novi Kristanti, Anggarani Nur Oktavia

Modification of gresik's dolomite to CaO•MgO nanocomposite as a catalyst for synthesis of biodiesel from tamanu oil

Abdulloh Abdulloh, Alfa Akustia Widati, Oditio Arizal

Guide for Authors

Log in or register to post comments



Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name

Home Journal Rankings	Country Rankings	Viz Tools	Help	About Us	
					(i) ×
Nature Brief	ing				
An essential round-up o inbox.	of science news, opinic	on & analysis, f	ree in you	r	
nature.com		0	PEN		

Journal of Chemical Technology and Metallurgy 8

Country	Bulgaria - IIII SIR Ranking of Bulgaria
Subject Area and Category	Chemical Engineering Chemical Engineering (miscellaneous)
	Engineering H Index Industrial and Manufacturing Engineering
Publisher	University of Chemical Technology and Metallurgy
Publication type	Journals
ISSN	13147978, 13147471
Coverage	2013-2020
Scope	The Journal of Chemical Technology and Metallurgy started originally in 1954 as Annual Journal of the former Higher Institute of Chemical Technology. It ran in Bulgarian. In 2000 its name was changed to Journal of the University of Chemical Technology and Metallurgy. It was published quarterly in English. Since 2013 it has run bimonthly as Journal of Chemical Technology and Metallurgy. Journal of Chemical Technology and Metallurgy is a specialized scientific edition presenting original research results in the field of chemical technology and metallurgy, chemical engineering, biotechnology, industrial automation, environmental protection and natural sciences. The articles published in Journal of Chemical Technology and Metallurgy refer to: Inorganic Chemistry; Organic Chemistry; Analytical Chemistry; Physical Chemistry; Organic Synthesis and Fuels; Polymer Engineering; Textile and Leather; Cellulose; Paper and Polygraphy; Inorganic and Electrochemical Productions; Chemical Engineering; Industrial Automation; Information Technology; Biotechnology; Economics and Management of Chemical and Metallurgical Industry; Sustainable Development and Environmental Protection; Physical Metallurgy of Iron and Casting; Metallurgy of Non-ferrous and Semiconducting Materials; Technology of Silicates; Nanomaterials.
?	Homepage How to publish in this journal
	Solution Sol
	Nature Briefing

An essential round-up of science news, opinion & analysis, free in your inbox.

nature.com

OPEN



SERUM ACETALDEHYDE AS A POTENTIAL BIOMARKER FOR THE DETECTION OF PATHOGENIC BIOFILM FORMATION BY *Candida albicans*

Masfufatun¹, Sumayyah Luqman Bayasud², Mei Shirli Yasinta², Ni'matuzahro³, Afaf Baktir²

¹ Biochemistry Department
University of Wijaya Kusuma, Surabaya, Indonesia
Dukuh Kupang XXV/54 Surabaya, Indonesia
E-mail: masfufahhabibah@gmail.com
² Chemistry Department
University of Airlangga, Surabaya, Indonesia
Mulyorejo, Campus C, FST Unair, Indonesia
³ Biology Department
University of Airlangga, Surabaya, Indonesia
Mulyorejo, Campus C, FST Unair, Indonesia

Received 05 January 2017 Accepted 20 July 2017

ABSTRACT

Candida albicans is a fungus that causes opportunistic infections in humans. It secretes toxic metabolites and induces the formation of biofilms. Fully developed C. albicans biofilms consist of planktonic yeast cells, pseudohyphae, and hyphae. The hyphae can invade tissues and bring toxic metabolites deep inside the organs and into the bloodstream. Biofilms cannot be identified by culture methods from feces or blood samples, necessitating the development of biomarkers to detect them. Here we show that the acetaldehyde level in serum can be used as a biomarker of gastrointestinal Candida biofilm formation. An in vitro C. albicans biofilm model is set up by culturing C. albicans in an Erlenmeyer flask, while an in vivo model is created in the rat gastrointestinal mucosa. A lack of nutrients induces biofilm formation in vitro, while in vivo biofilm formation is induced by treatment with antibiotics and corticosteroids. Identification of C. albicans biofilms is carried out macroscopically and microscopically using scanning electron microscopy. Analysis of acetaldehyde levels is performed by gas chromatography. The in vitro acetaldehyde level in the supernatant of the C. albicans culture is 0.9 ± 0.3 % (v/v) after a period of 48 h incubation, at which time biofilms start to form. The serum mean acetaldehyde level is 0.011 ± 0.003 % and 0.005 ± 0.001 % in the experimental and the control groups, respectively. The t-test results show that this difference is significant at p <0.05, indicating that serum acetaldehyde can be used as a biomarker of C. albicans biofilm formation in the intestine. Keywords: acetaldehyde, biomarkers, biofilm, C.albicans, gaschromatography.

INTRODUCTION

Candida is the most common of the commensal fungi in humans, primarily occurring in the mouth, gut, and vagina. They attach themselves to mucosal membranes, where they may give rise to opportunistic infections [1 - 3]. *C. albicans* is the dominant species

in healthy subjects, but *Candida parapsilosis* and *Candida tropicalis* have also been found [2, 4]. The pathogenicity of *C. albicans* includes production of toxic metabolites and formation of biofilms, not only on biotic surfaces in the human body [5, 6] but also on abiotic surfaces such as those of central venous catheters, dentures, or tooth implants [7, 8].

C. albicans is a dimorphic organism that has two life

forms. The first one refers to a budding yeast that grows as blastospores, whereas the second one is a germ tube that grows as pseudohyphae. The buds develop as elongated spheres, while the germ tubes or hyphae, periodically form long tubiform extensions fragments. The pseudohyphae are potentially harmful to the host because of their ability to penetrate the host cells. Indeed, biofilm-related chronic mucocutaneous candidiasis (CMC) has been associated with a significant risk of oral cancer [9-11]. *C. albicans* biofilm isolated from these patients produces high levels of carcinogenic acetaldehyde (ACH) *in vitro*, thus providing one possible explanation for carcinogenesis [12]. Therefore, it is important to combat biofilms at the earliest stage possible.

Biofilms consist of a mixture of yeast and host cells, pseudohyphae, hyphae, and extracellular polymeric substances (β -1,3 glucan, chitin, and proteins) secreted by the fungus [13]. This extracellular polymeric material serves to reduce the exposure to antimicrobial compounds, host immune factors, and antimicrobial peptides [14]. In addition, chronic biofilm infections may cause inflammation, which increases the risk of carcinogenesis [15].

Several studies have detected the presence of C. albicans using a culture method from feces or blood samples. In contrast, in vivo detection of growing biofilms requires endoscopy, which is not easy, especially in the mucosa membrane of the digestive tract, and is painful. Therefore, we need a biomarker to determine the presence of metabolites resulting C. albicans biofilms. Our hypothesis is that ACH is a potential biomarker to determine the formation of C. albicans biofilm. We therefore investigate the production of acetaldehyde by C. albicans both in vitro and in vivo. We show that ACH levels are indeed significantly increased upon Candida biofilm formation. Our results may facilitate the discovery of novel antifungal agents that can inhibit C. albicans cell growth and biofilm formation, and reduce the carcinogenic possibility of C. albicans biofilms, which may be important when treating fungal biofilm infections.

EXPERIMENTAL

Materials and methods

C. albicans stock was acquired from the Laboratory

of Microbiology, Faculty of Dentistry, Airlangga University. The serum was obtained from two groups of 16 male white Wistar rats (Rattus norvegicus) aged approximately 2-3 months. They were in a good condition weighing approximately 200 g. The solution of phospate salin buffer (PBS) contained NaH_2PO_4 , Na_2HPO_4 .7H₂O, NaCl and KCl

Growth and formation of *in vitro C. albicans* biofilm

In vitro C. albicans biofilm formation was studied using Erlenmeyer flasks. 5 % of C. albicans inoculum was added to 30 mL Yeast Peptone Dextrose (YPD) growth medium. The culture was incubated at 37°C using a rotary shaker at 140 rpm. C. albicans growth in culture was monitored by measuring the optical density at 600 nm (OD₆₀₀) with a UV/VIS spectrophotometer after 0 h, 8 h, 16 h, 24 h, 32 h, 40 h, 48 h, 56 h, 64 h, and 72 h of incubation. C. albicans biofilm appeared on the wall of the Erlenmeyer flask during incubation and was examined.

Formation of in vivo C. albicans biofilm

The experimental animals were adapted for one week and randomly divided into two groups (a control and an experimental group, each containing 16 rats). The groups were orally given the antibiotics streptomycin (20 mg/kg), tetracycline (25 mg/kg), and gentamicin (7.5 mg/kg) each day for 4 days. On the 4th day, the animals were injected with cortisone acetate (225 mg/kg) as an immunosuppressant. On the 5th day, they were orally inoculated with *C. albicans*. During the treatment, the animals were fed with AIN-93 [16] and spider medium (peptone, yeast, beef extract, NaCl, mannitol, K,HPO₄).

Identification of C. albicans biofilm

The biofilm identification was conducted macroscopically (small intestine and cecum were split and examined through a magnifying glass) and microscopically by scanning electron microscopy (SEM).

Scanning electron microscopy of *in vitro*-produced biofilms

Biofilms were obtained in Erlenmeyer flasks after

growing *C. albicans* for 72 h as described above. 5 ml of *C. albicans* suspension was centrifuged at 10,000 rpm. The supernatant was removed and the residue was washed once with PBS. The mixture was centrifuged again, and the supernatant was removed. The *C. albicans* biofilm residue was dried overnight at 37° C, coated with gold/palladium (40/60 % ratio) and observed under a scanning electron microscope in a high vacuum mode at 10 kV.

Scanning electron microscopy of *in vivo*-produced biofilms

Biofilms were created in the rat gastrointestinal mucosa as described above. The intestine specimens were rinsed with PBS and subjected to consecutive overnight incubations in the fixative reagents glutaraldehyde and osmic acid. Samples were subsequently washed with distilled water, dehydrated through a series of ethanol washes (70 % for 10 min, 95 % for 10 min, and 100 % for 20 min), dried using critical point drying (CPD), stuck on a stub (holder) and coated with pure gold using a vacuum evaporator. The surface topographic features of the biofilm were visualized by scanning electron microscopy.

Acetaldehyde measurement

For the determination of ACH concentrations, a Hewlett Packard 6890 Series Agilent 19095P-Q04 gas chromatography instrument was used that was equipped with an HP-Plot Q column and a flame ionization detector. Helium gas was used as a mobile phase. The GC temperature on injector A was set at 220°C. The initial temperature was fixed at 150°C, the initial time was 15 min, and the temperature was raised automatically by 5.0°C/min. The final temperature was 200°C, the final time was 30 min, and the flow rate of the carrier gas passing through the large column was 68 mL/min. Acetaldehyde was detected by flame ionization.

Three milliliter samples of *C. albicans* culture from *in vitro* biofilms were centrifuged at 10,000 rpm for 10 min. Each supernatant was injected and its acetaldehyde content was analyzed by gas chromatography.

Samples (0.5 ml) of rat serum were placed in the centrifuge tube and 0.5 ml 5 % TCA (trichloroacetate) was added. Then they were centrifuged at 3000 rpm for 5 min. The supernatant was injected and analyzed for acetaldehyde content by gas chromatography.

Statistical analysis

A t-test was performed to determine the significance of the ACH data.

RESULTS AND DISCUSSION

Formation of in vitro biofilms

The growth profile of *C. albicans* in YPD medium showed a short logarithmic phase and a long stationary phase (Fig. 1). After 48 h, the optical density decreased



Fig. 1. Growth profile of C. albicans cultured in YPD medium in Erlenmeyer flasks.



Fig. 2. Macroscopic observation of *C. albicans* biofilm adhering to the wall of the Erlenmeyer flask after a period of 48 h incubation (see the black arrow).

sharply. Biofilm began to appear at the end of the stationary phase just before the death phase as a white coat attached to the flask surface. This biofilm formation was induced by the lack of nutrients in the YPD medium. The biofilm production continued during the subsequent growth stages and appeared as a piece of cotton-like substance floating on the top of the liquid culture in the Erlenmeyer flask (Fig. 2).

The thick white plaque adhering to the wall of the Erlenmeyer flask (Fig.2) is examined. In correspondence

with the defense mechanism of *C. albicans* the lack of nutrient or nutrient depletion triggers *C. albicans* adhering to the solid surface of the flask. Then they undergo morphogenesis to produce a dense layer of cells of mixed morphology embedded in a extracellular matrix rich in polymer 1,3 glucan. SEM analysis is carried out revealing that it contained a mass of *Candida* cells in a biofilm form. The *in vitro* biofilm consists of yeast cells, budding yeast and extracellular matrix (Fig. 3).

Formation of In vivo Candida biofilms

In vivo C. albicans biofilms were successfully formed in the white rat intestinal mucosa by four types of inductions: tetracycline, streptomycin, and gentamicin antibiotics administered daily for 4 days. On the 4th day the animals were injected with cortisone acetate as an immunosuppressor, *C. albicans* inoculum, and spider medium.

We monitored the growth of *C. albicans* in the course of an *in vivo* formation of a biofilm by analyzing the presence of the organism in the feces. The number of colonies of *C. albicans* (in Colony Forming Units, CFUs) in the rat's feces slightly increased from day 3 to 7 after the fifth inoculation and sharply increased on day 14. The antibiotics and immunosuppressant were responsible for this, as they disrupted the normal intestinal microflora balance and led to growth obstruction of some



(A)

(B)

Fig. 3. SEM image of *C. albicans* biofilms obtained after 48 h growth on YPD. (A) 5000x magnification. (B) 10,000x magnification. (1) An yeast form of *C. albicans* cells, (2) *C. albicans* budding yeast cells, (3) *C. albicans* cells coated by an extracellular matrix (scale bar = 10μ m).



Fig. 4. Profile of *Candida* colonization on (A) feces and (B) rat intestinal mucosa that had been induced by antibiotics and immunosuppressants.

microflora. On the other hand, *C. albicans* survived and even developed an uncontrolled growth (overgrowth) as more nutrients became available. *C. albicans* formed colonies in the excess of food and flew out with the feces. Therefore, the increasing CFU number of *C. albicans* colonies in the feces is a *Candida* overgrowth parameter. The overgrowth of *C. albicans* occurred 14 days after inoculation. On day 21, the CFU number of *C. albicans* colonies in the feces decreased again, but it increased in the gastrointestinal mucosa, as shown in Fig. 4. This is consistent with the increased colonization of the rat intestinal mucosa by *C. albicans* cells during the early stage of biofilm formation. Indeed, on day 35, the *C. albicans* CFU in feces decreased even more accompanied by a concomitant drastic increase of the *C. albicans* CFU in the gastrointestinal mucosa.

Fig. 5 shows the presence of *C. albicans* biofilms developed in rat intestinal mucosa. They appear as white plaques on the surface of the rat intestinal mucosa. They are neither easy to peel off with surgical instruments or be washed off by PBS buffer solution.

The SEM image of *in vivo* biofilms (Fig. 6) shows clearly *C. albicans pseudohyphae* which cannot be seen in the *in vitro* biofilms. These pseudohyphae are potentially harmful to the host because of their ability to penetrate host cells. In immunocompromised individuals the hyphae and toxins produced by *C. albicans* can end up in the bloodstream. In immunocompetent individuals the *C. albicans* cells are blocked by the immune system prior reaching the bloodstream. However, toxins may



Fig. 5. Rat intestinal mucosa in presence (A) and absence (B) of *C. albicans* biofilm. The black arrow indicates the thickest plaque on the surface of rat intestinal mucosa.

reach the bloodstream because they are not recognized by the immune system.

Once the *in vivo* and *in vitro* biofilm models had been proven, the next step was *C. albicans* metabolite observation. Metabolite analysis was carried out by GC of the *in vivo* and *in vitro* biofilm samples aiming to detect ACH.

Analysis of ACH

Gas chromatography was used to detect the presence of ACH in the *in vitro* and *in vivo* biofilm samples. The amount of ACH in the *C. albicans* culture supernatant after 48 h incubation was 0.9 ± 0.3 % (v/v) or 154 ± 50 µM. These results indicate that the *C. albicans* used in this study is a strain that could potentially promote carcinogenesis by producing ACH. Previous studies indicated that some *Candida* species were able to produce ACH from ethanol [17 - 19]. *C. albicans, C. tropicalis*, and *C. parapsilosis* especially produce ACH in higher quantities than other species, well above the concentration that is considered to be carcinogenic (>100 µM) [17].

The results obtained with the *in vivo* production of ACH in biofilms are presented in Fig. 7. The ACH levels in the Wistar rat intestinal mucosa show a homogeneous normal distribution. The *t*-test carried out shows that the ACH levels in the serum of the control and treated rats are essentially different (p < 0.05). Forty-two days



Fig. 6. A SEM image of *C. albicans* biofilm on mouse cecum membrane mucosa at 5000x magnification.



Fig. 7. Levels of ACH in the serum of control and biofilm rats.

after inoculation with *C. albicans*, the serum ACH level is increased by a factor of 2.3. Under conditions of biofilm formation, the amount of *C. albicans* attached to rat intestinal mucosa is significantly higher than in the normal state; therefore, it produces more ACH, likely because of glucose fermentation and alcohol production. Thus, elevated ACH levels in the serum can be used as a biomarker of biofilm formation.

ACH produced as a metabolite of alcohol catabolism is highly toxic, mutagenic, and carcinogenic. ACH can be produced in many organs such as the intestine, liver or blood, where *C. albicans* may be present. The higher level of ACH caused by biofilm formation is harmful to the organs. In this study, the rats from the biofilm group had serious liver damage (data not shown).

CONCLUSIONS

Acetaldehyde is a highly toxic, mutagenic and carcinogenic product of alcohol fermentation and metabolism in microbes, especially in yeast. In *C. albicans*, acetaldehyde is a by-product of the pyruvate bypass that converts pyruvate into acetyl-Coenzyme A (CoA). Our results show that *C. albicans*-infected (biofilm) rats are capable of producing carcinogenic amounts of ACH from ethanol which affects greatly the levels of control rats serum ACH. The latter of the biofilm rats is increased by a factor of 2.3. The difference is significant enough to be used as a biomarker for biofilm formation of *C. albicans* in the intestinal tract in vivo.

Acknowledgements

The author would like to acknowledge the Directorate for Research and Community Services, the Directorate of General Strengthening of Research and Development of the Ministry of Research, Technology and Higher Education and Yayasan Perguruan Al-Irsyad Al-Islamiyah for the research funding.

REFERENCES

- R. Calderone, C. Clancy, *Candida* and Candidiasis, 2nd ed., 2011, ASM Press.
- T. Drell, T. Lillsaar, L. Tummeleht, J. Simm, A. Aaspollu, E. Vain, M. Metsis, Characterization of the vaginal micro- and mycobiome in asymptomatic reproductiveage Estonian women, PLoS One, 8, 2013, e54379.
- M. Ghannoum, R. Jurevic, P. Mukherjee, F. Cui, M. Sikaroodi, A.G.P. Naqvi, Characterization of the oral fungal microbiome (mycobiome) in healthy individuals, PLoS Pathogens, 6, 2010, e1000713.
- P. Scanlan, J. Marchesi, The micro-eukaryotic diversity of the human distal gut microbiota: qualitative assessment using culture-dependent and –independent analysis of feces, ISME J, 2, 2008, 1183-1193.
- D. Andes, J. Nett, P. Oschel, R. Albrecht, K. Marchillo, A. Pitula, Development and characterization of an in vivo central venous catheter *Candida albicans* biofilm model, Infect Immun, 72, 2004, 6023-6031.
- J. Nett, K. Marchillo, C. Spiegel, D. Andes, Development and validation of an in vivo Candida albicans biofilm denture model, Infect Immun, 78, 2010, 3650-3659.
- A. Dongari-Bagtzoglou, H. Kashleva, P. Dwivedi, P. Diaz, J. Vasilakos, Characterization of mucosal *Candida albicans* biofilms, PLoS One, 4, 2009, e7967.
- M. Harriott, E. Lilly, T. Rodriguez, P.J. Fidel, M. Noverr, *Candida albicans* forms biofilms on the vaginal mucosa. Microbiology, 156, 2010, 3635-3644.
- E. Marttila, J. Uittamo, P. Rusanen, C. Lindqvist, M. Salaspuro, E. Al, Acetaldehyde production and microbial colonization in oral squamous cell carcinoma and oral lichenoid disease, Oral Surg Oral Med Oral Pathol Oral Radiol, 116, 2013, 61-68.

- R. Rautemaa, J. Hietanen, S. Niissalo, S. Pirinen, J. Perheentupa, Oral and oesophageal squamous cell carcinoma-a complication or component of autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED, APS-I), Oral Oncol, 43, 2007, 607-613.
- R. Rautemaa, G. Ramage, Oral candidosis-clinical challenges of a biofilm disease, Crit Rev Microbiol, 37, 2011, 328-336.
- J. Uittamo, E. Siikala, P. Kaihovaara, M. Salaspuro, R. Rautemaa, Chronic candidosis and oral cancer in APECED-patients: production of carcinogenic acetaldehyde from glucose and ethanol by Candida albicans, Int. J, Cancer, 124, 2009, 754-756.
- J. Finkel, A. Mitchell, Genetic control of Candida albicans biofilm development. *Nat Rev Microbiol*, 9, 2011, 109–118.
- G. Ramage, S. Robertson, C. Williams, Strength in numbers: antifungal strategies against fungal biofilms, Int. J. Antimicrob. Agents, 43, 2014, 114-120.
- 15. L. Coussens, Z. Werb, Inflammation and cancer, Nature, 420, 2002, 860-867.
- 16. P.G. Reeves, Committee Report AIN-93 Purified Diets for Laboratory Rodents : Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet, (June 2016), 1939-1951. http://doi. org/10.1017/CBO9781107415324.004
- 17. M. Salaspuro, Acetaldehyde as a common denominator and cumulative carcinogen in digestive tract cancers, Scand. J. Gastroenterol., 2009.
- M. Mohd Bakri, H. Mohd Hussain, A. Rachel Holmes, E. Al., Revisiting the association etween candidal infection and carcinoma, particularly oral squamous cell carcinoma, J. Oral Microbiol., 2, 2010, 5780. http://doi.org/10.3402/jom. v2i0.5780.
- M. Nieminen, J. Uittamo, M. Salaspuro, R. Rautemaa, Acetaldehyde production from ethanol and glucose by non-Candida albicans yeasts in vitro, Oral Oncol., 45, 2009, E245-8.