

**DAFTAR PUSTAKA**

- Abbasi, A. J., Mohammadi, F., Bayat, M., Gema, S. M., Ghadirian, H., Seifi, H., Bayat, H. and Bahrami, N. (2018) ‘Applications of Propolis in Dentistry: A Review’, *Ethiopian journal of health sciences*, 28(4), pp. 505–512. DOI: 10.4314/ejhs.v28i4.16.
- Ağrı, İ., Ağrı, A. E., Özdemir, D. and Özgür, A. (2018) ‘CAPE and tympanosclerosis’, *Polyphenols: Mechanisms of Action in Human Health and Disease*, pp. 421–430. DOI: 10.1016/B978-0-12-813006-3.00031-3.
- Ahangari, Z., Naseri, M. and Vatandoost, F. (2018) ‘Propolis: Chemical composition and its applications in endodontics’, *Iranian Endodontic Journal*, 13(3), pp. 285–292. DOI: 10.22037/iej.v13i3.20994.
- Akyol, S., Ginis, Z., Armutcu, F., Ozturk, G., Yigitoglu, M. R. and Akyol, O. (2012) ‘The potential usage of caffeic acid phenethyl ester (CAPE) against chemotherapy-induced and radiotherapy-induced toxicity’, *Cell Biochemistry and Function*, 30(5), pp. 438–443. DOI: 10.1002/cbf.2817.
- Akyol, S., Ozturk, G., Ginis, Z., Armutcu, F., Yigitoglu, M. R. and Akyol, O. (2013) ‘In vivo and in vitro antineoplastic actions of Caffeic acid phenethyl ester (CAPE): Therapeutic perspectives’, *Nutrition and Cancer*, 65(4), pp. 515–526. DOI: 10.1080/01635581.2013.776693.
- Alex, G. (2018) ‘Direct and Indirect Pulp Capping: A Brief History, Material Innovations, and Clinical Case Report.’, *Compendium of continuing education in dentistry* (Jamesburg, N.J.: 1995), 39(3), pp. 182–189. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/29493248>.
- Armutcu, F., Akyol, S., Ustunsoy, S. and Turan, F. F. (2015) ‘Therapeutic potential of caffeic acid phenethyl ester and its anti-inflammatory and immunomodulatory effects (Review)’, *Experimental and Therapeutic Medicine*, 9(5), pp. 1582–1588. DOI: 10.3892/etm.2015.2346.
- Baker, R. G., Hayden, M. S. and Ghosh, S. (2011) ‘NF-κB, inflammation, and metabolic disease’, *Cell Metabolism*, 13(1), pp. 11–22. DOI: 10.1016/j.cmet.2010.12.008.
- Bankova, V. et al. (2019) ‘Standard methods for Apis mellifera propolis research’, *Journal of Apicultural Research*, 58(2), pp. 1–49. DOI: 10.1080/00218839.2016.1222661.
- Bankova, V., Trusheva, B. and Popova, M. (2018) ‘Caffeic acid phenethyl ester (CAPE) – Natural sources, analytical procedures and synthetic approaches’, *Comptes Rendus de L’Academie Bulgare des Sciences*, 71(9), pp. 1157–1169. DOI: 10.7546/CRABS.2018.09.01.

- Baranwal, R., Singh, B., Dubey, A. and Avinash, A. (2016) ‘Calcium Hydroxide in Endodontics’, *Journal of App*, 2(3), pp. 3–7
- Bezerra, R. M. N., Veiga, L. F., Caetano, A. C., Rosalen, P. L., Amaral, M. E. C., Palanch, A. C. and De Alencar, S. M. (2012) ‘Caffeic acid phenethyl ester reduces the activation of the nuclear factor  $\kappa$ b pathway by high-fat diet-induced obesity in mice’, *Metabolism: Clinical and Experimental*. Elsevier Inc., 61(11), pp. 1606–1614. DOI: 10.1016/j.metabol.2012.04.006.
- Botero, T. M., Son, J. S., Vodopyanov, D., Hasegawa, M., Shelburne, C. E. and Nör, J. E. (2010) ‘MAPK signaling is required for LPS-induced VEGF in pulp stem cells’, *Journal of Dental Research*, 89(3), pp. 264–269. DOI: 10.1177/0022034509357556.
- Bruschi, M. L., Rosseto, H. C., de Francisco, L. M. B., de Toledo, L. de A. S. and Raphaela, R. R. (2017) *Nanostructured Propolis as Therapeutic Systems With Antimicrobial Activity, Nano- and Microscale Drug Delivery Systems: Design and Fabrication*. Elsevier Inc. DOI: 10.1016/B978-0-323-52727-9.00020-0.
- Búfalo, M. C., Ferreira, I., Costa, G., Francisco, V., Liberal, J., Cruz, M. T., Lopes, M. C., Batista, M. T. and Sforcin, J. M. (2013) ‘Propolis and its constituent caffeic acid suppress LPS-stimulated pro-inflammatory response by blocking NF- $\kappa$ B and MAPK activation in macrophages’, *Journal of Ethnopharmacology*. Elsevier, 149(1), pp. 84–92. DOI: 10.1016/j.jep.2013.06.004.
- Cauich-Kumul, R. and Segura Campos, M. R. (2019) *Bee Propolis, Bioactive Compounds*. Elsevier Inc. DOI: 10.1016/b978-0-12-814774-0.00012-8.
- Chen, L., Deng, H., Cui, H., Fang, J., Zuo, Z., Deng, J., Li, Y., Wang, X. and Zhao, L. (2018) ‘Inflammatory responses and inflammation-associated diseases in organs’, *Oncotarget*, 9(6), pp. 7204–7218. Available at: [www.impactjournals.com/oncotarget/](http://www.impactjournals.com/oncotarget/).
- Cooper, P. R., Holder, M. J. and Smith, A. J. (2014) ‘Inflammation and regeneration in the dentin-pulp complex: A double-edged sword’, *Journal of Endodontics*. Elsevier Ltd, 40(4 SUPPL.), pp. S46–S51. DOI: 10.1016/j.joen.2014.01.021.
- Encyclopaedia Britannica (2019) ‘Inflammation’, *Encyclopædia Britannica*
- Fouad, A. F. (2016) *Infections of the Dental Pulp, Head, Neck, and Orofacial Infections*. Elsevier Inc. DOI: 10.1016/b978-0-323-28945-0.00010-7.
- Garg, N. and Garg, A. (2017) *Textbook of Preclinical Conservative Dentistry*. Jaypee Brothers, Medical Publishers Pvt. Limited. Available at:

<https://books.google.co.id/books?id=Eu0ovgAACAAJ>.

Ghannam, M. G. and Bordoni, B. (2019) *Anatomy, Head and Neck, Pulp (Tooth)*. StatPearls Publishing

Hastuti, R. D., Prasetyo, D. and Hadinoto, S. H. (2013) ‘Perbedaan kadar caffeoic acid phenethyl ester pada propolis ekstrak etanol dan propolis ekstrak air’, *Biofarmasi*, 11(2), pp. 43–47. DOI: 10.13057/biofar/f110203.

Huang, S., Zhang, C. P., Wang, K., Li, G. Q. and Hu, F. L. (2014) ‘Recent advances in the chemical composition of propolis’, *Molecules*, 19(12), pp. 19610–19632. DOI: 10.3390/molecules191219610.

Kementerian Kesehatan Republik Indonesia (2018) *Riset Kesehatan Dasar*. Jakarta.

Khurshid, Z., Naseem, M., Zafar, M. S., Najeeb, S. and Zohaib, S. (2017) ‘Propolis: A natural biomaterial for dental and oral healthcare.’, *Journal of dental research, dental clinics, dental prospects*, 11(4), pp. 265–274. DOI: 10.15171/joddd.2017.046.

Krasowska, A. and Sigler, K. (2014) ‘How microorganisms use hydrophobicity and what does this mean for human needs?’, *Frontiers in Cellular and Infection Microbiology*, 4(AUG), pp. 1–7. DOI: 10.3389/fcimb.2014.00112.

Kuramoto, H., Hirao, K., Yumoto, H., Hosokawa, Y., Nakanishi, T., Takegawa, D., Washio, A., Kitamura, C. and Matsuo, T. (2019) ‘Caffeic Acid Phenethyl Ester (CAPE) Induces VEGF Expression and Production in Rat Odontoblastic Cells’, *BioMed Research International*, 2019. DOI: 10.1155/2019/5390720.

Lagouri, V., Prasianaki, D. and Krysta, F. (2014) ‘Antioxidant properties and phenolic composition of greek propolis extracts’, *International Journal of Food Properties*, 17(3), pp. 511–522. DOI: 10.1080/10942912.2012.654561.

Lim, K. M., Bae, S. J., Koo, J. E., Kim, E. S., Bae, O. N. and Lee, J. Y. (2015) ‘Suppression of skin inflammation in keratinocytes and acute/chronic disease models by caffeoic acid phenethyl ester’, *Archives of Dermatological Research*, 307(3), pp. 219–227. DOI: 10.1007/s00403-014-1529-8.

Liu, T., Zhang, L., Joo, D. and Sun, S. C. (2017) ‘NF-κB signaling in inflammation’, *Signal Transduction and Targeted Therapy*, 2(March). DOI: 10.1038/sigtrans.2017.23.

Lotfy, M. (2006) ‘Biological activity of bee propolis in health and disease’, *Asian Pacific Journal of Cancer Prevention*, 7(1), pp. 22–31

Mapesa, J. O., Waldschmitt, N., Schmoeller, I., Blume, C., Hofmann, T., Mahungu, S., Clavel, T. and Haller, D. (2011) ‘Catechols in caffeoic acid phenethyl ester

- are essential for inhibition of TNF-mediated IP-10 expression through NF- $\kappa$ B-dependent but HO-1- and p38-independent mechanisms in mouse intestinal epithelial cells', *Molecular Nutrition and Food Research*, 55(12), pp. 1850–1861. DOI: 10.1002/mnfr.201100105.
- Márquez, N., Sancho, R., Macho, A., Calzado, M. A., Fiebich, B. L. and Muñoz, E. (2004) 'Caffeic Acid Phenethyl Ester Inhibits T-Cell Activation by Targeting Both Nuclear Factor of Activated T-Cells and NF- $\kappa$ B Transcription Factors', *Journal of Pharmacology and Experimental Therapeutics*, 308(3), pp. 993–1001. DOI: 10.1124/jpet.103.060673.
- Montero, J. C. and Mori, G. G. (2012) 'Assessment of ion diffusion from a calcium hydroxide-propolis paste through dentin', *Brazilian Oral Research*, 26(4), pp. 318–322. DOI: 10.1590/S1806-83242012000400006.
- Murtaza, G., Karim, S., Akram, M. R., Khan, S. A., Azhar, S., Mumtaz, A. and Bin Asad, M. H. H. (2014) 'Caffeic Acid Phenethyl Ester and Therapeutic Potentials', *BioMed Research International*. Edited by G. Perry. Hindawi Publishing Corporation, 2014, p. 145342. DOI: 10.1155/2014/145342.
- Murtaza, G., Sajjad, A., Mehmood, Z., Shah, S. H. and Siddiqi, A. R. (2015) 'Possible molecular targets for therapeutic applications of caffeic acid phenethyl ester in inflammation and cancer', *Journal of Food and Drug Analysis*. Elsevier Ltd, 23(1), pp. 11–18. DOI: 10.1016/j.jfda.2014.06.001.
- Neiva, K. G., Catalfamo, D. L., Holliday, S., Wallet, S. M. and Pileggi, R. (2014) 'Propolis decreases lipopolysaccharide-induced inflammatory mediators in pulp cells and osteoclasts', *Dental Traumatology*, 30(5), pp. 362–367. DOI: 10.1111/dtr.12096.
- Nie, J., Chang, Y., Li, Y., Zhou, Y., Qin, J., Sun, Z. and Li, H. (2017) 'Caffeic Acid Phenethyl Ester (Propolis Extract) Ameliorates Insulin Resistance by Inhibiting JNK and NF- $\kappa$ B Inflammatory Pathways in Diabetic Mice and HepG2 Cell Models', *Journal of Agricultural and Food Chemistry*, 65(41), pp. 9041–9053. DOI: 10.1021/acs.jafc.7b02880.
- Paracatu, L. C., Faria, C. M. Q. G., Quinello, C., Rennó, C., Palmeira, P., Zeraik, M. L., Da Fonseca, L. M. and Ximenes, V. F. (2014) 'Caffeic acid phenethyl ester: Consequences of its hydrophobicity in the oxidative functions and cytokine release by leukocytes', *Evidence-based Complementary and Alternative Medicine*, 2014. DOI: 10.1155/2014/793629.
- Parandin, R. and Daroogari, S. (2019) 'Anti-Inflammatory and Antinociceptive Activities of the Ethanolic Extract of Propolis in Male Mice and Rats', *Zahedan Journal of Research in Medical Sciences*, In Press(In Press). DOI: 10.5812/zjrms.84150.
- Park, S. H., Ye, L., Love, R. M., Farges, J. C. and Yumoto, H. (2015) 'Inflammation

of the Dental Pulp', *Mediators of Inflammation*, 2015, pp. 2–4. DOI: 10.1155/2015/980196.

Petelinc, T., Medved, M., Polak, T. and Jamnik, P. (2017) 'Caffeic acid esters affect intracellular oxidation and vitality of yeast *Saccharomyces cerevisiae* cells', *Natural Product Communications*, 12(11), pp. 1773–1776. DOI: 10.1177/1934578x1701201131.

Rahayu, R. P., Pribadi, N., Widjiastuti, I. and Nugrahani, N. A. (2020) 'Combinations of propolis and Ca ( OH ) 2 in dental pulp capping treatment for the stimulation of reparative dentin formation in a rat model [ version 1 ; peer review : 1 approved with reservations ] Retno Pudji Rahayu', (May), pp. 1–9

Ristivojević, P., Trifković, J., Andrić, F. and Milojković-Opsenica, D. (2015) 'Poplar-type propolis: Chemical composition, botanical origin and biological activity', *Natural Product Communications*, 10(11), pp. 1869–1876. DOI: 10.1177/1934578x1501001117.

Sabir, A. (2005) 'Respons inflamasi pada pulpa gigi tikus setelah aplikasi ekstrak etanol propolis (EEP) (The inflammatory response on rat dental pulp following ethanolic extract of propolis (EEP) application)', *Dental Journal (Majalah Kedokteran Gigi)*, 38(2), p. 77. DOI: 10.20473/j.djmkg.v38.i2.p77-83.

Sabir, A. (2019a) 'Does propolis can relief toothache ???', *Journal of Dentomaxillofacial Science*, 4(2), pp. 63–66. DOI: 10.15562/jdmfs.v4i2.

Sabir, A. (2019b) 'Indonesian propolis suppressed the expression of COX-2 in inflamed rat dental pulp in direct capping treatment', *Journal of Dentomaxillofacial Science*, 4(2), p. 109. DOI: 10.15562/jdmfs.v4i2.966.

Sabir, A. and Sumidarti, A. (2017) 'Interleukin-6 expression on inflamed rat dental pulp tissue after capped with *Trigona* sp. propolis from south Sulawesi, Indonesia', *Saudi Journal of Biological Sciences*. King Saud University, 24(5), pp. 1034–1037. DOI: 10.1016/j.sjbs.2016.12.019.

Sforcin, J. M. and Bankova, V. (2011) 'Propolis: Is there a potential for the development of new drugs?', *Journal of Ethnopharmacology*, 133(2), pp. 253–260. DOI: 10.1016/j.jep.2010.10.032.

Shi, B., Zhao, Y. and Yuan, X. (2020) 'Effects of MTA and Brazilian propolis on the biological properties of dental pulp cells', *Brazilian oral research*, 33, p. e117. DOI: 10.1590/1807-3107bor-2019.vol33.0117.

de Souza, J. A. C., Rossa Junior, C., Garlet, G. P., Nogueira, A. V. B. and Cirelli, J. A. (2012) 'Modulation of host cell signaling pathways as a therapeutic approach in periodontal disease', *Journal of Applied Oral Science*, 20(2), pp. 128–138. DOI: 10.1590/S1678-77572012000200002.

- Stow, J. L. and Murray, R. Z. (2013) ‘Intracellular trafficking and secretion of inflammatory cytokines.’, *Cytokine & growth factor reviews*. England, 24(3), pp. 227–239. DOI: 10.1016/j.cytofr.2013.04.001.
- Tolba, M. F., Azab, S. S., Khalifa, A. E., Abdel-Rahman, S. Z. and Abdel-Naim, A. B. (2013) ‘Caffeic acid phenethyl ester, a promising component of propolis with a plethora of biological activities: A review on its anti-inflammatory, neuroprotective, hepatoprotective, and cardioprotective effects’, *IUBMB Life*, 65(8), pp. 699–709. DOI: 10.1002/iub.1189.
- Toreti, V. C., Sato, H. H., Pastore, G. M. and Park, Y. K. (2013) ‘Recent progress of propolis for its biological and chemical compositions and its botanical origin’, *Evidence-based Complementary and Alternative Medicine*, 2013. DOI: 10.1155/2013/697390.
- Uwai, K., Osanai, Y., Imaizumi, T., Kanno, S. ichi, Takeshita, M. and Ishikawa, M. (2008) ‘Inhibitory effect of the alkyl side chain of caffeic acid analogues on lipopolysaccharide-induced nitric oxide production in RAW264.7 macrophages’, *Bioorganic and Medicinal Chemistry*, 16(16), pp. 7795–7803. DOI: 10.1016/j.bmc.2008.07.006.
- Wagh, V. D. (2013) ‘Propolis: A wonder bees product and its pharmacological potentials’, *Advances in Pharmacological Sciences*, 2013. DOI: 10.1155/2013/308249.
- Wang, K., Ping, S., Huang, S., Hu, L., Xuan, H., Zhang, C. and Hu, F. (2013) ‘Molecular mechanisms underlying the in vitro anti-inflammatory effects of a flavonoid-rich ethanol extract from chinese propolis (poplar type)’, *Evidence-based Complementary and Alternative Medicine*, 2013. DOI: 10.1155/2013/127672.
- Wang, K., Hu, L., Jin, X. L., Ma, Q. X., Marcucci, M. C., Netto, A. A. L., Sawaya, A. C. H. F., Huang, S., Ren, W. K., Conlon, M. A., Topping, D. L. and Hu, F. L. (2015) ‘Polyphenol-rich propolis extracts from China and Brazil exert anti-inflammatory effects by modulating ubiquitination of TRAF6 during the activation of NF-κB’, *Journal of Functional Foods*. Elsevier Ltd, 19, pp. 464–478. DOI: 10.1016/j.jff.2015.09.009.
- Wang, L. C., Chu, K. H., Liang, Y. C., Lin, Y. L. and Chiang, B. L. (2010) ‘Caffeic acid phenethyl ester inhibits nuclear factor-κB and protein kinase B signalling pathways and induces caspase-3 expression in primary human CD4+ T cells’, *Clinical and Experimental Immunology*, 160(2), pp. 223–232. DOI: 10.1111/j.1365-2249.2009.04067.x.
- Wang, X., Stavchansky, S., Bowman, P. D. and Kerwin, S. M. (2006) ‘Cytoprotective effect of caffeic acid phenethyl ester (CAPE) and catechol ring-fluorinated CAPE derivatives against menadione-induced oxidative stress in human endothelial cells’, *Bioorganic and Medicinal Chemistry*, 14(14), pp. 4879–4887. DOI: 10.1016/j.bmc.2006.03.015.

- Wang, X., Stavchansky, S., Kerwin, S. M. and Bowman, P. D. (2010) ‘Structure-activity relationships in the cytoprotective effect of caffeic acid phenethyl ester (CAPE) and fluorinated derivatives: Effects on heme oxygenase-1 induction and antioxidant activities’, *European Journal of Pharmacology*. Elsevier B.V., 635(1–3), pp. 16–22. DOI: 10.1016/j.ejphar.2010.02.034.
- Widjiastuti, I., Subiyanto, A., Ningtyas, E. K., Popyandra, R., Kurniawan, M. G. and Retnaningsih, F. D. (2020) ‘Propolis extract as pulp capping material enhances odontoblast-like cell thickness and type 1 collagen expression (in vivo )’, *Dental Journal (Majalah Kedokteran Gigi)*, 1(32), pp. 1–5. DOI: 10.20473/j.djmkg.v53.i1.p1.
- Widjiastuti, I., Suardita, K. and Saraswati, W. (2014) ‘The expressions of NF- $\kappa$ b and TGF $\beta$ -1 on odontoblast-like cells of human dental pulp injected with propolis extracts’, *Dental Journal (Majalah Kedokteran Gigi)*, 47(1), p. 13. DOI: 10.20473/j.djmkg.v47.i1.p13-18.
- Więckiewicz, W., Miernik, M., Więckiewicz, M. and Morawiec, T. (2013) ‘Does propolis help to maintain oral health?’, *Evidence-based Complementary and Alternative Medicine*, 2013. DOI: 10.1155/2013/351062.
- Yu, C. Y. and Abbott, P. V (2018) ‘Pulp microenvironment and mechanisms of pain arising from the dental pulp : From an endodontic perspective’, pp. 82–98. DOI: 10.1111/aej.12257.
- Yuanita, T., Zubaidah, N. and Kunarti, S. (2018) ‘East Java propolis effect on toll-like receptor 2 and nuclear factor-kappa B expression in chronic apical periodontitis’, *Saudi endodontic Journal*, 8(3), pp. 212–6. DOI: 10.4103/sej.sej.
- Yumoto, H., Hirao, K., Hosokawa, Y., Kuramoto, H., Takegawa, D., Nakanishi, T. and Matsuo, T. (2018) ‘The roles of odontoblasts in dental pulp innate immunity’, *Japanese Dental Science Review*. Japanese Association for Dental Science, 54(3), pp. 105–117. DOI: 10.1016/j.jdsr.2018.03.001.
- Zakaria, M. N. (2016) ‘Save the pulp is the essential issues on pulp capping treatment’, *Journal of Dentomaxillofacial Science*, 1(2), p. 301. DOI: 10.15562/jdmfs.v1i2.14.
- Zhu, C., Ju, B. and Ni, R. (2015) ‘Clinical outcome of direct pulp capping with MTA or calcium hydroxide: A systematic review and meta-analysis’, *International Journal of Clinical and Experimental Medicine*, 8(10), pp. 17055–17060.