

DAFTAR PUSTAKA

Astina Kadek Yuda (2015) ‘Analisis Citra MRCP (Magnetic Resonance Cholangio Pancreatography) pada Duktus Pankreatikus Setelah Pemberian Minuman Jeruk Kemasan’, *Tesis*, (6), pp. 1–49. Available at: <http://eprints.undip.ac.id/>.

Amirin, T. (2011). *Populasi Dan Sampel Penelitian 4: Ukuran Sampel Rumus Slovin*. Jakarta : Erlangga

Cathrine Westbrook (2014) *Handbook of MRI Technique 4th Edition*. John Wiley & Sons, Ltd.

Dominik Weisthaupt (2006) *How does MRI work?: An Introduction to the Physics and Function of Magnetic Resonance Imaging*. doi: 10.1007/978-3-662-07805-1. Springer-Verlag Berlin Heidelberg.

Dietrich (2007) *Parallel Imaging in Clinical MR Applications*. doi: 10.1007/978-3-540-68879-2.

Ehman, R. L. *et al.* (1984) ‘Magnetic resonance imaging with respiratory gating: Techniques and advantages’, *American Journal of Roentgenology*, 143(6), pp. 1175–1182. doi: 10.2214/ajr.143.6.1175.

Graham, C. *et al.* (2004) ‘Magnetic resonance cholangiopancreatography d evaluation of image quality in breath-hold and non-breath-hold technique’. doi: 10.1016/j.radi.2004.03.012.

Henzler, T. *et al.* (2009) ‘Echo (HASTE) MRI of the Lung at 3 Tesla Using Parallel Imaging With 32-Receiver Channel Technology’, 546, pp. 541–546. doi: 10.1002/jmri.21882.

Hoon, J. *et al.* (2012) ‘Clinical usefulness of free-breathing navigator-triggered 3D MRCP in non-cooperative patients : Comparison with conventional breath- hold 2D MRCP’, *European Journal of Radiology*. Elsevier Ireland Ltd, 81(4), pp. e513–e518. doi: 10.1016/j.ejrad.2011.06.004.

Katarzyna Krupa (2015) 'Artifacts in Magnetic Resonance Imaging', pp. 93–106. doi: 10.12659/PJR.892628.

Muhaimin *et al.* (2019) 'Pulse sequence single shot fast spin echo for reducing motion artefact on MRI of the brain', *Malaysian Journal of Medicine and Health Sciences*, 15, pp. 12–16.

Schulz, J. *et al.* (2018) 'Clinical application of Half Fourier Acquisition Single Shot Turbo Spin Echo (HASTE) imaging accelerated by simultaneous multi-slice acquisition', *European Journal of Radiology*. Elsevier, 98(October 2017), pp. 200–206. doi: 10.1016/j.ejrad.2017.11.022.

Siemens (2011) 'How to Learn MRI An Illustrated Workbook, Exercise 7: MRCP'.

Stadler, A. *et al.* (2007) 'Artifacts in body MR imaging: Their appearance and how to eliminate them', *European Radiology*, 17(5), pp. 1242–1255. doi: 10.1007/s00330-006-0470-4.

Suroiyah (2016) 'EVALUASI PERBANDINGAN KUALITAS CITRA TEKNIK BREATH HOLD DAN RESPIRATORY TRIGERRING PADAPEMERIKSAAN MRCP', *SKRIPSI*. Available at: Adln - perpustakaan universitas airlangga.

Susie Y. Huang, MD, P. R. T. S. *et al.* (2015) 'Body MR Imaging: Artifacts ', *radiographics.rsna.org*, 35(c), pp. 1–22. doi: 10.1148/rg.2015140289.

Tirkes, T. and Menias, C. O. (2012) 'MR Imaging Technique for Pancreas', *Radiologic Clinics of NA*. Elsevier Inc, 50(3), pp. 379–393. doi: 10.1016/j.rcl.2012.03.003.

Utomo, Y. A., Satoto, B. and Indrati, R. *et al.* (2016) 'Analisis Informasi Citra Anatomi antara Teknik Breath-Hold dan Trigger pada Pemeriksaan Magnetic Resonance Cholangiopancreatography (MRCP) Menggunakan Sequence T2 Half Fourier Acquisition Single Shot TSE (HASTE) Coronal Slab', *Jurnal Imejing Diagnostik (JImeD)*, 2(1), pp. 92–96. doi: 10.31983/jimed.v2i1.3163.

Westbrook, C., Roth, C. K. and Talbot, J. (2011) *Ebook - MRI in Practice 4nd Edition (Westbrook, C).pdf*. John Wiley & Sons, Ltd.

Yamashita, Y. and Tang, Y. (1998) ‘Comparison of Ultrafast Half-Fourier Sequence with Turbo Spin-Echo Sequences for T2-Weighted Imaging of the Female Pelvis’, *JMRI*, 8, pp. 1207–1212. doi: 10.1002/jmri.1880080605.

Zaitsev, M., Maclaren, J. and Herbst, M. (2015) ‘Motion artifacts in MRI: A complex problem with many partial solutions’, *Journal of Magnetic Resonance Imaging*, 42(4), pp. 887–901. doi: 10.1002/jmri.24850.