

CONTENTS

	Page
COVER	i
ENDORSMENT FORM	ii
DECLARATION	iii
IDENTITY	iv
ABSTRACT	vi
ACKNOWLEDGEMENT	vii
CONTENTS	ix
TABLE LIST	xii
ILLUSTRATION LIST	xiii
APPENDIX LIST	xiv
ABBREVIATION AND SYMBOL INTERPRETATION	xv
CHAPTER 1 INTRODUCTION	1
1.1 Research Background	1
1.2 Statement of Problem	5
1.3 Theoretical Base	5
1.4 Aim of the Research	7
1.5 Research Benefits	7
1.6 Hipoteses	7
CHAPTER 2 LITERATURE REVIEW	9
2.1 Propolis	9
2.1.1 Propolis Characteristics	10
2.1.2 Contents of Propolis	10
2.1.3 Benefits of Propolis	13
2.2 Spermatogenic Cells	13
2.3 Seminiferous Tubules	15
2.4 Mice (<i>Mus musculus</i>)	16

CHAPTER 3 MATERIALS AND METHODS	19
3.1 Time and Places of Research	19
3.2 Type and Research Design	19
3.3 Research Variable	20
3.3.1 Independent Variable	20
3.3.2 Dependent Variable.....	20
3.3.3 Controlled Variable.....	20
3.4 Materials	20
3.4.1 Research Sample	20
3.4.2 Research Equipment	21
3.4.3 Research Materials.....	21
3.5 Method	22
3.5.1 First Stage of Research	22
3.5.2 Second Stage of Research	22
3.5.2.1 Propolis Doses	23
3.5.2.2 Research Design.....	24
3.6 Research Framework.....	26
3.7 Preparation of Testis Histological Specimen.....	27
3.7.1 Mice Dissection and Organs Collection.....	27
3.7.2 Histological Specimen Processing.....	27
3.8 Specimen Examination	27
3.8.1 Spermatogenic Cells Count.....	27
3.8.2 Seminiferous Tubules Diameter.....	28
3.9 Data Analysis	28
CHAPTER 4 RESULT OF RESEARCH	29
4.1 Spermatogenic Cells Number	29
4.1.1 Spermatogonial Cells	29
4.1.2 Primary Spermatocytes	30
4.1.3 Spermatid Cells	32
4.2 Seminiferous Tubules Diameter	33
CHAPTER 5 DISCUSSION	37
5.1 Spermatogenic Cells	37
5.2 Seminiferous Tubules Diameter	39
CHAPTER 6 CONCLUSION AND SUGGESTION	41
6.1 Conclusion	41
6.2 Suggestion.....	41

SUMMARY	42
BIBLIOGRAPHY	44
APPENDIX	51




TABLE LIST

Table	Page
4.1 Number of spermatogonial cells in seminiferous tubules of mice testis after 14 days of treatment.....	29
4.2 Number of primary spermatocytes in seminiferous tubules of mice testis after 14 days of treatment	30
4.3 Number of spermatids in seminiferous tubules of mice testis after 14 days of treatment	30
4.4 The diameter of seminiferous tubules of mice testis after 14 days of treatment.	35





ILLUSTRATION LIST

Illustration	Page
2.1 <i>Apis mellifera</i> propolis	10
2.2 Spermatogenic cells of normal male mice	15
2.3 Seminiferous tubules of normal male mice	16
2.4 <i>Mus musculus</i>	17
3.1 Sample randomization into the experiment cage	25
4.1 Chart of the number of spermatogonial cells in seminiferous tubules of mice testes	30
4.2 Chart of the number of primary spermatocytes in seminiferous tubules of mice testes	31
4.3 Chart of the number of spermatids in seminiferous tubules of mice testes	33
4.4 Microscopic image of seminiferous tubules of mice (<i>Mus musculus</i>) as the result of propolis administration.....	34
4.5 Chart of seminiferous tubules diameter of mice testes	36

APPENDIX LIST

Appendix	Page
1. Propolis extraction process	51
2. Dosage conversion table	53
3. Dosage calculation	54
4. Procedure of histological specimen preparation	56
5. Statistic result	59
6. Research documentation	63



ABBREVIATION AND SYMBOL INTERPRETATION

ANOVA	= Analysis of Variance
CRD	= Completely Randomized Design
DHT	= Dehydrotestosterone
E2	= Estradiol
et al	= et alli
GC	= Gas Chromatography
HE	= Hematoxylin – Eosin
MS	= Mass Spectrometry
GDC	= Gedung Diagnostic Center
kg/BW	= kilogram per Body Weight
NaCl	= Natrium Clorida
P.T.	= Perseroan Terbatas
ROS	= Reactive Oxygen Species
SPSS	= Statistical Product and Service Solutions
TLC	= Thin Layer Chromatography
WHO	= World Health Organization

