



Journal of Dental Technology

Vol 1 No.2 July - December 2012

Published biannually



Content:

1. Kegagalan pelapisan keramik pada proses pembuatan restorasi metal keramik
2. Alat pelindung diri saat penuangan logam di laboratorium gigi
3. Pembuatan clear retainer ortodonti
4. Prosedur reparasi restorasi metal keramik
5. Pembuatan restorasi sementara jangka panjang menggunakan acrylate polymer CAD-Temp dengan sistem CAD/CAM
6. Desinfeksi pada reparasi gigi tiruan resin akrilik





Table of Contents

No	Title	Page
1	The fabrication of long term temporary restoration using acrylate polymer CAD-Temp with CAD/CAM sytem	-
2	Ceramic application failure at manufacturing metal ceramic restoration	-
3	Personal Protective Equipments on metal casting in dental laboratories	-
4	The making of orthodontic clear retainer	-
5	Procedure to repair metal ceramic restoration	-
6	Disinfection on repair of acrylic resin denture	-



The making of orthodontic clear retainer

Pembuatan clear retainer ortodonti

Hermien Neng Tias

Mahasiswi D3, Fakultas Kedokteran Gigi Universitas Airlangga. Jl. Mayjen Prof Dr. Moestopo 47, Surabaya - Indonesia

tyas167@yahoo.com

Sianiwati Goenharto

Staf Pengajar Departemen Ortodonti, Fakultas Kedokteran Gigi, Universitas Airlangga, Surabaya - Indonesia

Abstract

Background: Orthodontic treatment is a treatment related changes in the relationship occlusion of the teeth contact. After treatment using active appliances it, is necessary to continue using retention appliances to hold the teeth, to avoid the tendency to return to its original position or relapse. Duration of retention is determined by the amount of tooth which is moved, condition of occlusion, age, etiology of malocclusion, the speed of movement, health periodontal, muscle tension, proximal contacts and individual variations. Retainer is used for in 3-month full day and then at night for 3 months. Purpose: This study was aimed to know about of clear orthodontic retainer as well as the manufacturing process. Review: Retainer is used to hold teeth in qualified ideal esthetic position and function after treatment. There are several retention devices that can used, they are Hawley retainer, fixed bonded retainer and clear retainer. Clear retainer is more popular to used in recent years because of shorter production time. Conclusion: Clear retainers use a transparent flexible material so it is more esthetic. Positioner type retention device has several advantages that can maintain the occlusal relationship and position of the teeth while the disadvantages is its thickness that can be disturbed the speech. Osamu retainer is more esthetic and do not disturb the pronunciation, but it is made from flexible plastic and should not be cleaned with boiling water.

Keyword : Orthodontic, retention, device, Clear, retainer, ,

Abstrak

Daftar Pustaka :

1. **Pambudi R**, Ortodonti dasar. surabaya: Airangga University Press, 2009.
2. **Pambudi R**, Peranti ortodonti lepasan. surabaya: Airlangga University Press, 2009.
3. **Graber TM, Swain B**, Current orthodontics concepts and technique. Philadelphia : WB Saunders Co, 1975.
4. **Adams PC**, The design, construction and use of removable orthodontic appliances. London-Boston-Singapore: John Wright & sons Ltd, 1990.
5. **Scuzzo G, Takemoto K**, Invisible orthodontics. New delhi: Quintessenz-verl, 2003.

Click atau Copy alamat URL di bawah ini untuk download fullpaper :

http://dentj.fkg.unair.ac.id/doc_fullpaper/DT-1-2-2012-07445-fp.pdf