


ISSN 2347-9515 (Print)
ISSN 2321-6883 (Online)

Scholars Academic Journal of Biosciences

Abbreviated key title: Sch Acad J Biosci



SAS Publishers

Editorial Board SAJB

EDITORIAL BOARD

Chief Editor

Dr. D.A. Patil

Former Principal, S.S.V.P.S's L.K. Dr.P.R. Ghogrey Science College, Dhule-424 005, Maharashtra, India

Associate Editorial Board

Dr. Antonio Simone Lagana

Department of Pediatric, Gynecological, Microbiological and Biomedical Sciences, University of Messina Via C. Valeria 1, Messina – Italy

Malkaje, Dominic Bawa

Senior Lecturer, Department of Biological Sciences, Nigerian Defence Academy, PMB 2109, Kaduna, Nigeria

Dr. Juhua Zhou

Ludong University School of Life Sciences, 186 Hongqi Middle Road, Zhifu District, Yantai, Shandong 264026, PR China

Dr. A. Jayaankar

Assistant Professor, PG & Research Department of Zoology, Government Arts College (Autonomous), Coimbatore-641 018, Tamil Nadu, India

Dr. Rajesh Chandra Verma

Assistant Professor, Dept. Of Chemistry, Janta P.G. College, Bakewar (Etawah), C.S.J.M. University, Kanpur, India

Seyedardalan Ashrafzadeh

School of Biological Sciences, University of Canterbury, Private Bag 4800, Christchurch 8140, New Zealand

Osman Ibrahim Osman

Chemistry Department, Faculty of Science, King Abdulaziz University, P.O. Box 80203, Jeddah 21389, Saudi Arabia

Oheagu, Emmanuel Ifeanyi

Diagnostic laboratory unit, department of university health services, Michael Okpara university of agriculture, Umudike, Abia state, Nigeria.

Dr. Ajai Kumar Singh

Department of Botany, Udai Pratap College(Autonomous), Varanasi-221 002, Uttar Pradesh, India

Mustafa SEVINDIK

Akdeniz University, Faculty of Science, Department of Biology, Antalya, Turkey.

Dr. Mohammed Al-Ghorbani

Department of Chemistry, Education College, University of Thamar, Yemen

Dr. Sabina Khanam

Senior Lecturer, Department of Biological Sciences, Yobe State University, Nigeria

Dr. Anoja Attanayake

Department of Biochemistry, Faculty of Medicine, University of Ruhuna, Sri Lanka

Dr. A. H. M. Mahbubur Rahman

Associate Professor, Department of Botany, University of Rajshahi, Rajshahi-6203, Bangladesh

Dr. Raghad D.H. Abdul-Jalil

Department of Biology, College of Science, AL-Mustansiriyah University, Baghdad, Iraq

Dr. Saber Mohamed Abd-Allah

Scientist, Shanghai Institute of Biochemistry and Cell Biology, China

Dr. Vinayaka K.S

Assistant Professor, Dept. of Botany, Kumadvathi First Grade College, Shikaripura-577427, Shimoga, Karnataka, India

Dr. Raadhana

Associate Professor, Biotechnology, A-10, IIT, Noida sector – 62, UP – 201307, India

Dr. R. Aravind Kumar

Melmaruvathur Adiparasakthi Institute of Medical Sciences, Melmaruvathur, Kanchipuram, Tamilnadu, India

Dr. Manash Barthakur

Associate Professor, Department of Zoology, Puh Kamrup College, Balhata Chariali-781381, Kamrup, Assam, India

H A Sayeswara

Assistant Professor, Department of Zoology, Sahyadri Science College (Autonomous), Shivamogga-577203, Karnataka, India

Dr. Ranjan Padhy

Asst. Professor Biosciences, P.G. Dept. of Biosciences, CPS, Berhampur, Under Berhampur University, Odisha (India)

Dr. Fahd Mohammed Abd Al Galil

Assistant Professor, Department of Zoology, Faculty of Applied science, Thamar University, Yemen

Dr. Kumar Siddharth Singh

DST SERB National Post Doc Fellow, National Centre for Microbial Resource, National Centre for Cell Science, Pune, Maharashtra, India

Dr. Mahesh Kumar Gaur

Senior Scientist, ICAR – Central Arid Zone Research Institute (CAZRI), Jodhpur – 342003, India

Dr. Bhuvanesh Sukhlal Kalal

Department of Biochemistry, Yenepoya Medical College, Yenepoya University, Deralakatte, Mangalore, India

Dr. Onofre S. Corpuz

Cotabato Foundation College of Science and Technology, Ph.D in Forestry, Director for Research and development, Dorohanman Arakan 9417 Cotabato Philippines

Prof. Maha FM Soliman

Head of Zoology Department, Faculty of Science, Suez Canal University, Ismailia, Ismailia Governorate, Egypt

Dr. Bhupesh N. Yagnik

Associate Professor, Biotechnology and Environmental Science, Government Science College, Maninagar, Ahmadabad, Gujarat, India

Dr. Rajaram Krishnasamy

Department of Biotechnology, Bharathidasan Institute of Technology, Anna University, Tiruchirappalli-620 024, Tamil Nadu, India

Dr Sheeraz Saleem Bhat

Scientist (Forestry), ICAR-Indian Grassland and Fodder Research Institute, Jhansi – 284 003, Uttar Pradesh, India

Dr Saurabh Srivastava

PhD Post-Doctoral Research Fellow, Dept of Cellular & Molecular Medicine, University of California, San Diego CA-92093, USA

Dr. Narendhirakannan

Assistant Professor, Department of Biotechnology, School of Biotechnology and Health Sciences, Karunya University, Coimbatore, India

Dr. Vivek Singh

Assistant Professor, Department of Plant Pathology, Banda University of Agriculture & Technology, Banda (UP), India

Prof. Dr. Suzana Jordanovska

Full Professor on University "St. Cyril and Methodius" in Skopje, Institute of Agriculture Skopje, Republic of Macedonia

Prof. Maha Farid Mohamed Soliman

Vice Dean - Faculty of Science, Zoology Department, Faculty of Science, Suez Canal University, Ismailia, Egypt

Prof. Dr. Yunus Dogan

Department of Biology Education, Buea Faculty of Education, Dokuu Eyhal University, 35150 Buea, Izmir/Turkey

Dr. Anil K Dwivedi

Associate Professor, Pollution & Environmental Assay Research Laboratory (PEARL), Department of Botany, DDU Gorakhpur University, Gorakhpur, India.

Dr. Yuwalee Uppaprom

Lecturer, Program in Biotechnology, Faculty of Science, Majos University, Chiang Mai 50290, Thailand



SAJB Volume-3: Issue-4 (April, 2015)

The Effect of Allogenic Freeze Dried Platelet- Rich Plasma in Immunological Responses of Rabbits

Trio Rachmawati, Sri Puji Astuti, Purwati

Scholars Academic Journal of Biosciences, 2015; 3(4):325-327. ([Download PDF](#))

Evaluation of cystatin C as marker of estimated glomerular filtration rate (eGFR) in different stages of chronic kidney disease (CKD)

Vasudha Dhupper, Veena Singh Ghalaut, Manish Raj Kulshrestha, Jayeeta Bhadra, Umesh Yadav, Dharambeer Singh Mahor

Scholars Academic Journal of Biosciences, 2015; 3(4):328-334. ([Download PDF](#))

Differential Response of French Bean Varieties to NPK Fertilization with or without Farm Yard Manure in an Alfisol

B. L. Kasinath, V. R. Ramakrishna Parama

Scholars Academic Journal of Biosciences, 2015; 3(4):335-337. ([Download PDF](#))

Estimation of urban tree biomass in Pachaiyappa's College, Chennai, India

M. Udayakumar, S. Manikandan, T. Sekar

Scholars Academic Journal of Biosciences, 2015; 3(4):338-347. ([Download PDF](#))

Modelling the Impacts of Climate Change on the Distribution of Myosorex Varius and its Genetic Lineages in South Africa, Lesotho and Swaziland

Lilian O. Ogony, Jason S. Ogola, Peter J. Taylor

Scholars Academic Journal of Biosciences, 2015; 3(4):348-354. ([Download PDF](#))

Thermal Analysis of head with Exposure to Electromagnetic Mobile Waves

Shahrokh Shojaei, Nasser Fatourae, Gholamreza Ataei

Scholars Academic Journal of Biosciences, 2015; 3(4):355-360. ([Download PDF](#))

Addition to the host range of Sclerotinia sclerotiorum in West Bengal

Bholanath Mondal, Dinesh Chandra Khatua, Subhas Hansda, Rishu Sharma

Scholars Academic Journal of Biosciences, 2015; 3(4):361-364. ([Download PDF](#))

Study of Correlations Between Basic Chemical and Economic Indicators in Virginia Tobacco

Stefka Kirkova, Yovko Dulgerski

Scholars Academic Journal of Biosciences, 2015; 3(4):365-368. ([Download PDF](#))

Carbon mineralization in soil mixed with leaves and tubers of red beet, red radish and watermelon radish

Tuğçe Gazioğlu, Hüsnüye Aka Sağhker, Nigar Yarpuz Bozdoğan, Naciye Kızıldağ, Cengiz Darıcı

Scholars Academic Journal of Biosciences, 2015; 3(4):369-374. ([Download PDF](#))

Accessory renal artery on the right side- A case report

Poorwa Baburao Kardile, Jaideo Manohar Ughade

Scholars Academic Journal of Biosciences, 2015; 3(4):375-376. ([Download PDF](#))

Production and Antiproliferative activity of Various Crude Extract from Lentinus squarrosulus mycelium

Rahayu Ahmad, Siti Mariatul Usyida Alias, Aidil Abdul Hamid, Wan Mohtar Wan Yusoff, Endom Ismail, Fauzi Daud

Scholars Academic Journal of Biosciences, 2015; 3(4):377-385. ([Download PDF](#))

Clerodendrum capitatum(Willd) leave extracts inhibits bacteria, fungi and Mycobacterium bovis

Mamoh, H, Habila, J. D., Ayo, R. G, Ndukwe, G.I

Scholars Academic Journal of Biosciences, 2015; 3(4):386-391. ([Download PDF](#))

The change of chlorophyll content in Syringa vulgaris L. depending on shadow and duration

Hakan ŞEVİK, Çiğdem SAKICI, Elif AYAN

Scholars Academic Journal of Biosciences, 2015; 3(4):392-396. ([Download PDF](#))

Levels of Cobalt and Chromium in Cigarette Smokers, Khartoum State

Nasreen Ibrahim Ahmed, Gad Allah Modawwe, Abd Elkarim A. Abdrabo

Scholars Academic Journal of Biosciences, 2015; 3(4):397-400. ([Download PDF](#))

Monitoring Autumn Color Changes of Berberis thunbergii atropurpurea D.C. and Prunus laurocerasus L. In Different Geographic Regions

Sevgi Öztürk, Elif Bozdoğan

Scholars Academic Journal of Biosciences, 2015; 3(4):401-405. ([Download PDF](#))

Thermo-tolerant cold-active amylolytic activity from a psychrotolerant yeast isolate, Rhodotorula mucilaginosa BPT1

Sanjay Sahay

Scholars Academic Journal of Biosciences, 2015; 3(4):406-412. ([Download PDF](#))

Research Article

The Effect of Allogenic Freeze Dried Platelet- Rich Plasma in Immunological Responses of Rabbits

Trio Rachmawati*, Sri Puji Astuti, Purwati

Department of Biology, Faculty of Science and Technology, Airlangga University Surabaya, Jawa Timur, Indonesia

***Corresponding author**

Trio Rachmawati

Email: trio_rahma@yahoo.com

Abstract: This study aims to analyze the effects of allogenic freeze-dried platelet-rich plasma (PRP) in immunological responses of rabbits. This study employed a design of conducting one pre-post test group to determine the effect of freeze drying on levels of TGF- β 1 PRP and the post test design was only for control group conducted to determine the effect of allogenic freeze-dried PRP. Levels of TGF- β 1 before and after freeze drying from nine samples of PRP were examined which were obtained from blood centrifugation of three rabbits. These nine samples were used as allogenic donor injected intramuscularly in nine rabbits for the treatment groups. The control group used nine rabbits injected intramuscularly using autologous PRP. Inflammatory response and increasing levels of IgM were observed from both groups resulted in data which were then tested statistically using independent T-test. Measurement of TGF- β 1 levels before and after freeze drying were tested statistically using T- test dependent. The results showed that freeze drying process did not affect levels of TGF- β 1. Allogenic freeze-dried PRP did not cause an inflammatory response in addition to not increasing levels of IgM.

Keywords: autologous, allogenic, freeze dried platelet rich plasma, transforming growth factor - β 1, IgM.

INTRODUCTION

The use of platelet-rich plasma (PRP) in tissue regeneration has developed as the more number of research and application in the clinical. Platelets are fragments formed cytoplasm of megakaryocytes in the bone marrow. Platelets are the smallest parts of the blood cells, round or oval and with no core, but contain a number of organelles. The structure consists of mitochondria, microtubules and 50-80 grains of granules (α , δ , λ). A granular α has more than 30 bioactive proteins, chemokines and various growth factors such as Transforming Growth Factor β (TGF- β), Platelet Derived Growth Factor (PDGF), vascular endothelial growth factor(VEGF), insulin-like growth Factor (IGF), Fibroblast growth Factor (FGF) [3]. These growth factors can be used for tissue repair therapies in various branches of medicine such as oral surgery, plastic surgery, craniofacial surgery, cardiac surgery, orthopedics, neurology, sports medicine, and dermatology [2].

In the case of tissue repair, growth factor such as TGF- β stimulates fibroblasts and increases extra cellular matrix formation (ECM). Transforming Growth Factor - β also increases collagens for wound healing process. Other growth factor such as PDGF also functions in the repair of bone tissue by stimulating the production of collagen type1, which induces the

synthesis of bone [5]. In the process of tissue repair tendon IGF can stimulate the proliferation and differentiation of myeloblast [4].

In general, platelets are used for clinical applications derived from the patient's own (autologous). The use of autologous products can eliminate immunologic reactions and disease transmission [1]. However, autologous therapy cannot be performed in patients with a deficiency or abnormality of platelet function. This leads to the use of autologous in large variability, because the platelet concentration varies between individuals. Thus, it is difficult to evaluate the results scientifically [6]. Some patients also do not have the courage to do blood sampling in large numbers. Therefore, the use of allogenic PRP (derived from other individuals within a species) is needed as an alternative to growth factor therapy.

This study aims to analyze the effects of allogenic freeze-dried platelet-rich plasma in immunological responses of rabbits. The immunological response were observed from inflammatory response and increasing level of IgM

MATERIALS AND METHODS

This study was conducted under permission of Animal Care and Use Committee (ACUC) Airlangga University. The first step was using nine samples of PRP with measured TGF - β 1 before and after freeze drying process. The second step was with two groups, control and treatment groups. The control group used nine rabbits injected intramuscularly using autologous PRP whereas the nine rabbits in the treatment group were injected intramuscularly using allogenic freeze-dried PRP. Inflammatory response and increasing levels of IgM were observed in both groups. Measurement of TGF- β 1 levels before and after freeze drying were tested statistically using dependent T- test, while that of the independent was employed for statistically testing

data of inflammatory response and increasing levels of IgM.

RESULTS

Levels of TGF - β 1 Before and After Freeze Drying Process

The results showed that the highest level of TGF- β 1 at PRP before freeze drying process was 232 pg / ml and that of the lowest was 136 pg / ml, with the mean of 178 pg / ml and SD \pm 27 pg / ml. Meanwhile, the highest level of TGF- β 1 in PRP after freeze drying process was 192 pg / ml and the lowest was 124 pg / ml, with the mean of 162 pg / ml and SD 23 pg / ml. From statistical decision of 0.081 > 0.05, it can be concluded that the level of TGF- β 1 in PRP before and after freeze drying process was not significantly difference.




Fig-1: Levels of TGF - β 1 Before and After Freeze Drying Process

Evaluation of inflammatory reactions

Table 1. Data rabbit body temperature control and treatment groups after intramuscular injection

<i>Autologous PRP</i>	Control 1	Control 2	Control 3	Control 4	Control 5	Control 6	Control 7	Control 8	Control 9
Body temperature ($^{\circ}$ C)	38.5	38.3	39.1	38.8	39.1	39.2	38.9	38.3	38.5
<i>Allogenic freeze dried PRP</i>	Treatment 1	Treatment 2	Treatment 3	Treatment 4	Treatment 5	Treatment 6	Treatment 7	Treatment 8	Treatment 9
Body temperature ($^{\circ}$ C)	39.3	38.5	39.2	38.9	38.7	39.2	38.5	38.6	39.1

Referring to data on rabbit body temperature in control and treatment groups after intramuscular injection, statistical results were 0,379 > 0.05 meaning that there was no difference in body temperature in the

control group (autologous) and treatment group (freeze-dried allogenic PRP). Thus, the use of allogenic freeze-dried PRP did not cause inflammatory reactions / inflammation.

Evaluation the levels of IgM

Table 2: Data IgM levels of control and treatment groups after intramuscular injection

<i>Autologous PRP</i>	Control 1	Control 2	Control 3	Control 4	Control 5	Control 6	Control 7	Control 8	Control 9
Level IgM (ng/ml)	20	39	79	132	35	36	23	46	53
<i>Allogenic freeze dried PRP</i>	Treatme nt 1	Treatme nt 2	Treatme nt 3	Treatme nt 4	Treatme nt 5	Treatme nt 6	Treatme nt 7	Treatme nt 8	Treatme nt 9
Level IgM (ng/ml)	22	64	99	59	87	73	96	102	112

Statistical results for data on IgM levels of control and treatment groups after intramuscular injection were $0.080 > 0.05$. This implied that there was no difference in the levels of IgM formed in the control group (autologous) and treatment group (allogenic freeze-dried PRP). It can be concluded that the use of allogenic freeze- dried PRP did not induce humoral immune response in the form of primary antibodies (IgM).

DISCUSSION

Allogenic PRP used in this study first performed the process of freeze drying. The purpose of the freeze drying process is to preserve the content of growth factors contained in PRP. Several studies have been conducted to determine the advantages of the use of freeze drying in the process of preserving a material or substance which is susceptible to heat like growth factor of TGF- β 1. Another study showed that freeze drying process did not affect the concentration of TGF- β 2 contained in the freeze- dried amniotic membrane. This is evidenced from the results of this research showing no significant difference between the concentrations of total TGF- β 2 in the form of fresh amniotic membrane and freeze-dried [7].

Although platelet is not a cell with a nucleus, the membrane surface contains a number of family immune molecules such as MCH Class I, Fc receptors and complement binding site. Platelet membrane also contains antigens of human platelet antigen (HPA) and antigen of polysaccharide ABO blood type to another, where it was very important in blood transfusion system [6]. Based on the theory of the use of allogenic platelets, it can cause an immune response.

Zhang have proposed that allogenic PRP used in gel PRP did not increase immune response. There were no increase in the level of CD4 and CD8, so it may cause the gel covered surface of platelet contains HPA [8]. Allogenic PRP used in this study first conducted the process of freeze drying. The existence of the freezing process – 83⁰C for 24 hours in freeze drying process raised an assumption that it can damage the structure of immunoglobulin protein molecules and antigen found on the surface of the platelet membrane. So, the non reactive antigens did not cause an

inflammatory response and did not increase levels of IgM, either.

CONCLUSION

Regarding this, the product allogenic freeze dried PRP is safe for clinical applications.

REFERENCE

1. Alsousou J, Thompson M, Hulley P, Noble A, Willett K; The biology of platelet-rich plasma and its application in trauma and orthopaedic surgery A Review Of The Literature. Journal of Bone & Joint Surgery, 2009;91(8): 987-996.
2. Flanders KC, Burmester JK; Medical Applications of Transforming Growth Factor β . Clinical Medicine & Research, 2002; 1(1):13-20
3. Harrison P, Cramer EM; Platelet alpha granules. Blood rev, 1993; 7(1):52-62,
4. Harmon KG; Muscle injuries and PRP: what does the science say?. British journal of sports medicine, 2010; 44(9):616-617.
5. Koerner J, Abdelmessieh P, Azad V, Szczepanowski K, Lin SS, Pinzur M; Platelet-Rich Plasma and Its Uses in Foot and Ankle Surgery. Techniques in Foot & Ankle Surgery, 2008;7(2):72-71.
6. Rožman P; Platelet antigens. The role of human platelet alloantigens (HPA) in blood transfusion and transplantation. Transplant immunology, 2002; 10(2):165-181.
7. Baradaran-Rafii A, Aghayan HR, Arjmand B, Javadi MA; Amniotic membrane transplantation. Journal of Ophthalmic & Vision Research, 2007; 2(1):58-75.
8. Zhang ZY, Huang AW, Fan JJ, Wei K, Jin D, Chen B, Pei G; The potential use of allogeneic platelet-rich plasma for large bone defect treatment: immunogenicity and defect healing efficacy. Cell transplantation, 2013; 22(1):175-187.