

DAFTAR PUSTAKA

Amore, Amoresano, Birolo, L., Henrissat, B., Leo, G., Palmese, A. and Faraco, V., 2012, A family GH51 alpha-L-arabinofuranosidase from *Pleurotus ostreatus*: identification, recombinant expression and characterization, *Appl Microbiol Biotechnol*, **94**: 995-1006.

Bachman, J., 2013, Site-directed mutagenesis, *Methods Enzymol*, **529**: 241-248.

Bajpai 2014, Xylanolytic enzyme: Sources, Production, and Classification of Xylanase, *Adv Appl Microbiol*, **5**: 43-52.

Bajpai , P., 2014, Xylanolytic enzyme: Industrial Applications of Xylanases, *Adv Appl Microbiol*, **8**: 69-104.

Beg , Kapoor M, Mahajan L and Hoondal G, 2001, Microbial xylanases and their industrial applications : a review, *Appl Biochem Biotechnol*, **56**: 326-338.

Coil, A., Badger, H., Forberger, H. C., Riggs, F., Madupu, R., Fedorova, N., Ward, N., Robb, F. T. and Eisen, J. A., 2014, Complete Genome Sequence of the Extreme Thermophile *Dictyoglomus thermophilum* H-6-12, *Genome Announc*, **2**: 1.

Dodd, D., Mackie, R. I. and Cann, I. K., 2011, Xylan degradation, a metabolic property shared by rumen and human colonic Bacteroidetes, *Mol Microbiol*, **79**: 292-304.

Elleuche, S., Schafers, C., Blank, S., Schroder, C. and Antranikian, G., 2015, Exploration of extremophiles for high temperature biotechnological processes, *Curr Opin Microbiol*, **25**: 113-119.

Farhat , W., Vediti and Quick 2017, Hemmicellulose extraction and characterization for application in paper coatings and adhesives, *Industrial Crops & Product*, **107**: 370-377.

Fredon , Granet , Zerrouki , Krausz , Saulnier, Thibault, Rosier and Petit, 2002, Hydrophobic Films from Mize Bran Hemicellulose, *Carbohydrate polymers*, **49**: 1-12.

Gabriellii , Gatenholm P, Glasser W, Jain R and Kenne L, 2000, Separation, characterization and hydrogel-formation of hemicellulose from aspen wood, *Carbohydrate polymers*, **43**: 367-374.

Giacobbe, S., Vincent, F. and Faraco, V., 2014, Development of an improved variant of GH51 alpha-l-arabinofuranosidase from *Pleurotus ostreatus* by directed evolution, *N Biotechnol*, **31**: 230-236.

Hartanti L, Ali Rohman, Suwandi, Dijkstra, Nurahman Z and Puspaningsih N. N. T, 2016, Mutation Analysis of the pKa Modulator Residue in Xylosidase from *Geobacillus thermoleovorans* IT-08: Activity Adaptation to Alkaline and High-Temperature Conditions *Procedia Chemistry*, **18**: 39-48.

Hövel K, Shallom, D., Niefind K, Belakhov V, Shoham, G., ., Baasov T, Shoham Y and Schomburg D, 2003, Crystal structure and snapshots along the reaction pathway of a familiy 51 a-L-arabinofuranosidase, *The embo Journal*, **22**: 4922-4932.

John, R. P., Anisha, G. S., Nampoothiri, K. M. and Pandey, A., 2011, Micro and macroalgal biomass: a renewable source for bioethanol, *Bioresour Technol*, **102**: 186-193.

Lasa I and Berenguer J, 1993, Thermophilic enzymes and their biotechnological potential, *Microbiologia SEM*, **9** 77-89.

Lee, S. H. and Lee, Y. E., 2014, Cloning, expression, and characterization of a thermostable GH51 alpha-L-arabinofuranosidase from *Paenibacillus* sp. DG-22, *J Microbiol Biotechnol*, **24**: 236-244.

Li, H., Voutilainen, S., Ojamo, H. and Turunen, O., 2015, Stability and activity of *Dictyoglomus thermophilum* GH11 xylanase and its disulphide mutant at high pressure and temperature, *Enzyme Microb Technol*, **70**: 66-71.

Li, Q., Wu, Q., Sun, B., Yang, R., Hou, X., Teng, C., Zhang, C. and Li, X., 2018, Effect of disulfide bridge on hydrolytic characteristics of xylanase from *Penicillium janthinellum*, *Int J Biol Macromol*, **120**: 405-413.

McCarthy, Morris D, BERGQUIST P and Baker D, 2000, Structure of XynB, a highly thermostable beta-1,4-xylanase from *Dictyoglomus thermophilum* Rt46B.1, at 1.8 Å resolution, *Acta crystallographica. Section D, Biological crystallography*, **56**: 1367-1375.

Morris, D. D., Gibbs, M. D., Chin, C. W., Koh, M. H., Wong, K. K., Allison, R. W., Nelson, P. J. and Bergquist, P. L., 1998, Cloning of the xynB Gene from *Dictyoglomus thermophilum* Rt46B.1 and Action of the Gene Product on Kraft Pulp, **64**: 1759–1765

Paes, Skov, D., Remond, Kastrup, Gajhede and Mirza 2008, The Structure of the Complex between a Branched Pentasaccharide and *Thermobacillus xylanilyticus* GH-51 Arabinofuranosidase Reveals Xylan-Binding Determinants and Induced Fit, *Biochem*, **47**: 7441-7451.

Polizeli, M. L., Rizzatti, A. C., Monti, R., Terenzi, H. F., Jorge, J. A. and Amorim, D. S., 2005, Xylanases from fungi: properties and industrial applications, *Appl Microbiol Biotechnol*, **67**: 577-591.

Puspaningsih, N. N. T., Suwanto, Suhartono and Achmadi, 2008, Cloning, sequencing and characterization of the xylan degrading enzymes from *Geobacillus thermoleovorans* IT-08, *Jurnal Ilmu Dasar*, **9**: 177-187.

Rohman, A., van Oosterwijk, N., Puspaningsih, N. N. T. and Dijkstra, B. W., 2018, Structural basis of product inhibition by arabinose and xylose of the thermostable GH43 beta-1,4-xylosidase from *Geobacillus thermoleovorans* IT-08, *PLoS One*, **13**: 1-15.

Saiki, T., Kobayashi, Y. and Kawagoe, K., 1985, *Dictyoglomus thermophilum* gen. nov., sp. nov., a Chemorganotrophic, Anaerobic, Thermophilic Bacterium, *Journal of Systematic Bacteriology*, **1**: 253-259.

Shallom, D., Belakhov, V., Solomon, D., Shoham, G., Baasov, T. and Shoham, Y., 2002, Detailed kinetic analysis and identification of the nucleophile in alpha-L-

arabinofuranosidase from *Geobacillus stearothermophilus* T-6, a family 51 glycoside hydrolase, *J Biol Chem*, 277: 43667-43673.

Wejse, P. L., Ingvorsen, K. and Mortensen, K. K., 2005, Salinity and temperature effects on accessibility of soluble and cross-linked insoluble xylans to endo-xylanases, *IUBMB Life*, 57: 761-763.