

## DAFTAR PUSTAKA

- ACR Standard Techniques and Indications Musculoskeletal MRI.* Dipetik 9 April, 2019, dari <https://sogacot.org>
- BEEKLEY Skin Marker for MRI.* Dipetik 9 April, 2019, dari <https://www.beekley.com/mri>
- Bezabeh, M., Tesfaye, A., Ergicho, B., Erke, M., Mengistu, S., Bedane, A., et al. (2004). *General Pathology*. Ethiopia: EPHTI.
- Boutry, N., Morel, M., Flipo, R.-M., Demondion, X., & Cotten, A. (2007). Early Rheumatoid Arthritis: AReview of MRI and Sonographic Findings. *AJR*, 1502-1509.
- Buffer. (2010). *Rheumatoid Arthritis.* Dipetik Mei 8, 2019, dari [http://www.rheumatoid\\_arthritis.net](http://www.rheumatoid_arthritis.net)
- Busse, H., Trampel, R., Grunder, W., Moche, M., & Kahn, T. (2007). Method for Automatic Localization of MR-Visible Markers using Morphological Image Processing and Conventional Pulse Sequences: Feasibility for Image-Guided Procedures. *JOURNAL OF MAGNETIC RESONANCE IMAGING*, 1087-1096.
- Castro, M., Nitraud, S., Francisco, M., Fernandes, A., & Fernandes, E. (2017). Spondyloarthropathy: diagnostic imaging criteria for the detection of sacroiliitis. *Radiol Bras*, 258-262.
- Cho, H., Burke, L., & Lee, M. (2014). Septic Arthritis. *Hospital Medicine Clinics*, 494-503.
- Condon, B. R., & Hadley, D. m. (1997). Solid Localization Marker for MR Imaging. *Radiology*, 577-580.

- Crombie, I., Croft, P., Linton, S., LeResche, L., & VonKorff, M. (1999). *Epidemiology of pain*. Seattle: IASP Publisher.
- Devi, T., Purba, I., & Lestari, M. (2017). FAKTOR RISIKO KELUHAN MUSCULOSKELETAL DISORDERS (MSDs) PADA AKTIVITAS PENGANGKUTAN BERAS DI PT BUYUNG POETRA PANGAN PEGAYUT OGAN ILIR. *Jurnal Ilmu Kesehatan Masyarakat*, 125-134.
- Deyle, G. D. (2011). The role of MRI in musculoskeletal practice: a clinical perspective. *Journal of Manual and Manipulative Therapy*, 152-161.
- Doll, R. (1995). Chronic and degenerative disease: major causes of morbidity and death. *American Journal Clinical Nutrition*, 1301S-1305S.
- Durá, T. (2009). *Atlas of Anatomy by Sectional Imaging*. Tarragona: Química Farmacéutica Bayer
- El-Metwally, A., Salminen, J., Auvinen, A., Macfarlane, G., & Mikkelsson, M. (2007). Risk factors for development of non-specific musculoskeletal pain in pretens and early adolescents : a prospective 1-year follow-up study. *BMC Musculoskeletal Disorders*, 1-8.
- Grimer, R., Hogendoorn, P., & Vanel, D. (2013). *WHO Classification of Tumours of Soft Tissue and Bone*. Lyon: WHO.
- KBBI Daring. Dipetik April 9, 2019, dari <https://kbbi.kemdikbud.go.id/>
- Kindblom, L. (2009). *Imaging of Bone Tumors and Tumor-Like Lesions*. Berlin, Heidelberg: Springer.
- Korff, V., LeResche, L., & Dworkin, S. (1993). First onsetof common pain symptoms: a prospective study of depression as a risk factor. *Pain*, 251-258.

- Kourinka, I., Jonsson, B., Kilbom, A., Vinterberg, H., Biering-Sorensen, F., Andersson, G., et al. (1987). Standardised ordic questionnaires for the analysis of musculoskeletal symptoms. *Applied Ergonomics*, 233-237.
- Kroemer, K. (1989). Cumulative trauma disorders: their recognition and ergonomics measures to avoid them. *Elsevier*, 274-280.
- Lacout, A., Rousselin, B., & Pelage, J.-P. (2008). CT and MRI of Spine and Sacroiliac Involvement in Spondyloarthropathy. *AJR*, 1016-1023.
- Lancerotto, L., Tocco, I., Salmaso, R., Vindigni, V., & Bassetto, F. (2012). Necrotizing fasciitis: Classification, diagnosis, and management. *J Trauma*, 560-566.
- Lee, Y., Sadigh, S., Mankad, K., Kapse, N., & Rajeswaran, G. (2016). The imaging of osteomyelitis. *Quantitative Imaging in Medicine and Surgery*, 184-198.
- Mackenzie, W., Sampath, J., Kruse, R., & Sheir-Neiss, G. (2003). Backpacks in children. *Clin Orthop Relat Res*, 78-84.
- Mohan, H. (2010). *Textbook of Pathology Sixth Edition*. India: Jaypee Brothers Medical Publishers.
- Morl, F., & Blickhan, R. (2006). Three-dimensional relation of skin markers to lumbar vertebrae of healthy subjects in different postures measured by open MRI. *Eur Spine Journal*, 742-751.
- Mrimaster.com*. Dipetik April 9, 2019, dari <https://mrimaster.com>
- Mwaka, E., Munabi, I., Buwembo, W., Kukkiriza, J., & Ochieng, J. (2014). Musculoskeletal pain and school bag use : a cross-sectional study among Ugandan pupils. *BMC Research Notes*, 1-7.

- O'Connell, M., Powell, T., Brennan, D., Lynch, T., McCarthy, C., & Eustace, S. (2002). Whole-Body MR Imaging in the Diagnosis of Polymyositis. *AJR*, 967-971.
- Ostergaard, M., Peterfy, C., & Conaghan, P. (2003). OMERACT Rheumatoid Arthritis MAgnetic Resonance Imaging Studies. *J Rheumatol*, 1385-1386.
- Paschos, N., & Bentley, G. (2019). *General Orthopaedics And Basic Science*. Springer: Switzerland.
- Politano, L., & Nigro, G. (2015). Magnetic resonance imaging in muscular dystrophies. *Acta Myologica*, 93-94.
- Romanò, C., Romanò, D., Logoluso, N., & Drago, L. (2011). Bone And Joint Infections In Adults: A Comprehensive Classification Proposal. *Eur Orthop Traumatol*, 207–217.
- Rosahl, S., Gharabaghi, A., Liebig, T., Feste, C., Tatagiba, M., & Samii, M. (2002). Skin Markers for Surgical Planning for Intradural Lesions of the Thoracic Spine Technical Note. *Elsevier*, 346-348.
- Schmid, S., Studer, D., Hasler, C.-C., Romkes, J., Taylor, W., Brunner, R., et al. (2015). Using SkinMarkers for Spinal Curvature Quantification inMain Thoracic Adolescent Idiopathic Scoliosis: An Explorative Radiographic Study. *PLOS ONE*, 1-12.
- Silva, M., Badaró, A., & Dall'Agnol, M. (2014). Low back pain in adolescent and associated factors: A cross sectional study with schoolchildren. *Brazilian Journal of Physical Therapy*, 402-409.
- Sinusas, K. (2012). Osteoarthritis: Diagnosis and Treatment. *American Family Physician*, 49-56.

- Sweet, M., Sweet, J., Jeremiah, M., & Galazka, S. (2009). Diagnosis and Treatment of Osteoporosis. *American Family Physician*, 193-200.
- Taghinejad, H., Azadi, A., Suhrabi, Z., & Sayedinia, M. (2016). Musculoskeletal Disorders and Their Related Risk Factors Among Iranian Nurses. *Biotech Health Sci.*, 1-6.
- Takatsu, Y., Umezaki, Y., Miyati, T., & Yamamura, K. (2013). Study of skin markers for magnetic resonance imaging examinations. *JSRT*, 264-270.
- Tan, A. L., Wakefield, R. J., Conaghan, P. G., Emery, P., & McGonagle, D. (2003). Imaging of the musculoskeletal system: magnetic resonance imaging, ultrasonography and computed tomography. *Best Practice & Research Clinical Rheumatology*, 513-528.
- Thomson, J. (1988). A simple skin marker for magnetic resonance imaging. *The British Journal of Radiology*, 638-639.
- Turel, M., & Rajshekhar, V. (2014). Magnetic resonance imaging localization with cod liver oil capsules for the minimally invasive approach to small intradural extramedullary tumors of the thoracolumbar spine. *Journal Neurosurg Spine*, 882-885.
- Wadhwa, V., Weissman, E., Hayashi, D., Xi, Y., & Chhabra, A. (2017). Skin marker placement by technologist prior to knee MRI helps identify clinically relevant pathologies. *BMC Musculoskeletal Disorders*, 1-5.
- Westbrook, C. (2014). *Handbook of MRI Technique Fourth Edition*. UK: Wiley Blackwell.
- Woolf, A., & Pfleger, B. (2003). Burden of major musculoskeletal conditions. *Bulletin of the World Health Organization*, 646-656.