

DAFTAR PUSTAKA

- Addison, O. and Ryan, A. (2016). Body Weight, Body Composition, Aging. *Reference Module in Biomedical Sciences*.
- Auyeung, T., Lee, S., Leung, J., Kwok, T. and Woo, J. (2014). Age-associated decline of muscle mass, grip strength and gait speed: A 4-year longitudinal study of 3018 community-dwelling older Chinese. *Geriatrics & Gerontology International*, 14, pp.76-84.
- Bae, E. and Kim, Y. (2017). Factors Affecting Sarcopenia in Korean Adults by Age Groups. *Osong Public Health and Research Perspectives*, 8(3), pp.169-178.
- Bahat, G., Tufan, A., Tufan, F., Kilic, C., Akpinar, T., Kose, M., Erten, N., Karan, M. and Cruz-Jentoft, A. (2016). Cut-off points to identify sarcopenia according to European Working Group on Sarcopenia in Older People (EWGSOP) definition. *Clinical Nutrition*, 35(6), pp.1557-1563.
- Bodine, S. and Furlow, J. (2015). *Glucocorticoids and Skeletal Muscle*.
- Campbell, W., Trappe, T., Wolfe, R. and Evans, W. (2001). The Recommended Dietary Allowance for Protein May Not Be Adequate for Older People to Maintain Skeletal Muscle. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 56(6), pp.M373-M380.
- Cao, L. and Morley, J. (2016). Sarcopenia Is Recognized as an Independent Condition by an International Classification of Disease, Tenth Revision, Clinical Modification (ICD-10-CM) Code. *Journal of the American Medical Directors Association*, 17(8), pp.675-677.
- Chen, L., Lee, W., Peng, L., Liu, L., Arai, H. and Akishita, M. (2016). Recent Advances in Sarcopenia Research in Asia: 2016 Update from the Asian Working Group for Sarcopenia. *Journal of the American Medical Directors Association*, 17(8), pp.767.e1-767.e7.
- Chen, L., Liu, L., Woo, J., Assantachai, P., Auyeung, T., Bahyah, K., Chou, M., Chen, L., Hsu, P., Krairit, O., Lee, J., Lee, W., Lee, Y., Liang, C., Limpawattana, P., Lin, C., Peng, L., Satake, S., Suzuki, T., Won, C., Wu, C., Wu, S., Zhang, T., Zeng, P., Akishita, M. and Arai, H. (2014). Sarcopenia in Asia: Consensus Report of the

- Asian Working Group for Sarcopenia. *Journal of the American Medical Directors Association*, 15(2), pp.95-101.
- Chien, M., Huang, T. and Wu, Y. (2008). Prevalence of Sarcopenia Estimated Using a Bioelectrical Impedance Analysis Prediction Equation in Community-Dwelling Elderly People in Taiwan. *Journal of the American Geriatrics Society*, 56(9), pp.1710-1715.
- Churchward-Venne, T., Breen, L. and Phillips, S. (2013). Alterations in human muscle protein metabolism with aging: Protein and exercise as countermeasures to offset sarcopenia. *BioFactors*, 40(2), pp.199-205.
- Close, G., Haggan, P. and McArdle, A. (2007). Skeletal muscle aging. *Reviews in Clinical Gerontology*, 17(01).
- Cruz-Jentoft, A., Baeyens, J., Bauer, J., Boirie, Y., Cederholm, T., Landi, F., Martin, F., Michel, J., Rolland, Y., Schneider, S., Topinkova, E., Vandewoude, M. and Zamboni, M. (2010). Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. *Age and Ageing*, 39(4), pp.412-423.
- Drey, M. (2011). Sarcopenia – pathophysiology and clinical relevance. *Wiener Medizinische Wochenschrift*, 161(17-18), pp.402-408.
- Fielding, R., Vellas, B., Evans, W., Bhasin, S., Morley, J., Newman, A., Abellan van Kan, G., Andrieu, S., Bauer, J., Breuille, D., Cederholm, T., Chandler, J., De Meynard, C., Donini, L., Harris, T., Kannt, A., Keime Guibert, F., Onder, G., Papanicolaou, D., Rolland, Y., Rooks, D., Sieber, C., Souhami, E., Verlaan, S. and Zamboni, M. (2011). Sarcopenia: An Undiagnosed Condition in Older Adults. Current Consensus Definition: Prevalence, Etiology, and Consequences. International Working Group on Sarcopenia. *Journal of the American Medical Directors Association*, 12(4), pp.249-256.
- Frontera, W. (2017). Physiologic Changes of the Musculoskeletal System with Aging. *Physical Medicine and Rehabilitation Clinics of North America*, 28(4), pp.705-711.

- Frontera, W., Hughes, V., Fielding, R., Fiatarone, M., Evans, W. and Roubenoff, R. (2000). Aging of skeletal muscle: a 12-yr longitudinal study. *Journal of Applied Physiology*, 88(4), pp.1321-1326.
- Goodpaster, B., Park, S., Harris, T., Kritchevsky, S., Nevitt, M., Schwartz, A., Simonsick, E., Tylavsky, F., Visser, M. and Newman, A. (2006). The Loss of Skeletal Muscle Strength, Mass, and Quality in Older Adults: The Health, Aging and Body Composition Study. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 61(10), pp.1059-1064.
- Han, P., Kang, L., Guo, Q., Wang, J., Zhang, W., Shen, S., Wang, X., Dong, R., Ma, Y., Shi, Y., Shi, Z., Li, H., Li, C., Ma, Y., Wang, L. and Niu, K. (2015). Prevalence and Factors Associated with Sarcopenia in Suburb-dwelling Older Chinese Using the Asian Working Group for Sarcopenia Definition. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 71(4), pp.529-535.
- Harman, D. (1992). Free radical theory of aging. *Mutation Research/DNAging*, 275(3-6), pp.257-266.
- Harris, T., Kiel, D., Roubenoff, R., Langlois, J., Hannan, M., Havlik, R. and Wilson, P. (1997). Association of Insulin-Like Growth Factor-I with Body Composition, Weight History, and Past Health Behaviors in the Very Old: The Framingham Heart Study. *Journal of the American Geriatrics Society*, 45(2), pp.133-139.
- Hassan-Smith, Z., Morgan, S., Sherlock, M., Hughes, B., Taylor, A., Lavery, G., Tomlinson, J. and Stewart, P. (2015). Gender-Specific Differences in Skeletal Muscle 11 β -HSD1 Expression Across Healthy Aging. *The Journal of Clinical Endocrinology & Metabolism*, 100(7), pp.2673-2681.
- Houston, D., Nicklas, B., Ding, J., Harris, T., Tylavsky, F., Newman, A., Lee, J., Sahyoun, N., Visser, M. and Kritchevsky, S. (2008). Dietary protein intake is associated with lean mass change in older, community-dwelling adults: The Health, Aging, and Body Composition (Health ABC) Study. *The American Journal of Clinical Nutrition*, 87(1), pp.150-155.

- Huffmeijer, R., van IJzendoorn, M. and Bakermans-Kranenburg, M. (2013). Ageing and Oxytocin: A Call for Extending Human Oxytocin Research to Ageing Populations – A Mini-Review. *Gerontology*, 59(1), pp.32-39.
- Hwang, B., Lim, J., Lee, J., Choi, N., Ahn, Y. and Park, B. (2012). Prevalence Rate and Associated Factors of Sarcopenic Obesity in Korean Elderly Population. *Journal of Korean Medical Science*, 27(7), p.748.
- Jang, H. (2016). Sarcopenia, Frailty, and Diabetes in Older Adults. *Diabetes & Metabolism Journal*, 40(3), p.182.
- Janssen, I., Heymsfield, S., Baumgartner, R. and Ross, R. (2000). Estimation of skeletal muscle mass by bioelectrical impedance analysis. *Journal of Applied Physiology*, 89(2), pp.465-471.
- Katsanos, C., Kobayashi, H., Sheffield-Moore, M., Aarsland, A. and Wolfe, R. (2006). A high proportion of leucine is required for optimal stimulation of the rate of muscle protein synthesis by essential amino acids in the elderly. *American Journal of Physiology-Endocrinology and Metabolism*, 291(2), pp.E381-E387.
- Kemmler, W., Sieber, C., Freiburger, E. and von Stengel, S. (2017). The SARC-F Questionnaire: Diagnostic Overlap with Established Sarcopenia Definitions in Older German Men with Sarcopenia. *Gerontology*, 63(5), pp.411-416.
- Kim, H., Suzuki, T., Kim, M., Kojima, N., Yoshida, Y., Hirano, H., Saito, K., Iwasa, H., Shimada, H., Hosoi, E. and Yoshida, H. (2015). Incidence and Predictors of Sarcopenia Onset in Community-Dwelling Elderly Japanese Women: 4-Year Follow-Up Study. *Journal of the American Medical Directors Association*, 16(1), pp.85.e1-85.e8.
- Kim, H., Suzuki, T., Saito, K., Yoshida, H., Kobayashi, H., Kato, H. and Katayama, M. (2011). Effects of Exercise and Amino Acid Supplementation on Body Composition and Physical Function in Community-Dwelling Elderly Japanese Sarcopenic Women: A Randomized Controlled Trial. *Journal of the American Geriatrics Society*, 60(1), pp.16-23.

- Kim, K., Jang, S., Lim, S., Park, Y., Paik, N., Kim, K., Jang, H. and Lim, J. (2012). Relationship between muscle mass and physical performance: is it the same in older adults with weak muscle strength?. *Age and Ageing*, 41(6), pp.799-803.
- Kim, T. and Choi, K. (2013). Sarcopenia: Definition, Epidemiology, and Pathophysiology. *Journal of Bone Metabolism*, 20(1), pp.1-10.
- Kim, T., Yang, S., Yoo, H., Lim, K., Kang, H., Song, W., Seo, J., Kim, S., Kim, N., Baik, S., Choi, D. and Choi, K. (2009). Prevalence of sarcopenia and sarcopenic obesity in Korean adults: the Korean sarcopenic obesity study. *International Journal of Obesity*, 33(8), pp.885-892.
- Kim, W. and Kim, E. (2014). Comparing Self-Selected Speed Walking of the Elderly with Self-Selected Slow, Moderate, and Fast Speed Walking of Young Adults. *Annals of Rehabilitation Medicine*, 38(1), p.101.
- Kim, Y., Lee, Y., Chung, Y., Lee, D., Joo, N., Hong, D., Song, G., Kim, H., Choi, Y. and Kim, K. (2012). Prevalence of Sarcopenia and Sarcopenic Obesity in the Korean Population Based on the Fourth Korean National Health and Nutritional Examination Surveys. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 67(10), pp.1107-1113.
- La Colla, A., Pronsato, L., Milanese, L. and Vasconsuelo, A. (2015). 17 β -Estradiol and testosterone in sarcopenia: Role of satellite cells. *Ageing Research Reviews*, 24, pp.166-177.
- Landi, F., Calvani, R., Cesari, M., Tosato, M., Martone, A., Bernabei, R., Onder, G. and Marzetti, E. (2015). Sarcopenia as the Biological Substrate of Physical Frailty. *Clinics in Geriatric Medicine*, 31(3), pp.367-374.
- Landi, F., Liperoti, R., Fusco, D., Mastropaolo, S., Quattrocioni, D., Proia, A., Russo, A., Bernabei, R. and Onder, G. (2012). Prevalence and Risk Factors of Sarcopenia Among Nursing Home Older Residents. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 67A(1), pp.48-55.
- Lau, E., Lynn, H., Woo, J., Kwok, T. and Melton, L. (2005). Prevalence of and Risk Factors for Sarcopenia in Elderly Chinese Men and Women. *The Journals of*

- Gerontology Series A: Biological Sciences and Medical Sciences*, 60(2), pp.213-216.
- Laviano, A., Gori, C. and Rianda, S. (2014). Sarcopenia and Nutrition. *Advances in Food and Nutrition Research*, 71(3).
- Lee, W., Liu, L., Peng, L., Lin, M. and Chen, L. (2013). Comparisons of Sarcopenia Defined by IWGS and EWGSOP Criteria Among Older People: Results From the I-Lan Longitudinal Aging Study. *Journal of the American Medical Directors Association*, 14(7), pp.528.e1-528.e7.
- Lemme, B. (2005). *Development in adulthood*. 4th ed. Boston: Pearson.
- Lera, L., Albala, C., Sanchez, H., Angel, B., Hormazabal, M., Márquez, C. and Arroyo, P. (2017). Prevalence of Sarcopenia in Community-Dwelling Chilean Elders According to an Adapted Version of the European Working Group on Sarcopenia in Older People (EWGSOP) Criteria. *The Journal of Frailty & Aging*, 6(1), pp.12-17.
- Limpawattana, P., Kotruchin, P. and Pongchaiyakul, C. (2015). Sarcopenia in Asia. *Osteoporosis and Sarcopenia*, 1(2), pp.92-97.
- Lin, C., Chou, L., Wei, S., Lieu, F., Chiang, S. and Sung, W. (2014). Influence of aging on bimanual coordination control. *Experimental Gerontology*, 53, pp.40-47.
- Lin, C., Sung, W., Chiang, S., Lee, S., Lu, L., Wang, P. and Wang, X. (2019). Influence of aging and visual feedback on the stability of hand grip control in elderly adults. *Experimental Gerontology*, 119, pp.74-81.
- Liu, L., Lee, W., Liu, C., Chen, L., Lin, M., Peng, L. and Chen, L. (2013). Age-related skeletal muscle mass loss and physical performance in Taiwan: Implications to diagnostic strategy of sarcopenia in Asia. *Geriatrics & Gerontology International*, 13(4), pp.964-971.
- Maggio, M., Lauretani, F. and Ceda, G. (2012). Sex hormones and sarcopenia in older persons. *Current Opinion in Clinical Nutrition and Metabolic Care*, p.1.
- Manini, T. (2011). Development of Physical Disability in Older Adults. *Current Aging Science*, 4(3), pp.184-191.

- Messier, V., Rabasa-Lhoret, R., Barbat-Artigas, S., Elisha, B., Karelis, A. and Aubertin-Leheudre, M. (2011). Menopause and sarcopenia: A potential role for sex hormones. *Maturitas*, 68(4), pp.331-336.
- Mohanty, L. and Sahoo, D. (2016). Prevalence and risk factors of sarcopenia: a study in a tertiary care centre. *International Journal of Advances in Medicine*, pp.364-367.
- Morley, J. and Cao, L. (2015). Rapid screening for sarcopenia. *Journal of Cachexia, Sarcopenia and Muscle*, 6(4), pp.312-314.
- Morley, J. and Cruz-Jentoft, A. (2012). Definitions of Sarcopenia. *Sarcopenia*, pp.8-19.
- Nigam, P., Misra, A. and Colles, S. (2013). Comparison of DEXA-derived body fat measurement to two race-specific bioelectrical impedance equations in healthy Indians. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 7(2), pp.72-77.
- Payette, H., Roubenoff, R., Jacques, P., Dinarello, C., Wilson, P., Abad, L. and Harris, T. (2003). Insulin-Like Growth Factor-1 and Interleukin 6 Predict Sarcopenia in Very Old Community-Living Men and Women: The Framingham Heart Study. *Journal of the American Geriatrics Society*, 51(9), pp.1237-1243.
- Oliveira, M., Hsu, J., Park, J., Clark, J. and Shim, J. (2008). Age-related changes in multi-finger interactions in adults during maximum voluntary finger force production tasks. *Human Movement Science*, 27(5), pp.714-727.
- Perkisas, S., De Cock, A., Verhoeven, V. and Vandewoude, M. (2016). *Physiological and architectural changes in the ageing muscle and their relation to strength and function in sarcopenia*.
- Peterson, C., Johannsen, D. and Ravussin, E. (2018). *Skeletal Muscle Mitochondria and Aging: A Review*.
- Reid, K., Pasha, E., Doros, G., Clark, D., Patten, C., Phillips, E., Frontera, W. and Fielding, R. (2013). Longitudinal decline of lower extremity muscle power in healthy and mobility-limited older adults: influence of muscle mass, strength,

- composition, neuromuscular activation and single fiber contractile properties. *European Journal of Applied Physiology*, 114(1), pp.29-39.
- Rolland, Y., Dupuy, C., Abellan van Kan, G., Gillette, S. and Vellas, B. (2011). Treatment Strategies for Sarcopenia and Frailty. *Medical Clinics of North America*, 95(3), pp.427-438.
- Roubenoff, R. (2001). Origins and Clinical Relevance of Sarcopenia. *Canadian Journal of Applied Physiology*, 26(1), pp.78-89.
- Roubenoff, R., Harris, T., Abad, L., Wilson, P., Dallal, G. and Dinarello, C. (1998). Monocyte Cytokine Production in an Elderly Population: Effect of Age and Inflammation. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 53A(1), pp.M20-M26.
- Roubenoff, R., Parise, H., Payette, H., Abad, L., D'Agostino, R., Jacques, P., Wilson, P., Dinarello, C. and Harris, T. (2003). Cytokines, insulin-like growth factor 1, sarcopenia, and mortality in very old community-dwelling men and women: The Framingham Heart Study. *The American Journal of Medicine*, 115(6), pp.429-435.
- Sanada, K., Miyachi, M., Tanimoto, M., Yamamoto, K., Murakami, H., Okumura, S., Gando, Y., Suzuki, K., Tabata, I. and Higuchi, M. (2010). A cross-sectional study of sarcopenia in Japanese men and women: reference values and association with cardiovascular risk factors. *European Journal of Applied Physiology*, 110(1), pp.57-65.
- Short, K., Bigelow, M., Kahl, J., Singh, R., Coenen-Schimke, J., Raghavakaimal, S. and Nair, K. (2005). Decline in skeletal muscle mitochondrial function with aging in humans. *Proceedings of the National Academy of Sciences*, 102(15), pp.5618-5623.
- Tanimoto, Y., Watanabe, M., Sun, W., Sugiura, Y., Tsuda, Y., Kimura, M., Hayashida, I., Kusabiraki, T. and Kono, K. (2012). Association between sarcopenia and higher-level functional capacity in daily living in community-dwelling elderly subjects in Japan. *Archives of Gerontology and Geriatrics*, 55(2), pp.e9-e13.
- Verdijk, L., Snijders, T., Beelen, M., Savelberg, H., Meijer, K., Kuipers, H. and van Loon, L. (2010). Characteristics of Muscle Fiber Type Are Predictive of Skeletal

- Muscle Mass and Strength in Elderly Men. *Journal of the American Geriatrics Society*, 58(11), pp.2069-2075.
- Vitale, G., Brugs, M., Ogliari, G., Castaldi, D., Fatti, L., Varewijck, A., Lamberts, S., Monti, D., Bucci, L., Cevenini, E., Cavagnini, F., Franceschi, C., Hofland, L., Mari, D. and Janssen, J. (2012). Low circulating IGF-I bioactivity is associated with human longevity: Findings in centenarians' offspring. *Aging*, 4(9), pp.580-589.
- Vitale, G., Cesari, M. and Mari, D. (2016). Aging of the endocrine system and its potential impact on sarcopenia. *European Journal of Internal Medicine*, 35, pp.10-15.
- Vitale, G., Salvioli, S. and Franceschi, C. (2013). Oxidative stress and the ageing endocrine system. *Nature Reviews Endocrinology*, 9(4), pp.228-240.
- Waters, D., Qualls, C., Dorin, R., Veldhuis, J. and Baumgartner, R. (2008). Altered Growth Hormone, Cortisol, and Leptin Secretion in Healthy Elderly Persons with Sarcopenia and Mixed Body Composition Phenotypes. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 63(5), pp.536-541.
- Yazar, T. and Olgun Yazar, H. (2019). Prevalance of sarcopenia according to decade. *Clinical Nutrition ESPEN*, 29, pp.137-141.