

DAFTAR PUSTAKA

- Adham M, Kurniawan AN, Muhtadi AI, Roezin A, Hermani B, Gondhowiardjo S, *et al.*, 2012. Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. Chin J Cancer 31:185-96.
- Alatas H, Karyomanggolo WT, Musa DA, Boediarso A, Oesman IN, 2011. Desain penelitian. Dalam (Sastroasmoro S, Ismael S, eds). Dasar – dasar metodologi klinis, Edisi keempat, Jakarta : CV Sagung Seto, hal 79-95.
- Barbon CE, Steele CM, 2015. Efficacy of thickened liquids for eliminating aspiration in head and neck cancer: a systematic review. Otolaryngol Head Neck Surg 152:211-18.
- Barker HE, Paget J, Khan AA, Harrington KJ, 2015. The tumour microenvironment after radiotherapy: mechanisms of resistance and recurrence. Nat Rev Cancer 15:409-25.
- Bray F, Haugen M, Moger TA, Tretli S, Aalen O, Grotmol T, 2008. Age-incidence curves of nasopharyngeal carcinoma worldwide: bimodality in low-risk populations and aetiological implications. Cancer Epidemiol Biomarkers Prev 17:2356-65.
- Bulow M, 2013. Psychogenic dysphagia. In (Shaker R, Belafsky PC, Postma GN, Easterling C, eds). Principles of deglutition, New York: Springer Science+Business Media, pp.771-4.
- Butler SG, Stuart A, Castell D, Russell GB, Koch K, Kemp S, 2009. Effects of age, gender, bolus condition, viscosity, and volume on pharyngeal and upper esophageal sphincter pressure and temporal measurements during swallowing. Journal of Speech, Language, and Hearing Research 52:240-53.
- Chang Y, Chen S, Thing L, Peng SS, Wang TC, Wang TG, 2011. A 2-year follow-up of swallowing function after radiation therapy in patients with nasopharyngeal carcinoma. Arch Phys Med Rehabil 92:1814-9.
- Christiaanen M, 2015. Prediction and prevention of radiation-induced swallowing dysfunction. Dissertation, University of Groningen, Netherlands.
- Cuomo JR, Sharma GK, Conger PD, Weintraub NL, 2016. Novel concepts in radiation-induced cardiovascular disease. World J Cardiol 8:504-19.
- Dahlan MS, 2016. Besar sampel aksis korelatif. Dalam (Dahlan MS, ed). Besar sampel dalam penelitian kedokteran dan kesehatan. Jakarta: Epidemiologi Indonesia, hal 69-104.

- Denaro N, Merlano M, Russi EG, 2013. Dysphagia in head and neck cancer patients: pretreatment evaluation, predictive factors, and assessment during radio-chemotherapy, recommendations. Clinical and Experimental Otorhinolaryngology 6:117-26.
- EMR, 2018. Electronic Medical Record RSUD Dr. Soetomo Surabaya 2015-2017.
- Farneti D, 2008. Pooling score: an endoscopic model for evaluating severity of dysphagia. Acta Otorhinolaryngol Ital 28:135-40.
- Felice F, Vincentiis M, Luzzi V, Magliulo G, Tombolini M, Ruoppolo G, *et al.*, 2018. Late radiation-associated dysphagia in head and neck cancer patients: evidence, research and management. Oral Oncology 77:125-30.
- Ghazali MV, Sastromihardjo S, Soedjarwo SR, Soelaryo T, Pramulyo H, 2011. Studi *cross sectional*. Dalam (Sastroasmoro S, Ismael S, eds). Dasar – dasar metodologi klinis, Edisi keempat, Jakarta : CV Sagung Seto, hal 97-108.
- Haberer-Guillerm S, Touboul E, Huguet F, 2015. Intensity modulated radiation therapy in nasopharyngeal carcinoma. Eur Ann Otorhinolaryngol Head Neck Dis 132:147-51.
- Hedström J, Tuomi L, Andersson M, Dotevall H, Osbeck H, Finizia C, 2017. Within-bolus variability of the penetration-aspiration scale across two subsequent swallows in patients with head and neck cancer. Dysphagia 32:683-90.
- Hennessy M, Goldenberg D, 2016. Surgical anatomy and physiology of swallowing. Operative Techniques in Otolaryngology-Head and Neck Surgery 27:60-6.
- Ho SK, 2014. Chronic swallowing ability in nasopharyngeal cancer survivors after radiotherapy with or without chemotherapy. Dissertation, The University of Hong Kong, Hong Kong.
- Hughes PJ, Scott PM, Kew J, Cheung DM, Leung SF, Ahuja AT, *et al.*, 2000. Dysphagia in treated nasopharyngeal cancer. Head & Neck 22(4):393-7.
- Hulley SB, Browner WS, Newman TB, 2013. Estimating sample size and power: applications and examples. In (Hulley SB, Cummings SR, Browner WS, Grady DG, Newman TB, eds). Designing clinical research, Philadelphia: Lippincot Williams & Wilkins, pp.55-71.
- Inamoto Y, Pongpipatpaiboon K, Shibata S, Aoyagi Y, Kagaya H, Matsuo K, 2018. Swallowing exercises. In (Saitoh E, Pongpipatpaiboon K, Inamoto Y, Kagaya H, eds). Dysphagia evaluation and treatment, Singapore: Springer Nature, pp.109-37.

- Jiang L, Huang C, Gan Y, Wu T, Tang X, Wang Y, 2018. Radiation-induced late dysphagia after intensity-modulated radiotherapy in nasopharyngeal carcinoma patients: a dose-volume effect analysis. *Sci Rep* 8:396-404.
- Kang M, Long J, Li G, Yan H, Feng G, Liu M, *et al.*, 2016. A new staging system for nasopharyngeal carcinoma based on intensity-modulated radiation therapy: results of a prospective multicentric clinical study. *Oncotarget* 7:15252-61.
- Kelly AM, McLaughlin C, Wallace S, Hales P, Stewart C, Leathley C, *et al.*, 2015. Fiberoptic endoscopic evaluation of swallowing (FEES): the role of speech and language therapy, London: Royal College, pp.14-51.
- King SN, Dunlap NE, Tennant PA, Pitts T, 2016. Pathophysiology of radiation-induced dysphagia in head and neck cancer. *Dysphagia* 31:339-51.
- Ku P, Vlantis AC, Leung SF, Lee KY, Cheung DM, Abdullah VJ, *et al.*, 2009. Laryngopharyngeal sensory deficits and impaired pharyngeal motor function predict aspiration in patients irradiated for nasopharyngeal carcinoma. *The Laryngoscope* 120:223-8.
- Li J, Zou X, Wu Y, Guo J, Yun J, Xu M, *et al.*, 2014. A comparison between the sixth and seventh editions of the UICC/AJCC staging system for nasopharyngeal carcinoma in a Chinese cohort. *Plos One* 9:1-20.
- Linnert D, 2012. Evaluation of symptoms. In (Olle E, ed). *Dysphagia diagnosis and treatment*, Berlin: Springer-Verlag, pp.71-82.
- Logemann JA, Pauloski BR, Rademaker AW, Lazarus CL, Gaziano J, Stachowiak L, *et al.*, 2007. Swallowing disorders in the first year after radiation and chemoradiation. *Head Neck* 30:148-58.
- Luk YS, Shum JS, Sze HC, Chan LL, Ng WT, Lee AW, 2013. Predictive factors and radiological features of radiation-induced cranial nerve palsy in patients with nasopharyngeal carcinoma following radical radiotherapy. *Oral Oncology* 49:49-54.
- Maria OM, Eliopoulos N, Muanza T, 2017. Radiation-induced oral mucositis. *Front Oncol* 7:1-23.
- Matsuo K, Palmer JB, 2008. Anatomy and physiology of feeding and swallowing – normal and abnormal. *Phys Med Rehabil Clin N Am* 19:691-707.
- Manekar G, Chavan K, 2015. Physiology of swallowing and esophageal function tests. In (Manekar G,ed). *Swallowing – physiology, disorders, diagnosis and therapy*, New Delhi: Springer India, pp.21-38.

- Molfenter SM, Steele CM, 2013. The relationship between residue and aspiration on the subsequent swallow: an application of the normalized residue ratio scale. *Dysphagia* 28:494-500.
- Mortensen HR, Jensen K, Grau C, 2013. Aspiration pneumonia in patients treated with radiotherapy for head and neck cancer. *Acta Oncologica* 52:270-6.
- Mravak M, 2012. Xerostomia-diagnosis and treatment. *Rad 514 Medical Science* 38:69-91.
- Murphy BA, Gilbert J, 2009. Dysphagia in head and neck cancer patients treated with radiation: assessment, sequelae, and rehabilitation. *Semin Radiat Oncol* 19:35-42.
- Nacci A, Ursino F, Vela RL, Matteucci F, Mallardi V, Fattori B, 2008. Fiberoptic endoscopic evaluation of swallowing (FEES): proposal for informed consent. *Acta Otorhinolaryngol Ital* 28:206-11.
- Neubauer PD, Rademaker AW, Leder SB, 2015. The Yale Pharyngeal Residue Severity Rating Scale: an anatomically defined and image-based tool. *Dysphagia* 30:521-8.
- Ng LK, Lee KY, Chiu SN, Ku PK, Hasselt CA, Tong MC, 2011. Silent aspiration and swallowing physiology after radiotherapy in patients with nasopharyngeal carcinoma. *Head Neck* 33:1335-9.
- Nordio S, Stadio D, Koch I, Stritoni P, Meneghelli F, Palmer K, 2019. The correlation between pharyngeal residue, penetration/aspiration and nutritional modality: a cross-sectional study in patients with neurogenic dysphagia. *Acta Otorhinolaryngologica Italica* 63:2132-8.
- Patel R, 2015. Assesment of swallowing disorders. In (Manekkar G, ed). *Swallowing – physiology, disorders, diagnosis and therapy*, New Delhi: Springer India, pp.49-60.
- Pfister DG, Spencer S, Adelstein D, Adkins D, Brizel DM, Burtness B, *et al.*, 2016. NCCN clinical practice guidelines in oncology: head and neck cancers. *NCCN Guidelines* 2016:75-80.
- Pisegna JM, 2017. Rethinking residue, an investigation of pharyngeal residue on flexible endoscopic evaluation of swallowing: the past, present, and future directions. Dissertation, Boston University, Massachusetts.
- Pongpipatpaiboon K, Inamoto Y, Matsuo K, Aoyagi Y, Shibata S, Kagaya H, 2018. Physiological models of swallowing. In (Saitoh E, Pongpipatpaiboon K, Inamoto Y, Kagaya H, eds). *Dysphagia evaluation and treatment*, Singapore: Springer Nature, pp.17-25.

- Pongpipatpaiboon K, Inamoto Y, Matsuo K, Aoyagi Y, Shibata S, Kagaya H, 2018. Clinical evaluation of dysphagia. In (Saitoh E, Pongpipatpaiboon K, Inamoto Y, Kagaya H, eds). *Dysphagia evaluation and treatment*, Singapore: Springer Nature, pp.35-79.
- O'Sullivan B, Yu E, 2010. Staging of nasopharyngeal carcinoma. In (Lu JJ, Cooper JS, Lee AW, eds). *Nasopharyngeal cancer-multidisciplinary management*, Berlin: Springer-Verlag, pp.309-22.
- Rahmat LT, 2013. Prevalence and trends of dysphagia following radiation therapy in patients with head and neck cancer. Dissertation, Boston University, Massachusetts.
- Rommel N, Hamdy S, 2016. Oropharyngeal dysphagia: manifestations and diagnosis. *Nature Reviews* 13:49-59.
- Rosenbek JC, Robbins JA, Roecker EB, Coyle JL, Wood JL, 1996. A penetration-aspiration scale. *Dysphagia* 11:93-8.
- Saphira-Galitz Y, Shoffel-Havakuk H, Halperin D, Lahav Y, 2018. Correlation between pharyngeal residue and aspiration in fiber-optic endoscopic evaluation of swallowing: an observational study. *Arch Phys Med Rehabil* 9993:30387-3.
- Sastroasmoro S, 2011. Inferensi : dari sampel ke populasi. Dalam (Sastroasmoro S, Ismael S, eds). *Dasar-dasar metodologi penelitian klinis*, edisi keempat. Jakarta: CV.Sagung Seto, hal 12-29.
- Schindler A, Denaro N, Russi EG, Pizzorni N, Bossi P, Merlotti A, *et al.*, 2015. Dysphagia in head and neck cancer patients treated with radiotherapy and systemic therapies: literature review and consensus. *Critical Reviews in Oncology/Hematology* 96:372-84.
- Servagi-Vernat S, Ali D, Roubieu C, Durdoux C, Laccourreye O, Giraud P, 2015. Dysphagia after radiotherapy: state of the art and prevention. *Eur Ann Otorhinolaryngol Head Neck Dis* 132:25-9.
- Simon SR, Florie M, Pilz W, Winkens B, Winter N, Kremer B, *et al.*, 2019. Association between pharyngeal pooling and aspiration using fiberoptic endoscopic evaluation of swallowing in head and neck cancer patients with dysphagia. *Dysphagia* 10:92-9.
- Steele CM, Alsanei WA, Ayanikalath S, Barbon CE, Chen J, Cichero JA, *et al.*, 2015. The influence of food texture and liquid consistency modification on swallowing physiology and function: a systematic review. *Dysphagia* 30:2-26.

- Steele CM, Cichero JA, 2014. Physiological factors related to aspiration risk: a systematic review. *Dysphagia* 29:295-304.
- Sugiyono, 2009. Pengujian hipotesis asosiatif. Dalam (Sugiyono, ed). Statistik untuk penelitian. Bandung: Alfabeta, hal 253-262.
- Tabuchi K, Nakayama M, Nishimura B, Hayashi K, Hara A, 2011. Early detection of nasopharyngeal carcinoma. *International Journal of Otolaryngology* 10:1-6.
- Tan W, Tan E, Lim DW, Ng Q, Tan DS, Jain A, *et al.*, 2016. Advances in systemic treatment for nasopharyngeal carcinoma. *Chin Clin Oncol* 5:1-11.
- Tong MC, Lee KY, Yuen MT, Lo PS, 2011. Perceptions and experiences of post-irradiation swallowing difficulties in nasopharyngeal cancer survivors. *European Journal of Cancer Care* 20:170-8.
- Ursino S, Cocuzza P, Seccia V, Delishaj D, Cristaudo A, Pasqualetti F, *et al.*, 2018. Pattern of dysphagia after swallowing-sparing intensity-modulated radiotherapy (IMRT) of head and neck cancers: results of a mono-institutional prospective study. *Strahlenther Onkol* 9:1-10.
- Wang TJ, Riaz N, Cheng SK, Lu JJ, Lee NY, 2012. Intensity-modulated radiation therapy for nasopharyngeal carcinoma: a review. *J Radiat Oncol* 1:129-46.
- Wee J, 2010. Concurrent chemotherapy-enhanced radiation. In (Lu JJ, Cooper JS, Lee AW, eds). Nasopharyngeal cancer multidisciplinary management, Germany: Springer-Verlag Berlin Heidelberg, pp.167-89.
- Wei WI, Kwong DL, 2010. Current management strategy of nasopharyngeal carcinoma. *Clinical and Experimental Otorhinolaryngology* 3:1-12.
- Wei WI, Chua DT, 2014. Nasopharyngeal Carcinoma. In (Johnson JT, Rosen CA, eds). Bailey's head and neck surgery-otolaryngology, 5th edition, Philadelphia: Lippincott Willias & Wilkins, pp.1875-86.
- Xiao G, Cao Y, Qiu X, Wang W, Wang Y, 2013. Influence of gender and age on the survival of patients with nasopharyngeal carcinoma. *BMC Cancer* 13:1-8.
- Xie S, Yu IT, Tse L, Mang OW, Yue L, 2013. Sex difference in the incidence of nasopharyngeal carcinoma in Hong Kong 1983-2008: suggestion of a potential protective role of oestrogen. *European Journal of Cancer* 49:150-5.

Yang PY, Zhang LN, Lan XW, Xie C, Zhang WW, Wang QZ, *et al.*, 2015. The significant survival advantage of female sex in nasopharyngeal carcinoma: a propensity-matched analysis. British Journal of Cancer 112:1554-61.

Zhang L, Chen Q, Liu H, Tang L, Mai H, 2013. Emerging treatment options for nasopharyngeal carcinoma. Drug Design, Development and Therapy 7:37-52.