


UNEJ E-PROCEEDING

[ANNOUNCEMENTS](#) [CURRENT](#) [ARCHIVES](#) [ABOUT](#) ▾

[HOME](#) / [ARCHIVES](#) /

Proceeding of 1st International Conference on Medicine and Health Sciences (ICMHS)



ISBN: 978-602-60569-3-1

Presented articles on Proceeding of 1st International Conference on Medicine and Health Sciences (ICMHS)

31 August - 01 September 2016, University of Jember, Indonesia

PUBLISHED: 2017-01-27

GENERAL

COMMUNITY PHARMACISTS' COUNSELLING SKILLS ON OVER-THE-COUNTER (OTC) MEDICATIONS

Elizabeth Yu Tan, Antonius Nugraha Widhi Pratama

2-5

 [PDF](#)

FORMULATION AND OPTIMIZATION OF CAFFEINE NANOEMULSION USING FACTORIAL DESIGN STUDY

Bannan Muthi'atul Af-idah, Dwi Nurahmanto, Dessy Dwi Risky

6-9

 [PDF](#)

EFFECT OF COMBINATION SODIUM ALGINATE-GELATIN 1% : 2% CONTENT IN CHARACTERISTIC AND ANTIMICROBIAL ACTIVITY OF PROBIOTIC MICROSPHERES

Lactobacillus acidophilus

Regia Nada Asshafa, Tutiek Purwanti, Dewi Melani Hariyadi

10-13

 PDF**ANTIDIABETIC ACTIVITY OF POWDER AND ETHANOLIC EXTRACT OF ANTLION (*Myrmeleon sp.*) ON WISTAR STRAIN WHITE MALE RATS WITH GLUCOSE PRELOAD**

Hamidah Haryanti Rahma, Elza Sundhani, Nunuk Aries Nurulita

14-16

 PDF**ANTIBACTERIAL AND ANTIBIOFILM POTENTIAL OF ETHANOLIC EXTRACT FROM BINTARO FLOWER (*Cerbera odollam*) AGAINST *Staphylococcus aureus* ATCC 6538**

Dwi Rahma Suci Lestari, Lisa Soegianto, Liliek S. Hermanu

17-19

 PDF**STRUCTURE MODIFICATION AND MOLECULAR MODELING OF 1-(BENZOYLOXY)UREA DERIVATIVES AS ANTICANCER DRUG CANDIDATES**

Suko Hardjono

20-22

 PDF**CHARACTERIZATION AND THE RELEASE TEST OF ANTI-AGING TRETINOIN IN NANOEMULSION USING OLIVE OIL**

Tristiana Erawati M., Widji Soeratri

23-26

 PDF**EFFECT OF PARTICLE SIZE AND SURFACE CHARGE ON THE UPTAKE AND IMMUNE RESPONSE OF OVALBUMIN-ALGINATE MICROSPHERES**

Dewi Melani Hariyadi, Idha Kusumawati, Fauzia Azzahra

27-30

 PDF**ANTIHYPERCHOLESTEROLEMIC EFFECT OF *Arcangelisia flava* STEM EXTRACT IN HYPERLIPIDEMIC RATS**

Evi Umayah Ulfa, Ema Rachmawati

31-34

 PDF**GREEN TEA EXTRACT EFFECT ON BLOOD GLUCOSE LEVEL AND LIVER HISTOPATHOLOGY IN DIABETIC MICE**

Diana Holiday, Fransiska Maria Christianty, Wilda Zidni Ilma

35-38



THREE-WAVELENGTH SPECTROPHOTOMETRIC METHOD VALIDATION FOR DETERMINATION OF PREDNISON TABLET CONTAINING COLORING DYES

Riesta Primaharinastiti, Ika Rizki Helwandi

39-42



INFLUENCE OF OLEIC ACID ON THE IN VITRO PENETRATION OF DICLOFENAC SODIUM GEL

Lidya Ameliana, Esti Hendradi, Mochammad Yuwono

43-46



ANTIOXIDANT ACTIVITY OF METHANOL EXTRACTS FROM THE STEM BARK OF MANGROVE PLANT *Rhizophora mucronata*

Mahmiah Mahmiah, Gimam Gimam, Nanik Siti Aminah, Mulyadi Tanjung

47-50



PHYTOCHEMICAL AND ANTIOXIDANT ACTIVITY of MANGROVE PLANT *Sonneratia* sp.

Mahmiah Mahmiah, Rina Andayani

51-54



EFFECT OF SOLID LIPID NANOPARTICLE (SLN) AND NANO STRUCTURE LIPID CARRIER (NLC) SYSTEM ON ANTIOXIDANT STABILITY OF TOMATO EXTRACT (LIPID: CETYL ALCOHOL AND ISOPROPYL MYRISTATE)

Sayyidati Aqilah, Esti Hendradi, Noorma Rosita

55-58



EFFECTIVENESS OF BINTARO (*Cerbera odollam* Gaertn.) LEAF ETHANOLIC EXTRACT AGAINST *Staphylococcus aureus* IN-VITRO BIOFILM FORMATION

Filania S. Kanja, Lisa Soegianto, Sumi Wijaya

59-61



STUDY OF ANTIOXIDANT ACTIVITY COMBINATION OF ARABICA COFFEE LEAF ETHANOL EXTRACT AND ROSELLE FLOWER PETAL WATER EXTRACT

Yuni Retnaningtyas, Yodi Setiadi

62-65



INHIBITORY EFFECT OF NON-POLAR AND SEMI-POLAR FRACTIONS OF ETHANOLIC EXTRACT OF *Guazuma ulmifolia* Lamk. LEAVES ON RAT PREADIPOCYTES PROLIFERATION AND DIFFERENTIATION

Nuri Nuri, Sukardiman Sukardiman, Bambang Prayogo

66-69

 PDF

THE INFLUENCE OF PHARMACEUTICAL CARE SERVICES MODEL IN PRESCRIPTION DRUGS ON PHARMACIST'S BEHAVIOR IN PHARMACEUTICAL CARE

Umi Athiyah

70-74

 PDF

COCRYSTAL OF ATORVASTATIN CALCIUM – MALONIC ACID

Yudi Wicaksono, Budipratiwi Wisudyaningsih, Tri Agus Siswoyo

75-78

 PDF

IN SILICO STUDY OF ACRYLAMIDE TOXICITIES USING TOXTREE METHOD AND ITS ANALYSIS IN POTATO CHIPS USING HPLC METHOD

Sovia Aprina Basukia, Akhmad Aminur Rizqia, Engrid Juni Astuti, Rahmana Emran Kartasasmita, Riesta Prima Harinastitic, Juni Ekowati

79-80

 PDF

IMPACT OF CISPLATIN BASE CHEMOTHERAPY ON QUALITY OF LIFE IN INDONESIAN PATIENTS WITH CERVICAL CANCER

Suwendar Suwendar, Achmad Fudholi, Tri Murti Andayani, Herri S. Sastramihardja

81-82

 PDF

***Arcangelisia flava* LEAVES ETHANOLIC EXTRACT SUPPRESSES CANCER CELL LINES VIA NON APOPTOTIC PATHWAY**

Endah Puspitasari, Dian Agung Pangaribowo, Yora Utami, Ika Yanuar Isparnaning

83-86

 PDF

BANANA AND PLANTAIN AS MEDICINAL FOOD

Nurhayati Nurhayati, Dedy Eko Rahmanto

87-91

 PDF

FORMULATION AND OPTIMIZATION OF CARBOPOL AND ETHYL CELLULOSE AS FLOATING-MUCOADHESIVE SYSTEM OF DILTIAZEM HYDROCHLORIDE TABLET BY FACTORIAL DESIGN

Eka Deddy Irawan, Lusia Oktora Ruma Kumala Sari, Andreas Henry Prasetyo

92-95

 PDF

DETERMINATION OF TOTAL PHENOLIC CONTENT AND ANTIOXIDANT ACTIVITY IN METHANOLIC EXTRACT OF ROBUSTA AND ARABICA COFFEE LEAVES

Nia Kristiningrum, Yeni Nur Cahyanti, Lestyo Wulandari

96-99

 PDF

MICROBIAL ASSAY OF CYPROFLOXACIN IN A BONE IMPLANT (CHITOSAN –BOVINE HYDROXYAPATITE WITH CROSS-LINKER GLUTARALDEHYDE) TOWARDS *Staphylococcus aureus* ATCC 25923

Esti Hendradi, Dewi Melani Hariyadi, Muhammad Faris Adrianto

100-103

 PDF

IN VITRO ALFA-GLUCOSIDASE INHIBITORY ACTIVITY OF VARIOUS TEA (*Camellia sinensis* L.) EXTRACTS

Fransiska Maria Christianty, Diana Holidah, Yasmin Yasmin

104-107

 PDF

B-CELL EPITOPE PREDICTION of *Mycobacterium tuberculosis* Ag85A ANTIGEN

Ika Puspita Dewi

108-111

 PDF

EFFECT OF ETHANOLIC EXTRACT OF *Annona muricata* L SEEDS POWDER TO DECREASE BLOOD GLUCOSE LEVEL OF WISTAR MALE RATS WITH GLUCOSE PRELOAD

Rian Ulva Rizki Hasanah, Elza Sundhani, Nunuk Aries Nurulita

112-115

 PDF

PROTEIN DENSITY AND QUALITY OF KORO KRATOK (*Phaseolus lunatus* L. Sweet) AND KACANG TUNGGAK (*Vigna unguiculata* L. Walp)

Tejasari Tejasari

116-119

 PDF

HYPERTENSION MANAGEMENT APPROACH THROUGH MODIFIABLE RISK FACTORS IN JEMBER REGION COMMUNITY HEALTH CENTER

Aneah Caesarina Novi Marchianti

121-125

 PDF

ASSOCIATION BETWEEN AEROALLERGEN SENSITIZATION AND THE SEVERITY OF ASTHMA IN PEDIATRIC PATIENTS

Vivin Detriana, Agung Prasetyo Wibowo, Muchammad Fahrul Udin, Ery Olivianto, Wisnu Barlianto, HMS.
Chandra Chandra
126-129

 PDF

ANALYSIS OF FACTORS THAT RELATED MATERNAL SEVERE PREECLAMPSIA TO THE ASPHYXIA OF NEW BORN BABY IN SOEBANDI HOSPITAL JEMBER REGENCY

Ida Srisurani Wiji Astuti
130-132

 PDF

AN ANALYSIS OF THE ASPECTS OF HEALTHCARE SERVICE QUALITY IN RELATION TO PATIENT LOYALTY

Dwita Aryadina Rachmawati
133-136

 PDF

SYNERGISTIC COMBINATION OF *Curcuma xanthorrhiza*, *Ficus septica* AND DOXORUBICIN INHIBITS METASTASIS OF BREAST CANCER THROUGH INHIBITION MMP-9 ACTIVITY

Ika Rahmawati Sutejo, Herwandhani Putri, Edy Meiyanto
137-141

 PDF

ASSOCIATION BETWEEN IGE SERUM LEVEL AND SEVERITY OF ASTHMA IN CHILDREN

Nindy Resti Rahayu, Agung Prasetyo Wibowo, Muchammad Fahrul Udin, Ery Olivianto, Wisnu Barlianto,
HMS. Chandra Kusuma
142-144

 PDF

CORRELATION OF CD4 WITH TOTAL LYMPHOCYTE COUNTS IN HIV PATIENTS

Rini Riyanti
145-147

 PDF

DETERMINANTS OF HIV/AIDS AWARENESS AND KNOWLEDGE IN TANAH PAPUA, INDONESIA

Elyda Akhya Afida Misrohmasari
149-153

 PDF

THE ABILITY OF ANTI-INFLAMMATORY JATROPHA CURCAS LEAF EXTRACT AT COX-2 EXPRESSION ON MONOCYTES WERE EXPOSED LPS

Astuti Pudji
154-157

 PDF

NOVEL METHOD THYROID HORMONE MEASUREMENT

Ari Tri Wanodyo Handayani

158-161

 PDF

ROBUSTA COFFEE BEANS INCREASE LEVELS OF TNF- α AS A RESPONSE TO *Streptococcus mutans*

Pujiana Endah Lestari, I Dewa Ayu Susilawati, I Dewa Ayu Ratna Dewanti, Roedy Budirahardjo

162-164

 PDF

THE LEVELS OF TNF-A IN GINGIVAL CREVICULAR FLUID (GCF) OF OSING TRIBE WOMEN WITH OCCLUSAL DISHARMONY

Suhartini Suhartini, Banun Kusumawardani

165-168

 PDF

EFFECTS OF ROBUSTA COFFEE BEAN EXTRACT (*Coffea robusta*) ON THE VIABILITY OF NEUTROPHILS EXPOSED BY *Porphyromonas gingivalis*

Tantin Ermawati

169-172

 PDF

ROBUSTA COFFEE BEANS DECREASE OF INFLAMMATION IN DENTAL CARIES

I Dewa Ayu Ratna Dewanti, I Dewa Ayu Susilawati, Pujiana Endah, Roedy Budirahardjo

173-176

 PDF

THE PROGRESSIVE LOW CHRONIC INFLAMMATION ON ORAL TISSUES IN ELDERLY

Zahreni Hamzah, Dyah Indartin, Zahara Meilawaty

177-181

 PDF

DENTAL CARIES IN PREGNANT WOMEN WHO VISITED POSYANDU OF SEVERAL PUBLIC HEALTH CENTERS IN JEMBER

Risty Widi Endah Yani, Hestieyonini Hadnyanawati, Kiswaluyo Kiswaluyo

182-184

 PDF

ROLE OF CHEMOATTRACTANT CHEMOKINE (SDF-1/CXCR4) IN BONE MARROW NICHE

Dyah Indartin Setyowati, Zahreni Hamzah

185-189

 PDF

ESTABLISHMENT OF A RAT MODEL OF TEMPOROMANDIBULAR JOINT OSTEOARTHRITIS USING INTRAARTICULAR INJECTION OF COMPLETE FREUND'S ADJUVANT

Dwi Merry Christmarini Robin

190-193

 PDF

RECIPROCAL DETERMINISM "DAKOCAN" CHALLENGE EFFORTS TO REDUCE HIV AND AIDS CASES IN JEMBER DISTRICT

Mury Ririanty, Thohirun Thohirun, Iken Nafikadini

195-199

 PDF

IRON TABLETS DISTRIBUTION OF PREGNANT WOMAN IN THE DISTRICT AND CITY OF EAST JAVA PROVINCE

Soenarnatalina Melaniani

200-203

 PDF

RISK MANAGEMENT OF DUE TO EXPOSURE TO PESTICIDE POISONING FOR TOBACCO FARMERS IN THE JEMBER DISTRICT

Eri Witcahyo, Isa Ma'rufi

204-207

 PDF

AN OVERVIEW OF MOTHER KNOWLEDGE AFTER GIVING BIRTH ABOUT EXCLUSIVE BREASTFEEDING

Ninna Rohmawati

208-211

 PDF

DISASTER PREPAREDNESS AT PUBLIC HEALTH CENTER (PHC) BY SCORING ANALYSIS OF GENERAL ASPECTS, HEALTH CARE, SURVEILLANCE, ENVIRONMENTAL SANITATION AND LOGISTICS

Irma Prasetyowati, Yennike Tri Herawati, Pudjo Wahjudi

212-214

 PDF

INDEPENDENT FAMILY PLANNING IN RURAL AND URBAN AREAS GRESIK DISTRICT

Yuly Sulistyorini, Nunik Puspitasari, Diah Indriani, Rachmah Indawati

215-218

 PDF

UNMET NEED FOR FAMILY PLANNING ON ELIGIBLE COUPLE IN INDONESIA: 2007 IDHS DATA ANALYSIS

Nurul Fitriyah

219-222

**SHELLS THAT HAVE BEEN POLLUTED BY LEAD AROUND YOUTEFA BAY IN JAYAPURA CITY THAT HAVE POTENTIAL RISK OF NON CARCINOGENIK**

Hasmi Hasmi

223-226

**DESIGN AND IMPLEMENTATION DIARRHEAL SURVEILANCE REPORT INFORMATION SYSTEM WITH WATERFALL METHOD IN HEALTH DEVELOPMENT OF JEMBER**

Lena Mastuti; Rinda Nurul K, Dony Setiawan HP

227-228

**LOCAL WISDOM OF JEMBER COMMUNITY IN REDUCING CYANOGENIC LEVELS TO LOWER URINE THIOCYANATE LEVELS**

Farida Wahyu Ningtyias, Ahmad Husain Asdie, Madarina Julia, Yayi Suryo Prabandari

229-233

**UNDERWEIGHT AND MORBIDITY STATUS AMONG UNDER FIVE YEARS CHILDREN IN SURABAYA**

Triska Susila Nindya, Lailatul Muniroh

234-236

**CONDOM USE AMONG EXIT CLIENTS OF FEMALE SEXUAL WORKERS FOR PREVENTION HIV/AIDS IN MAKASSAR**

M. Akbar Alwi, YUSDALIA YUSDALIA

237-240

**THE SOCIAL SUPPORT AND PREVALENCE EMESIS GRAVIDARIUM ON PREGNANT MOTHER IN TRIMESTER I AT PUSKESMAS KEMBARAN I BANYUMAS REGENCY**

Devita Elsanti, Siti Nurjanah, Happy Dwi Aprilina

241-244

**WE NEED A BIGGER BOMB: A COMMUNITY ATTEMPT ON FIGHTING DENGUE FEVER IN A SUBURBAN SURABAYA, INDONESIA**

Asri Asri, Khanitta Nuntaboot

246-249

 PDF

APPLICATION OF STANDART NURSING LANGUAGE (NANDA, NOC. NIC) USING SOCIAL MEDIA: INSTAGRAM® TO INCREASE INFORMATION SEEKING BEHAVIOUR AND MOTIVATION OF NURSING STUDENT

Deni Yasmara, Sartika Wulandari

250-252

 PDF

THE EFFECT OF ONION (*Allium ascalonicum* L.) COMPRES TOWARD BODY TEMPERATURE OF CHILDREN WITH HIPERTERMIA IN BOUGENVILLE ROOM DR. HARYOTO LUMAJANG HOSPITAL

Pragita Reza Riyady, Liarucha Ria Aridya, Juliningrum Peni Perdani, Hardiani Ratna Sari, Prasetyorini Dhara Ayu, Zulka Ayesie Natasa, Flowerenty Dini Dian, Sari Dewa Ayu Eka Chandra Merta, Sari Dewa Ayu Dwi Chandra Yadnya, Hikmah Devintania Kurniasti Nurul, Pratiwi Haidar Dwi, Irawan Rosita Debby, Puspitasari Melinda, Suhariyati Suhariyati

253-256

 PDF

ACHIEVEMENT OF BLOOD PRESSURE TARGET WITH MEDICATION ADHERENCE AND SODIUM CONSUMPTION IN SAIFUL ANWAR GENERAL HOSPITAL OUTPATIENT CLINIC

Zaky Soewandi Ahmad, Dudella Desnani Firman Yasin

257-260

 PDF

EFFECT OF INSTRUCTIONAL VIDEO OF SPLINTING PROCEDURE TO NURSING STUDENTS SPLINTING SKILL (PREHOSPITAL SETTING)

Rismawan Adi Yunanto, Yuana Dwi Agustin

261-265

 PDF

THE CORRELATION BETWEEN NURSE PERFORMANCE & THE LEVEL OF JAMKESMAS PATIENT SATISFACTION IN DAHLIA II WARD, NGUDI WALUYO WLINGI HOSPITAL

Wahyu Dini Metrikayanto

266-269

 PDF

HOW TO MAINTAIN HIGH QUALITY CARDIOPULMONARY RESUSCITATION IN ADULTS : LITERATURE REVIEW

Sapuan Sapuan

270-274

 PDF

SMOKING BEHAVIOUR AMONG MIDDLE AND LATE ADOLESCENTS IN A SUB DISTRICT OF MALANG DISTRICT, EAST JAVA, INDONESIA

Yuyud Wahyudi, Peerapong Boonsawasdgulchai

275-281

 PDF

THE DIFFERENCES DECLINE BREAST ENGORGEMENT CONDUCTED CONVENTIONAL METHODS (BREAST MASSAGE) WITH HERB YEAST-KATU

Susilawati Susilawati, I Gusti Ayu Karnasih, M. Wildan

282-285

 PDF

University of Jember



JOURNAL | UNIVERSITY OF JEMBER

ANTIOXIDANT ACTIVITY OF METHANOL EXTRACTS FROM THE STEM BARK OF MANGROVE PLANT *Rhizophora mucronata*

Mahmiah⁽¹⁾, Gimam⁽¹⁾, Nanik Siti Aminah⁽²⁾, Mulyadi Tanjung⁽²⁾

⁽¹⁾ Hang Tuah University, Arif Rahman Hakim 150 Surabaya, 60111

⁽²⁾ Airlangga University, Kampus C Mulyorejo Surabaya

INTRODUCTION

Numbers of diseases such as stroke, diabetes, gout, and even cancer are caused by the reaction of free radicals (oxidants) found in the body. Those diseases currently have not yet controlled. Deleterious lifestyle, lack of exercise, or genetics can be the trigger to this oxidant. Based on Chemotaxonomic, drugs that have been used to inhibit the oxidation process or termination stage of free radicals contain the active ingredient in the form of secondary metabolites of alkaloids, phenolics, terpenoids and steroids. For example, phenolic compounds such as flavonoids, xanthenes, antioxidants and polyphenols is a good agent because it has a structure with a high degree of oxidation (Suarez, et al, 2010).

Researches related to the exploration of antioxidant active ingredient has been more focused on secondary metabolites found in terrestrial plants. The development of natural compounds potential of marine plant material such as mangrove are still not received much attention. Spalding *et al.* in 2001 explained that mangroves plant in Indonesia is the highest in the world, both in terms of quantity area ($\pm 42\ 550\ \text{km}^2$) as well as the number of species (± 45 species). This basic natural resource of Indonesia mangrove is certainly valuable promising opportunities to be expanded as a biological drug.

Mangroves plant that commonly used as medicine discovered from various species i.e: *Acanthus ilicifolius*, *Avicennia alba*, *Avicennia marina*, *Avicennia officinalis*, *Bruguiera cylindrical*, *Bruguiera exaristata*, *Bruguiera gymnorrhiza*, *Ceriops tagal*, *Hisbiscus tiliaceus*, *Ipomoea pes-capre*, *Lumnitzera racemosa*, *Nypa fructicans*, *Pluchea indica*, *Rhizophora apiculata*, *Rhizophora mucronata* and *Sonneratia alba*. Those plants are usually utilized as antiasma, antidiuretic, antidiabetic, reliever itching, and others. (Purnobasuki, 2004).

The potential of mangroves as a drug is very important to be developed considering the need for drugs is increasing deals with the growing of population and many kinds of diseases such as cancer, hypertension, tumor diseases and diseases caused by chemical or biological waste pollution from viruses and bacteria. People are more likely to

choose drugs that are natural because relatively take few side effects or even none at all.

Several studies of mangrove plants from genus *Rhizophora* that have antioxidant bioactivity are shown in the crude butanol extract of mangrove *R. apiculata* with IC_{50} 33.34 $\mu\text{g} / \text{mL}$ (Gao, 2012). The methanol extract of *R. mangle's* stem were also documented to have antioxidant activity (Palacio, et al, 2014).

One of mangroves found in Surabaya East Coastal (Pamurbaya), East Java, Indonesia is the mangrove *Rhizophora mucronata*. This mangrove species is indigenous mangroves that ethno-botanically popular used as a pain reliever and dyes natural wood. Secondary metabolites contained in the leaves, bark, stems, roots, and fruit are different in quantity. The content of secondary metabolites in plant commonly used as a medicine is from general part of the bark. Therefore, on the basis of chemotaxonomic and ethno-botany of mangroves *R. mucronata*, this study aims to explore the bioactivity of antioxidant from the stem bark of *R. mucronata*.



Figure 1. Mangrove *Rhizophora mucronata*

METHOD

Sample Preparation

Samples of mangrove's bark, *R. mucronata* were obtained in Pamurbaya, Surabaya, East Java. Samples were then dried at room temperature and ground into powder. The total sample that has been obtained was 3 kg of *R. mucronata* powder.



Figure 2. Map of the sampling site of mangrove *R. mucronata* in Pamurbaya

The chemicals used in the extraction process include organic solvents that are pro analysis (p.a) that has been technically distilled such as methanol, ethyl acetate, ethanol, and n-hexane. Chemicals used in the in vitro test of antioxidant bioactivity are thin-layer plates of chromatography (TLC), and reagent DPPH (2,2-diphenil-1-picrilhidrazil).

Extraction

Methanol was used in the extraction of the stem bark of mangrove *R. mucronata*. This solvent has been chosen because it is the universal solvent that can dissolve all the active ingredients of secondary metabolites.

TLC-Autograph test

TLC plate was spotted using methanol extract, and then sprayed with DPPH reagent. This test is performed as a preliminary test of antioxidant. The extract is determined to be active as an antioxidant if only after spraying, the DPPH turns color from purple to yellow.

Bioactivity Invitro Test of Antioxidant

DPPH method was used in bioactivity invitro test of antioxidant of the methanol extract of the stem bark of mangrove *R. mucronata* (Kristanti, et al, 2008). The methanol extract samples were prepared in various concentrations i.e: 50, 100,200, 400, 800, and 1000 ppm; and then added 0.0004% DPPH reagent in ethanol. DPPH solution was added as much as 3.9 ml to 0.1 ml of ethanol accounted for its absorbance with UV-Vis spectrophotometer at a wavelength of 497 nm, 517 nm and 537 nm (as a standard solution). Analysis of inhibition IC₅₀ (Inhibitor Concentration of 50%) is determined by linear regression analysis of the concentration DPPH

percentage and isolated compounds. If IC₅₀ < 1000 ppm, these compounds have antioxidant activity (Cos, 1998).

RESULT

Extraction and TLC-autograph

Maceration technique was treated in the extraction process of 3 kg sample powder of mangrove *R. mucronata*'s stem bark by solid-liquid extraction method under room temperature. The extraction process was done for 3 days using methanol. Extraction product from the previous process was evaporated to separate the organic solvent. As much as 191.2513 g of solid brown methanol extract was obtained in the final maceration process.

TLC-autograph was performed to qualitatively determine whether the extract is active or not as an antioxidant. Qualitative test of antioxidants on the methanol extract of the stem bark of *R. mucronata* showed that after TLC plate spotted with the methanol brown-extract then sprayed with DPPH reagent, the DPPH turned color from purple to yellow. This color change indicates that the methanol extract can inhibit the activity of free radicals of DPPH reagent. The qualitative test results then became the basis for bioactivity invitro test to determine the IC₅₀ of the extract.

Bioactivity invitro test of Antioxidant

The antioxidant activity was quantitatively demonstrated by measuring the absorbance of the test solution with varying concentrations using UV-Vis spectrophotometer. The measurement was performed to determine the concentrations level of potential inhibition of the compound as an active antioxidant by calculating the IC₅₀. The data of antioxidant invitro test analysis of the methanol extract of *R. mucronata*'s stem bark are shown in Table 1.

Based on data in Table 1, a linear regression analysis was performed to obtain the linear regression equation. The linear regression equation was used to calculate inhibition level of test samples against free radical DPPH by observing IC₅₀ of methanol extract.

Table 1. Antioxidant invitro tes analysis of methanol extract of *Rhizophora mucronata*'s stem bark using UV-

Concentration (ppm)	Absorbance at λ (nm)			% Reduction of DPPH
	497	517	537	
1000	0.438	0.319	0.215	-6.138107417
800	0.368	0.269	0.181	10.23017903
400	0.192	0.142	0.097	51.66240409
200	0.104	0.078	0.052	73.40153453
100	0.06	0.043	0.029	85.93350384
50	0.036	0.026	0.017	91.5601023
standar	0.146	0.181	0.175	

Vis spectrophotometer at various concentrations.

The results of % DPPH reduction calculations of samples at various concentrations obtained a linear regression $y = -0,1038x + 95,20$. The regression equation was then used to calculate the IC_{50} values in order to determine antioxidant activity by observing the level of extract inhibition against DPPH free radicals. The IC_{50} of methanol extract of the stem bark of mangrove *R. mucronata* was obtained at 438.8349 ppm. $LC_{50} < 1000$ ppm showed that the extract is active as an antioxidant (Cos, et al., 1998). Based on research by Gao and Xiao (2012) to the species *Rhizophora apiculata*, it is reported that the antioxidant activity of mangroves can be influenced by the content of secondary metabolites compounds contained in crude extracts such as class phenolics, terpenoids, alkaloids, and lignans. The study of antioxidant activity conducted by Palacio, et al (2014) of the mangrove *Rhizophora mangle* in Mexico also showed that the methanol extract obtained have high antioxidant activity due to compounds which contain phenolic groups. Reviews from the genus *Rhizophora*, antioxidant activity of mangrove plant *R. mucronata* found in Pamurbaya is influenced by the content of secondary metabolites compounds contained in the methanol extract. This research can be used as a basis for phytochemical test and the isolation of active antioxidants compounds so that the potential of natural materials from the mangroves *R. mucronata* can be used as an alternative to drug ingredients.




Figure 3. Linear regression curve of bioactivity invitro test of methanol extracts of *Rhizophora mucronata*'s stem bark.

CONCLUSION

Results of the study of the methanol extract from bark of *R. mucronata* originated in Pamurbaya as an antioxidant agent reported that the extract is active as an antioxidant with IC_{50} level 438.8349 ppm.

ACKNOWLEDGEMENT

Special Thanks to RISTEKDIKTI for the grant funding of Hibah PEKERTI 2016.

REFERENCES

1. Cos, P., Ying, P., Calomme, M., Hu, J.P., cimanga, K., Poel, B.V., Pieters, L., Berghe, D.P., 1998, Structure Activity Relationship and Classification of Flavonoid as Inhibitor of Xanthine Oxidase and superoxide Scavengers, *J. Nat. Prod.* 61, 71-76.
2. Gao M., and Xiao H., 2012, Activity- Guided Isolation of Antioxidant Compounds from *Rhizophora apiculata*, *Molecule* 17:10675-10682
3. Jojeux, M., Robstein, M., Anton, R., and Mortier, F., 1995, Comparative Antiperooxidant, Antinecrotic, and Scavenging Properties of Terpens and Biflavonens from Ginkgo and some Flavonoids, *Planta medica*, 61, 126-129
4. Kristanti, A. N., Aminah, N.A., Tanjung, M., Kurniadi, B., (2008), "Buku Ajar Fitokimia", Cetakan pertama, Airlangga University Press, Surabaya.
5. Kusuma, S., Anil Kumars P., Boopalan K., 2011, Potent antimicrobial activity of *Rhizophora mucronata*, *Journal of Ecobiotechnology*, ISSN: 2077-0464, 3(11): 40-41
6. Mouafi, F.E., Abdel-aziz, S.M., Bashir A.A., Fyiad A.A., 2014, Phytochemical Analysis and Antimicrobial Activity of Mangrove Leaves (*Avicennia marina* and *Rhizophora stylosa*) Against Some Pathogens, *World Appied Science Journal* 29 (4): 547-554
7. Nagarajan Y., Venkatraman A., Mohamed Y. S. A., Radhakrishnan M., Arumugam Chanthuru, Muniyasamy M. Prabu, 2015, Chemical properties of essential oil from *Rhizophora mucronata* mangrove leaf against malarial mosquito *Anopheles stephensi* and filarial mosquito *Culex quinquefasciatus*, *Asian Pacific Journal of Tropical Disease* 5 (1) : S67-S72
8. Palacio, EF. M., Alvarez Z., Camacho S., Farias Y., Ortiz, V., Cruz- O.M., Rodriguez, R, 2014, Antioxidant Capacity, Radical Scavenging Kinetics and Phenolic Profile of Methanol Extracts of Wild Plants of Southern Sonora, Mexico, *Tropical Journal of Pharmaceutical Research* 13 (9): 1487-1493
9. Purnobasuki, H., 2004, Potensi Mangrove sebagai Tanaman Obat, Short Communication, *Biota*, IX (2)
10. Rahim, A.A., Rocca E., Steinmetz, J., Kassim, M. J., Ibrahim, M.S., Osman, H., 2008, Antioxidant activities of mangrove *Rhizophora apiculata* bark extracts, *Food Chemistry*, 107, 200-207
11. Safitri, R., Melani, A., dan Rumampuk, R. J., 2001, Interaksi Beberapa Antioksidan Alami, Seminar nasional dan Lokakarya pemahaman

Konsep radikal Bebas dan peranan Antioksidan dalam Meningkatkan Kesehatan Menuju Indonesia Sehat 2010, 12-14.

12. Spalding, M.D., Ravilious, C., dan Green, E.P., 2001, *World Atlas of Coral Reefs*. University of California Press, Berkeley, USA.
13. Zhang, L.L., Lin, Y.M., Zhou H.C., Wei, S.D., Chen, J.H., 2010, Condensed Tannins from Mangrove Species *Kandelia candel* and *Rhizophora mangle* and Their Antioxidant Activity, *Molecules*, 15, 420-431.