

Daftar Pustaka

- Ahamed SS, Reddy VN, Krishnakumar R, Mohan MG, Sugumaran DK, Rao AP. Prevalence of early loss of primary teeth in 5-10 year old school children in Chidambaram town. *Contemp Clin Dent*. 2012;3(1):27-30.
- Albati M, Showlag R, Akili A, Hanafiyyah H, AlNashri H, Aladwani W, Alfarsi G, Alharbi M, Almutairi A. Space maintainers application, indication and complication. *International Journal of Community Medicine and Public Health* 2018;5(11):1-5.
- Almuzian M, Alharbi F, Chung LK, McIntyre G. Transpalatal, Nance and lingual arch appliances: Clinical tips and applications. *Ortho Update* 2015;8:92-100.
- Brill WA. The distal shoe space maintainer: chairside fabrication and clinical performance. *Pediatric Dentistry*. 2002;24(6):561-5.
- Chalakkal P, Ferreira AN, Da Costa GC, Aras MA. Functional lingual arch with hinge-type lockable dentulous component. *Int J Clin Pediatr Dent*. 2017;10(3):302-8.
- Hassan R, Rahimah AK. Occlusion, malocclusion and method of measurements - an overview. *Orofacial Sciences*. 2007;2:3-9.
- Herawati H, Sukma S, Utami RD. Relationships between deciduous teeth premature loss and malocclusion incidence in elementary school in Cimahi. *Journal of Medicine and Health*. 2015;1(2):156-69.
- Laing E, Ashley P, Naini FB, Gill DS. Space maintainance. *International Journal of Paediatric Dentistry* 2009;19:155-62.

Law CS. Management of premature primary tooth loss in the child patient.

Journal of the California Dental Association. 2013;41(8):612-8.

Moses J, Sekar PK, Raj SS, Rangeeth BN, Ravindran S. Modified band and

loop space maintainer: Mayne's space maintainer. Int J Pedod Rehabil 2018;3:84-6.

Murshid SA, Al-Labani MA, Aldharae KA, Rodis OMM. Prevalence of

prematurely lost primary teeth in 5–10-year-old children in Tamar city,

Yemen: A cross-sectional study. J Int Soc Prev Community Dent. 2016;6(2):126–30.

Nam OH, Lee JW, Song KU, Choi SC. Patient-orientated removable space

maintainer as a decompression stent. British Journal of Oral and Maxillofacial Surgery 2015;12:201-2.

Ngan P, Alkire P, Fields HJR. Management of space problems in the primary

and mixed dentitions. American Dental Associations. 1999;130:1330-9.

Nsour HF, Masarweh NA. Reasons for extraction of primary teeth in Jordan- A

study. Pakistan Oral & Dental Journal. 2013; 33(2): 336-9.

Phulari BS. Orthodontics principles and practice. 1st ed. New Delhi: Jaypee

Brothers Medical Publishers 2011: 62-76.

Premkumar S. Prep manual for undergraduates orthodontics. New Delhi:

Mosby 2008. p.122, 124-6, 128, 137-8, 151.

Premkumar S. Text book of orthodontics. New Delhi: Reed Elsevier India Pvt.

Ltd; 2015. p.

- Qudeimat MA, Fayle SA. The longevity of space maintainers: a retrospective study. *Pediatr Dent*. 1998;20: 267–72.
- Reddy NV, Daneswari V, Shruti G, Reddy H, Reddy A, Reddy S. Premature loss of primary teeth on arch dimensions in 6- to 10-year-old schoolchildren in Khammam town, Telangana state. *Int J Pedod Rehabil* 2018;3:67-71.
- Savitri R, Anandakrishna L, Kamath PS, Ramya M. Mayne's appliance-guidance of eruption: A case report. *Int J Med Dent Case Rep* 2014:1-3.
- Singh PH, Naorem H, Devi TC, Debbarma N. Modern concepts of space maintainers and space regainers: a review article. *European journal of Pharmaceutical and Medical Research* 2020:7(3).
- Sjahrudin FLD. *Space maintainer pada anak*. Jakarta: Penerbit Buku Kedokteran EGC:2014.
- Tunison W, Flores-Mir C, ElBadrawy H, Nassar U, El-Bialy E. Dental arch space changes following premature loss of primary first molars: a systematic review. *Pediatric Dentistry* 2008;30(4):297-302.
- Watt E, Ahmad A, Adamji R, Katsimbali A, Ashley P, Noar J. Space maintainers in the primary and mixed dentition – a clinical guide. *British Dental Journal*. 2018;225(4): 293-8.