

DAFTAR PUSTAKA

- Abraham KK, James AR, Thenumkal E, Emmaty T. Correction of anterior crossbite using modified transparent aligners: An esthetic approach. *Contemp Clin Dent* 2016; 7:394-7.
- Adha MAR, Wibowo D, Rasyid NI. Gambaran tingkat keparahan maloklusi menggunakan handicapping malocclusion assessment record (Hamr) pada siswa sdn gambut 10. *Dentin Jurnal Kedokteran Gigi* 2019; 3(1): 1-9.
- Al-enein UA, Shady HA. *Orthodontic devices*. 2nd ed. Mesir: Technical Education for Health; 2018 .p. 54-5.
- Alam MK, Sikder MA. Spectrum of cross bite management. *Bangladesh Journal of Orthodontics and Dentofacial Orthopedics* 2012; 2(2): 34-7.
- Alami S, Aghoutan H, Quars FE, Diouny S, Bourzgui F. Early treatment of anterior crossbite relating to functional class III. *Journal of Oral Health Science and Dentistry* 2015; 16: 342-60
- Ashith MV. Modified quad helix: a case report. *International Journal Scientific Study* 2015; 2(10): 158–62.
- Batheja NK, Fida M, Shaikh A. Deep bite malocclusion: Exploration of the skeletal and dental factors. *J Ayub Med Coll Abbottabad* 2016; 28(3): 449-54.
- Bhalajhi SI. *Orthodontic : The art and science*. 3rd edition. New Delhi: Arya Publishing House, 2004: 3-4, 229, 291, 423-30.

- Bindayel NA. Simple removable appliances to correct anterior and posterior crossbite in mixed dentition: Case report. *The Saudi Dental Journal* 2012; 24: 105-13.
- Borrie F, Bearn D. Early correction of anterior crossbites:a systematic review. *Journal of Orthodontics* 2011; 38: 175–84
- Brito DI, Dias PF, Gleiser R. Prevalence of malocclusion in children aged 9 to 12 years old in the city of Nova Friburgo, Rio de Janeiro State, Brazil. *Maringa* 2009; 14(6): 118-24.
- Ceyhan D, Akdik C. Taking a glance at anterior crossbite in children: Case series. *Contemp Clin Dent* 2017; 8: 679-82.
- Cha BK, Ngan PW. Skeletal anchorage for orthopedic correction of growing class III patients. *Semin Orthod* 2011; 17: 124-37.
- Cheng HC, Shih MJ. Dentofacial changes after anterior crossbite correction using a lingual arch with finger springs. *Journal of Dental Science* 2016; 12: 70-7.
- Damayanti E, Silvia NM, Andini KR. Buku panduan program profesi dokter gigi ortodonsia. Malang : Universitas Brawijaya. 2014.p.22.
- Fernandes KP, Amaral MAT, Monico MA. Malocclusion and the need for its orthodontic treatment in deciduous dentition. *RGO* 2007; 53(3): 223-7
- Fithriyah ER. Kombinasi penggunaan quadhelix dan tanggul gigitan posterior pada perawatan crossbite anterior. *Majalah Kedokteran Gigi Indonesia*. 2016; 2(1): 47-52.

- Fonseca GHAD. Anterior crossbite malocclusion: prevalence and treatment with afixed inclined plane orthodontic appliance. *Brazilian J of Oral Sci* 2019; 18: 2-7
- Gawthaman M, Disha P, Mathian VM, Vinodh S. A fixed partial appliance approach towards treatment of anterior single tooth crossbite: Report of two cases. *Indian J Dent Sci* 2017; 9: 119-21.
- Gomez YLP, Meraz WS, Cárdenas JM. Modified lingual arch as auxiliary in the mechanics for lower molar verticalization. Case report. *Revista Mexicana de Ortodoncia* 2016; 4(3):178-82.
- Habash AA, Raickovic D. Weekly aligner changes to correct anterior crossbite: A case report. *Web Med Central Ortho* 2020; 11(3): 2-11.
- Hiremath MC, Suresh KS. Rapid correction of anterior dental crossbite using a sectional fixed appliance: A case report. *AOSR* 2011; 1(11): 11-3.
- Jirgensone I, Liepa A, Abeltins A. Anterior crossbite correction in primary and mixed dentition with removable inclined plane (Bruckl appliance). *Stomatologija, Baltic Dental and Maxillofacial Journal* 2008; 10(4): 140-4.
- Karaiskos N, Wiltshire WA, Odlum O, Brothwell D, Hassard TH. Preventive and interceptive orthodontic treatment needs of an inner-city group of 6- and 9-year-old canadian children. *J Can Dent Assoc* 2005; 71(9): 649

- Ling PC, Firman RN, Pramanik F. A descriptive study of bone density based on angle's malocclusion classification on female patients aged 13–30 years old on panoramic radiograph. *J Dentomaxillofac Sci* 2017; 2(2): 86-90.
- Loblobly M, Anindita PS, Leman MA. Gambaran maloklusi berdasarkan indeks Handicapping Malocclusion Assesment Record (HMAR) pada siswa SMAN 9 Manado. *Jurnal e-GiGi (eG)* 2015; 3(2): 628-31.
- Lohakare SS. *Orthodontic removable appliances* 1th ed. New Delhi : Jaypee Brothers Medical Publisher (P) LTD; 2008. p.16-7, 42
- Manoharan M, Disha P, Nagavani NB, Roshan NM, Poornima P. Correction of anterior crossbite with different approaches: A series of three cases. *International Journal of Oral Health and Medical Research* 2016; 3(3): 41-3.
- Miamoto CB, Marques LS, Abreu LG, Pavia SM. Impact of two early treatment protocols for anterior dental crossbite on children's quality of life. *Dental Press J Orthod* 2018; 23(1):71-8.
- Mitchell L. *An introduction to orthodontics*. 3rd ed. New York: Oxford University Press; 2007 .p. 143-4.
- Moraes SPT, Mota ELA, Amorim LDAF. Factors associated with the incidence of malocclusion in the deciduous dentition of children in a

public hospital cohort from Northeast Brazil. *Rev Bras Saude Mater Infant* 2014; 14(4): 371-82.

Nazruddin. Perawatan dental anterior crossbite dengan hubungan rahang Klas I Angle. *Dentika Dent J.* 2001; 6(2):295-301.

Ngan P. Biomechanics of maxillary expansion and protraction in Class III patients. *American Journal of Orthodontics and Dentofacial Orthopedics.* 2002;121(6):582–3.

Oshagh M, Ghaderi F, Pakshir HR, Baghmollai AM. Prevalence of malocclusions in school-age children attending the orthodontics department of Shiraz University of Medical Sciences. *EMHJ.* 2010; 16(12): 1245-50.

Park JH, Kim TW. Anterior crossbite correction with a series of clear removable appliances: A case report. *J Esthet Restor Dent* 2009; 21(3): 149–60

Prakash P, Durgesh BH. Anterior crossbite correction in early mixed dentition period using catlan’s appliance: A case report. *International Scholarly Research Network* 2011; 1-5.

Saunders MW. An Orthodontics Consultation by Age 7? Why?. Available from: <https://hiddenlakesorthodontics.wordpress.com/tag/american-association-of-orthodontists/>. Accessed: Juni 17th 2020.

- Shah N, Rao A, Suprabha BS, Rao A. Correction of a single tooth anterior dental crossbite using a fixed z spring: a series of three cases. *International Journal of Advanced Research* 2014; 2(2): 608-11.
- Singh G. *Textbook of orthodontics*. 2nd ed. New Delhi: Jaypee Brother Medical Publisher (P) LTD; 2007. p. 4, 66, 198, 238, 424, 434, 562, 655-69.
- Sockalingam SNMP, Khan KAM, Kuppusamy E. Interceptive correction of anterior crossbite using short-span wire-fixed orthodontic appliance: report of three cases. *Creative Commons Attribution License* 2018; 1-5.
- Tabbaa S, Kathari Y, Burlingame ML. Early diagnosis and treatment of an anterior crossbite. *Dental Learning*. 2012; 1(6): 1-11.
- Tanaka OM, Maciel JVB, Kreia TB, Ávila ALR, Pithon MM. The anterior dental cross-bite: the paradigm of interception in orthodontics. *Rev Clín Pesq Odontol*. 2010; 6(1): 71-8
- Tsomos G, Ludwig B, Grossen J, Pazera P, Gkantidis, N. Objective assessment of patient compliance with removable orthodontic appliances: a cross-sectional cohort study. *The Angle Orthodontist* 2014; 84: 56–61
- Ulusoy AT, Bodrumlu EH. Management of anterior dental crossbite with removable appliances. *Contemporary Clinical Dentistry* 2013; 4(2): 223-6.

- Utari TR, Abdillah N. Perawatan crossbite anterior pada masa gigi bercampur. Yogyakarta : FK Universitas Muhamadiyah; 2012.
- Vasilakos G, Koniaris A, Wolf M, Halazonetis D, Gkantidis N. Early anterior crossbite correction through posterior bite opening: a 3D superimposition prospective cohort study. *European Journal of Orthodontics* 2018; 40(4): 364–71
- Vithanaarachchi SN, Nawarathna LS. Prevalence of anterior cross bite in preadolescent orthodontic patients attending an orthodontic clinic. *Ceylon Medical Journal* 2017; 62:189-92.
- Woitchunas DR, Busato C, Tochetto LR, Brockstedt RH. Anterior cross-bite: diagnosis and treatment of pseudoclass III - clinical case report. *Rev Fac Odontol UPE* 2001; 6(2): 23-8
- Yaseen SM, Acharya R. Hexa helix: Modified quad helix appliance to correct anterior and posterior crossbites in mixed dentition. *Case Reports in Dentistry* 2012; 12
- Zirajawi HA. Classification class III. 2014. Available from: <https://dentistry.org/cl-iii-malocclusion.html>. Accessed: Juni 17th 2020.