

DAFTAR PUSTAKA

- Abdel-Rahman, M. A., Tashiro, Y., and Sonomoto, K., 2013. Recent advances in lactic acid production by microbial fermentation processes. *Biotechnology Advances*, Elsevier Inc, Vol. 31 No. 6, p. 877–902.
- Abo-amer, A. E., 2011. Optimization of bacteriocin production by *Lactobacillus acidophilus* AA11, a strain isolated from Egyptian cheese. *Annals of Microbiology*, Vol. 61, p. 445–452.
- Ädelroth, P., and Brzezinski, P., 2004. Surface-mediated proton-transfer reactions in membrane-bound proteins. *Biochimica et Biophysica Acta - Bioenergetics*, Vol. 1655 No. 1–3, p. 102–115.
- Aguilar-galvez, A., Guillermo, S., Dubois-Dauphin, R., Campos, D., and Thonart, P., 2011. The influence of growth conditions on enterocin-like production by *Enterococcus faecium* CWBI-B1430 and *Enterococcus mundtii* CWBI-B1431 isolates from artisanal Peruvian cheeses. *Annals of Microbiology*, Vol. 61, pp. 955–964.
- Amalia, S., Wahdaningsih, S., and Untari, E. K., 2015. Antibacterial activity testing of N-Hexana fraction on red dragon (*Hylocereus polyrhizus* britton & rose) fruit peel on *Staphylococcus aureus* ATCC 25923, *Majalah Obat Tradisional*, Vol. 19 No. 2, p. 89–94.
- Balouiri, M., Sadiki, M., and Ibnsouda, S. K., 2016. Methods for in vitro evaluating antimicrobial activity: A review, *Journal of Pharmaceutical Analysis*, Elsevier, Vol. 6 No. 2, p. 71–79.
- Barbosa, M. S., Todorov, S. D., Ivanova, I. V., Belguesmia, Y., Choiset, Y., Rabesona, H., Chobert, J. M., Haertle, T., and Franco, B. D. G. M., 2016. Characterization of a two-peptide plantaricin produced by *Lactobacillus plantarum* MBSa4 isolated from Brazilian salami. *Food Control*, Vol. 60, pp. 103–112.
- Bharti, V., Mehta, A., Singh, S., Jain, N., and Ahirwal, L., 2015. Bacteriocin: a novel approach for preservation of food. *International Journal of Pharmacy and Pharmaceutical Sciences*, Vol. 7 No. 9, pp. 20–29.

- Bonev, B., Hooper, J., and Parisot, J., 2008. Principles of assessing bacterial susceptibility to antibiotics using the agar diffusion method. *Journal of Antimicrobial Chemotherapy*, Vol. 61, p. 1295–1301.
- Bru, E., Wiese, B., and Holgado, A. A. P. D. R., 2002. Influence of pH, temperature and culture media on the growth and bacteriocin production by vaginal *Lactobacillus salivarius* CRL 1328. *Applied Microbiology*, No. 93, p. 714–724.
- Bujalance, C., Jimenez-Valera, M., Moreno, E., and Ruiz-Bravo, A., 2006. A selective differential medium for *Lactobacillus plantarum*. *Journal of Microbiological Methods*., Vol. 66 No. 3, pp. 572–575.
- Carretto, E., Visiello, R., and Nardini, P., 2018. Methicillin Resistance in *Staphylococcus aureus*. *Pet-to-Man Travelling Staphylococci: A World in Progress*. Elsevier Inc., pp. 225-235
- Chatterjee, M., Jana, S. C., and Raychauduri, U., 2018. Optimization of media and culture conditions for improved production of bacteriocin by using conventional one-factor-at-a-time (OFAT) method. *EC Microbiology*, Vol. 8, p. 251–258.
- Cheigh, C., Choi, H., Park, H., Kim, S., Kook, M., Kim, T., Hwang, J., and Pyun, Y., 2002. Influence of growth conditions on the production of a nisin-like bacteriocin by *Lactococcus lactis* subsp. *lactis* A164 isolated from kimchi. *Journal of Biotechnology*., Vol. 95, pp. 225–235.
- Chen, H., and Wang, L., 2017. Enzymatic Hydrolysis of Pretreated Biomass. *Technologies for Biochemical Conversion of Biomass*., pp. 65–99.
- Chotiah, S., 2013. Potensi bakteriosin untuk kesehatan hewan dan keamanan pangan. *Wartazoa*, Vol. 23 No. 2, p. 94–101.
- Corry, J. E. L., Curtis, G. D. W., and Baird, R. M., 2011. *Handbook Of Culture Media For Food And Water Microbiology*. Royal Society of Chemistry.
- Costa, M. G. M., Fonteles, T. V., and Jesus, A. L. T. D., 2013. Sonicated pineapple juice as substrate for *L. casei* cultivation for probiotic beverage development: process optimisation and product stability. *Food Chemistry*, Elsevier Ltd, Vol. 139 No. 1–4, p. 261–266.
- Das, V. S., and Das, D., 2019. *Potential of Hydrogen Production from Biomass. Science and Engineering of Hydrogen-Based Energy Technologies*. Elsevier Inc., pp. 123-164
- De Vuyst, L., Callewaert, R., and Crabbé, K., 1996. Primary metabolite kinetics of bacteriocin biosynthesis by *Lactobacillus amylovorus* and evidence for stimulation of bacteriocin production under unfavourable growth conditions. *Microbiology*, Vol. 142 No. 4, p. 817–827.

- Di Cagno, R., Cardinali, G., Minervini, G., Antonielli, L., Rizzello, C. G., Ricciuti, P., and Gobbetti, M., 2010. Taxonomic structure of the yeasts and lactic acid bacteria microbiota of pineapple (*Ananas comosus* L. Merr.) and use of autochthonous starters for minimally processing. *Food Microbiology*. Elsevier Ltd. Vol. 27 No. 3, pp. 381–389.
- Do Espírito Santo, A. P., Perego, P., Converti A., and Oliveira, M. N., 2011. Influence of food matrices on probiotic viability - A review focusing on the fruity bases. *Trends in Food Science and Technology*, Vol. 22 No. 7, pp. 377–385.
- Drosinos, E. H., Mataragas, M., Nasis, P., Galiotou, M., and Metaxopoulos J., 2005. Growth and bacteriocin production kinetics of *Leuconostoc mesenteroides* E131. *Journal of Applied Microbiology*., Vol. 99 No. 6, pp. 1314–1323.
- El-Shouny, W., Abo-Kamar, A., El-Shansoury A. E. R., and Ragy, S., 2018. production of plantarcin by *Lactobacillus plantarum* SR18. *Journal of Microbiology, Biotechnology and Food Sciences.*, Vol. 8 No. 2, pp. 1488–1504.
- Etebu, E., and Arikekpar, I., 2016. Antibiotics: classification and mechanisms of action with emphasis on molecular perspectives. *Int. J. Appl. Microbiol. Biotechnol. Res.*, Vol. 4, p. 90–101.
- Foo, H. L., Loh, T. C., Law, F. L., Lim, Y. Z., Kufli, C. N., and Rusul, G., 2003. Effects of feeding *Lactobacillus plantarum* I-UL4 isolated form Malaysian tempeh on growth performance, faecal flora and lactic acid bacteria and plasma cholesterol concentrations in post-weaning rats. *Journal of Food Science and Biotechnology*., Vol. 12 No. 4, pp. 403–408.
- Guerra, N. P., and Pastrana, L., 2002. Modelling the influence of pH on the kinetics of both nisin and pediocin production and characterization of their functional properties. *Process Biochemistry*, Vol. 37 No. 9, pp. 1005–1015.
- Hata, T., Tanaka, R., and Ohmomo, S., 2010. Isolation and characterization of plantarcin ASM1: A new bacteriocin produced by *Lactobacillus plantarum* A-1. *International Journal of Food Microbiology*. Elsevier B.V, Vol. 137 No. 1, p. 94–99.
- Ismail, Y. S., Yulvizar, C., dan Putriani., 2017. Isolasi, karakterisasi dan uji aktivitas antimikroba bakteri asam laktat dari fermentasi biji kakao (*Theobroma cacao*). *Bioleuser*, Vol. 1 No. 2, p. 45–53.

- Jannette, W. F. W., Uribe, L., Jones, R. W., Usaga, J., and Barboza, N., 2018. Survival of selected lactic acid bacteria isolated from pineapple waste in refrigerated pineapple juices. *Japanese Journal of Crop Science.*, Vol. 57 No. 1, pp. 289–290.
- Karso., Wuryanti., dan Sriatun., 2014. Isolasi dan karakterisasi kitinase isolat jamur akuatik kitinolitik KC3 dari kecoa (*Orthoptera*). *Jurnal Kimia Sains dan Aplikasi*, Vol. 17 No. 2, p. 51.
- Karthikeyan, V., and Santosh, S. W., 2009. Isolation and partial characterization of bacteriocin produced from *Lactobacillus plantarum*. *African Journal of Microbiology Research*, Vol. 3 No. 5, p. 233–239.
- Kemenkes RI., 2011. Peraturan Menteri Kesehatan Republik Indonesia Nomor 2406/MENKES/PER/XII tentang Pedoman Umum Penggunaan Antibiotik. Jakarta
- Kementrian Kesehatan RI., 2016. Profil Kesehatan Kabupaten Jember. Jakarta.
- King, V. A. E., Huang, H. Y., and Tsen, J. H., 2007. Fermentation of tomato juice by cell immobilized *Lactobacillus acidophilus*. *Mid-Taiwan Journal of Medicine*, Vol. 12 No. 1, p. 1–7.
- Kumar, B. V., Sreedharamurthy, M., and Reddy, O. V. S., 2013. Physico-chemical analysis of fresh and fermented fruit juices probioticated with *Lactobacillus casei*. *International Journal of Applied Sciences and Biotechnology*, Vol. 1 No. 3, p. 127–131.
- Kusmiati., dan Malik, A., 2002. Aktivitas bakteriosin dari bakteri *Leuconostoc mesenteroides* Pbac1 pada berbagai media. *Makara Kesehatan*, Vol. 6 No. 1, p. 1–7.
- Lenz, U. H., and Jurgen., 2005. Solid-state fermentation — are there any biotechnological advantages. *Ecology and Industrial Microbiology*, Vol. 8, p. 301–306.
- Lim, S. M., 2010. Cultural conditions and nutritional components affecting the growth and bacteriocin production of *Lactobacillus plantarum* KC21. *Food Science and Biotechnology*, Vol. 19 No. 3, p. 793–802.
- McDermott, P. F., Walker, R. D., and White, D. G., 2003. Antimicrobials and resistance mechanisms. *International Journal of Toxicology*, Vol. 22, p. 135–143.
- Mokoena, M. P., 2017. Lactic acid bacteria and their bacteriocins: classification, biosynthesis and applications against uropathogens: A Mini-Review. *Molecules*, Vol. 22 No. 8, p. 1-13

- Muthia, K. N. S., Sarjono, P. R., dan Aminin, A. L. N., 2017. Aktivitas antioksidan dan antibakteri produk fermentasi susu kedelai dan whey tahu menggunakan bakteri asam laktat komersial. *Jurnal Kimia Sains dan Aplikasi*, Vol. 20 No. 1, p. 9.
- Nayef, A., 2016. Determination of minimum inhibitory concentrations (Mics) of antibacterial agents for bacteria isolated from malva. *MOJ Proteomics & Bioinformatics*, Vol. 3 No. 1, p. 9–11.
- Nes, I. F., Brede, D. A., and Diep, D. B., 2013. *Class II Non-Lantibiotic Bacteriocins*. Second ed. Handbook of Biologically Active Peptides.
- Nguyen, B. T., Bujna, E., Fekete, N., Tran, A. T. M., Rezessy-Szabo, J. M., Prasad, R., and Nguyen, Q. D., 2019. Probiotic beverage from pineapple juice fermented with *Lactobacillus* and *Bifidobacterium* strains. *Frontiers in Nutrition*, Vol. 6 No. 5, pp. 1–7.
- Nousiainen, J., Päivi, J., Jouko, S., and Atte, V. W., 2004. Lactic acid bacteria as animal probiotics. *Lactic Acid Bacteria Microbiological and Functional Aspects*, Third Edition: Revised and Expanded. CRC Press., pp. 547–580.
- Nur'Aini Purnamaningsih, Kalor, H., dan Atun, S., 2017. Uji aktivitas antibakteri ekstrak temulawak (*Curcuma xanthorrhiza*) terhadap bakteri *Escherichia coli* ATCC 11229 dan *Staphylococcus Aureus* 25923. *Jurnal Penelitian Saintek*, Vol. 22 No. 2, p. 140–147.
- Ogunbanwo, S. T., Sanni, A. I., and Onilude, A. A., 2003. Characterization of bacteriocin produced by *Lactobacillus plantarum* F1 and *Lactobacillus brevis* OG1. *African Journal of Biotechnology*, Vol. 2 No. 8, p. 223–235.
- Onwuakor, C., Nwaugo, V. O., Nnadi, C. J., and Emetole, J. M., 2014. Effect of varied culture conditions on crude supernatant (bacteriocin) production from four *Lactobacillus* species isolated from locally fermented maize (ogi). *American Journal of Microbiological Research*, Vol. 2 No. 5, pp. 125–130.
- Peres, C. M., Peres, C., Hernandez-Mendoza, A., and Malcata, F. X., 2012. Review on fermented plant materials as carriers and sources of potentially probiotic lactic acid bacteria - with an emphasis on table olives. *Trends in Food Science and Technology*, Vol. 26 No. 1, pp. 31–42.
- Perricone, M., Bevilacqua, A., Altieri, C., Sinigaglia, M., and Corbo, M. R., 2015. Challenges for the production of probiotic fruit juices. *Beverages*, Vol. 1 No. 2, pp. 95–103.
- Phong, H. X., Quyen, M. T., Thanh, N. N., Long, B. H. D., and Dung, N. T. P., 2017. Selection of high acid producing lactic acid bacteria and potential

- application in pineapple juice fermentation. *Bioprocess Engineering.*, Vol. 1 No. 2, pp. 58.
- Prasetyo, M., Barliana., and Melisa., 2016. Article review: gen mecA sebagai faktor munculnya *methicillin resistant Staphylococcus aureus* (MRSA). *Farmaka.*, Vol. 14 No. 3, p. 53–61.
- Pratiwi, R. H., 2017. Mekanisme pertahanan bakteri patogen terhadap antibiotik. *Jurnal Pro-Life*, Vol. 4 No. 3, p. 418–429.
- Qu, L., Ren, L. J., Sun, G. N., Ji, X. J., Nie, Z. K., and Huang, H., 2013. Batch, fed-batch and repeated fed-batch fermentation processes of the marine thraustochytrid *schizochytrium* sp. for producing docosahexaenoic acid. *Bioprocess and Biosystems Engineering.*, Vol. 36 No. 12, pp. 1905–1912.
- Rahayu, E. S., 2003. Lactid acid bacteria in fermented foods of Indonesian Origin. *Agritech*, Vol. 23 No. 2, p. 75–84.
- Ramachandran, B., Srivathsan, J., Harish, J., Kumar, M. R., and Kumar, D. J. Mukesh., 2012. Production and optimization of bacteriocin from *Lactococcus lactis*. *Journal Acad. Indus. Res.*, Vol. 1 No. 6, pp. 306–309.
- Rawal, K., Bhavsar, N., Raol, G., Raol, B. V., and Patel, J. D., 2013. Bacteriocin: production and optimization by *Lactobacillus* species. *J. Microbiol. Biotech. Res.*, Vol. 3 No. 6, pp. 64–76.
- Rizal, S., Erna, M., Nurainy, F., dan Tambunan, A. R., 2016. Karakteristik probiotik minuman fermentasi laktat sari buah nanas dengan variasi jenis bakteri asam laktat. *Jurnal Kimia Terapan Indonesia.*, Vol. 18 No. 1, pp. 63–71.
- Russo, P., Chiara, M. L. V. D., Vernile, A., Amodio, M. L., Arena, M. P., Capozzi, V., Massa, S., and Spano, G., 2014. Fresh-cut pineapple as a new carrier of probiotic lactic acid bacteria. *BioMed Research International.*, Vol. 2014.
- Sáenz, Y., Rojo-Bezares, B., Navarro, L., Diez, L., Somalo, S., Zarazaga, M., Ruiz-Larrea, F., and Torres, C., 2009. Genetic diversity of the pln locus among oenological *Lactobacillus plantarum* strains. *International Journal of Food Microbiology*. Elsevier B.V., Vol. 134 No. 3, pp. 176–183.
- Safitri, N., Sunarti, T. C., dan Meryandini, A., 2017. Formula media pertumbuhan bakteri asam laktat *Pediococcus pentosaceus* menggunakan substrat whey tahu. *Sumberdaya Hayati*, Vol. 2 No. 2, p. 31–38.
- Sankar, N. R., Priyanka, V. D., Reddy, P. S., Rajanikanth, P., Kumar, K., and Indira, M., 2012. Purification and characterization of bacteriocin produced

- by *Lactobacillus plantarum* isolated from cow milk. *International Journal of Microbiological Research.*, Vol. 3 No. 2, pp. 133–137.
- Sihombing, D. E., 2014. Aktivitas antimikrob plantarisin asal *Lactobacillus plantarum* IIA-IA5 dan aplikasinya sebagai pengawet alami pada daging sapi. *Tesis*. Institut Pertanian Bogor.
- Silva, C. C. G., Silva, S. P. M., and Ribeiro, S. C., 2018. Application of bacteriocins and protective cultures in dairy food preservation. *Frontiers in Microbiology*, Vol. 9 No. 04.
- Stanbury, P. F., Whitaker, A., and Hall, S. J., 2003. *Principles of Fermentation Technology*. 2nd ed. *Principles of Fermentation Technology*. 2nd edn. Edited by P. Stanbury, A. Whitaker, and S. Hall. Burlington: Elsevier Science.
- Sunaryanto, R., Martius, E., dan Marwoto, B., 2014. Uji kemampuan *Lactobacillus casei* sebagai agensia probiotik. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, Vol. 1 No. 1, p. 9.
- Suwayvia, N., 2017. Produksi bakteriosin asal *Lactobacillus plantarum* FNCC 0020 sebagai antimikroba dan stabilitasnya pada variasi suhu pemanasan, suhu penyimpanan dan pH. *Skripsi*. Universitas Islam Negeri Maulana Malik Ibrahim Malang.
- Syahniar, T. M., 2009. Produksi dan karakterisasi bakteriosin asal *Lactobacillus plantarum* 1A5 serta aktivitas antimikrobanya terhadap bakteri pathogen. *Skripsi*. Institut Pertanian Bogor.
- Syukur, S., 2012. *Biotehnologi Dasar Dan Bakteri Asam Laktat Antimikrobial*. Padang: Lembaga Pengembangan Teknologi dan Informasi dan Komunikasi (LPTIK) Universitas Andalas.
- Tang, H., Qian, B., Xia, B., Zhuan, Y., Yao, Y., Gan, R., and Zhang, J., 2018. Screening of lactic acid bacteria isolated from fermented *Cornus officinalis* fruits for probiotic potential. *Journal of Food Safety.*, Vol. 38 No. 6, pp. 1–9.
- Todorov, S., Gotcheva, B., Dousset, X., Onno, B., and Ivanova, I., 2000. Influence of growth medium on bacteriocin production in *Lactobacillus plantarum* ST31. *Biotechnology and Biotechnological Equipment.*, Vol. 14 No. 1, pp. 50–55.
- Todorov, S. D., 2008. Bacteriocin production by *Lactobacillus plantarum* AMA-K isolated from amasi, a Zimbabwean fermented milk product and study of the adsorption of bacteriocin AMA-K to *Listeria* sp. *Brazilian Journal of Microbiology*, Vol. 39 No. 1, p. 178–187.

- Todorov, S. D., Prevost, H., Lebois, M., Dousset, X., LeBlanc, J. G., and Franco, B. D. G. M., 2011. Bacteriocinogenic *Lactobacillus plantarum* ST16Pa isolated from papaya (*Carica papaya*) - from isolation to application: characterization of a bacteriocin. *Food Research International*. Elsevier Ltd., Vol. 44 No. 5, pp. 1351–1363.
- Todorov, S. D., and Dicks, L. M. T., 2004. Effect of medium components on bacteriocin production by *Lactobacillus pentosus* ST151BR, a strain isolated from beer produced by the fermentation of maize, barley and soy flour. *World Journal of Microbiology and Biotechnology*. Vol. 20 No. 6, p. 643–650.
- Todorov, S. D., and Dicks, L. M. T., 2005. Effect of growth medium on bacteriocin production by *Lactobacillus plantarum* ST194BZ, a strain isolated from boza. *Food Technology and Biotechnology*, Vol. 43 No. 2, p. 165–173.
- Todorov, S. D., and Dicks, L. M. T., 2006. Effect of medium components on bacteriocin production by *Lactobacillus plantarum* strains ST23LD and ST341LD, isolated from spoiled olive brine. *Microbiological Research*, Vol. 161 No. 2, p. 102–108.
- Todorov, S. D., Reenan, C. A. V., and Dicks, L. M. T., 2004. Optimization of bacteriocin production by *Lactobacillus plantarum* ST13BR, a strain isolated from barley beer. *Journal of General and Applied Microbiology*, Vol. 50 No. 3, p. 149–157.
- Torabi, M, Drahansky, M., Paridah, M. T., Mohamed, A. Z., Owolabi, F. A. T., Asniza, M., Abdul, K., and Shawkataly, H. P., 2016. Lactic Acid Bacteria as Source of Functional Ingredients. *InTech*. (tourism)., pp. 13.
- Torabi, M, Drahansky, M., Paridah, M. T., Mohamed, A. Z., Owolabi, F. A. T., Asniza, M., Abdul, K., and Shawkataly, H. P., 2016. The Use of Lactic Acid Bacteria in The Fermentation of Fruits and Vegetables — Technological and Functional Properties. *InTech*. (tourism)., pp. 13.
- Ullah, H., and Ali, S., 2017. Classification of anti-bacterial agents and their functions. *InTech open*, Vol. 2, p. 64.
- Umniyati, S., dan Octavia, B., 2006. Optimasi produksi bakteriosin oleh *Sreptococcus* sp dan aktivitas anti bakterinya. *Universitas Negeri Yogyakarta*, p. 255-267.
- Upadhyay R, K., Shenoy, L., and Venkateswaran, R., 2017. Action and resistance mechanisms of antibiotics: a guide for clinicians. *Journal of Anaesthesiology Clinical Pharmacology*, Vol. 33 No. 3, p. 46–50.

- Usmiati, S. dan Marwati, T., 2007. Seleksi dan optimasi proses produksi bakteriosin dari *Lactobacillus* sp. *Jurnal Pascapanen*, Vol. 4 No. 1, p. 27–37.
- Vuyst, L. D., Messens, W., Verluyten, J., and Leroy, F., 2003. Modelling growth and bacteriocin production by *Lactobacillus curvatus* LTH 1174 in response to temperature and pH values used for European sausage fermentation processes. *International Journal of Food Microbiology*., Vol. 81, pp. 41–52.
- Wang, L., Fan, D., Chen, W., and Terentjev, M., 2015. Bacterial growth, detachment and cell size control on polyethylene terephthalate surfaces. *Nature Publishing Group*., pp. 1–11.
- Waryanti., 2004. Isolasi dan penentuan aktivitas spesifik enzim bromelin dari buah Nanas (*Ananas comosus* L.). *Jurnal Kimia Sains dan Aplikasi*, Vol. 7 No. 3, p. 78–82.
- Wiegand, I., Hilpert, K., and Hancock, R. E. W., 2008. Agar and broth dilution methods to determine the minimal inhibitory concentration (MIC) of antimicrobial substances. *Nature Protocols*, Vol. 3 No. 2, p. 163–175.
- Yang, E., Fan, L., Yan, J., Jiang, Y., Doucette, C., Filmore, S., and Walker, B., 2018. Influence of culture media, pH and temperature on growth and bacteriocin production of bacteriocinogenic lactic Acid Bacteria. *AMB Express*., Vol. 8.
- Yang, S. C., Lin, C. H., Sung, C. T., and Fang, J. Y., 2014. Antibacterial activities of bacteriocins: application in Foods and pharmaceuticals. *Frontiers in Microbiology*., Vol. 5 No. 5, pp. 1–10. .
- Zacharof, M. P., and Lovitt, R. W., 2012. Bacteriocins produced by lactic acid bacteria a review article. *Procedia APCBEE*, Vol. 2, p. 50–56.
- Zamfir, M., Callewaert, R., Cornea, P. C., and Vuyst, L. D., 2000. Production kinetics of acidophilin 801, a bacteriocin produced by *Lactobacillus acidophilus* IBB 801. *FEMS Microbiology Letters*., Vol. 190 No. 2, pp. 305–308.