

DAFTAR PUSTAKA

- Aakeröy, C. B., Fasulo, M. E., & Desper, J. 2007. Cocrystal or salt: Does it really matter? *Molecular Pharmaceutics*, 4(3), 317–322.
- Adisakwattana, S., Roengsamran, S., Hsu, W. H., & Yibchok-anun, S. 2005. *Mechanisms of antihyperglycemic effect of p -methoxycinnamic acid in normal and streptozotocin-induced diabetic rats*. 78, 406–412.
- Adyaksa, Firdaus Rendra. 2018. *Pengaruh Pembentukan Kokristal APMS–Asam Suksinat dengan Metode Penguapan Pelarut Terhadap Kelarutan dan Laju Disolusinya*; Surabaya. Fakultas Farmasi Universitas Airlangga.
- Almansa, C., Mercè, R., Tesson, N., Farran, J., Tomàs, J., & Plata-Salamán, C. R. 2017. Co-crystal of Tramadol Hydrochloride-Celecoxib (ctc): A Novel API-API Co-crystal for the Treatment of Pain. *Crystal Growth and Design*, 17(4), 1884–1892.
- Anderson, N. H., Bauer, M., Boussac, N., Khan-Malek, R., Munden, P., & Sardaro, M. 1998. An evaluation of fit factors and dissolution efficiency for the comparison of in vitro dissolution profiles. *Journal of Pharmaceutical and Biomedical Analysis*, 17(4–5), 811–822.
- Ansel, H., & Allen, L., 2014. *Ansel's Pharmaceutical Dosage Forms and Drug Delivery System*. Edisi 10. Baltimore: Lippincott Williams & Wilkins.
- Babu, N. J., & Nangia, A. 2011. Solubility advantage of amorphous drugs and pharmaceutical cocrystals. *Crystal Growth and Design*, 11(7), 2662–2679.
- Blagden, N., de Matas, M., Gavan, P. T., & York, P. 2007. Crystal engineering of active pharmaceutical ingredients to improve solubility and dissolution rates. *Advanced Drug Delivery Reviews*, 59(7), 617–630.
- Captochem. <https://www.capotchem.com/830-09-1.html>. Diakses pada 20 November 2019.
- Departemen Kesehatan RI, 2014. Farmakope Indonesia Edisi V.Jakarta : Departemen Kesehatan Republik Indonesia
- Duggirala, Naga K.; Perry, Miranda L.; Almarsson, Orn; & Zaworotko, M. J. 2016. Pharmaceutical cocrystals: Along the path to improved medicines. *Chemical Communications*, 52(4), 640–655.
- Ekowati, J., & Diyah NW. 2013. Aktivitas Antinociceptiv dan Uji In Silico terhadap Cyclooxygenase dari Asam P-Metoksisinamat dan Asam M-Metoksisinamat. *Berkala Ilmiah Kimia Farmasi*, Vol 2 No. 1. P 22-40.

- Ekowati, J., Tejo, B.A., Sasaki, S., Highasiyama, K., Sukardiman., Siswandono., & Budiati. 2012. Structure Modification of Ethyl p- methoxycinnamate and Their Bioassay as Chemopreventive Agent Against Mice's Fibrosarcoma. IJPPS. Vol 4 p 528-532.
- Fucke, K., Myz, S. A., Shakhtshneider, T. P., Boldyreva, E. V., & Griesser, U. J. 2012. How good are the crystallisation methods for co-crystals? A comparative study of piroxicam. *New Journal of Chemistry*, 36(10), 1969-1977.
- Fukte, S. R., Wagh, M. P., & Rawat, S. 2014. Coformer selection: An important tool in cocrystal formation. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(7), 9–14.
- Good, D. J. & Naír, R. H. 2009. ‘Solubility advantage of pharmaceutical cocrystals’, *Crystal Growth and Design*, 9(5), pp. 2252–2264. doi: 10.1021/cg801039j.
- Gozali, Dolih., Bahti, Husein H., Soewandhi, Sundani N., Abdassah, & Marline. 2013. Pembentukan Kokristal Antara Kalsium Atrorvastatin Dengan Isonikotinamid dan Karakterisasinya. *Jurnal Sains Materi Indonesia*. p. 103 – 110.
- Hmdb. <http://www.hmdb.ca/metabolites/HMDB0002040>. Diakses pada 20 November 2019
- Karagianni, A., Malamatari, M., & Kachrimanis, K. 2018. Pharmaceutical cocrystals: New solid phase modification approaches for the formulation of APIs. *Pharmaceutics*, 10(1), 1–30.
- Latif, S., Abbas, N., Hussain, A., Arshad, M. S., Bukhari, N. I., Afzal, H., & Ahmad, Z. 2018. Development of paracetamol-caffeine co-crystals to improve compressional, formulation and in vivo performance. *Drug Development and Industrial Pharmacy*, 44(7), 1099–1108.
- Mukherjee, S. 2011. *Crystal Engineering of Pharmaceutical Cocrystals*. 144. Retrieved from <https://scholarcommons.usf.edu/etd/3258/>
- Mulja, M., & Suharman. (1995). *Analisis Instrumental*. Surabaya : Airlangga University Press.
- Pavia, Donald L; Lampman, Gary M; Kriz, G. S. 1995. *Introduction to Spectroscopy*. doi: 10.1201/9781420050691.pt1.
- Pubchem. <https://pubchem.ncbi.nlm.nih.gov/compound/4-Methoxycinnamic-acid>. Diakses pada 22 November 2019.
- Pubchem. <https://pubchem.ncbi.nlm.nih.gov/compound/Caffeine#section=3D-Conformer>. Diakses pada 23 November 2019

- Qiao, Ning., Li, Mingzhong., Schlindwein, Walkiria., Malek, Nazneen., Davies, Angela., & Trappitt, G. 2017. Pharmaceutical cocrystals: An overview. *Indian Journal of Pharmaceutical Sciences*, 79(6), 858–871.
- Sacchi, P., Loconte, Laura., Macetti, Giovanni., Rizzato, Silvia., Lo Presti, Leonardo. 2019. ‘Correlations of Crystal Structure and Solubility in Organic Salts: The Case of the Antiplasmodial Drug Piperaquine’, *Crystal Growth and Design*. American Chemical Society, 19(2), pp. 1399–1410. doi: 10.1021/acs.cgd.8b01794.
- Setyawan, Andhi. 2012. *Studi Praformulasi Pengaruh Suhu Terhadap Stabilitas Kimia Asam p-metoksisinamat*; Surabaya Fakultas Farmasi Universitas Airlangga.
- Setyawan, D., Oktavia, I. P., Farizka, R., & Sari, R. 2017. Çözücü Buharlaştırma İle Hazırlanan Kersetin-Süksinik Asit Ko-Kristalinin in Vitro Çözünme Testi Ve Fizikokimyasal Karakterizasyonu. *Turkish Journal of Pharmaceutical Sciences*, 14(3), 280–284.
- Setyawan, D., Permata, S. A., Zainul, A., & Dwi Lestari, M. L. A. 2018. Improvement in vitro dissolution rate of quercetin using cocrystallization of quercetin-malonic acid. *Indonesian Journal of Chemistry*, 18(3), 531–536.
- Setyawan, D., Sari, R., Yusuf, H., & Primaharinastiti, R. 2014. Preparation and characterization of artesunate - Nicotinamide cocrystal by solvent evaporation and slurry method. *Asian Journal of Pharmaceutical and Clinical Research*, 7(SUPPL. 1), 62–65.
- Shan, N., & Zaworotko, M.J., 2008. The role of cocrystals in pharmaceutical science. *Drug Discovery*. 13(9/10): 440-446.
- Shan, N., & Zaworotko, M.J., 2010. Polymorphic Cristal Forms and Cocrystals in Drug Delivery (Crystal Engineering), dala Abraham DJ dan Rotella DP, eds. Burger’s Medicinal Chemistry. Drug Discovery, and Development 7th Edition. John Wiley & Sons, Inc., New Jersey.
- Sharma, P. 2011. Cinnamic acid derivatives: A new chapter of various pharmacological activities. *Journal of Chemical and Pharmaceutical Research*, 3(2), 403–423.
- Sinko, P. J., & Singh, Y. 2011. *Martin’s Physical Pharmacy and Pharmaceutical Sciences*. Edisi keenam. Jakarta: Penerbit Buku Kedokteran EGC.
- Skoog, D.A., Holler, F.J., & Crouch, S.R., 2007. *Principles of Instrumental Analysis Sixth Edition*. Canada: Thomson Corporation, pp. 367-390.
- Smith, A. J., Kavuru, P., Wojtas, L., Zaworotko, M. J., & Shytle, R. D. 2011. Cocrystals of quercetin with improved solubility and oral bioavailability. *Molecular Pharmaceutics*, 8(5), 1867–1876.
- Sweetman, Sean C. 2009. Martindale The Complete Drug Reference 36th edition. *London : Pharmaceutical Press*.

- Thakuria, R., Delori, A., Jones, W., Lipert, M. P., Roy, L., & Rodríguez-Hornedo, N. 2013. Pharmaceutical cocrystals and poorly soluble drugs. *International Journal of Pharmaceutics*, 453(1), 101–125.
- Thenge, R. R., Patond, V. B., Adhao, Vaibhav Suresh., Ajmire, Prashant Vishnupant., Barde, Laxmikat Niranjan., Mahajan, Nilesh M., Tekade, Nilesh P.2017. ‘Preparation and characterization of Co-crystals of diacerein’,*Indonesian Journal of Pharmacy*, 28(1), pp. 34–41. doi: 10.14499/indonesianjpharm28iss1pp34.
- Wicaksono, Yudi., Setyawan, Dwi., Siswadono., Siswoyo, Tri Agus., Preparation and Characterization of a Novel Cocrystal of Atorvastatin Calcium with Succinic Acid Coformer. *Indonesia Journal Chemistry*, 2019, 19 (3), 660-667
- Wurster, D. E., & Taylor, P. W. 1965. Dissolution kinetics of certain crystalline forms of prednisolone. *Journal of Pharmaceutical Sciences*, 54(5), 670–676.