

## DAFTAR PUSTAKA

- Aguilera G, Liu Y. 2012. The molecular physiology of CRH neurons. *Front Neuroendocrinol*. Vol. 33(1), p. 67-84.
- Ahsan HM, de la Peña JB, Botanas CJ, Kim HJ, Yu GY, Cheong JH. 2014. Conditioned place preference and self-administration induced by nicotine in adolescent and adult rats. *Biomol Ther (Seoul)*. Vol. 22(5), p. 460-466.
- Arborelius, L., Owens, M. J., Plotsky, P. M., and Nemeroff, C. B. 1999. The role of corticotropin-releasing factor in depression and anxiety disorders. *J.Endocrinol*. Vol. 160, p. 1–12.
- Ballet S, Pietsch M, Abell AD. 2008. Multiple ligands in opioid research. *Protein Pept Lett*, Vol. 15, p. 668–682.
- Bao, A. M., and Swaab, D. F. 2010. Corticotropin-releasing hormone and arginine vasopressin in depression focus on the human postmortem hypothalamus. *Vitam.Horm.* vol. 82, p. 339–365.
- Bardo, M.T., Horton, D.B., and Yates, J.R. 2015. Conditioned Place Preference as a Preclinical Model for Screening Pharmacotherapies for Drug Abuse. *Nonclinical Assessment of Abuse Potential for New Pharmaceuticals*, p.152-196.
- Beaulieu, J.M. and Gainetdinov, R.R. 2011. The Physiology, Signaling, and Pharmacology of Dopamine Receptors. *Pharmacol Rev*, Vol. 63, p. 182-217.
- Behan DP, de Souza EB, Lowry PJ, Potter E, Sawchenko P, Vale WW. 1995. Corticotropin releasing factor (CRF) binding protein: A novel regulator of CRF and related peptides. *Front Neuroendocrinol* vol.16(4), p.362–382.
- Benowitz, N.L., 2009. Pharmacology of Nicotine: Addiction, Smoking-Induced Disease, and Therapeutics. *Annu Rev Pharmacol Toxicol*, Vol. 49, p. 57-71.
- Boutillier AL, Sassone-Corsi P, Loeffler JP. 1991. The protooncogene c-fos is induced by corticotropin-releasing factor and stimulates proopiomelanocortin gene transcription in pituitary cells. *Mol Endocrinol*. Vol. 5(9), p. 301-1310.

- Brennan, KA., Murray L., and Penelope T., 2014. Whole tobacco smoke extracts to model tobacco dependence in Animals. *Neuroscience and Biobehavioral Reviews*. Elsevier Inc, Vol. 47, pp. 53–69.
- Candler T, Kühnen P, Prentice AM, Silver M. 2019. Epigenetic regulation of POMC; implications for nutritional programming, obesity and metabolic disease. *Front Neuroendocrinol*. vol. 54, p. 100773.
- Carboni, L., Romoli, B., Bate, S. T., Romualdi, P., & Zoli, M. 2018. Increased expression of CRF and CRF-receptors in dorsal striatum, hippocampus, and prefrontal cortex after the development of nicotine sensitization in rats. *Drug and Alcohol Dependence*, vol. 189, p. 12–20.
- Chung, L. 2015. A Brief Introduction to the Transduction of Neural Activity into Fos Signal. *Development & Reproduction*, vol. 19(2), p.61–67.
- Cohen, A., and George, O., 2013. Animal models of nicotine exposure relevance to second-hand smoking, electronic cigarette use, and compulsive smoking. *Frontiers in Psychiatry*, vol, 4, no. 41, p. 1-21.
- Cone RD. 2006. Studies on the physiological functions of the melanocortin system. *Endocr Rev*. vol. 27(7), p. 736–749.
- Costello, M.R., Reynaga, D.D., Mojica, C.Y., Zaveri, N., Belluzzi, J.D., and Leslie, F.M., 2014. Comparison of the Reinforcing Properties of Nicotine and Cigarette Smoke Extract in Rats. *Neuropsychopharmacology*, Vol. 39, p. 1843–1851.
- D'souza, Manoranjan S. and Athina Markou. 2011. Neuronal Mechanisms Underlying Development of Nicotine Dependence: Implications for Novel Smoking-Cessation Treatments. *Addiction Science & Clinical Practice*, Vol. 6(1), p. 4-16.
- D'souza, Manoranjan S. and Athina Markou. 2013. The "Stop" and "Go" of Nicotine Dependence: Role of GABA and Glutamate. *Cold Spring Harbor Perspectives in Medicine*, Vol. 3(6), p. a012146–a012146.
- Drope J, Schluger N, Cahn Z, Drope J, Hamill S, Islami F, Liber A, Nargis N, Stoklosa M. 2018. *The Tobacco Atlas*. Atlanta: American Cancer Society and Vital Strategies.
- Foll B.L., Steven R.G. 2005. Nicotine induces conditioned place preferences over a large range of doses in rats. *Psychopharmacology (Berl)*. Vol. 178(4), p. 481-492.

- Gallo, F. T., Katche, C., Morici, J. F., Medina, J. H., & Weisstaub, N. V. 2018. Immediate Early Genes, Memory and Psychiatric Disorders: Focus on c-Fos, Egr1 and Arc. *Frontiers in Behavioral Neuroscience*, p. 12.
- García-Carmona, J.-A., Milanés, M.-V., Laorden, M.-L. 2013. Brain stress system response after morphine-conditioned place preference. *The International Journal of Neuropsychopharmacology*, vol.16(09), p.1999–2011.
- Gardner EL, Ashby CR., Jr. 2000. Heterogeneity of the mesotelencephalic dopamine fibers: physiology and pharmacology. *Neurosci Biobehav Rev.* vol. 24, p. 115–8.
- Garibyan, Lilit and Nidhi Avashia. 2013. Research Techniques Made Simple: Polymerase Chain Reaction (PCR). *J Invest Dermatol*, Vol. 133(3), p. 1-9.
- Gellner, C.A., Reynaga, D.D., and Leslie, F.M., 2017. Cigarette Smoke Extract: A Preclinical Model of Tobacco Dependence. *Current Protocols in Neuroscience*, Vol. 77, p. 9.54.1-9.54.10.
- Grieder, T. E., Melissa A. Herman, Candice Contet, Laura A. Tan, Hector VargasPerez, Ami Cohen, Michal Chwalek, Geith Maal-Bared, John Freiling, Joel E Schlosburg, Laura Clarke, Elena Crawford, Pascale Koebel, Vez Canonigo, Pietro Sanna, Andrew Tapper, Marisa Roberto, Brigitte L. Kieffer, Paul E. Sawchenko, George F. Koob, Derek van der Kooy, and Olivier George. 2015. VTA CRF neurons mediate the aversive effects of nicotine withdrawal and promote intake escalation. *Nature Neuroscience*, vol.17(12), p.1751–1758.
- Hahn, J., Hopf, F. W., & Bonci, A. 2009. Chronic Cocaine Enhances Corticotropin-Releasing Factor-Dependent Potentiation of Excitatory Transmission in Ventral Tegmental Area Dopamine Neurons. *Journal of Neuroscience*, vol. 29(20), p. 6535–6544.
- Hamada, M., Hideho Higashi, Angus C. Naim, Paul Greengard, and Akinori Nishi. 2004. Differential Regulations of Dopamine D1 and D2 Signaling by Nicotine in Neostriatal Neurons. *Journal of Neurochemistry*, Vol. 90, p. 1094-1103.
- Heimer, L., Alheid, G. 1991. Piecing together the puzzle of basal forebrain anatomy. In: Napier, TC.; Kalivas, PW.; Hanin, I., editors. The Basal Forebrain: Anatomy to Function. New York, NY, USA: *Plenum Press*; p. 1-42.

- Henningfield, J.E., *et al.*, 1985. Abuse liability and pharmacodynamic characteristics of intravenous and inhaled nicotine. *Journal of Pharmacology and Experimental Therapeutics*, Vol. 234(1), p. 1-12.
- Herman, A. I., DeVito E.E., Jensen, K.P., Sofuoglu, M. 2014. Pharmacogenetics of Nicotine Addiction: Role of Dopamine. *Pharmacogenomics*, Vol. 15(2), p. 221-234.
- Hohendanner, F., McCulloch, A.D., Baltter, L.A., and Michailova, A.P. 2014. Calcium and IP3 dynamics in cardiac myocytes : experimental and computational perspectives and approaches. *Frontiers in Pharmacology*, Vol 5, p. 1-10.
- Hughes, J.R., Keely, J., and Naud, S., 2004. Shape of the relapse curve and long-term abstinence among untreated smokers. *Addiction*, Vol. 99(1), p. 29–38.
- Joshi, M. dan Deshpande, J.D., 2011. Polymerase Chain Reaction : Methods, Principles and Application. *Internatiomai Journal of Biomedical Researc*, Vol. 1(5), pp. 81-97.
- Kageyama, K., dan Suda, T. 2010. Transcriptional Regulation of Hypothalamic Corticotropin-Releasing Factor Gene. *Vitamins & Hormones*, p. 301–317.
- Khalki, H., L. Khalki, R. Aboufatima, A. Ouachrif, M. Mountassir, A. Benharref, A. Chait. 2012. Prenatal exposure to tobacco extract containing nicotinic alkaloids produces morphological and behavioural changes in newborn rats. *Pharmacol Biochem. Behave.*, Vol. 101, p. 342-247.
- Keck, M. E. 2006. Corticotropin-releasing factor, vasopressin and receptor systems in depression and anxiety. *Amino Acids*, vol. 31, p. 241–250.
- Kementerian Kesehatan Republik Indonesia. 2013. RISKESDAS 2013. Jakarta: *Badan Penelitian dan Pengembangan Kesehatan*.
- Kementerian Kesehatan Republik Indonesia. 2018. RISKESDAS 2018. Jakarta: *Badan Penelitian dan Pengembangan Kesehatan*.
- Kementerian Kesehatan Republik Indonesia. 2016. Laporan Survei Indikator Kesehatan Nasional (Sirkesnas) 2016. Jakarta: *Badan Penelitian dan Pengembangan Kesehatan*.

- Ketchesin, K. D., Stinnett, G. S., and Seasholtz, A. F. 2017. Corticotropin-releasing hormone-binding protein and stress: from invertebrates to humans. *Stress* vol. 20, p. 449–464.
- Kim, J., Ham, S., Hong, H., Moon, C., & Im, H.-I. 2016. Brain Reward Circuits in Morphine Addiction. *Molecules and Cells*, vol. 39(9), p.645–653.
- Kohut, S.J. 2017. Interactions between nicotine and drugs of abuse: A review of preclinical findings. *Am J Drug Alcohol Abuse*, Vol. 43(2), p. 155-170.
- Koob GF. 2008. A role for brain stress systems in addiction. *Neuron*, vol. 59 (1), p. 11-34.
- Koob GF, Heinrichs SC. 1999. A role for corticotropin-releasing factor and urocortin in behavioral responses to stressors. *Brain Res*, vol. 848, p. 141–52.
- Koob GF, Kreek MJ. 2007. Stress, dysregulation of drug reward pathways, and the transition to drug dependence. *Am J Psychiatry*, vol. 164, p. 1149–1159.
- Koob, G.F., and Volkow, N.D. 2010. Neurocircuitry of Addiction. *Neuropsychopharmacology*, Vol. 35, p. 217-238.
- Koob, G.F., Michael, A., Michel L.M. 2014. Introduction to the Neuropsychopharmacology of Drug Addiction, In *Drugs, Addiction, and the Brain* 1<sup>st</sup> Ed. *Elsevier Inc* p. 45-59.
- Koob, G.F., Michael, A., Michel L.M., 2014. *Nicotine*, In *Drugs, Addiction, and the Brain* 1<sup>st</sup> Ed. Elsevier Inc p. 221-255.
- Koob, G.F., Michael, A., Michel L.M., 2014. *Psychostimulans*, In *Drugs, Addiction, and the Brain* 1<sup>st</sup> Ed. Elsevier Inc p. 96-126.
- Kota D, Martin BR, Robinson SE, Damaj MI. 2007. Nicotine dependence and reward differ between adolescent and adult male mice. *Journal Pharmacology and Experimental Therapeutic*. Vol 322, p.399–407.
- Kovács, K. J. 1998. Invited review c-Fos as a transcription factor: a stressful (re)view from a functional map. *Neurochemistry International*, vol. 33(4), p. 287–297.
- Lemos Julia C , Jung Hoon Shin , Anna E. Ingebretson , Lauren K. Dobbs and Veronica A. Alvarez. 2018. Cholinergic interneurons as a novel target of CRF in the striatum that is spared by repeated stress.

- Lian TY. dan Dorotheo U. 2018. *The Tobacco Control Atlas: ASEAN Region, Fourth Edition*. Southeast Asia Tobacco Control Alliance (SEATCA), Bangkok. Thailand.
- Lightman, S. L. 2008. The neuroendocrinology of stress: a never ending story. *J.Neuroendocrinol.* vol. 20, p. 880–884.
- Lindblom, J., Opmane, B., Mutulis, F., Mutule, I., Petrovska, R., Klusa, V., Bergstrom, L., Wikberg, J. E. S. 2001. The MC4 receptor mediates  $\alpha$ -MSH induced release of nucleus accumbens dopamine. *Neuroreport*, vol. 12(10), p. 2155–2158.
- Logrip ML, Koob GF, Zorrilla EP. 2011. Role of corticotropin-releasing factor in drug addiction: potential for pharmacological intervention. *CNS Drugs*. Vol. 25(4), p. 271-287.
- Mineur, Y. S., Abizaid, A., Rao, Y., Salas, R., DiLeone, R. J., Gundisch, D., Diano, S., De Biasi, M., Horvath, T. L., Xiao-Bing Gao, Picciotto, M. R. 2011. Nicotine Decreases Food Intake Through Activation of POMC Neurons. *Science*, vol.332(6035), p.1330–1332.
- National Institute on Drug Abuse. 2014. *Drugs, Brains and Behavior The Science of Addiction*. (NIH Publication No. 14–5605). Rockville, MD: *National Institutes of Health*.
- Naughton, M., Dinan, T. G., and Scott, L. V. 2014. Corticotropin-releasing hormone and the hypothalamic-pituitary-adrenal axis in psychiatric disease. *Handb. Clin. Neurol.* Vol. 124, p. 69–91.
- Pelleymounter MA, Joppa M, Carmouche M, Cullen MJ, Brown B, Murphy B, Grigoriadis D.E., Ling N., Foster A.C. 2000. Role of corticotropin-releasing factor (CRF) receptors in the anorexic syndrome induced by CRF. *J Pharmacol Exp Ther*, vol. 293, p. 799–806.
- Perreault, M.L., Ahmed Hasbi, Brian F O’Dowd, and Susan R George. 2014. Heteromeric Dopamine Receptor Signaling Complexes: Emerging Neurobiology and Disease Relevance. *Neuropsychopharmacology Review*, Vol. 39, p. 156–168.
- Potter, E., Sutton, S., Donaldson, C., Chen, R., Perrin, M., Lewis, K., *et al.* 1994. Distribution of corticotropin-releasing factor receptor mRNA expression in the rat brain and pituitary. *Proc. Natl. Acad. Sci. U.S.A.* vol. 91, p. 8777–8781

- Prus, A.J., James, J.R. and Rosecrans, JA., 2009. Chapter 4 Conditioned Place Preference. *In: Buccafusco J.J. Methode of Behavior Analysis in Neuroscience*, Ed. 2<sup>nd</sup>, Boca Raton (FL): CRC Press.
- Rahman, M.T., Uddin M.S., Sultana R., Moue A., Setu M. 2013. Polymerase Chain Reaction (PCR): A Short Review. *AKMMC J.*, Vol. 4(1), p. 30-36.
- Rahman H.U., X. Yue, Q. Yu, W. Zhang, Q. Zhang, and P. Li. 2019. Current PCR-based methods for the detection of mycotoxigenic fungi in complex food and feed matrices. *World Mycotoxin Journal*, p. 1-12.
- Rainnie DG, Bergeron R, Sajdyk TJ, Patil M, Gehlert DR, Shekhar A. 2004. Corticotrophin releasing factor-induced synaptic plasticity in the amygdala translates stress into emotional disorders. *J Neurosci*, vol. 24, p. 3471–9.
- Refojo D, Holsboer F. 2009. CRH signaling. Molecular specificity for drug targeting in the CNS. *Ann N Y Acad. Sci.* Vol. 1179, p. 106-119
- Roger, SW., Thomas JG, and Timothy B.B., 2008. *Mouse Models and the Genetic of Nicotine Dependence*. U.S. Department of Health and Human Services, *National Institutes of Health*.
- Roth-Deri, I., Zangen, A., Aleli, M., Goelman, R. G., Pelled, G., Nakash, R., Gispán-Herman I., Green T., Shaham Y., Yadid, G. 2003. Effect of experimenter-delivered and self-administered cocaine on extracellular  $\beta$ -endorphin levels in the nucleus accumbens. *Journal of Neurochemistry*, vol. 84(5), p. 930–938.
- Schioth HB. 2001. The physiological role of melanocortin receptors. *Vitam Horm* vol. 63, p.195–232.
- Sheng, M., & Greenberg, M. E. 1990. The regulation and function of c-fos and other immediate early genes in the nervous system. *Neuron*, vol. 4(4), p. 477–485.
- Slominski, A. T., Zmijewski, M. A., Zbytek, B., Tobin, D. J., Theoharides, T. C., Rivier J. 2013. Key role of CRF in the skin stress response system. *Endocr. Rev.* vol. 34, p.827–84.
- Spanagel, R., Herz, A., Bals-Kubik, R., & Shippenberg, T. S. 1991.  $\beta$ -endorphin-induced locomotor stimulation and reinforcement are associated with an increase in dopamine release in the nucleus accumbens. *Psychopharmacology*, vol. 104(1), p. 51–56.

- Spina M, Merlo-Pich E, Chan RKW, Basso AM, Rivier J, Vale W, Koob, G.F. 1996. Appetite-suppressing effects of urocortin, a CRF related neuropeptide. *Science*, vol. 273, p.1561–4.
- Stanaway, J. D., Afshin, A., Gakidou, E., Lim, S. S., Abate, D., Abate, K. H., Abd-Allah, F. 2018. Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, Vol. 392(10159), p. 1923–1994.
- Sussman, S., Lisha, N. and Griffiths, M., 2011. Prevalence of the addictions: a problem of the majority or the minority? *Evaluation and the health professions*, Vol. 34(1), p. 3–56.
- Swanson LW, Sawchenko PE, Rivier J, Vale W. 1983 The organization of ovine corticotropin-releasing factor immuno reactive cells and fibers in the rat brain: an immunohistochemical study. *Neuroendocrinology*, vol. 36, p.165–86
- Sweetman, Sean C, 2009. *Martindale the Complete Drug Reference 36th edition*. USA: Pharmaceutical Press, p. 2352.
- Switonski M., Mankowska M., Salamon S. 2013. Family of melanocortin receptor (MCR) genes in mammals-mutations, polymorphisms and phenotypic effect. *J Appl Genet*. Vol. 54(4), p. 461–472.
- Tagliaferro P, Morales M. 2008. Synapses between corticotropin-releasing factor-containing axon terminals and dopaminergic neurons in the ventral tegmental area are predominantly glutamatergic. *J Comp Neurol*, vol. 506(4), p. 616–626.
- Tapinc, D. E., Ilgin, R., Kaya, E., Gozen, O., Ugur, M., Koylu, E. O., Kanit, L., Keser, A., Balkan, B. 2017. Gene expression of pro-opiomelanocortin and melanocortin receptors is regulated in the hypothalamus and mesocorticolimbic system following nicotine administration. *Neuroscience Letters*, vol. 637, p.75–79.
- Toda, C., Santoro, A., Kim, J. D., Diano, S. 2017. POMC Neurons: From Birth to Death. *Annual Review of Physiology*, vol 79(1), p.209–236.
- Valenza, M., Picetti, R., Yuferov, V., Butelman, E. R., Kreek, M. J. 2016. Strain and cocaine-induced differential opioid gene expression may predispose Lewis but not Fischer rats to escalate cocaine self-administration. *Neuropharmacology*, vol. 105, p. 639–650.

- Wahyuni, S. 2012. Penetapan Kadar Nikotin dalam Rokok Putih yang Beredar di Makassar. *Skripsi*. Universitas Islam Negeri Alauddin. Makassar.
- Wang, S. 2018. Historical Review. *Cell Transplantation*.
- Wang B, Shaham Y, Zitzman D, Azari S, Wise RA, You ZB. 2005. Cocaine experience establishes control of midbrain glutamate and dopamine by corticotropin-releasing factor: A role in stress-induced relapse to drug seeking. *J Neuroscience*, vol. 25(22), p. 5389–5396.
- Waters, R. P., Rivalan, M., Bangasser, D. A., Deussing, J. M., Ising, M., Wood, S. K., Holsboer, F., Summers, C.H. 2015. Evidence for the role of corticotropin-releasing factor in major depressive disorder. *Neurosci. Biobehav. Rev.* vol.58, p.63–78.
- West, K. S., Lu, C., Olson, D. P., & Roseberry, A. G. 2019.  $\alpha$ -MSH increases the activity of MC3R-expressing neurons in the ventral tegmental area. *The Journal of Physiology*. vol. 597(12), p. 3217-3232.
- Zainuddin, M. 2014. *Metodologi Penelitian Kefarmasian dan Kesehatan Edisi 2*. Surabaya : Airlangga University Press (AUP).
- Zheng, R., Marquez, P.V., Ahsan, A., Wang, Y., Hu, X., 2018. *Cigarette Affordability in Indonesia 2002-2017*. World Bank Group.
- Zhou Y., Kruyer A., Kreek M.J. 2012. Cocaine place conditioning increase pro-opiomelanocortin gene expression in rat hypothalamus. *Neurosci Lett*. Vol. 530(1), p. 59–63.