

DAFTAR PUSTAKA

- Adelsberger, H.S., Quasthoff, S., Grosskreutz, J., Lepier, A., Eckel, F., & Lersch, C. 2000. The chemotherapeutic oxaliplatin alters voltage-gated Na⁽⁺⁾ channel kinetics on rat sensory neurons. *Eur. J. Pharmacol.*, 406: 1–25.
- Al Moundhri, M. S., Al-Salam, S., Al Mahrouqee, A., Beegam, S., & Ali, B. H. 2013. The Effect of Curcumin on Oxaliplatin and Cisplatin Neurotoxicity in Rats: Some Behavioral, Biochemical, and Histopathological Studies. *J Med Toxicol*, 9(1): 25–33.
- Alrawaiq, N.S. & Abdullah, A. 2014. A Review of Flavonoid Quercetin: Metabolism, Bioactivity and Antioxidant Properties. *Int. J. Pharm.Tech. Res.*, 6(3): 933-941.
- Anseloni, V.C., Ennis, M., & Lidow, M.S. 2003. Optimization of the mechanical nociceptive threshold testing with the Randall-Selitto assay. *J. Neurosci. Methods*, 131: 93–97.
- Areti, A., Yerra, V.G., Naidu, V.G.M., & Kumar, A. 2014. Oxidative stress and nerve damage: Role in chemotherapy induced peripheral neuropathy. *Redox Biol.*, 2: 289-95.
- Argyriou, A.A., Cavaletti, G., Antonacopoulou, A., Genazzani, A.A., Briani, C., Bruna, J., Terrazzino, S., Velasco, R., Alberti, P., Campagnolo, M., Lonardi, S., Cortinovis, D., Cazzaniga, M., Santos, C., Psaromyalou, A., Angelopoulou, A., & Kalofonos, H.P. 2013. Voltage-gated sodium channel polymorphisms play a pivotal role in the development of oxaliplatin-induced peripheral neurotoxicity: results from a prospective multicenter study. *Cancer*, 119(19): 3570-3577.
- Arredondo, F., Echeverry, C., Abin-Carriquiry, J.A., Blasina, F., Antúnez, K., Jones, D.P., Go, Y.M., Liang, Y.L., & Dajas, F. 2010. After cellular internalization, quercetin causes Nrf2 nuclear translocation,

increases glutathione levels, and prevents neuronal death against an oxidative insult. *Free Radic. Biol. Med.*, 49(5): 738–47.

- Azevedo, M.I., Pereira, A.F., Nogueira, R.B., Rolim, F.E., Brito, G.A., Wong, D.V.T., & Vale, M.L. 2013. The Antioxidant Effects of the Flavonoids Rutin and Quercetin Inhibit Oxaliplatin-Induced Chronic Painful Peripheral Neuropathy. *Mol. Pain*, 9: 1744–8069–9–53.
- Banach, M., Juranek, J.K., dan Zygulska, A.L. 2016. Chemotherapy-induced neuropathies—A growing Problem for Patients and Health Care Providers. *Brain Behav.*, 7: e00558.
- Barrett, D.G.T., Denève, S., Machens, C.K. 2016. Optimal Compensation for Neuron Loss. *Elife*, 5: e12454.
- Benstaali, C., Mailloux, A., Bogdan, A., Auzéby, A., & Touitou, Y. 2001. Circadian rhythms of body temperature and motor activity in rodents. *Life Sci.*, 68(24): 2645–2656.
- Birben E., Sahiner, U.M., Sackesen, C., Erzurum, S., & Kalayci, O. 2012. Oxidative Stress and Antioxidant Defense. *World Allergy Organ J.*, 5: 9-19.
- Boadi, W. Y., & Johnson, D. 2014. Effects of Low Doses of Quercetin and Genistein on Oxidation and Carbonylation in Hemoglobin and Myoglobin. *Journal of Dietary Supplements*, 11(3), 272–287.
- Boots, A.W., Haenen, G. R. M. M., & Bast, A. 2008. Health effects of quercetin: from antioxidant to nutraceutical. *Eur. J. Pharmacol.*, 585, (2-3): 325–337.
- Brown, M.R.D., Ramirez J.D., & Farquhar-Smith, P. 2014. Pain in Cancer Survivors. *Br. J. Pain*, 8(4): 139–153.
- Buchner, N., Krumbein, A., Rohn, S., & Kroh, L. W. 2006. Effect of thermal processing on the flavonols rutin and quercetin. *Rapid Commun. Mass Spectrom.*, 20(21): 3229–3235.

- Canta, A., Pozzi, E., & Carozzi, V.A. 2015. Mitochondrial Dysfunction in Chemotherapy-Induced Peripheral Neuropathy (CIPN). *Toxics*, 3: 198–223.
- Carozzi, V.A., Canta, A., & Chiorazzi, A. 2015. Chemotherapy-induced peripheral neuropathy: What do we know about mechanisms? *Neurosci. Lett.*, 596: 90–107.
- Casagrande, R., Georgetti, S.R., Verri Jr, W.A., Jabor, J.R., Santos, A.C., & Fonseca, M.J.V. 2006. Evaluation of Functional Stability of Quercetin as a Raw Material and in Different Topical Formulations by its Antilipoperoxidative Activity. *AAPS Pharm. Sci. Tech.*, 7(1): E64-E71
- Chaplan, S.R., Bach, F.W., Pogrel, J.W., Chung, J.M., & Yaksh, T.L. 1994. Quantitative assessment of tactile allodynia in the rat paw. *J. Neurosci. Methods*, 53: 55–63.
- Chen, K., Zhang, Z.F., Liao, M.F., Yao, W.L., Wang, J., & Wang, X.R. 2015. Blocking PAR2 attenuates oxaliplatin-induced neuropathic pain via TRPV1 and releases of substance P and CGRP in superficial dorsal horn of spinal cord. *J. Neurol. Sci.*, 352: 62–67.
- Cheng, X.L., Liu, H.Q., Wang, Q., Huo, J.G., Wang, X.N. and Cao, P. 2015. Chemotherapy-induced peripheral neurotoxicity and complementary and alternative medicines: progress and perspective. *Front. Pharmacol.*, 6: 234.
- Chukyo, A., Chiba, T., Kambe, T., Yamamoto, K., Kawakami, K., Taguchi, K., & Abe, K. 2018. Oxaliplatin-induced changes in expression of transient receptor potential channels in the dorsal root ganglion as a neuropathic mechanism for cold hypersensitivity. *Neuropeptides*, 67: 95–101.
- Ciftci, O., Ozdemir, I., Vardi, N., Beytur, A., Oguz, F. 2012. Ameliorating effects of quercetin and chrysin on 2,3,7,8-tetrachlorodibenzo-p-dioxin- induced nephrotoxicity in rats. *Toxicol. Ind. Health*, 28: 947–954

- Cioroiu, C. dan Weimer, L.H. 2017. Update on Chemotherapy-Induced Peripheral Neuropathy. *Curr. Neurol. Neurosci. Rep.*, 17(6): 47.
- Colloca, L., Ludman, T., Bouhassira, D., Baron, R., Dickenson, A.H., Yarnitsky, D., Freeman, R., Truini, A., Attal, N., Finnerup, N.B., Eccleston, C., Kalso, E., Bennett, D.L., Dworkin, R.H., & Raja, S.N. 2017. Neuropathic Pain. *Nat. Rev. Dis. Primers*, 3: 17002.
- Costa, L.G., Garrick, J.M., Roqu , P.J., & Pellacani, C. 2016. Mechanisms of Neuroprotection by Quercetin: Counteracting Oxidative Stress and More. *Oxidative Med. Cell. Longev.*, Article ID 2986796
- De Moor, J.S., Mariotto, A.B., Parry, C., Alfano, C.M., Padgett, L., Kent, E.E., Forsythe, L., Scoppa, S., Hachey, M., & Rowland, J.H. 2013. Cancer Survivors in the United States: Prevalence across the Survivorship Trajectory and Implications for Care. *Cancer Epidemiol. Biomark. Prev.*, 22:561-570
- Descoeur, J., Pereira, V., Pizzoccaro, A., Francois, A., Ling, B., Maffre, V., Couette, B., Busserolles, J., Courteix, C., Noel, J., Lazdunski, M., Eschalier, A., Authier, N., & Bourinet, E. 2011. Oxaliplatin-induced cold hypersensitivity is due to remodelling of ion channel expression in nociceptors. *EMBO Mol. Med.*, 3, 266–278.
- Deuis, J.R., Zimmermann, K., Romanovsky, A.A., Possani, L.D., Cabot, P.J., Lewis, R.J., & Vetter, I. 2013. An animal model of oxaliplatin-induced cold allodynia reveals a crucial role for NaV1.6 in peripheral pain pathways. *Pain*, 154: 1749–1757.
- Deuis, J.R., Dvorakova, L.S., & Vetter, I. 2017. Methods Used to Evaluate Pain Behaviors in Rodents. *Front. Mol. Neurosci.*, 10: 284.
- Di Cesare Mannelli, L., Zanardelli, M., Failli, P., & Ghelardini, C. 2012. Oxaliplatin-induced neuropathy: Oxidative stress as pathological mechanism. Protective effect of silibinin. *J. Pain*, 13, 276–284.
- Di Cesare Mannelli, L., Zanardelli, M., Failli, P., & Ghelardini, C. 2013. Oxaliplatin induced oxidative stress in nervous system-derived

- cellular models: Could it correlate with in vivo neuropathy? *Free Radic. Biol. Med.*, 143–150.
- Di Cesare Mannelli, L., Pacini, A., Micheli, L., Tani, A., Zanardelli, M., & Ghelardini, C. 2014. Glial role in oxaliplatin induced neuropathic pain. *Exp. Neurol.*, 261, 22–33.
- Dixon, W. J. 1980. Efficient Analysis of Experimental Observations. *Annual Review of Pharmacology and Toxicology*, 20(1), 441–462.
- Donyai, P. & Sewell, G.J. 2006. Physical and chemical stability of paclitaxel infusions in different container types. *J. Oncol. Pharm. Pract.*, 12(4): 211–222.
- Eide, P.K., & Rosland, J.H. 1989. The role of tail skin temperature in the facilitation of the tail-flick reflex after spinal transection or interference with descending serotonergic neurotransmission. *Acta Physiol. Scand.*, 135: 427–433.
- Fallon, M.T. 2013. Neuropathic pain in cancer. *Br. J. Anaesth.*, 111: 105–111.
- Filho, A. W., Filho, V. C., Olinger, L., & de Souza, M. M. (2008). Quercetin: Further investigation of its antinociceptive properties and mechanisms of action. *Archives of Pharmacal Research*, 31(6), 713–721
- Gan, L., & Johnson, J. A. 2014. Oxidative Damage and The Nrf2-ARE Pathway in Neurodegenerative Diseases. *Biochim. Biophys. Acta.*, 1842(8): 1208–1218.
- Gao, W., Zan, Y., Wang, Z.J., Hu, X., & Huang, F. 2016. Quercetin ameliorates paclitaxel-induced neuropathic pain by stabilizing mast cells, and subsequently blocking PKC ϵ -dependent activation of TRPV1. *Acta Pharmacol. Sin.*, 37: 1166-1177.
- Gong, S.S., Li, Y.X., Zhang, M.T., Du, J., Ma, P.S., Yao, W.X., Zhou, R., Niu, Y., Sun, T., & Yu, J.Q. 2016 Neuroprotective Effect of Matrine in Mouse Model of Vincristine-Induced Neuropathic Pain. *Neurochem Res.*, 41(11):3147-3159.

- Haleagrahara, N., Siew, C.J., & Ponnusamy, K. 2013. Effect of quercetin and desferrioxamine on 6-hydroxydopamine (6-OHDA) induced neurotoxicity in striatum of rats. *J. Toxicol. Sci.*, 38: 25–33.
- Hamm, R.J., Pike, B.R., O'dell, D.M., Lyeth, B.G., & Jenkins, L.W. 1994. The Rotarod Test: An Evaluation of Its Effectiveness in Assessing Motor Deficits Following Traumatic Brain Injury. *J. Neurotrauma*, 11(2): 187–196.
- Hannemann, J., & Baumann, K. 1988. Cisplatin-induced lipid peroxidation and decrease of gluconeogenesis in rat kidney cortex: Different effects of antioxidants and radical scavengers. *Toxicology*, 51(2-3), 119–132
- Hargreaves, K., Dubner, R., Brown, F., Flores, C., & Joris, J. 1988. A new and sensitive method for measuring thermal nociception in cutaneous hyperalgesia. *Pain*, 32: 77–88.
- Heilman, K.M. & Valenstein, E. 2003. *Clinical Neuropsychology*, 4th Ed. New York: Oxford University Press.
- Hershman, D.L., Lacchetti, C., Dworkin, R.H., Lavoie-Smith, E.M., Bleeker, J., Cavaletti, G., Chauhan, C., Gavin, P., Lavino, A., & Lustberg, M.B. 2014. Prevention and Management of Chemotherapy-induced Peripheral Neuropathy in Survivors of Adult Cancers: American Society of Clinical Oncology Clinical Practice Guideline. *J. Clin. Oncol.*, 32, 1941–1967.
- Hoeijmaker, J.G.J., Faber, C.G., Merkies, I.S.J., & Waxman, S.G. 2015. Painful peripheral neuropathy and sodium channel mutations. *Neurosci. Lett.*, 596: 51–59.
- Hoke, A. & Mitali, R. 2014. Rodent Models of chemotherapy-induced peripheral neuropathy. *ILAR J.*, 54(3): 273-281.
- Illias, A.M., Gist, A.C., Zhang, H., Kosturakis, A., & Dougherty, P.M. 2018. Chemokine CCL2 and its receptor CCR2 in the dorsal root ganglion contribute to oxaliplatin-induced mechanical hypersensitivity. *Pain*, 159, 1308–1316.

- Imai, S., Koyanagi, M., Azimi, Z., Nakazato, Y., Matsumoto, M., Ogihara, T., Yonezawa, A., Omura, T., Nakagawa, S., Wakatsuki, S., Araki, T., Kaneko, S., Nakagawa, T., & Matsubara, K. 2017. Taxanes and platinum derivatives impair Schwann cells via distinct mechanisms. *Sci. Rep.*, 7(1): 5947.
- Ishisaka, A., Ichikawa, S., Sakakibara, H., Piskula, M.K., Nakamura, T., Kato, Y., Ito, M., Miyamoto, K., Tsuji, A., Kawai, Y., & Terao, J. 2011. Accumulation of orally administered quercetin in brain tissue and its antioxidative effects in rats. *Free Radic Biol Med*, 51(7):1329-36.
- Jaggi, A.S. & Singh, N. 2012. Mechanisms in cancer chemotherapeutic drugs-induced peripheral neuropathy. *Toxicology*, 291: 1–9.
- Jamieson, S.M., Liu, J., Connor, B., McKeage, M.J. 2005. Oxaliplatin causes selective atrophy of a subpopulation of dorsal root ganglion neurons without inducing cell loss. *Cancer Chemother. Pharmacol.*, 56: 391–399.
- Janelins, M.C., Kohli, S., Mohile, S.G., Usuki, K., Ahles, T.A., & Morrow, G.R. 2011. An update on cancer- and chemotherapy related cognitive dysfunction: Current status. *Semin. Oncol.*, 38: 431–438.
- Kalantari, H., Foruozandeh, H., Khodayar, M.J., Siahpoosh, A., Saki, N., & Kheradmand, P. 2018. Antioxidant and hepatoprotective effects of Capparis spinosa L. fractions and Quercetin on tert-butyl hydroperoxide- induced acute liver damage in mice. *J. Tradit. Complement. Med.*, 81, 120–127
- Kanat, O., Ertas, H., & Caner, B. 2017. Platinum-induced neurotoxicity: A review of possible mechanisms. *World J. Clin. Oncol.*, 8(4): 329-335.
- Karbownik, A., Szalek, E., Urjasz, H., Głęboka, A., Mierzwa, E., & Grześkowiak, E. 2012. The physical and chemical stability of cisplatin (Teva) in concentrate and diluted in sodium chloride 0.9%. *Contemp. Oncol. (Pozn)*, 16 (5): 435–439

- Karimipour, M., Rahbarghazi, R., Tayefi, H., Shimia, M., Ghanadian, M., Mahmoudi, J., & Bagheri, H. S. 2019. Quercetin promotes learning and memory performance concomitantly with neural stem/progenitor cell proliferation and neurogenesis in the adult rat dentate gyrus. *Int. J. Dev. Neurosci.*, 74, 18–26.
- Kawashiri, T., Egashira, N., Kurobe, K., Tsutsumi, K., Yamashita, Y., Ushio, S., Yano, T., & Oishi, R. 2012. L Type Ca²⁺ channel blockers prevent oxaliplatin-induced cold hyperalgesia and TRPM8 overexpression in rats. *Mol. Pain*, 8, 7.
- Kim, S. T., Chung, Y. H., Lee, H. S., Chung, S. J., Lee, J. H., Sohn, U. D., & Jeong, J. H. 2015. Protective effects of phosphatidylcholine on oxaliplatin-induced neuropathy in rats. *Life Sci*, 130: 81–87.
- Kumar, K.H. & Elavarasi, P. 2016. Definition of Pain and Classification of Pain Disorders. *J. Adv. Clin. Res. Insights*, 3, 87–90.
- Lee, G. & Kim S.K. 2016. Therapeutic Effects of Phytochemicals and Medicinal Herbs on Chemotherapy-Induced Peripheral Neuropathy. *Molecules*, 21, 1252
- Lees, J.G., Makker, P.G.S., Tonkin, R.S., Abdulla, M., Park, S.B., Goldstein, D., & Moalem-Taylor, G. 2017. Immune-mediated processes implicated in chemotherapy-induced peripheral neuropathy. *Eur. J. Cancer*, 73: 22–29.
- Liang, L., Gao, C., & Luo, M. 2013. Dihydroquercetin (DHQ) Induced HO-1 and NQO1 Expression Against Oxidative Stress through The Nrf2-Dependent Antioxidant Pathway. *J. Agric. Food Chem.*, 61, no. 11, pp. 2755–2761.
- Makker, P.G., Duffy, S.S., Lees, J.G., Perera, C.J., Tonkin, R.S., Butovsky, O., Park, S.B., Goldstein, D., & Moalem-Taylor, G. 2017. Characterisation of immune and neuroinflammatory changes associated with chemotherapy-induced peripheral neuropathy. *PLoS ONE*, 12, e0170814.

- Matouk, A.I., Taye, A., Heeba, G.H., & El-Moselhy, M.A. 2013. Quercetin augments the protective effect of losartan against chronic doxorubicin cardiotoxicity in rats. *Environ. Toxicol. Pharmacol.*, 36(2): 443–450.
- Mehta, A.M., Van den Hoven, J.M., Rosing, H., Hillebrand, M.J.X., Nuijen, B., Huitema, A.D.R., & Verwaal, V.J. 2015. Stability of Oxaliplatin in Chloride-Containing Carrier Solutions Used in Hyperthermic Intraperitoneal Chemotherapy. *Int. J. Pharm.*, 479(1): 23–27.
- Mehta, V., Parashar, A., & Udayabanu, M. 2017. Quercetin prevents chronic unpredictable stress induced behavioral dysfunction in mice by alleviating hippocampal oxidative and inflammatory stress. *Physiol. Behav.*, 171, 69–78.
- Mirchandani, A., Saleeb, M., & Sinatra, R. 2010. Acute and Chronic Mechanisms of Pain. In: Vadivelu, N. *et al.* (Eds.). *Essentials of Pain Management*, New York: Springer Science + Business Media, LLC, pp. 45-54
- Mittner, A., Vincze, Z., & Jemnitz, K. 1999. Stability of vinblastine sulphate containing infusions. *Pharmazie*, 54(8), 625-626.
- Nudelman, K.N., McDonald, B.C., Wang, Y., Smith, D.J., West, J.D., O'Neill, D.P., Zanville, N.R., Champion, V.L., Schneider, B.P., & Saykin, A.J. 2016. Cerebral perfusion and gray matter changes associated with chemotherapy-induced peripheral neuropathy. *J. Clin. Oncol.*, 34, 677–683.
- Ozgen, S., Kilinc, O.K., & Selamoglu, Z. 2016. Antioxidant Activity of Quercetin: A Mechanistic Review. *Turkish JAF Sci. Tech.*, 4(12): 1134-1138
- Palugulla, S., Thakkar, D.N., Kayal, S., Narayan, S.K., & Dkhar, S.A. 2017. Association of Voltage-Gated Sodium Channel Genetic Polymorphisms with Oxaliplatin-Induced Chronic Peripheral Neuropathy in South Indian Cancer Patients. *Asian Pac. J. Cancer Prev.*, 18, 3157–3165.

- Pan, L., Song, K., Hu, F., Sun, W., & Lee, I. 2013. Nitric oxide induces apoptosis associated with TRPV1 channel-mediated Ca²⁺ entry via S-nitrosylation in osteoblasts. *Eur. J. Pharmacol.*, 715, 280–285.
- Pandey, K.B. & Rizvi, S.I. 2009. Plant polyphenols as dietary antioxidants in human health and disease. *Oxidative Med. Cell. Longev.*, 2:270–278
- Park, H.J., Stokes, J.A., Corr, M., & Yaksh, T.L. 2014. Toll-like receptor signaling regulates cisplatin-induced mechanical allodynia in mice. *Cancer Chemother. Pharmacol.*, 73, 25–34.
- Ranilla, L. G., Genovese, M. I., & Lajolo, F. M. 2009. Effect of Different Cooking Conditions on Phenolic Compounds and Antioxidant Capacity of Some Selected Brazilian Bean (*Phaseolus vulgaris* L.) Cultivars. *J. Agric. Food Chem.*, 57(13): 5734–5742.
- Ray, S., Roy, K., & Sengupta, C. 2006. Cisplatin-induced lipid peroxidation and its inhibition with Ascorbic acid. *Indian J Pharm Sci*, 68 (2): 199-204
- Raygude, K.S., Kandhare, A.D., Ghosh, P., Ghule, A.E., and Bodhankar, S.L. 2012. Evaluation of ameliorative effect of quercetin in experimental model of alcoholic neuropathy in rats. *Inflammopharmacology*, 20: 331–341.
- Robinson, C.R., Zhang, H., & Dougherty, P.M. 2014. Astrocytes, but not microglia, are activated in oxaliplatin and bortezomib-induced peripheral neuropathy in the rat. *Neuroscience*, 274: 308–317.
- Sakurai, M., Egashira, N., Kawashiri, T., Yano, T., Ikesue, H., & Oishi, R. 2009. Oxaliplatin-induced neuropathy in the rat: Involvement of oxalate in cold hyperalgesia but not mechanical allodynia. *Pain*, 147: 165–174.
- Sandkuhler, J. 2009. Models and Mechanisms of Hyperalgesia and Allodynia. *Physiol. Rev.*, 89: 707-758.
- Saw, C.L.L., Guo, Y., Yang, A.Y., Paredes-Gonzalez, X., Ramirez, C., Pung, D., Kong, A.N. 2014. The berry constituent quercetin, kaempferol,

and pterostilbene synergistically attenuate reactive oxygen species: involvement of the Nrf2-ARE signalling pathway. *Food Chem. Toxicol.*, 72: 303–311.

- Schwingel, T. E., Klein, C. P., Nicoletti, N. F., Dora, C. L., Hadrich, G., Bica, C. G., & Morrone, F. B. 2014. Effects of the compound resveratrol, rutin, quercetin, and quercetin nanoemulsion on oxaliplatin-induced hepatotoxicity and neurotoxicity in mice. *Naunyn-Schmiedeberg's Arch Pharmacol*, 387(9), 837–848.
- Scuteri, A., Galimberti, A., Maggioni, D., Ravasi, M., Pasini, S., Nicolini, G., Bossi, M., Miloso, M., Cavaletti, G., & Tredici, G. 2009. Role of MAPKs in platinum-induced neuronal apoptosis. *Neurotoxicology*, 30: 312–319.
- Sekaran, S., Kandaswamy, S., Gunasekaran, K., Perumal, E., Afsar Basha, F.Y., Madhan Mohan, B.J., & Jagadeesan, A. 2012. Protective role of quercetin on polychlorinated biphenyls (Aroclor-1254) induced oxidative stress and apoptosis in liver of adult male rats. *J. Biochem. Mol. Toxicol.*, 26: 522–532.
- Shao, Y., Yu, H., Yang, Y., Li, M., Hang, L., & Xu, X. 2019. A Solid Dispersion of Quercetin Shows Enhanced Nrf2 Activation and Protective Effects against Oxidative Injury in a Mouse Model of Dry Age-Related Macular Degeneration. *Oxidative Medicine and Cellular Longevity*, 2019, 1–12.
- Shih, A.Y., Imbeault, S., Barakauskas V., Erb, H., Jiang, L., Li, P., & Murphy, T.H. 2005. Induction of the Nrf2-driven antioxidant response confers neuroprotection during mitochondrial stress in vivo. *J. Biol. Chem.*, 280(24): 22925–22936.
- Shiotsuki, H., Yoshimi, K., Shimo, Y., Funayama, M., Takamatsu, Y., Ikeda, K., Takahashi, R., Kitazawa, S., & Hattori, N. 2010. A Rotarod Test for Evaluation of Motor Skill Learning. *J. Neurosci. Methods*, 189(2): 180–185.

- Sittl, R., Lampert, A., Huth, T., Schuy, E.T., Link, A.S., Fleckenstein, J., Alzheimer, C., Grafe, P., & Carr, R.W. 2012. Anticancer drug oxaliplatin induces acute cooling aggravated neuropathy via sodium channel subtype Na(V)1.6-resurgent and persistent current. *Proc. Natl. Acad. Sci. USA*, 109: 6704–6709.
- Staff, N.P., Grisold, A., Grisold, W., & Windebank A.J. 2017. Chemotherapy-Induced Peripheral Neuropathy: A Current Review. *Ann. Neurol.*, 81(6): 772-781.
- Stanos, S., Brodsky, M., Argoff, C., Clauw, D.J., D'Arcy, Y., Donevan, S., Gebke, K.B., Jensen, Clark, E.L., McCarberg, B., Park, P.W., Turk D.C., & Watt, S. 2016. Rethinking chronic pain in a primary care setting. *Postgrad. Med.*, 128(5): 502-515.
- Szałek, E., Karbownik, A., Urjasz, H., Głębocka, A., & Grześkowiak, E. 2013. The stability of vincristine sulphate (Teva) in concentrate and diluted with 0.9% sodium chloride. *Farmacja Współczesna*; 6: 1-7
- Ta, L.E., Low, P.A. & Windebank, A.J. 2009. Mice with Cisplatin and Oxaliplatin-Induced Painful Neuropathy Develop Distinct Early Responses to Thermal Stimuli. *Mol. Pain*, 5: 9.
- Tait, S.W.G. & Green, D.R. 2012. Mitochondria and Cell Signalling. *J. Cell Sci.*, 125, 807–815
- Tran, T.H., Guo, Y., Song, D., Bruno, R. S., & Lu, X. 2014. Quercetin-Containing Self-Nanoemulsifying Drug Delivery System for Improving Oral Bioavailability. *J. Pharm. Sci.*, 103(3): 840–852.
- Ushio, S., Egashira, N., Sada, H., Kawashiri, T., Shirahama, M., Masuguchi, K., & Oishi, R. 2012. Goshajinkigan reduces oxaliplatin-induced peripheral neuropathy without affecting anti-tumour efficacy in rodents. *Eur J Cancer*, 48(9), 1407–1413.
- Viatchenko-Karpinski, V., Ling, J., & Gu, J.G. 2018. Down-regulation of Kv4.3 channels and a-type K⁺ currents in V2 trigeminal ganglion neurons of rats following oxaliplatin treatment. *Mol. Pain*, 14: 1–11.

- Wahlman, C., Doyle, T.M., Little, J.W., Luongo, L., Janes, K., Chen, Z., Esposito, E., Tosh, D.K., Cuzzocrea, S., Jacobson, K.A., & Salvemini, D. 2018. Chemotherapy-induced pain is promoted by enhanced spinal adenosine kinase levels through astrocyte-dependent mechanisms. *Pain*, 159, 1025–1034.
- Wang, J.T., Medress, Z.A., & Barres, B.A. 2012. Axon degeneration: Molecular mechanisms of a self-destruction pathway. *J. Cell Biol.*, 196: 7–18.
- Wang, Y.S., Li, Y.Y., Cui, W., Li, L.B., Zhang, Z.C., Tian, B.P., & Zhang, G.S. 2017. Melatonin attenuates pain hypersensitivity and decreases astrocyte-mediated spinal neuroinflammation in a rat model of oxaliplatin-induced pain. *Inflammation*, 40, 2052–2061.
- Waseem, M., Kaushik, P., Tabassum, H., Parvez, S. 2018. Role of Mitochondrial Mechanism in Chemotherapy-Induced Peripheral Neuropathy. *Curr. Drug Metab.*, 19, 47–54.
- White, F.A., & Miller, R.J. 2010. Insights into the regulation of chemokine receptors by molecular signalling pathways: Functional roles in neuropathic pain. *Brain Behav. Immun.*, 24, 859–865.
- Williams A.C., & Craig, K.D. 2016. Updating the Definition of Pain. *Pain*, 157(11), 2420–2423.
- Woolf, C.J., & Mannion, R.J. 1999. Neuropathic pain: aetiology, symptoms, mechanisms, and management. *Lancet*, 353: 1959–1964.
- Wu, S., Lu, H., & Bai, Y. 2019. Nrf2 in Cancers: A Double-edged Sword. *Cancer Med.*; 8: 2252–2267.
- Xu, D., Hui Zhao, H., Gao, H., Zhao, H., Liu, D., & Li, J. 2018. Participation of pro-inflammatory cytokines in neuropathic pain evoked by chemotherapeutic oxaliplatin via central GABAergic pathway. *Mol. Pain*, 14: 1–10.
- Yamamoto, K., Chiba, N., Chiba, T., Kambe, T., Abe, K., Kawakami, K., Utsunomiya, I., & Taguchi, K. 2015. Transient receptor potential ankyrin 1 that is induced in dorsal root ganglion neurons contributes

to acute cold hypersensitivity after oxaliplatin administration. *Mol. Pain*, 11: 69.

- Yang, Y., Luo, L., Cai, X., Fang, Y., Wang, J., Chen, G., Yang, J. Zhou, Q., Sun, X., Cheng, X., Yan, H., Lu, W., Hu, C., Cao, P. 2018. Nrf2 inhibits oxaliplatin-induced peripheral neuropathy via protection of mitochondrial function. *Free Radic. Biol. Med.*, 120: 13–24.
- Yasuyuki, S., Takahiro, S., & Yoshio, T. 1992. Mechanism of the increase in lipid peroxide induced by cisplatin in the kidneys of rats. *Toxicology Letters*, 62(2-3), 293–300
- Zajaczkowska, R., Kocot-Kepska, M., Leppert, W., Wrzosek, A., Mika, J., & Wordliczek, J. 2019. Mechanisms of Chemotherapy-Induced Peripheral Neuropathy. *Int. J. Mol. Sci.*, 20: 1451.
- Zheng, H., Xiao, W.H., & Bennett, G.J. 2011. Functional deficits in peripheral nerve mitochondria in rats with paclitaxel- and oxaliplatin-evoked painful peripheral neuropathy. *Exp. Neurol.*, 232, 154–161.