

## DAFTAR PUSTAKA

- Abu-Ghefreh, A.A.; Canatan, H.; Ezeamuzie, C.I. 2009. In Vitro And In Vivo Anti-Inflammatory Effects Of Andrographolide. *Int. Immunopharmacol Journal.*, 9, 313–318.
- Bothiraja, C., Pawar, A. P., Shende, V. S., & Joshi, P. P. 2013. Acute and subacute toxicity study of andrographolide bioactive in rodents: Evidence for the medicinal use as an alternative medicine. *Comparative Clinical Pathology*, 22(6), 1123-1128.
- Carroll, J.E., Hess, D.C., Howard, E.F. 2000. Is Nuclear Factor-Kappab A Good Treatment Target In Brain Ischemia/Reperfusion Injury. *Neuroreport* 11, R1–R4.
- Cardoso, F. L., Herz, J., Fernandes, A., Rocha, J., Sepodes, B., Brito, M. A., ... & Brites, D. 2015. Systemic inflammation in early neonatal mice induces transient and lasting neurodegenerative effects. *Journal of neuroinflammation*, 12(1), 1-18.
- Chan, S. J., Wong, W. S. F., Wong, P. T. H., & Bian, J. S. 2010. Neuroprotective Effects Of Andrographolide In A Rat Model Of Permanent Cerebral Ischaemia. *British Journal of Pharmacology*, 161(3), 668–679.
- Chern, C.M.; Liou, K.T.; Wang, Y.H.; Liao, J.F.; Yen, J.C.; Shen, Y.C. 2011 Andrographolide Inhibits PI3K/AKT-Dependent NOX2 and Inos Expression Protecting Mice Against Hypoxia/Ischemia-Induced Oxidative Brain Injury. *Planta Med.*, 77, 1669–1679.
- Cherubini, A., Polidori, C., Benedetti, C., Ercolani, S., Senin, U., & Mecocci, P., 2002. *Association Between Ischemic Stroke and Increase Oxidative Stres*. America: Southside Virginia Community College.

- Cherubini, A., Ruggiero, C., Polidori, M. C., & Mecocci, P. 2005. Potential markers of oxidative stress in stroke. *Free Radical Biology and Medicine*, 39(7), 841–852. <https://doi.org/10.1016/j.freeradbiomed.2005.06.025>
- Coull AJ, Lovett JK, Rothwell PM. 2004. Population based study of early risk of stroke after transient ischaemic attack or minor stroke: implications for public education and organisation of services. *BMJ* 2004; 328:326.
- De Leonibus, E., Oliverio, A., & Mele, A. 2005. A study on the role of the dorsal striatum and the nucleus accumbens in allocentric and egocentric spatial memory consolidation. *Learning & memory*, 12(5), 491-503.
- Dirnagl, U., Iadecola, C., & Moskowitz, M. A. 1999. Pathobiology of ischaemic stroke: An integrated view. *Trends Neurosciences*, 22(9), 391–397.
- Feigin, V. L., Lawes, C. M. M., Bennett, D. A., & Anderson, C. S. 2003. Stroke epidemiology: A review of population-based studies of incidence, prevalence, and case-fatality in the late 20th century. *Lancet Neurology*, 2(1), 43–53.
- Feigin Valery L., Norrving Bo, G. A. M. 2017. Global Burden of Stroke- *Circ Res.* 2017;120:439-448.439
- Girbovan, C., Plamondon, H., 2015. Resveratrol downregulates type-1 glutamate transporter expression and microglia activation in the hippocampus following cerebral ischemia reperfusion in rats. *Brain Res.* 1608, 203-214.
- Giuliani, D., Leone, S., Mioni, C., Bazzani, C., Zaffe, D., Botticelli, A.R., Altavilla, D., Galantucci, M., Minutoli, L., Bitto, A., Squadrito, F., & Guarini, S., 2006. Broad therapeutic treatment window of the alpha-melanocyte-stimulating hormone for long-lasting

- protection against ischemic stroke, in Mongolian gerbils. *Europe Journal Pharmacology*, 538, pp. 48–56.
- Giuliani, D., Mioni, C., Altavilla, D., Leone, S., Bazzani, C., Minutoli, L., Bitto, A., Cainazzo, M.M., Marini, H., Zaffe, D., Botticelli, A.R., Pizzala, R., Savio, M., Necchi, D., Schiöth, H.B., Bertolini, A., Squadrito, F., & Guarini, S., 2006. Both early and delayed treatment with melanocortin 4 receptor-stimulating melanocortins produces neuroprotection in cerebral ischemia. *Endocrinology*, 147, pp. 1126–1135.
- Giuliani, D., Ottani, A., Mioni, C., Bazzani, C., Galantucci, M., Minutoli, L., Bitto, A., Zaffe, D., Botticelli, A.R., Squadrito, F., & Guarini, S., 2007. Neuroprotection in focal cerebral ischemia owing to delayed treatment with melanocortins. *Europe Journal Pharmacology*, 570, pp. 57–65.
- Giuliani, D., Ottani, A., Zaffe, D., Galantucci, M., Strinati, F., Lodi, R., & Guarini, S., 2013. Hydrogen sulfide slows down progression of experimental Alzheimer's disease by targeting multiple pathophysiological mechanisms. *Neurobiology*, 104, pp. 82–91.
- Giuliani, D., Ottani, A., Neri, L., Zaffe, D., Grieco, P., Jochem, J., Guarini, S. 2017. Multiple beneficial effects of melanocortin MC4 receptor agonists in experimental neurodegenerative disorders: Therapeutic perspectives. *Progress in Neurobiology*, 148, 40–56.
- Glare, E.M., Divjak, M., Bailey, M.J., & Walters, E.H.,  $\beta$ -Actin and GAPDH housekeeping gene expression in asthmatic airways is variable and not suitable for normalising mRNA levels. *Thorax*, 57, pp. 765–770.
- Hazell, A. S. 2007. Excitotoxic mechanisms in stroke: An update of concepts and treatment strategies. *Neurochemistry*

- International*, 50 (7–8), 941–953.
- Hughes, E. J. 2018. State of the Nation III. *International Affairs*, 56(1), 198–199. <https://doi.org/10.2307/2615809>
- Holscher, C. (2003). Time, space and hippocampal functions. Reviews in the *Neurosciences*, 14(3), 253-284.
- Intercollegiate Stroke Working Party. 2016. National clinical guideline for stroke, 5th edition. London: *Royal College of Physicians* .
- Ira Gantz., Hiroto Miwa., Yoshitaka Konda., Yoshimasa Shimoto., Takao Tashiro., Stanley J. Watson., John Del Valle., Tadataka Yamada. 1993. Molecular cloning, expression, and gene localization of a fourth melanocortin receptor. *The Journal of Biological Chemistry*, pp.15174-15179.
- Jarukamjorn, K. and Namoto, N. 2008. Pharmacological aspect of *Andrographis paniculata* on health and its major diterpenoid constituent andrographolide. *J. Health Sci.* 54(4),370-381.
- Joshi, M., & Deshpande, J.D., 2010. Polymerase chain reaction: methods, principles and application. *International Journal of Biomedical Research*, 1(5), pp. 81-97.
- Joy, K.G.M., Guan, J., Elia, C.J., Sirimanne, E.S., & Williams, C.E., 1999. Melanocortin-4 receptor messenger rna expression is up-regulated in the non damaged striatum following unilateral hypoxic-ischaemic brain injury. *Neuroscience*, 89(1), pp. 183-190.
- Koronowski, K. B., & Perez-Pinzon, M. A. 2015. Sirt1 in cerebral ischemia. *Brain circulation*, 1(1), 69.
- Klawonn, A.M., Michael, Fritz., Nilsson, A., Bonaventura, J., Kiseko, Shionoya., Elahe, Mirrasekhian., Urban, Karlsson., Maarit, Jaarola., Bjorn, Granseth., Anders, Blomqvist., & David, Engblom., 2018. Motivational valence is determined by striatal

- melanocortin 4 receptors. *The Journal of Clinical Investigation*, doi: 10.1172/JCI97854
- Lasaga, M., Debeljuk, L., Durand, D., Scimonelli, T. N., & Caruso, C. 2008. Role of  $\alpha$ -melanocyte stimulating hormone and melanocortin 4 receptor in brain inflammation. *Peptides*, 29(10), 1825–1835. <https://doi.org/10.1016/j.peptides.2008.06.009>
- Li, C., Yan, Z., Yang, J., Chen, H., Li, H., Jiang, Y., and Zhang, Z. 2010. Neuroprotective effects of resveratrol on ischemic injury mediated by modulating the release of neurotransmitter and neuromodulator in rats. *Neurochem. Int.* 56, 495–500.
- Lopez, A. D., Mathers, C. D., Ezzati, M., Jamison, D. T., & Murray, C. J. 2006. Global and regional burden of disease and risk factors, 2001: systematic analysis of population health data. *Lancet*, 367(9524), 1747–1757.
- Magnoni, S., Stocchetti, N., Colombo, G., Carlin, A., Colombo, A., Lipton, J. M., & Catania, A. 2003.  $\alpha$ -Melanocyte-Stimulating Hormone Is Decreased in Plasma of Patients With Acute Brain Injury. *Journal of Neurotrauma*, 20(3), 251–260.
- Megantara, S., Levita, J., Iwo, M, I., Ibrahim, S. 2018. Absorption, distribution and toxicity prediction of andrographolide and its derivatives as anti-HIV drugs. *Research Journal of Chemistry and Environment*. p 82-85.
- Mountjoy, K. G., Guan, J., Elia, C. J., Sirimanne, E. S., & Williams, C. E. 1999. Melanocortin-4 receptor messenger RNA expression is up-regulated in the non-damaged striatum following unilateral hypoxic-ischaemic brain injury. *Neuroscience*, 89(1), 183–190.
- Mountjoy, K. G. 2010. Distribution and function of melanocortin receptors within the brain. In *Melanocortins: multiple actions and therapeutic potential*. Springer, New York, NY. pp. 29-48

- Nonaka, M., Chen, X.H., Pierce, J.E. 1999. Prolonged activation of NF- $\kappa$ B following traumatic brain injury in rats. *J. Neurotrauma* 16, 1023–1034.
- De Menorval, M.-A., Mir, L.M., Fernandez, M.L., Reigada, R. 2010. Effects of dimethylsulfoxide (DMSO) in cholesterol-containing lipid membranes. *J. Am. Chem. Soc.* 128, 13982-13983.
- SLanghorne, McQueen, Rosenberg, Dehghan, Hankey, Dans, Yusuf. 2016. “Global and Regional Effect of Potentially Modifiable Risk Factors Associated with Acute Stroke in 32 Countries (INTERSTROKE): a Case-Control Study.” *The Lancet*, vol. 388, no. 10046, 2016, pp. 761–775.
- Parmar, P., Sumaria, S., & Hashi, S. 2011. Stroke: Classification and diagnosis. *Clinical Pharmacist*, 3(7), 200–202.
- Quintanilla, R. A., Pérez, M. J., Aranguiz, A., Tapia-Monsalves, C., & Mendez, G. 2020. Activation of the Melanocortin-4 Receptor Prevents Oxidative Damage and Mitochondrial Dysfunction in Cultured Hippocampal Neurons Exposed to Ethanol. *Neurotoxicity research*.
- Ren, J., Fan, C., Chen, N., Huang, J., and Yang, Q. 2011 Resveratrol pretreatment attenuates cerebral ischemic injury by upregulating expression of transcription factor Nrf2 and HO-1 in rats. *Neurochem. Res.* 36, 2352–2362
- Spaccapelo, L., Bitto, A., Galantucci, M., Ottani, A., Irrera, N., Minutoli, L., & Guarini, S., 2011. Melanocortin mc 4 receptor agonists counteract late inflammatory and apoptotic responses and improve neuronal functionality after cerebral ischemia. *European Journal of Pharmacology*, 670(2–3), pp. 479–486.

- Schneider, A., villalba, A.M., Weih, F. 1999.NF-kB is activated and promotes cell death in focal cerebral ischemia. *Nat. Med.* 5, 554–559.
- Shen, Y.C.; Chen, C.F.; Chiou, W.F. 2002. Andrographolide prevents oxygen radical production by human neutrophils: Possible mechanism(s) involved in its anti-inflammatory effect. *Br. J. Pharmacol.*, 135, 399–406.
- Park.Sin-Young, Marasini Subash., Kim Geu-Hee., Ku Taeyun., Choi Chulhee., Park Min-Young., Kim Eun-Hee., Lee Young-Don., Kim Haeyoung Suh-.,and Kim Sung-Soo. 2014. A Method for Generate a Mouse Model of Stroke: Evaluation of Parameters for Blood Flow, Behavior, and Survival. *Chungnam National University*, Daejeon 305-764, Korea. 104-114.
- Song, J., Cheon, S.Y., Jung, W., Lee, W.T., Lee, J.E., 2014. Resveratrol induces the expression of interleukin-10 and brain-derived neurotrophic factor in BV2 microglia under hypoxia. *Int. J. Mol. Sci.* 15, 15512e15529.
- Stoll, G., Kleinschnitz, C., & Nieswandt, B. 2008. Molecular mechanisms of thrombus formation in ischemic stroke: Novel insights and targets for treatment. *Blood*, 112(9), 3555–3562. Varma, A., Padh, H., and Shrivastava, N. 2011. Andrographolide: A new plant-derived antineoplastic entity on horizon. *Evid. Base Complement. Alternat. Med.* p 1-9.
- Tao, Y. X. 2010. The melanocortin-4 receptor: physiology, pharmacology, and pathophysiology. *Endocrine reviews*, 31(4), 506-543.
- Virgili, M., Contestabile, A., 2000. Partial neuroprotection of in vivo excitotoxic brain damage by chronic administration of the red wine antioxidant agent, transresveratrol in rats. *Neurosci. Lett.* 281, 123-126.

- World Health Organisation. 2017. The top 10 causes of death. Available at: <http://www.who.int/mediacentre/factsheets/fs310/en/>.
- Yang, C. H., Yen, T. L., Hsu, C. Y., Thomas, P. A., Sheu, J. R., & Jayakumar, T. 2017. Multi-targeting andrographolide, a novel NF- $\kappa$ B inhibitor, as a potential therapeutic agent for stroke. *International Journal of Molecular Sciences*, 18(8), 1–14.
- Yen, T. L., Chen, R. J., Jayakumar, T., Lu, W. J., Hsieh, C. Y., Hsu, M. J., Sheu, J. R. 2016. Andrographolide stimulates p38 mitogen-activated protein kinase-nuclear factor erythroid-2-related factor 2-heme oxygenase 1 signaling in primary cerebral endothelial cells for definite protection against ischemic stroke in rats. *Translational Research*, 170, 57–72.
- Zeighami, Y., & Moustafa, A. A. 2015. Differential functions of ventral and dorsal striatum. *Brain, Journal of Neurology*, 138(10), e381-e381.
- Zhu, T.; Wang, D.X.; Zhang, W.; Liao, X.Q.; Guan, X.; Bo, H.; Sun, J.Y.; Huang, N.W.; He, J.; Zhang, Y.K.. 2013. Andrographolide protects against LPS-induced acute lung injury by inactivation of NF-KB. *PLoS ONE*, 8, e56407.