

DAFTAR PUSTAKA.

- Adefolalu A, Nkosi Z, Olorunju S, Masemola P. (2014). Self-efficacy, medication beliefs and adherence to antiretroviral therapy by patients attending a health facility in Pretoria. *South African Fam Pract* [Internet]. 56 (5), pp. 281–285.
- Adiningsih, S. (2018) ‘CD4+ And Factors Affecting Adherence To Antiretroviral Therapy Among People Living With HIV AIDS in JAYAPURA’, *Health Research Buletin*, 46(2), pp. 87–96. doi: 10.22435/bpk.v46i2.306.
- Anasari, T. (2013). Hubungan pendidikan dan pekerjaan dengan kepatuhan ibu hamil dengan hiv dalam mengkonsumsi arv di RSUD prof.dr. margono soekarjo purwokerto, *Prosiding Seminar nasional dan Presentasi Hasil Pengabdian Masyarakat*, pp. 272–283.
- Bermudez LG., Jennings L, Sewamala F M, Nabuya P, Mellins C, McKay M. (2016). Equity in Adherence to Antiretroviral Therapy Among Economically Vulnerable Adolescents Living with HIV in Uganda. *AIDS CARE*. 28 (52), Pp. 83-91.
- Berzow D, Hoffmann C, Horst H. (2015). HIV 2015/16. Hoffmann C, Rockstroh JK, editors. Hamburg: Medizin Fokus Verlag, Hamburg; pp. 1–776.
- Chan PY, Joseph MA, Jarlais DCD, Uuskula A. (2017). Perceived effectiveness of antiretroviral therapy, self-rated health and treatment adherence among HIV-positive people who inject drugs in Estonia. *International Journal of STD & AIDS*, 0 (0), pp.1–10.
- Contrada RJ, Baum A. (2011). *The Books of Stress Science: Biology, Psychology and Health*. Newyork. Springer Publishing Company, LLC.
- Depdiknas. (2013). *Kamus Besar Bahasa Indonesia Pusat Bahasa*. Cet. Kelima. Jakarta. PT Gramedia Pustaka Utama.
- Dirjen PP dan PL Kemkes RI. (2013). *Modul Pelatihan Konseling dan tes HIV Sukarela (VCT)*, Kemkes RI, Jakarta, hal:9-17.
- Ditjen PP dan PL. (2017). *Statistik Kasus HIV AIDS di Indonesia*, Kemkes RI,<http://spiritia.or.id/Stats/detailstat.php?no=8>, sitasi tanggal 14 Juni 2017.
- Ditjen PP dan PL. (2017). *Estimasi dan Proyeksi HIV AIDS di Indonesia Tahun 2015-2020*. Jakarta. Kemenkes RI, http://www.sihha.depkes.go.id/portal/files_upload/estimasi_dan_proyeksi_hi_vuids_di_indonesia_2015_2020.pdf, sitasi tanggal 16 Juni 2019.

- Drachler MDL, Drachler CW, Teixeira LB. (2016). The Scale of Self-Efficacy Expectations of Adherence to Antiretroviral Treatment: A Tool for Identifying Risk for Non-Adherence to Treatment for HIV. *PloS One*. 11 (2), pp.1–11.
- Dworkin MS, Douglas GW, Rani GPS. (2015). Adherence to highly active antiretroviral therapy in Hyderabad, India: barriers, facilitators and identification of target groups. *International Journal of STD & AIDS*, 0 (0), pp.1–10.
- Feist J, Gregory JF. (2010). *Teori Kepribadian*, Jakarta. Selemba Humanika.
- Gaoi NTL. (2016). Teori Stres: Stimulus, Respon dan Transaksional. *Buletin Psikologi*, 24 (1), pp. 1-11.
- Garvie, P. A. et al. (2012) ‘Psychological Factors, Beliefs About Medication, and Adherence of Youth with HIV-1 in a Multisite Directly Observed Therapy (DOT) Pilot Study’, *Journal Adolscence Health*, 48(6), pp. 1–6. doi: 10.1016/j.jadohealth.2010.09.014.Psychological.
- Glanz K, Rimer BK, Viswanath K. (2015). *Health Behavior & Health Education: Theory, Research and Practice 5th Edition Chapter 3 (Health Belief Model) and Chapter 10 (Transactional Model Stress and Coping)*, Jossey Bass, United States of Amerika, pp. 75-94 and 223-242.
- Gouse H, Henry M, Robbins RN, Rios JL, Mellins CA, Remien RH, Joska JA. (2017). Psychosocial Aspects of ART Counseling : A Comparison of HIV Beliefs and Knowledge in PMTCT and ART-Naive Women. *Journal of the Association of Nurses in AIDS Care*, 28 (4), pp.504–517.
- Hanif H, Bastos FI, Malta M, Bertoni N, Surkan PJ, Winch PJ, Kerrigan D. (2013). Individual and contextual factors of influence on adherence to antiretrovirals among people attending public clinics in Rio de Janeiro, Brazil. *BMC Public Health*. 13(1), pp. 1-10.
- Hayden JA . (2014). *Introduction to Health Behavior, Research and Practice with Social Cognition Model*. Buckingham. Open University Press.
- Holstad MMD, Spangler S, Higgins M, Dalmida SG, Sharma S. (2016). Psychosocial Characteristics Associated with Both Antiretroviral Therapy Adherence and Risk Behaviors in Women Living with HIV. *AIDS Behav*. 20 (5), pp.1084–96.
- Johnson MO, Elliot TR, Neilands TB, Morin SF, Chesney MA. (2008). A Social Problem-Solving Model of Adherence to HIV Medications, *Health Psychology*, 25 (3), pp. 355–363.

- Johnson MO, Dilworth SE, Taylor JM, Neilands TB. (2011). Improving Coping Skills for Self Management of Treatment Side Effects Can Reduce Antiretroviral Medication Non Adherence Among People Living with HIV. *Journal Behavior Medic.* 41, pp. 83-91.
- Jennings C. (2013). Understanding and Preventing AIDS [Internet]. Health Alert Communications. Available from: https://healthalert.net/pdf/Understanding_and_Preventing_AIDS_by_Chris_Jennings.pdf. Citation date 12 November 2017.
- Kagee A, Delport T. (2010). Barriers to Adherence to Antiretroviral Treatment The Perspectives of Patient Advocates. *Journal of Health Psychology*, 15(7), pp.1001–1011.
- Kang E, Delzell DAP, Chhabra M, Oberdorfer P. (2015). Factors Associated with High Rates of Antiretroviral Medication Adherence Among Youth Living with Perinatal HIV in Thailand. *International Journal of STD & AIDS*. 26 (8), pp. 534-541.
- Klatt EC. (2017). *Pathology Of HIV / AIDS* 28th ed., Savannah: Mercer University School of Medicine.
- Kemenkes RI. (2011). *Pedoman Nasional Pengobatan Antiretroviral (ART)*. Jakarta. Kemkes RI.
- Kemenkes RI. (2012). *Surat Keputusan Nomor 451/ Menkes/ SK/II/ 2012 tentang rumah sakit rujukan bagi OD HIV di Indonesia*, Jakarta. Kemkes RI.
- Kemenkes RI. (2014). *Pedoman Pengobatan Antiretroviral No. 87 Tahun 2014*. Jakarta. Kemenkes RI.
- Klinik VCT RSUD Waluyojati. (2018).*Data Kasus HIV AIDS Tahun 2012-2017 dan Terapi ARV di Klinik VCT RSUD Waluyojati*, RSUD Waluyojati, Klinik VCT, Probolinggo.
- Lasti, M. H. (2017) *Antiretroviral Drug Compliance Analysis (ARV) in Community MSM (Men Sex With Men) PLHIV in Parepare Town Of South Sulawesi, Antimicrobial Agents and Chemotherapy*. doi: 10.1017/CBO9781107415324.004.
- Lestary H, Mulyana N. (2013). Concordance Model : An Alternative Model for Increasing Art Adherence in PLWHA in Bandung City , 2012. *Jurnal Kesehatan Reproduksi*, 4 (3), pp.131–139.
- Letta S, Demissie A, Oljira L, Dessie Y. (2015). Factors associated with adherence to Antiretroviral Therapy (ART) among adult people living with HIV and attending their clinical care , Eastern Ethiopia. *BMC International Health and Human Rights*, pp.15–33. Available at: <http://dx.doi.org/10.1186/s12914-015-0071-x>. Citation Date January, 20,

2018.

- Lyimo RA, Bruin MD, Boogard JVD, Hospers HJ, Ven AVD, Mushi D. (2012). Determinants of antiretroviral therapy adherence in northern Tanzania : a comprehensive picture from the patient perspective. *BMC Public Health*, 12(716), pp.1–8.
- Malow R, Devieux JG, Stein JA, Rosenberg R, Gilles MJ, Attonito J, Koenig SP, Raviola G, Severe P, Pape JW. (2013). Depression, Substance Abuse and Other Contextual Predictors of Adherence to Antiretroviral Therapy (ART) Among Haitians. *AIDS and Behavior*, 17, pp.1221–1230.
- Mardiyyono S P, Petpitchetian W. (2011). Concept Analysis of Perceived Control, *Nurse Media Journal of Nursing*, 1(2), pp. 225–243.
- Mcdonnell, M.H., Spangler, S., Higgins, M., Dalmida, S.G. and Sharma, S. (2016). Psychosocial Characteristics Associated with Both Antiretroviral Therapy Adherence and Risk Behaviors in Women Living with HIV. *AIDS and Behavior*, 20 (5), pp.1084–1096.
- Mckinney O, Modeste NN, Lee JW, Gleason PC. (2015). Predicting Malawian women's intention to adhere to antiretroviral therapy. *J Public health Res*. 4 (533), pp. 82–89.
- Nnko S, Bukenya D, Kavishe BB, Biraro S. (2015). Chronic Diseases in North-West Tanzania and Southern Uganda. Public Perceptions of Terminologies, Aetiologies, Symptoms and Preferred Management. *PLoS One*. 10 (11), pp. 1–18.
- Notoatmodjo, S. (2014). *Ilmu Perilaku Kesehatan*. Yogyakarta. Nuhamedika.
- Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan*. Jakarta. Salemba Medika.
- Olem D, Sharp KM, Taylor JM, Johnson MO. (2015). Overcoming Barriers to HIV Treatment Adherence: A Brief Cognitive Behavioral Intervention for HIV-Positive Adults on Antiretroviral Treatment. *Cogn Behav Pract*. 21(2), pp. 206–23.
- Oyore, JP. (2009). *Determinants Of Adherence To Anti-Retroviral Therapy And High Risk Behaviour Among Hiv Infected Patients On Treatment In Nairobi Province, Kenya*, Thesis, Kenyatta University.
- Pellowski JA, Kalichman, SC. (2015). Health behavior predictors of medication adherence among low health literacy people living with HIV / AIDS. *Journal of Health Psychology*, pp.1–11.
- Peltzer K, Preez NFD, Ramlagan S, Anderson J. (2010). Antiretroviral treatment adherence among HIV patients in KwaZulu-Natal , South Africa. *BMC*

- Public Health*, 10 (111), pp.1–11.
- Pusat Data dan Informasi Kemenkes RI. (2014). *Situasi dan Analisis HIV AIDS*, Ditjen PP dan PL Kemkes RI, http://www.depkes.go.id/resources/download/Pusat_Data_dan_Informasi_infodatin/Infodatin%20AIDS.pdf, Sitasi tanggal 15 Juni 2016.
- Rosenstock, I.M. (2014). The Health Belief Model and Preventive Health Behavior. *Health Education Monograph*, 2(4). pp.354-386.
- Saal W, Kagee A. (2011). The applicability of the Theory of Planned Behaviour in predicting adherence to ART among a South African sample. *Journal of Health Psychology*, 17(3), pp.362–370.
- Shin, S, Munos, M, Espiritu, B. (2008). Psychosocial impact of Poverty on Antiretroviral Non Adherence among HIV-TB coinfected Patient in Lima, Peru. *Journal Association Physicians AIDS Care*. 7 (2), pp. 74-81.
- Sugiyono. (2013). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif dan R & D*. Bandung. Alfabeta.
- UU Sisdiknas. (2012). *Pendidikan Tinggi*. Jakarta. Kemenhumham RI.
- Van Dyk, AC. (2011). Differences Between Patients Who Do and Do Not Adhere to Antiretroviral Therapy, *Journal of the Association of Nurses in AIDS Care*. 22 (4), pp. 269–282.
- Vian, T., et al. (2016). The role of motivation in predicting antiretroviral therapy adherence in China. *Journal of Health Psychology*, 1 (1) pp.1–10.
- Viola LAT, Corless IB, Webel A, Reid P, Sullivan KM, Nichols P. (2014). Exploring Predictors of Medication Adherence Among HIV Positive Women in North America. *Journal Obstetrics Gynecology Neonatal Nursing*, 42 (2), pp. 168-178.
- Vitalis, D. (2016). Predicting adherence to antiretroviral therapy among pregnant women in Guyana : Utility of the Health Belief Model. *International Journal of STD & AIDS*, 0 (0), pp.1–10.
- Ware NC, Pisarki EE, Haberer JE, Wyatt MA, Tumwesigye E, Baeten JM, Celum CL, Bangsberg DR. (2015). Lay Social Resources for Support of Adherence to Antiretroviral Prophylaxis for HIV Prevention Among Serodiscordant Couples in sub-Saharan Africa : A Qualitative Study. *AIDS and Behavior*, 19, pp.811–820. Available at: <http://dx.doi.org/10.1007/s10461-014-0899-4>. Citation date June 15, 2017.
- Willard S, Angelino A. (2016). The Need for Socio Cultural Awareness to Maximize Treatment Acceptance and Adherence in Individual Initiating HIV Therapy. *Journal Association Physicians AIDS Care*. 7 (1), pp. 17-21.

- Winarti, E., Santoso, B. and Hargono, R. (2017) ‘Psychosocial Factors are Associated with Participation in Cervical Cancer Screening Programs : A Structural Equations Model’, *Journal of Applied Environmental and Biological Sciences*, 7(10), pp. 32–39.
- Woolgar H L, Mayers PM. (2014). The Perceived Benefit of the Disability Grant for Persons Living With HIV in an Informal Settlement Community in the Western Cape , South Africa. *Journal of the Association of Nurses in AIDS Care*, 25(6), pp.589–602. Available at: <http://dx.doi.org/10.1016/j.jana.2014.07.001>. Citation date June 15, 2017.
- Workagegn, F., Kiros, G. and Abebe, L. (2015). Predictors of HIV-test utilization in PMTCT among antenatal care attendees in government health centers : institution-based cross-sectional study using health belief model in Addis Ababa, *HIV/AIDS; Research and Palliative Care*, 7, pp. 215–222.
- WHO. (2016). *10 Fact on HIV AIDS*, <http://www.who.int/features/factfiles/hiv/en/>, Sitas 13 Juni 2017.
- WHO. (2016). *Global Health Observatory (GHO) Data*, <http://www.who.int/gho/hiv/en/>, Sitas 13 Juni 2017.
- WHO (2018) *Antiretroviral therapy (ART) coverage among all age groups*. Available at: https://www.who.int/gho/hiv/epidemic_response/ART_text/en/.
- Yuniar, Y., Handayani, R. S. and Aryastami, N. K. (2012). Faktor – Faktor Pendukung Kepatuhan Orang Dengan HIV AIDS (OD HIV) Dalam Minum Obat Antiretroviral Di Kota Bandung Dan Pusat Teknologi Intervensi Kesehatan Masyarakat, Badan Litbangkes Pusat Humaniora, Pemberdayaan Masyarakat dan Kebijakan Kesehatan, *Buletin Penelitian Kesehatan*, 41(2), pp. 72–83.
- Yuniar, Y., M, S. and Isakh (2014) ‘Logistic Manajemen of ARV drug in Indonesia’, *Health System Research Agency*, 17(29), pp. 1–10. Available at: <http://oaji.net/articles/2015/820-1432778621.pdf>.
- Zou J, Yamanaka Y, John M, Watt M, Ostermann J, Thielman N. (2009). Religion and HIV in Tanzania: influence of religious beliefs on HIV stigma , disclosure , and treatment attitudes. *Bio Med Central*, 9 (75), pp.1–12.
- Zubaran C, Michelim L, Medeiros G, May W, Foresti K, Madi JM. (2012). A randomized controlled trial of a protocol of interviews designed to improve adherence to antiretroviral medications in southern Brazil. *International Journal of STD & AIDS*, 23, pp.429–434.