

DAFTAR PUSTAKA

- Aggarwal, B.B., Anushree, K., Manoj, S.A., and Shishir, S., 2005. Curcumin Derived from Turmeric (*Curcuma longa*): A Spice for All Season. In: Debasis B. and Harry G. *Phytopharmaceuticals in Cancer Chemoprevention*, USA: *CRC Press LLC*, p. 349-387.
- Ahmad, Z., Shah, A., Siddiq, M., and Kraatz, H.B., 2014. Polymeric micelles as drug delivery vehicles. *RSC Adv*, Vol. 4, p. 17028-17038.
- Akbar, M.U., Zia, K.M., Nazir, A., Iqbal, J., Ejaz, S. A., and Akash, M.S.H., 2018. Pluronic-Based Mixed Polymeric Micelles Enhance the Therapeutic Potential of Curcumin. *AAPS PharmSciTech*, DOI: 10.1208/s12249-018-1098-9.
- Anand, P., Kunnumakkara, A.B., Newman, R.A., and Aggarwal, B.B., 2007. Bioavailability of Curcumin: Problems and Promises. *Molecular Pharmaceutics*, Vol. 4, No. 6, p. 807-818.
- Ansari, F., Pourjafar, H., Jodat, V., Sahebi, J., and Ataei, A., 2017. Effect of Eudragit S100 nanoparticles and alginate chitosan encapsulation on the viability of *Lactobacillus acidophilus* and *Lactobacillus rhamnosus*. *AMB Expr*. Vol. 7, p.144.
- Arablou, T., and Mohammadi, R.K., 2018. Curcumin and endometriosis: Review on potential roles and molecular Mechanisms. *Biomedicine & Pharmacotherapy*, Vol. 97, p. 91–97.
- AOAC, 2013. *Guidelines for Dietary Supplement and Botanicals Appendix K*. Arlington: United States.
- Arpagaus, C., Collenberg, A., Rütli, D., Assadpour, E., and Jafari, S.M., 2018. Nano spray drying for encapsulation of pharmaceuticals. *International Journal of Pharmaceutics*, Vol. 546, p. 194–214.
- Augsburger, L.L., and Hoang, S.W. 2008. *Pharmaceutical Dosage Forms: Tablets 3rd edition*, Vol 1 Unit Operations and Mechanical Properties. Informa Healthcare: USA.
- Cagel, M., Tesan, F.C., Bernabeu, E., Salgueiro, M.J., Zubillaga, M.B., Moretton, M.A., and Chiappetta, D.A., 2017. Polymeric mixed micelles as nanomedicines: Achievements and Perspectives. *European Journal of Pharmaceutics and Biopharmaceutics*, Vol. 113, p. 211–228.
- Calahorra, A.A., Akhtar, M., and Sarkar, A., 2018. Recent advances in emulsion-based delivery approaches for curcumin: From encapsulation to bioaccessibility. *Trends in Food Science & Technology*, Vol. 71, p. 155–169.

- Chairunnisa, O.S., dan Wardhana, Y.W., 2017. Karakterisasi Kristal Bahan Pasat Aktif Farmasi: Review. *Farmaka*, Volume 4, Nomor, 3, Suplemen 1.
- Chauhan, H., Hui-Gu, C., and Atef, E., 2013. Correlating the Behavior of Polymers in Solution as Precipitation Inhibitor to its Amorphous Stabilization Ability in Solid Dispersions. *Journal of Pharmaceutical Sciences*, Vol. 102(6), p. 1924–1935.
- Chattopadhyay, I., Biswas, K., Bndyopadhyay, U., and Banarjee, R.K., 2004. Turmeric and curcumin: Biological actions and medicinal applications. *Current Science*, Vol. 87, No. 1, p. 44-53.
- Chaves, P.D.S., Frank, L.A., Frank, A.G., Pohlmann, A.R., Guterres, S.S., and Beck, R.C.R., 2018. Mucoadhesive Properties of Eudragit®RS100, Eudragit®S100, and Poly(ε-caprolactone) Nanocapsules: Influence of the Vehicle and the Mucosal Surface. *AAPS PharmSciTech*, DOI: 10.1208/s12249-018-0968-5.
- Chen, S., Guo, F., Deng, T., Zhu, S., Liu, W., Zhong, H., Yu, H., Luo, R., and Deng, Z., 2016. Eudragit S100-Coated Chitosan Nanoparticles Co-loading Tat for Enhanced Oral Colon Absorption of Insulin. *AAPS PharmSciTech*, DOI: 10.1208/s12249-016-0594-z.
- Chieng, N., Rades, T., and Aaltonen, J., 2011. An overview of recent studies on the analysis of pharmaceutical polymorphs. *Journal of Pharmaceutical and Biomedical Analysis*, Vol. 55, p. 618–644.
- Cilurzo, F., Selmin, F., Minghetti, P., Rimoldi, I., Demartin, F., and Montanari, L., 2005. Fast-dissolving mucoadhesive microparticulate delivery system containing piroxicam. *European Journal of Pharmaceutical Sciences*, Vol. 24, p. 355–361.
- Cilurzo, F., Selmin, F., Minghetti, P., and Montanari, L., 2005. The effects of bivalent inorganic salts on the mucoadhesive performance of a polymethylmethacrylate sodium salt. *International Journal of Pharmaceutics*, Vol. 301, p. 62–70.
- da-Silva, M.A.P and Ferri, F.A., 2017. *Nanocharacterization Techniques* Chapter 1 Scanning Electron Microscopy. Elsevier, p. 1-35.
- Danaei, M., Dehgankhold, M., Ataei, S., Davarani, F.H., Javanmard, R., Dokhani, A., Khorasani, S., and M. R. Mozafari., 2018. Impact of Particle Size and Polydispersity Index on the Clinical Applications of Lipidic Nanocarrier Systems. *Pharmaceutics*, Vol. 10, p. 57.

- Davis, M., and Walker, G., 2018. Recent strategies in spray drying for the enhanced bioavailability of poorly water-soluble drugs. *Journal of Controlled Release*, Vol. 269, p. 110-127.
- Departemen Kesehatan Republik Indonesia, 1995. *Farmakope Indonesia*. Edisi ke-4, Jakarta: Departemen Kesehatan Republik Indonesia, hal 73-75.
- Deshmukh, A.S., Chauhan, P.N., Noolvi, M.N., Chaturvedi, K., Ganguly, K., Shukla, S.S., Nadagouda, M.N., and Aminabhavi, T.M., 2017. Polymeric micelles: Basic research to clinical practice. *International Journal of Pharmaceutics*, Vol. 532, p. 249–268.
- Emami, F., Vatanara, A., Park, E.J., and Na, D.H., 2018. Drying Technologies for the Stability and Bioavailability of Biopharmaceuticals. *Pharmaceutics*, Vol. 10, p. 131.
- Erlandsson, B., 2002. Stability-indicating changes in poloxamers: the degradation of ethylene oxide-propylene oxide block copolymers at 25 and 40°C. *Polymer Degradation and Stability*, Vol. 78, p. 571–575.
- Esmaeilzadeh-Gharedaghi, E., Faramarzi, M.A., Amini, M.A., Najafabadi, A.R., Rezayat, S.M., and Amani, A., 2012. Effects of processing parameters on particle size of ultrasound prepared chitosan nanoparticles: An Artificial Neural Networks Study. *Pharmaceutical Development and Technology*, Vol. 17(5), p. 638–647.
- Fakhari, A., Corcoran, M., and Schwarz, A., 2017. Thermogelling properties of purified poloxamer 407, *Heliyon* 3, e00390.
- Gad, S.C., 2008. *Pharmaceutical Manufacturing Handbook: Production and Processes*, New Jersey: John Wiley & Sons, Inc.
- Gandjar I.B dan Rohman A. 2007. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar.
- Ghadi, R., and Dand, N., 2017. BCS class IV drugs: Highly notorious candidates for formulation development. *Journal of Controlled Release*, Vol. 248, p. 71–95
- Grimaudo, M.A., Pescina, S., Padula, C., Santi, P., Concheiro, A., Lorenzo, C.A., and Nicoli, S., 2018. Poloxamer 407/TPGS mixed micelles as promising carriers for cyclosporine ocular delivery, *Mol. Pharmaceutics*, DOI: 10.1021/acs.molpharmaceut.7b00939
- Gómez, A.T., Pérez, M.W., Ruiz, M.J.G., Rodríguez, A.M., Vílchez, M.C., and Valderrama, J.M., 2014. Block copolymers at interfaces: Interactions with physiological media, *Advances in Colloid and Interface Science*, Vol. 206, p. 414–427.

- Grinberg, V.Y., Senin, A.A., Grinberg, N.V., Burova, T.V., Dubovik, A.S., and Potekhin, S.A., 2018. Energetics of poloxamer micellization at normal and high pressures. *Polymer*, Vol. 138, p. 288-294.
- Gupta, K.R., Askarkar, S.S., Joshi, R.R., and Paole, Y.F., 2015. Solid state properties: Preparation and characterization. *Der Pharmacia Sinica*, Vol. 6 (4), p. 45-64.
- Gupta, P.V., Pandit, J.K., Kumar, A., Swaroop, P., and Gupta, S., 2010. Pharmaceutical Nanotechnology Novel Nanoemulsion-High Energy Emulsification Preparation, Evaluation and Application. *The Pharma Research*, Vol. 3, p. 117-138
- Janas, C., Mostaphaoui, Z., Schmiederer, L., Bauer, J., and Wacker, M.G., 2016. Novel polymeric micelles for drug delivery: Material characterization and formulation screening. *International Journal of Pharmaceutics*, Vol. 509, p. 197–207.
- Ji, S., Lin, X., Yu, E., Dian, C., Yan, X., Li, L., Zhang, M., Zhao, W., and Dian, L., 2018. Curcumin-Loaded Mixed Micelles: Preparation, Characterization, and *In Vitro* Antitumor Activity. *Journal of Nanotechnology*, Vol. 2018, Article ID 9103120, 9 pages.
- Jones, D., 2004. Pharmaceutical Applications of Polymers for Drug Delivery, Volume 15, Number 6, Belfast: Smithers Rapra Press.
- Kumari, P., Swami, M.O., Nadipalli, S.K., Myneni, S., Ghosh, B., and Biswas, S., 2015. Curcumin Delivery by Poly (Lactide)-Based Co-Polymeric Micelles: An In Vitro Anticancer Study. *Pharm Res*, DOI 10.1007/s11095-015-1830-z.
- Lam, J.K.W., Xu, Y., Worsley, A., and Wong, I.C.K., 2014. Oral transmucosal drug delivery for pediatric use. *Advanced Drug Delivery Reviews*, Vol. 73, p. 50–62.
- Lee, S. H., Henga, D., Nga, W.K., Chan, H.K., and Tan, R.B.H., 2011. Nano spray drying: A novel method for preparing protein nanoparticles for protein therapy. *International Journal of Pharmaceutics*, Vol. 403, Issues 1–2, p. 192-200.
- Liu, W., Chenc, X.D., and Selomulya, C., 2015. On the spray drying of uniform functional microparticles, *Particuology*, Vol. 22, p. 1–12.
- Mahmood, K., Zia, K.M., Zuber, M., Salman, M., and Anjum, M.N., 2015. Recent developments in curcumin and curcumin based polymeric materials for biomedical applications: A review. *International Journal of Biological Macromolecules*, Vol. 81, p. 877–890.

- Malviya, R., Bansal, V., Pal O.P., and Sharma P.K., 2010. High Performance Liquid Chromatography: A Short Review. *Journal of Global Pharma Technology*, Vol. 2(5), p. 22-26.
- Meyer V. R. 2004. *Practical High-Performance Liquid Chromatography 4th edition*. St. Gallen: John Willey & Sons, Ltd.
- Modasiya, M.K., and Patel, V.M., 2012. Studies on Solubility of Curcumin. *International Journal of Pharmacy & Life Science*, Vol. 3, p. 1490-1497.
- Molema, G and Meijer, D.K.F., 2001. Targeting Organ-Specific Strategies. Weinheim: WILEY-VCH Verlag GmbH.
- Mulyadi, N.A., Rosita, N., and Yusuf, H., 2017. Physical Characterization of Liposomes Formulation Lyophilized in the Presence of Disaccharide and HPMC as Dispersed Matrix. *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, Vol. 33, p. 88-94.
- Murtada, A.O., Abdelkarim, M.A., and Huyam, A.M., 2013. The Effect of Sodium Starch Glycolate Concentration on Physical Effectiveness of Chlorpheniramine Tablets. *J Pharm Educ Res*, Vol. 4, Issue No. 1.
- Myers, D., 2006. *Surfactant Science and Technology*. 3rd ed. New Jersey : John Wiley & Sons, Inc.
- Nazmi, M., Islam, S.M.A., Bhuiyan, M.A., and Reza, M.S., 2013. Effect of superdisintegrants and their mode of incorporation on disintegration time and release profile of carbamazepine from immediate release tablet. *Journal of Applied Pharmaceutical Science*, Vol. 3 (05), p. 080-084
- Nugraheni, R.W., Setyawan, D., and Yusuf, H., 2017. Physical Characteristics of Liposomal Formulation Dispersed in HPMC Matrix and Freeze-Dried Using Maltodextrin and Mannitol as Lyoprotectant. *Pharmaceutical Sciences*, Vol. 23, p. 285-292.
- Naksuriya, O., Van Steenberg, M.J., Torano, J.S., Okonogi, S., and Hennink, W.E., 2015. A Kinetic Degradation Study of Curcumin in Its Free Form and Loaded in Polymeric Micelles. *The AAPS Journal*, Vol. 18, No. 3.
- Patra, C.N., Priya, R., Swain, S., Jena, G.K., Panigrahi, K.C., and Ghose, D., 2017. Pharmaceutical significance of Eudragit: A review. *Future Journal of Pharmaceutical Sciences*, Vol. 3, p. 33-45.
- Paudel, A., Worku, Z.A., Meeus, J., Guns, S., and Den Mooter, G. V., 2013. Manufacturing of Solid Dispersions of Poorly Water-Soluble Drugs by Spray Drying: Formulation and Process Considerations. *International Journal of Pharmaceutics*. Vol. 453, Issue 1, p. 253-284.

- Patel, V.F., Liu, F., and Brown, M.B., 2011. Advances in oral transmucosal drug delivery. *Journal of Controlled Release*, Vol. 153, p. 106–116.
- Patil, S., Choudhary, B., Rathore, A., Roy, K., and Mahadik, K., 2015. Enhanced oral bioavailability and anticancer activity of novel curcumin loaded mixed micelles in human lung cancer cells. *Phytomedicine*.
- Putra E, D.L. 2004. *Kromatografi Cair Kinerja Tinggi dalam Bidang Farmasi*. Medan: USU digital Library.
- Prajapati, S.T., Patel, P.B., and Patel, C.H., 2012. Formulation and evaluation of sublingual tablets containing Sumatriptan succinate. *International Journal of Pharmaceutical Investigation*, Vol 2, Issue 3.
- Rajeshwar, B. R., 2011. Polymeric Micelles: A Nanoscience Technology. *Indo American Journal of Pharmaceutical Research*, Vol. 1(4), p. 351-363.
- Reddy, B.P.K., Yadav, H.K.S., Nagesha, Dk., Raixaday, A., and Karim, A., 2015. Polymeric Micelles as Novel Carriers for Poorly Soluble Drugs – A Review. *Journal Nanoscience and Nanotechnology*, Vol. 15, p. 4009-4018.
- Rowe, Raymond C., Sheskey, Paul J., and Quinn, Marian E., 2009. *Handbook of Pharmaceutical Excipient*. London: Pharmaceutical Press.
- Sahu, A., Kasoju, N., Goswami, P., and Bora, U., 2010. Encapsulation of Curcumin in Pluronic Block Copolymer Micelles for Drug Delivery Applications. *Journal of Biomaterials Applications*, Vol. 25, p. 619-639.
- Salimi, A., Makhmalzadeh, B.S., and Esfahani, G., 2017. Polymeric Micelle as a New Carrier in Oral Drug Delivery Systems. *Asian Journal of Pharmaceutics*, Vol. 11 (4), p.S704.
- Sattar, M., Sayed, O.M., and Lane, M.E., 2014. Oral transmucosal drug delivery – Current status and future prospects. *International Journal of Pharmaceutics*, Vol. 471, p. 498–506.
- Singh, A and Mooter, G.V., 2016. Spray drying formulation of amorphous solid dispersions, *Advanced Drug Delivery Reviews*, Vol. 100, p. 27–50.
- Sharma, A.R., Gescher, A.J., and Steward, W.P., 2005. Curcumin: The story so far. *European Journal of Cancer*, Vol. 41, p. 1955-1968.
- Sharma, N., and Telange, D., 2011. Determination of The Concentration Blends of Superdisintegrant for Fast Disintegrating Tablets. *IJPSR*, Vol. 2(11), p.2828-2835.

- Snyder, L., Kirklan, J., and Dolan, J., 2010, *Intoduction to Modern Liquid Chromatography*, John Wiley dan Sons: Canada.
- Song, L., Shen, Y., Hou, J., Lei, L., Guo, S., and Qian, C., 2011. Polymeric micelles for parenteral delivery of curcumin: Preparation, characterization and in vitro evaluation. *Colloids and Surfaces A: Physicochem. Eng. Aspects*, Vol. 390, p.25– 32.
- Sun, W., Ni, R., Zhang, X., Li, L.C., and Mao, S., 2014. Spray drying of a poorly water-soluble drug nanosuspension for tablet preparation: formulation and process optimization with bioavailability evaluation. *Drug Dev Ind Pharm*, Early Online: 1–7.
- Sun, J., Chen, F., Braun, C., Zhou, Y.Q., Rittner, H., Tian, Y.K., Cai, X.Y., and Ye, D.W., 2018. Role of curcumin in the management of pathological pain. *Phytomedicine*, doi: 10.1016/j.phymed.2018.04.045.
- Teja, S.B., Patil, S.P., Shete, G., Patel, S., and Bansal, A.K., 2013. Drug-excipient behavior in polymeric amorphous solid dispersions. *J. Excipients and Food Chem.* 4 (3).
- U.S. Pharmacopeia., 2017. *The United States Pharmacopoeia 40 Edition National Formulary 38*. Rockville. The United States Pharmacopoeia Convention.
- U.S. Pharmacopeia., 2012. *The United States Pharmacopoeia 35 Edition National Formulary 33*. Rockville. The United States Pharmacopoeia Convention.
- Uchegbu, I.F., and Schatzlein, A.G., 2006. *Polymers In Drug Delivery*. Taylor & Francis, Inc.
- Wang, S., Ye, F., Wei, F., and Zhao, G., 2017. Spray-drying of curcumin-loaded octenylsuccinated corn dextrin micelles stabilized with maltodextrin. *Powder Technology*, Vol. 307, p. 56–62.
- Xu, W., Ling, P., and Zhang, T., 2013. Polymeric Micelles, a Promising Drug Delivery System to Enhance Bioavailability of Poorly Water-Soluble Drugs. *Journal of Drug Delivery*, Volume 2013, Article ID 340315, 15 pages.
- Yin, J., Xiang, C., and Song, X., 2016. Nanoencapsulation of psoralidin via chitosan and Eudragit S100 for enhancement of oral bioavailability. *International Journal of Pharmaceutics*, Vol. 510, p. 203–209.
- Yusuf, H., Nugraheni, R., Mulyadi, N.A., Setyawan, D., and Rosita, N., 2017. Phase Behavior of Dried – DDA Liposomal Formulation Dispersed in HPMC Matrix in the presence of Saccharides. *International Journal of PharmTech Research*, Vol.10, No.1, p 50-56.

- Yuwono M. and Indrayanto G. 2005. Validation of Chromatographic Methods of Analysis. *Profiles of Drugs Substances, Exipients, and Related Methodology*. Vol. 32, p. 243-258.
- Zhang, L., Cao, F., Ding, B., Li, Q., Xi, Y., and Zhai, G., 2011. Eudragit S100 coated calcium pectinate microspheres of curcumin for colon targeting. *Journal of Microencapsulation*, Vol. 28 (7), p. 659–667.
- Zhang, Y., Ren, T., Gou, J., Zhang, L., Tao, X., Tian, B., Tian, P., Yu, D., Song, J., Liu, X., Chao, Y., Xiao, W., and Tang, X., 2017. Strategies for improving the payload of small molecular drugs in polymeric micelles. *Journal of Controlled Release*, Vol. 261, p. 352–366.
- Zhongfa, L., Chiu, M., Wang, J., Chen, W., Yen, W., Fan-Havard, P., Yen, L.D., and Chan, K.K., 2012. Enhancement of curcumin oral absorption and pharmacokinetics of curcuminoids and curcumin metabolites in mice. *Cancer Chemother Pharmacol*, Vol. 69(3), p.679–689.
- Zhu, W.T., Liu, S.Y., Wu, L., Xu, H.L., Wang, J., Ni, G.X., and Zeng, Q.B., 2017. Delivery of curcumin by directed self-assembled micelles enhances therapeutic treatment of non-small-cell lung cancer. *International Journal of Nanomedicine*, Vol. 12, p. 2621–2634.