

DAFTAR PUSTAKA

- Abiko Y & Selimovic D.,(2010), The Mechanism Of Protracted Wound Healing On Oral Mucosa In Diabetes.**Review, Bosnian Journal Of Basic Medical Sciences, 2010.(3). pp.186-191
- Akbarzadeh A, Norouzian D, Mehrabi M.R., Jamshidi Sh. , Farhangi A, Verdi A.A, Mofidian S.M.A, and Rad B.L, (2007), Induction of diabetes by streptozotocin in rats, Indian Journal of Clinical Biochemistry, 2007 / 22 (2) 60-64**
- American Diabetes Association (ADA) (2018), Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2018,** Diabetes Care Volume 41, Supplement 1, January 2018, pp.513-515.
- American Diabetes Association. (2015). Diabetes Guidelines Summary Recommendations from NDEI.Ashfield Healthcare Communiations.**pp.1-11
- André L.B, Ana M.S, Assreuy A, Ana P.N.N, Alves B, Fabrício B, Sousa B, Paulo G. de B, Silva B, Suzana C.O, Machado de S.C, Nelise AS, Lascane C, Janaína S-A.M, Evangelista A, Mário R L, Mota B. (2016). Delayed healing of oral mucosa in a diabetic rat model: Implication of TNF- α , IL-1 β and FGF-2.** Brazil.Elsevier.Life Sciences 155.pp.36–47
- Araujo M.A, Liberio S, Guerra R, Ribeiro M.N, Nascimento F.R.(2012).Mechanisms of action underlying the anti-inflamatory and immunomodulatory effects of propolis: a brief review.** BJP. 22(1): 208-219, Jan/Feb. <http://dx.doi.org/10.590/S0102-695X2011005000167>
- Bakoriya R, Thomas T, Kapil K, Soni. (2015), Wound Healing Activities of Ficus Racemosa Leaves Ethanolic Extract on Excision Wound Model of Wistar Albino Rats.** IJPSR.vol.6.issue 6.Doi 10.13040/IJPSR.0975-8232.6.(6).2631-35.pp 2631-35
- Baltzis D., Eleftheriadou I.,Veves A., (2014), To view enhanced content go to www.advancesintherapy.com Received: May 29, 2014 / Published online: July 29, inger Healthcare 31:817–836 doi: 10.1007/s12325-014-0140-x**
- Bancroft J.D. (2008), Theory and Practice of Histological Techniques.** 6th Ed. Churchill Livingstone Elsevier.pp.83
- Burkhart M.W. & Delong L. (2013). General and Oral Pathology for the Dental Higienist.** Lippincott Williams and Wilkins. Philadelphia.pp.331

Bogdanov S, (2016). *Honey in Medicine, Bee Product Science*, www.bee-hexagon.net April 2016

Cavalcante G.M, de Paula R.J.S, de Souza L.P, Sousa F.B, Rogério M, Mota L, Alves A.P.N.N., (2011), *Experimental model of traumatic ulcer in the cheek mucosa of rats, Original Article, Alimentary Tract, Acta Cirúrgica Brasileira - Vol. 26 (3) 2011 – 227*, pp. 232

Choi, J.K., Jang, J.H., Jang, W.H., Kim, J., Bae, I.H., Bae, J., Park, J. W. (2012). *The effect of epidermal growth factor (EGF) conjugated with low-molecular-weight protamine (LMWP) on wound healing of the skin.* Biomaterials, 33(33), 8579–8590.
<https://doi.org/10.1016/j.biomaterials.2012.07.061>

Cotran R, Kumar V, and Robbins S,(2015), *Pathologic Basis Of Disease*, 9th ed. Philadelphia, PA, Saundres . Elsevier, p 69 - 110

Dahlan M S, (2014). Statistik untuk kedokteran dan kesehatan . Jakarta : Epidemiologi Indonesia. Edisi 6.pp.2-15

Eleazu C.O., Eleazu C.K, Chukwuma S, Essien U.N, (2013), *Review of the mechanism of cell death resulting from streptozotocin challenge in experimental animals, its practical use and potential risk to humans*, Journal of Diabetes & Metabolic Disorders 2013, pp.4-7.
<http://www.jdmdonline.com/content/12/1/60>

Ernawati, D. S., & Sari, A. P. (2018). *Expression of vascular endothelial growth factor and matrix metalloproteinase-9 in Apis mellifera Lawang propolis extract gel-treated traumatic ulcers in diabetic rats*, Veterinary World, 11 (3) : 304-309.

Farabi MJ. (2012), *Metode Immuohistokimia*. Malang: Program studi Master Biomedik. pp.3-4

Gazaerly H.E, Eltokhy H.M, Team D., (2013). *Effect of Transforming Growth Factor Beta 1 on Wound Healing in Induced Diabetic Rats*. IJHS.Qassim univ.Vol.7.no.2.pp.160-70

Goulding V. (2015) The Effects Of DEabetes On Collagen Within Wound Healing. *The Diabetic Foot Journal* Vol.18 No.23. pp.76, 80

Guo S, & Dipietro L.A., (2010). *Factors Affecting Wound Healing*. J.Dent.Res.March: 89(3) : 219-29

Gunay A., Arpag O.F, Atilgan S, Yaman F, Atalay Y, Acikan I, (2014). *Effect of Caffeic Acid Phenethyl Ester on Palatal Mucosal Defects and Tooth Extraction Sockets.* Drug Des Devel Ther 8:2069.
<https://doi.org/10.2147/DDDT.S67623>

- Han, S. (2016).** Innovations And Andvances In Wound Healing. 2nd ed.. Seoul, Republic Of Korea (South korea): Springer. Retrieved from <https://books.google.co.id/books?id=IY-QCgAAQBAJ&hl=id&tbo=q&q=Innovations+and+advances+in+wound+healing+new+york&f=false>
- Hamid S.I, (2015).** Pengenalan, Pemeliharaan, dan Manajemen Pemilihan hewan Coba dalam Rantam 2015, Penelitian dan Tehnik Laboratorium pada Hewan Coba dan Manusia : Etik Penelitian Hewan Coba. pp 27-35
- Hardwicke, J., Schmaljohann, D., Boyce, D., & Thomas, D. (2008).** *Epidermal growth factor therapy and wound healing — past, present and future perspectives.* The Surgeon, 6(3), pp.172–173. [https://doi.org/10.1016/s1479-666x\(08\)80114-x](https://doi.org/10.1016/s1479-666x(08)80114-x)
- Harmely F., (2014)**, Formulasi gel ekstrak propolis dari sarang lebah trigona itama (Cockrell) dan aktifitas antibakteri terhadap *Staphylococcus epidermidis*. Prosiding seminar Nasional dan workshop “Perkembangan terkini sains farmasi dan klinik IV”, pp.88-90.
- Henriksen K, & Karsdal M.A. (2019).** Biochemistry of Collagens, Laminins and Elastin: Structure, Function and Biomarkers. 2nd ed. Chapter 1, Type I Collagen, Academic Press. 2019 Elsevier Inc. All rights reserved. pp.1,3 <https://doi.org/10.1016/B978-0-12-817068-7.00001-X>
- Henshaw F.R, Bolton T, Nube V, Hood A, Veldhoen D, Pfrunder L, McKew G.L., Macleod C, McLennan S.V., Twigg S.M., (2014).** Topical application of the bee hive protectant propolis is well tolerated and improves human diabetic foot ulcer healing in a prospective feasibility study, *Journal of Diabetes and Its Complications* 28. pp.850–857, <http://dx.doi.org/10.1016/j.jdiacomp.2014.07.012>
- Herawati I, Husin U.A, & Sudigdoadi S.,(2015).** Pengaruh Ekstrak Etanol Propolis Terhadap Aktivitas dan Kapasitas Fagositosis Pada Kultur Makrofag Yang Diinfeksi *Enteropathogenic Escherichia Coli* (EPEC) Vol.47.No.2, pp.2
- Hozzein W.N, Badr G, Al Ghamsi A, Sayed A, Garraud O. (2015).** *Topical Application of Propolis Enhances Cutaneous Wound Healing by Promoting TGF β / Smad Mediated Collagen Production in a Streptozotocin-Induced Type I Diabetic Mouse Model.* Cell Physiol Biochem.37:940-954.DOI:10.1159/000430221
- Ichrom M.Y., (2013).** *Dosis Efektif CAPE terhadap Proliferasi Sel Fibroblas.* Surabaya:Tesis FKG Unair

IDF Diabetes. Chapter 2: The global burden. (2015). Available from: http://www.idf.org/sites/default/files/EN_6E_Ch2_the_Global_Burden.pdf

Jorissen, R. (2003). *Epidermal growth factor receptor: mechanisms of activation and signalling.* Experimental Cell Research, 284(1) pp.31-53
[https://doi/10.1016/s0014-4827\(02\)00098-8](https://doi/10.1016/s0014-4827(02)00098-8)

Kawasaki, T., & Kawai, T. (2014). Toll-like receptor signaling pathways. Frontiers in immunology, 5, pp.461.
<https://doi.org/10.3389/fimmu.2014.00461>

Kumar V, Abbas A, Aster J. (2015). *Robbin Basic Pathology.* 9th Ed. Elsevier inc. pp.29-70

Kusumawati, (2004) Bersahabat dengan Hewan Coba, Yogyakarta: Gadjah Mada Press. pp.15

Larjava (2012). *Oral Wound Healing : Cell Biology and Clinic Management.* Willey Blackwell. West Sussex.uk. pp.43

Lobmann R, Schultz G, Lehmert H. (2005). *Proteases and Diabetic Foot Syndrome:Mechanisms and Therapeutic Implications.* Diabetes care.28(2).pp.462-71

Makareeva E.dan Leikin S.,(2014), *Collagen Structure, Folding and Function,* Eunice kennedy shriver National Institute of Child Health and human Development, National Institutes of Health, Bethesda,MD, USA, Elsevier Inc. All rights reserved. DOI: <http://doi/10.1016/B978-0-12-397165-4.00007-1> , pp.71

Martinotti. S and Ranzato, E, (2015), Propolis: a new frontier for wound healing, Martinotti and Ranzato Burns & Trauma (2015) 3 : pp.9
<https://doi/10.1186/s41038-015-0010-z>

Mc Lennan, (2008). Molekuler Aspects of Wound Healing in Diabetes, Jurnal Primary Intention Vol. 14 No.1, University of Sydney, pp.8-13

Menke, N.B., Ward, K. R., Witten, T.M., Bonchev, D.G., & Diegelmann, R. F. (2007). *Impaired wound healing.* Clinics in Dermatology, 25(1), 19 – 25. <https://doi/10.1016/j.clindermatol.2006.12.005>

Moon, J. H., Lee, M. Y., Chung, Y. J., Rhee, C. K., & Lee, S. J. (2018). Effect of topical Propolis on wound healing process after tonsillectomy: randomized controlled study. *Clinical and experimental otorhinolaryngology*, 2018, 11.2 :146 -150

Mortazavi. H., Safi Y., Baharvand M., dan Rahmani S.,(2016). *Diagnosa Features Of Common Oral Ulcerative Lesions: An Update Decision Tree*, Hindawi Publishing Corporation International Journal of Dentistry Volume 2016, Article ID 7278925, pages <http://dx.doi.org/10.1155/2016/7278925>

Mu, W., Wang, Q., Bourland, W. A., Jiang, C., Yuan, D., Pan, X., Xiong, J. (2016). *Epidermal growth factor-induced stimulation of proliferation and gene expression changes in the hypotrichous ciliate, Stylonychia lemnae*.Gene,592(1),186–192.
<https://org/doi/10.1016/j.gene.2016.08.004>

Nabhani dan Widiastuti, Y. (2017). Pengaruh Madu Terhadap Proses Penyembuhan Luka Gangren Pada Pasien Diabetes Melitus. PROFESI (Profesional Islam) Media Publikasi Penelitian 2017. Vol. 15 No. 1. pp. 65-59

Nakajima Y, Tsuruma K, Shim M, Mishima S, Hara H. (2009). *Comparison of Bee Products Based on Assays of Antioxidant Capacities*. Nagaragawa Research Center.Department of Biofunctional Evaluation,Molecular Pharmacology,Gifu Pharmaceutical University,5-6-1 Mitahora-higashi,Gifu 502-8585.Japan. Published online by Journal Bio Med Central Medicine, 1472- 6882/9:4

Nugroho A.E. (2006). *Hewan Percobaan Diabetes Mellitus : Patologi dan Mekanisme Aksi Diabetogenik*. Biodiversitas.Vol.7.No.4.DOI: 10.13057 /biodiv/d070415.pp.378-82

Ozan F, Sumer Z, Polat ZA, Ozan U, Deger O.(2007). *Effect of Mouthrinse Containing Propolis on Oral Microorganisme and Human Gingival Fibroblasts*. European Journal of Dentistry. Vol.1.pp.195

Ozougwu, J.C., Obimba, K.C, Belonwu, C.D, and Unakalamba, C.B. (2013), The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus, *journal of Physiology and Pathophysiology*, September, 2013, Vol. 4(4), pp. 48-53,

Papatheodorou K, Papanas N, Banach M, Papazoglou D, and Edmonds M,(2016), Complications of Diabetes 2016, *Journal of Diabetes Research*, Volume 2016, Hindawi Publishing Corporation, Article ID 6989453, p. 3

Paramitha Mulya Dita dan Soraya Rahamanisa. (2016). Ekstrak Etanol Herba Sambiloto (Andrographis paniculata) sebagai Antidiabetik terhadap Mencit Wistar Terinduksi Aloksan. Majority Vol. 5 No. 5. Desember 2016 pp. 75-79

- Park M.H,& Hong .J.T, (2016),** Roles of NFkB in Cancer and Inflammatory Diseases and Their Therapeutic Approaches, Review, *cells* 2016, 5. 15; <https://doi.103390/cells5020015>, www.mdpi.com/journal/cells, p.1
- Pastore S ,Mascia F ,Mariani V. and Girolomoni G, (2008),** *The epidermal growth factor receptor system in skin repair and inflammation.* J Invest Dermatol, 2008. 128(6): pp.1365-74
- Pasupuleti, V. R., Sammugam, L., Ramesh, N., & Gan, S. H. (2017).** Honey, propolis, and royal jelly: a comprehensive review of their biological actions and health benefits. *Oxidative medicine and cellular longevity*, 2017, pp.1-21 <https://doi.10.1155/2017/1259510>
- Punthakee Z., Goldenberg R., Katz P., (2018),** Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome, *Canadian Journal of Diabetes.* Journal homepage : www.canadianjournalofdiabetes.com
- Purwanto B & Liben P. (2014).** *Model hewan coba untuk penelitian Diabetes.* Surabaya. Revka Petra Media perc.pp.27-30
- Puspasari, A., Harijanti, K., Soebadi, B., Hendarti, H. T., Radithia, D., & Ernawati, D. S. (2018).** Effects of topical application of propolis extract on fibroblast growth factor-2 and fibroblast expression in the traumatic ulcers of diabetic *Rattus norvegicus*. *Journal of oral and maxillofacial pathology: JOMFP*, 22(1), 54.
- Puspitasari D. & Apriasari M.L, (2017),** Analysis of traumatic ulcer healing time under the treatment of the Mauli banana (*Musa acuminata*) 25% stem extract gel, *Padjadjaran Journal of Dentistry* 2017;29(1):21
- Putri D.E.D, & Sriwidodo, (2016).** Peranan Epidermal Growth Factor Pada Penyembuhan Luka Pasien Ulkus Diabetes, *Jurnal.unpad.ac.id./farmaka/article.volume 14 nomor 4, Desember.* pp.62-64
- Rajoo M, Parolia A, Pau A, Amalraj F.D, (2014),** *The Role of Propolis in Inflammation and Orofacial Pain: A Review,* Anjul Research & Review in Biology 4(4): 651-664,2014 Science Domain International www.sciedomain.org. pp.656
- Rakel R.E, & Rakel D., (2016),** *Textbook Of Family Medicine*, Ninth Edition, Elsevier Saunders,Philadelphia, pp.782
- Ramineni, S.K., Fowler, C.B., Fisher, P.D., Cunningham, L.L, & Puleo, D.A. (2015).** Effects of epidermal growth factor-loaded mucoadhesive films on wounded oral tissue rafts. *Biomedical materials, College of*

Dentistry University of Kentucky, Lexington, KY USA, 2015,10.1 : 015026

Rantam, F.A. (2015). *Penelitian dan Tehnik Laboratorium pada Hewan Coba dan Manusia : Etik Penelitian Hewan Coba.* pp.1-5

Regezi J.A., Sciubba J.J, Jordan R.C. (2012). *Oral Pathology: Clinical Pathologic Correlation.* 6th Ed. Missouri Sunders. pp.23-50

Riskseda, (2018). Diabetes mellitus, kementerian kesehatan Republik Indonesia

Ronald A. (2014). *Efektifitas Gel Bioadhesif Klobetasol Propriionate 0,05% pada Stomatitis Aftosa Rekuren Tipe Minor.* Jakarta:Tesis FKG UI. pp.29-30

Sabir A. (2005), Aktifitas antibakteri Flavanoid Propolis Trigon asp terhadap Bakteri Streptococcus mutans (invtro). Bagian Konservasi Gigi Fakultas Kedokteran Gigi Universitas Hasanuddin. Surabaya: Dent.J.Vol.38.No.3.Juli-September 1995. pp.135-41

Sari A.P, Harijanti K, Soebadi B, Hendarti H.T., Radithia D., Ernawati D.S,(2018), *Effects of topical application of propolis extract on fibroblast growth factor-2 and fibroblast expression in the traumatic ulcers of diabetic Rattus norvegicus,* Journal of Oral and Maxillofacial Pathology, Published by Wolters Kluwer – Medknow, Volume 22: Issue 1 : January - April 2018 pp.56,58

Sari R.P, Wahjuningsih E, Soeweondo I.K., (2014). *Modulation of FGF2 after topical application of Stichopus hermanii gel on traumatic ulcer in Wistar rats.* Dental Journal. Volume 47.Number 3. pp.126-29

Sarkar, S., Mukhopadhyay, A., Chaudhary, A., Rajput, M., Pawar, H. S., Mukherjee, R., & Chatterjee, J. (2017). *Therapeutic interfaces of honey in diabetic wound pathology.* Wound medicine, 2017, 18: 21-32

Sarto M, Saragih H. (2009), *Penentuan Toksisitas Sub Kronik Trombo Propolis pada Mencit (Mus Musculus L) Balb-C jantan.* Laboratorium penelitian dan pengujian terpadu. Yogyakarta: Fakultas Biologi Universitas Gajah Mada.

Seth, P., Bhattacharya A, Agarwal S, Tripathi RM, Thahriani A and Gianchandani P.(2018), *The Pharma Innovation Journal* 2018; 7(9): pp.203-205

Shen, C., Sun, L., Zhu, N., & Qi, F. (2017). Kindlin-1 contributes to EGF-induced re-epithelialization in skin wound healing. *International journal of molecular medicine*, 2017, 39.4 : 949-959.

Silva-Carvalho R, Baltazar F, Almeida-Aguiar C, (2015), Propolis: A Complex Natural Product with a Plethora of Biological Activities That Can Be Explored for drug Development, A Review article, Hindawi Publishing Corporation evidence-Based Complementary and Alternative Medicine, Vol.2015, <https://doi.org/10.1155/2015/206439>

Silva M.F, Pereira J.V, Godoy G.P, Barbosa KG, Bento P.M, Gomes P.Q. (2015). Prevalence Of Oral Mucosal lesions among patients with DM type 1 and 2. Doi :<http://dx.doi.org/10.1540/abd.1806-4841.20153089>

Silvipriya, K.S., Kumar, K.K., Bhat, A.R., Kumar, B.D., John, A., & Lakshmanan, P. (2015). Collagen: Animal sources and biomedical application. *J. Appl. Pharm. Sci.* 2015, 5.3,123. <https://doi/10.7324/JAPS.2015.50322>

Skyler J.S, Bakris G.L, Bonifacio E, Darsow T.E.R.H, Groop L., Groop P.H, Yehuda H, Insel R.A, Mathieu C, McElvaine A.T, Palmer J.P, Pugliese A., Schatz D.A., Sosenko J.M,15 J.P.H., Wilding and Ratner R.E. Differentiation of Diabetes by Pathophysiology, Natural History, and Prognosis, Diabetes Volume 66, February 2017, Corresponding author: Allison T. McElvaine, amcelvaine@diabetes.org.

Smith J.B, Soesanto M.,(1988), Pemeliharaan, pembibakan dan penggunaan Hewan percobaan, di daerah tropis. Jakarta. Penerbit Universitas Indonesia.pp. 43-44, 54-57

Soepribadi I., (2013). Regenerasi dan Penyembuhan, untuk kedokteran Gigi. Jakarta. Sagung Seto.pp.9.,27-28, 31-32, 61-62

Soesilo B, Mertaniasih, N.M, Koendhori, E.B, Agil, M., (2009). Komposisi Kimia dan aktivitas Antimikroba Propolis dari malang jawa timur, Surabaya:J. Peneliti Med. Eksakta Vol.8.No.1. pp.23-30

Tjokroprawiro A, Murtiwi S.,(2015). Buku Ajar Ilmu Penyakit Dalam, Endokrinologi Metabolik : Diabetes Mellitus, FK UNAIR Rumah Sakit Pendidikan Dr. Soetomo Surabaya. Ed.2 Surabaya : Airlangga University Press.pp.71-4, 82-3, 97-8

Toker H, Ozan F, Ozer H, Ozdemir H, Eren K, Yeler H. (2008). *Morphometric and Histopathologic evaluation of the effect of propolis on alveolar bone loss in experimental periodontitis in rats.* J periodontal.79(6).pp.1094

Toreti V.C, Helia H.S, Glauca M.P, dan Yong K.P.(2013). *Recent Progress of Propolis for Its Biological and Chemical Compositions and Its Botanical Origin, review article.* Hindawi Publishing Corporation

Evidence-Based Complementary and Alternative Medicine Vol 2013,
<https://dx.doi.org/10.1155/2013/697390> , pp 1-13

Tripathi R., Tripathi K., (2015), Management Of Non Healing Oral Ulcer in Diabetic Patient Using Tropical Application Of Epidermal Growth Factor :A Case Report. Scholars Academic Journal of Biosciences (SAJB), (An. International Publisher for Academic and Scientific Resources), www.saspublisher.com , pp.640

Triyono B., (2008), Perbedaan Tampilan Kolagen Di sekitar Luka Insisi Pada Tikus Wistar Yang Diberi Infiltrasi Penghilang Nyeri Levobupivakain Dan Yang Tidak Diberi Levobupivakain, Tesis, Univ. Diponegoro, Semarang.

Vereecke L, Beyaert R, Van Loo G, 2009, *The ubiquitin-editing enzyme A20 (TNFAIP3) is a central regulator of immunopathology, Review, Trends in immunology Vol.30 No.8, Doi:10.1016/j.it.2009.05.007, pp.383*

Viuda M.V, Ruiz N.Y, Fernández L.J, Pérez Á.J. (2008). *Functional Properties of Honey, Propolis, and Royal Jelly.* Journal of Food Science,73:R117–R124.DOI: 10.1111/j.1750-3841.2008.00966

Wass J. & Owen K, (2014). Oxford Handbook of Endocrinology and Diabetes, 3nd ed. Oxford University Press 2014, pp.684

Woo S.B, Greenberg M.S, (2015). *Burket's Oral Medicine; Ulcerative, Vesicular, and Bullous Lessons.* Chapter 4.12th Ed. People's Med.Publ. pp.86 -88

Young, A. & McNaught, C.E. (2011). The physiology of wound healing. Surgery,29(10),475-479. <https://doi/10.1016/j.mpsur.2011.06.011>

Yustina L, (2013). *Cytotoxicity Test of Propolis Apis Mellifera L. Extract On Fibroblast Cell BHK-21,* Surabaya:Tesis FKG unair

Zhang, X., Gureasko, J., Shen, K., Cole, P. A., & Kuriyan, J. (2006). An allosteric mechanism for activation of the kinase domain of epidermal growth factor receptor. Cell, 2006, 125. 6 : 1137-1149