

DAFTAR PUSTAKA

- Affandhi RAA, Sugijanto NEN, Ekowati J. 2018. Extraction, Isolation and Analysis of Chondroitin Sulphate from Chicken Shank by Spectrophotometric Method. *Res. J. Pharm. Technol.* 11:5327–31
- Akamatsu S, Mitsuhashi T. 2012. Development of a Simple Capillary Electrophoretic Determination of Glucosamine in Nutritional Supplements Using in-Capillary Derivatization with o-phthalaldehyde. *Food Chem.* 130:1137–41
- Alpert AJ. 2008. Electrostatic Repulsion Hydrophilic Interaction Chromatography for Isocratic Separation of Charged Solutes and Selective Isolation of Phosphopeptide. *Anal. Chem.* 80:62–76
- Anderson JW, Nicolosi RJ, Borzeleca JF. 2005. Glucosamine Effects in Humans: A Review of Effects on Glucose Metabolism, Side Effects, Safety Consideration and Efficacy. *Food Chem. Toxicol.* 43:187–201
- Asthana C, Peterson GM, Shastri M, Patel RP. 2019. Development and Validation of a Novel High Performance Liquid Chromatography-coupled with Corona Charged Aerosol Detector Method for Quantification of Glucosamine in Dietary Supplements. *PLoS One.* 1–20
- Bluszewski B, Noga S. 2012. Hydrophilic Interaction Liquid Chromatography (HILIC)-A Powerful Separation Technique. *Anal. Bioanal. Chem.* 402 :231–41
- Chemaxon. 2020. Calculators and Predictors High-quality physico-chemical calculations and predictions for drug discovery. available at: <https://chemaxon.com/products/calculators-and-predictors>
- Chunmei M, Zhun S, Changbao C, Lili Z, Shuhua Z, 2014. Simultaneous separation and determination of fructose, sorbitol, glucose in fruits by HPLC-ELSD. *Food Chemistry.* 145: 784-788.
- Condenzo-Hoyos L, Perez-Lopez E, Ruperez P. 2015. Improved Evaporative Light Scattering Detection for Carbohydrate Analysis. *Food Chem.* 180:265–71
- Cubbon S, Antonio C, Wilson J, Thomas-oates J. 2010. Metabolomics Applications of HILIC-LC-MS. *Mass spectroscopy review.* 29:671–84
- Dinh NP, Jonsson T, Irgum K. 2013. Water Uptake on Polar Stationary Phases Under Conditions for Hydrophilic Interaction Chromatography and Its Relation to Solute Retention. *J. Chromatogr. A.* 1320:33–47
- Du J, Eddington N. 2002. Determination of The Chondroitin Sulfate Disaccharide in Dog and Horse Plasma by HPLC Using Chondroitinase Digestion, Precolumn Derivatization and Fluorescence Detection. *Analytical*

Biochemistry. 306:252-258.

- Gatti R, Andreatta P, Gioia MG, Boschetti S, A ETSP. 2010. Journal of Liquid Chromatography & A Simple and Validated LC Method for The Simultaneous Analysis of Glucosamine and Chondroitin Sulfate Equivalent in Dietary Products. *Journal of Liquid Chromatography & Related Technology*. 33:37–41
- Grondahl F, Tveit H, Akslen-Hoel LK, Prydz K. 2011. Easy HPLC-based Separation and Quantitation of Chondroitin Sulphate and Hyaluronan Disaccharides After Chondroitinase ABC Treatment. *Carbohydr. Res.* 346:50–57
- Guo Y. 2015. Recent Progress in the Fundamental Understanding of Hydrophilic Interaction Chromatography (HILIC). *Analyst*. 140:6452–66
- Guo Y, Gaiki S. 2005. Retention behavior of small polar compounds on polar stationary phases in hydrophilic interaction chromatography. *J. Chromatogr. A*. 1074:71–80
- Guo Y, Gaiki S. 2011. Retention and Selectivity of Stationary Phases for Hydrophilic Interaction Chromatography. *J. Chromatogr. A*. 1218:2920–2938
- Guo Y, Huang A. 2003. A HILIC Method for the Analysis of Tromethamine as the Counter Ion in an Investigational Pharmaceutical Salt. *J. Pharm. Biomed. Anal.* 31:1191–1201
- Hao Z, Xiao B, Weng N. 2008. Impact of Column Temperature and Mobile Phase Components on Selectivity of Hydrophilic Interaction Chromatography (HILIC). *J. Sep. Sci.* 31:64
- Harmita H, Jatmika C, Nugraha MI. 2017. Determination of Levels of Glucosamine Hydrochloride and Chondroitin Sulfate in Mixture in Tablet and Cream Forms Using High-performance-liquid Chromatography With Fluorescence. *International Journal of Applied Pharm.* 29:145-149
- Hemstrom P, Irgum K. 2006. Hydrophilic interaction chromatography. *J. Sep. Sci.* 29:1784–1821
- Horwitz W, 2009. Official methods of analysis of AOAC international. 18 edition. USA, *AOAC International* appendix E pp 1-6.
- Hubert C, Houari S, Lecomte F, Houbart V, Bleye C De, et al. 2010. Development and Validation of a Sensitive Solid Phase Extraction/Hydrophilic Interaction Liquid Chromatography/Mass Spectrometry Method for the Accurate Determination of Glucosamine in Dog Plasma. *J. Chromatogr. A*. 1217:3275–81
- Huskisson EC. 2008. Glucosamine and Chondroitin for Osteoarthritis. *J. Int. Med. Res.* 36:1–19

- International Conference on Harmonisation. 2005. *Validation analytical procedures: Methodology*. Available at: [gmp-compliance.org. https://www.gmp-compliance.org/guidemgr/files/Q2\(R1\).pdf](http://www.gmp-compliance.org/guidemgr/files/Q2(R1).pdf)
- Jahangir M, Khalid M, Ahmad E. 2015. Research in Chemistry and Environment Simultaneous Estimation of Glucosamine Sulfate and Chondroitin Sulfate Mixture.5:21–27
- Ji D, Zhang L, Chen J, Peng E. 2005. Precolumn Derivatization Liquid Chromatography Method for Analysis of Dietary Supplements for Glucosamine: Single Laboratory Validation Study. *J. AOAC Int.* 88:413
- Jin P, Ma J, Wu X, Zou D, Sun C, Hu X. 2009. Simultaneous Determination of Chondroitin Sulfate Sodium, Allantoin and Pyridoxine Hydrochloride in Pharmaceutical Eye Drops by an Ion-Pair High-Performance Liquid Chromatography. *J. Pharm. Biomed. Anal.* 50:293–97
- Kawachi Y, Ikegami T, Takubo H, Ikegami Y, Miyamoto M, Tanaka N. 2011. Chromatographic Characterization of Hydrophilic Interaction Liquid Chromatography Stationary Phases: Hydrophilicity, Charge Effects, Structural Selectivity, and Separation Efficiency. *J. Chromatogr. A.* 1218:5903–19
- Kim HJ, Bae IK, Jeong MH, Park HJ, Jung JS, Kim JE. 2015. A new HPLC-ELSD Method for Simultaneous Determination of n-acetylglucosamine and n-acetylgalactosamine in Dairy Foods. *Int. J. Anal. Chem.* 8:1–8
- Kirkham SG, Samarasinghe RK. 2009. Review Article: Glucosamine. *J. Orthop. Surg.* 17:72–76
- Kornfeld R, Hanko V, Rohrer J. 2016. Determination of Glucosamine in Dietary Supplements Using HPAE-PAD. *Thermo Fish. Sci.*
- Laboratory of The Government Chemist. 2012. A review of methods available for determination of chondroitin sulfate in supplements. Available at: http://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/318707/Determination_of_chondroitin_sulphate.pdf
- Lafosse M, Herbreteau B. 2002. Carbohydrate Analysis by LC and SFC Using Evaporative Light Scattering Detection. *J. Chromatogr. Libr.* 66:1101–34
- Lie M, Hewitt D, Cornell C, Skidmore K, Kao YH, Sugahara J, 2013. The Effect of Membrane Filters Used in Biopharmaceutical Process on The Concentration and Composition of Polysorbate 20. *Biothechnol Prog.* 29:1503-1511.
- Loeser RF. 2017. The Role of Aging in the Development of Osteoarthritis. *Trans. Am. Clin. Climatol. Assoc.* 128:44–54
- Lou D-W, Saito Y, Zarzycki PK, Ogawa M, Jinno K. 2006. Isocratic Separation of Ginsenosides by High-performance Liquid Chromatography on a Diol

- Column at Subambient Temperatures. *Anal. Bioanal. Chem.* 385:96–104
- Lucena R, Cardenas S, Valcarcel M. 2007. Evaporative Light Scattering Detection: Trends in Its Analytical Uses. *Anal. Bioanal. Chem.* 388:1663–72
- Megantara S, Mutakin, Levita J. 2016. Prediction of Log P and Spectrum of Quercetine, Glucosamine, and Andrographolide and Its Correlation with Laboratory Analysis. *Int. J. Pharm. Pharm. Sci.* 8:31-37
- Meyer VR. 2010. *Detectors Practical High-Performance Liquid Chromatography*. Saint Gallen: John Willey & Sons Ltd. 90-115
- Mitchell CR, Bao Y, Benz NJ, Zhang S. 2009. Comparison of the Sensitivity of Evaporative Universal Detectors and LC/MS in the HILIC and the Reversed-Phase HPLC Modes. *J. Chromatogr. B Anal. Technol. Biomed. Life Sci.* 877:4133–39
- Moldoveanu S, David V. 2012. *Essentials in Modern HPLC Separation 1th Edition*. Amsterdam: Elsevier. 1-57
- Naidong W. 2003. Bioanalytical Liquid Chromatography Tandem Mass Spectrometry Methods on Underivatized Silica Columns With Aqueous/Organic Mobile Phases. *J. Chromatogr. B Anal. Technol. Biomed. Life Sci.* 796:209–24
- Nagarajan P, Sathis KD, Somsubhra G, Harani A, Maheswaran N, David B. 2013. Method Development and Validation for Glucosamine and Chondroitin Sulphate in Soflet Form by RP-HPLC. *Res Rev J Pharm Anal.* 2:6-10.
- Narayana Ch L, Subrahmanyam D, Dubey PK. 2012. A Novel LC-ELSD Method for the Quantification of 2-Deoxy D-Glucose Using HILIC Chromatography. *Sch. Res. Libr.* 4:591–98
- Nogueira LC, Silva F, Ferreira IMPLVO, Trugo LC. 2005. Separation and Quantification of Beer Carbohydrates by High-Performance Liquid Chromatography With Evaporative Light Scattering Detection. *J. Chromatogr. A.* 1065:207–10
- Paek IB, Moon Y, Ji HY, Kim H-H, Lee HW, et al. 2004. Hydrophilic Interaction Liquid Chromatography-tandem Mass Spectrometry for the Determination of Levosulpiride in Human Plasma. *J. Chromatogr. B Anal. Technol. Biomed. Life Sci.* 809:345–50
- Putri AK, Kartosentono S, Sugijanto NEN. 2019. Isolation of glucosamine HCl from Scilla paramamosain and determination by HPLC. *J. Teknol. (Science Engenering)*. 81:1–8
- Quigley CL, Zheng L, Kim M, Han P. 2017. Determination of Glucosamine in Food Supplements by HILIC-ESI-MSNo Title. *Eur. Pharm. Rev.* 22:62–65
- Raman R, Sasisekharan V, Sasisekharan R. 2005. Structural Insights into

- Biological Roles of Protein-Glycosaminoglycan Interactions. *Chem. Biol.* 12:267–77
- Rani JS, Devanna N. 2017. A New RP-HPLC Method Development and Validation for Simultaneous Estimation of Sofosbuvir and Velpatasvir in Pharmaceutical Dosage Form. *Int. J. Eng. Technol. Sci. Res.* 4:145–52
- Rethore N, Rajan RS, 2008. Current perspectives on stability of protein drug products during formulation. *Biotechnol Prog.* 24:504-614.
- Rohman A. 2009. *Kromatografi Untuk Analisis Obat*. Yogyakarta: Graha Ilmu. 5-77
- Santos GRC, Piequet AA, Glauser BF, Tovar AMF, Pereira MS, Vilanova E, Mourn PA. 2017. Systematic Analysis of Pharmaceutical Preparations of Chondroitin Sulfate Combined with Glucosamine. *Pharmaceutical* 38:1-15.
- Sentkowska A, Biesaga M, Pyrzynska K. 2013. Effects of the Operation Parameters on HILIC Separation of Flavonoids on Zwitterionic Column. *Talanta.* 115:90
- Shao Y, Alluri R, Mummert M, Koetter U, Lech S, 2004. A Stability-indicating HPLC Method for The Determination of Glucosamine in Pharmaceutical Formulation. *Journal of Pharmaceutical and Biomedical Analysis* 35:625-631.
- Shimadzu. 2020. Principles and Practical Applications of Shimadzu's ELSD LT II Evaporative Light Scattering Detector Technical Report. Shimadzu. Available at: <https://www.shimadzu.com/an/literature/hplc/c190e108.html>.
- SIELC. 2020. *Applications: HPLC separation of glucosamine and chondroitin sulfate*. sielc.com. Available at: <https://www.sielc.com/compound-glucosamine.html>.
- Skoog D, Holler F, Chouch S. 2007. *Principles of Instrumental Analysis*. Belmont: Thomson Brooks/Cole. 6th ed.510-516
- Soeroso J, Isbagio H, Khalim H, Broto R, Pramudiyo R. 2009. *Osteoarthritis*. Jakarta: University Press. 2538-2548.
- Sugahara K, Mikami T, Uyama T, Mizuguchi S, Nomura K, Kitagawa H. 2003. Recent Advances in the Structural Biology of Chondroitin Sulfate and Dermatan Sulfate. *Curr. Opin. Struct. Biol.* 13:612–20
- Supplements D. 2016. Determination of Chondroitin Sulfate Content in Raw Materials and Dietary Supplements by High-Performance Liquid Chromatography with UV Detection After Enzymatic Hydrolysis: Single-Laboratory Validation First Action 2015.11:53–54
- Swartz M. 2010. HPLC detector: A brief review. *J. Liq. Chromatogr. Relat. Technol.* 33:1130–50

- The United States Pharmacopeia. 2018. *Rockville: the United States Pharmacopeia Convention*. Available at: [usppf.com](http://www.usppf.com). <http://www.usppf.com/pf/index.html>
- Tjahjono DH, Surantaatmadja SI, Darijanto ST. 2007. Analysis of Glucosamine in Cream Dosage Form and Diffusion Liquid by High Performance Liquid Chromatography. *J. Ion Exch.* 18:420–21
- Tommeraaas K, Wahlund P-O. 2009. Poly-acid Properties of Biosynthetic Hyaluronan Studied by Titration. *Carbohydr. Polym.* 77:194–200
- Tyler T, Khandelwal B, Norden D, Rolle FRo. 2002. Determination of Chondroitin Sulfate in Raw Materials by Liquid Chromatography. *J. AOAC Int.* 85:567–71
- Vaclavikova E, Kvasnicka F. 2013. Isotachophoretic Determination of Glucosamine and Chondroitin Sulphate in Dietary Supplements. *Czech J. Food Sci.* 31:55–65
- Volpi N, Mucci A, Schenetti L. 1999. Stability Studies of Chondroitin Sulfate. *Carbohydr. Res.* 315:345–49
- Way WK, Gibson KG, Breite AG. 2000. Determination of Glucosamine in Nutritional Supplements by Reversed-Phase Ion-Pairing HPLC. *J. Liq. Chromatogr Technol.* 23:2861–71
- Xinmin W, Ruili Z, Zhihua L, Yuanhong W, Tingfu J. 2008. Determination of Glucosamine and Lactose in Milk-based Formulae by High-performance Liquid Chromatography. *J. Food Compos. Anal.* 21:255–58
- Young CS, Dolan JW. 2003. Success with Evaporative Light-Scattering Detection. Available at: lcgceurope.com. www.lcgceurope.com
- Yuwono M, Indrayanto G. 2005. Validation of Chromatographic Methods of Analysis. *Profiles drug substances, excipients, Relat. Methodol.* 32:243–59
- Yuyun. 2009. Development and Evaluation of New Silica Based Polar and Non Polar Mixed Stationary Phases for HPLC. Universiteit Wien, Austria.
- Zhang J, Raglione T, Wang Q, Kleintop B, Tomasella F, Liang X. 2011. Regeneration of Tetrabutylammonium Ion-Pairing Reagent Distribution in a Gradient Elution of Reversed Phase Ion Pair Chromatography. *J. Chromatogr. Sci.* 49:825–31