

## DAFTAR PUSTAKA

- Adelson, D., Albright, L., & Pollack, I. F. (Eds.). (2001). Dedication. In *Operative Techniques in Pediatric Neurosurgery*. Georg Thieme Verlag. <https://doi.org/10.1055/b-0034-52028>
- Adzick, N. S., Thom, E. A., Spong, C. Y., Brock, J. W., Burrows, P. K., Johnson, M. P., Howell, L. J., Farrell, J. A., Dabrowiak, M. E., Sutton, L. N., Gupta, N., Tulipan, N. B., D'Alton, M. E., & Farmer, D. L. (2011). A Randomized Trial of Prenatal versus Postnatal Repair of Myelomeningocele. *New England Journal of Medicine*, 364(11), 993–1004. <https://doi.org/10.1056/NEJMoa1014379>
- Allali, G., Laidet, M., Armand, S., & Assal, F. (2018). Brain comorbidities in normal pressure hydrocephalus. *European Journal of Neurology*, 25(3), 542–548. <https://doi.org/10.1111/ene.13543>
- Almasteir, S. (2011). *Prinsip Dasar Ilmu Gizi*. PT. Gramedia Pustaka Utama.
- Alomran, A. K., Abahussain, M. A., Aldossary, A. A., & Alshammari, I. B. (2019). Meningomyelocele with unusual feet deformity combination: A report of a rare case. *Journal of Taibah University Medical Sciences*, 14(5), 472–476. <https://doi.org/10.1016/j.jtumed.2019.07.004>
- Atsushi, O., Tomonoh, Y., Hayashi, H., Ohta, E., Kinoshita, R., Mori, T., & Hirose, H. U. S. (2007). *Department of Pediatrics Graduate School of Medicine, Chiba University*.
- Avida Marisa Ilmi, Viskasari Pintoko Kalanjati, W. S. (2019). PROFIL PASIEN ENSEFALOKEL ANAK USIA 0 -18 TAHUN DI DEPARTEMEN BEDAH SARAF RSUD DR. SOETOMO SURABAYA. *Concept and Communication*, null(23), 301–316. <https://doi.org/10.15797/concom.2019..23.009>
- Cameron, M., & Moran, P. (2009). Prenatal screening and diagnosis of neural tube defects. *Prenatal Diagnosis*, 29(4), 402–411. <https://doi.org/10.1002/pd.2250>
- Consul, B. N., & Kulshrestha, P. (1965). *through meninges*,. 374–376.
- Crider, K. S., Bailey, L. B., & Berry, R. J. (2011). Folic Acid Food Fortification—Its History, Effect, Concerns, and Future Directions. *Nutrients*, 3(3), 370–384. <https://doi.org/10.3390/nu3030370>
- Czeizel, A. E., Dudás, I., Paput, L., & Bánhidy, F. (2011). Prevention of Neural-Tube Defects with Periconceptional Folic Acid, Methylfolate, or Multivitamins? *Annals of Nutrition and Metabolism*, 58(4), 263–271. <https://doi.org/10.1159/000330776>
- de Jong, T. P. V. M., Chrzan, R., Klijn, A. J., & Dik, P. (2008). Treatment of the neurogenic bladder in spina bifida. *Pediatric Nephrology*, 23(6), 889–896. <https://doi.org/10.1007/s00467-008-0780-7>
- Deavenport, A., Kreutzer, C. B., & Rao, S. (2014). An Opportunity to Increase Early Childhood Nutrition Training Among Providers. *ICAN: Infant, Child, & Adolescent Nutrition*, 6(1), 14–17.

<https://doi.org/10.1177/1941406413513153>

- Dhingani, D., Boruah, D., Dutta, H., & Gogoi, R. (2016). Ultrasonography and magnetic resonance imaging evaluation of pediatric spinal anomalies. *Journal of Pediatric Neurosciences*, 11(3), 206. <https://doi.org/10.4103/1817-1745.193374>
- Djuwita, I., Rhamaniwati, M., Darusman, L. K., & Sa'diah, S. (2013). Induksi Ekstrak Pegagan Secara in vitro terhadap Proliferasi dan Diferensiasi Sel-Sel Otak Besar Anak Tikus. *Jurnal Veteriner*, 14(2), 138–144. <http://ojs.unud.ac.id/index.php/jvet/article/viewFile/6372/4896>
- El Badry, A., Azeez, A., & Khalek, A. (2018). Microsurgical management results of occipital encephalocele. *Benha Medical Journal*, 35(2), 207. [https://doi.org/10.4103/bmfj.bmfj\\_120\\_17](https://doi.org/10.4103/bmfj.bmfj_120_17)
- Erşahin, Y., Barçın, E., & Mutluer, S. (2001). Is meningocele really an isolated lesion? *Child's Nervous System*, 17(8), 487–490. <https://doi.org/10.1007/s003810100454>
- Estimates, U. S. (2012). *Facts about Spina Bifida 1995-2009 Spina Bifida in Arizona Spina Bifida in Arizona is higher among the Hispanic*. 1–6.
- Forrester, M. B., & Merz, R. D. (2004). Descriptive epidemiology of lipomyelomeningocele, Hawaii, 1986-2001. *Birth Defects Research Part A: Clinical and Molecular Teratology*, 70(12), 953–956. <https://doi.org/10.1002/bdra.20092>
- França, T., Ishikawa, L., Zorzella-Pezavento, S., Chiuso-Minicucci, F., da Cunha, M., & Sartori, A. (2009). Impact of malnutrition on immunity and infection. *Journal of Venomous Animals and Toxins Including Tropical Diseases*, 15(3), 374–390. <https://doi.org/10.1590/S1678-91992009000300003>
- Galli, R., Gritti, A., Bonfanti, L., & Vescovi, A. L. (2003). Neural Stem Cells. *Circulation Research*, 92(6), 598–608. <https://doi.org/10.1161/01.RES.0000065580.02404.F4>
- Greene, N. D. E., & Copp, A. J. (2014). Neural Tube Defects. *Annual Review of Neuroscience*, 37(1), 221–242. <https://doi.org/10.1146/annurev-neuro-062012-170354>
- Gupta, R., Pathak, S., Lalwani, G., & Dhirawani, R. (2014). Frontoethmoidal encephalocele: Case report and review on management. *Annals of Maxillofacial Surgery*, 4(2), 195. <https://doi.org/10.4103/2231-0746.147140>
- Hamdan, H. Z., Abdelbagi, I. E., Nasser, N. M., & Adam, I. (2011). Seroprevalence of cytomegalovirus and rubella among pregnant women in western Sudan. *Virology Journal*, 8(1), 217. <https://doi.org/10.1186/1743-422X-8-217>
- Hanna, R. S., Essa, A. A., Makhlouf, G. A., & Helmy, A. A. (2019). Comparative Study Between Laparoscopic and Open Techniques for Insertion of Ventriculoperitoneal Shunt for Treatment of Congenital Hydrocephalus. *Journal of Laparoendoscopic & Advanced Surgical Techniques*, 29(1), 109–113. <https://doi.org/10.1089/lap.2017.0594>
- Harris, M. J., & Juriloff, D. M. (2010). An update to the list of mouse mutants with

- neural tube closure defects and advances toward a complete genetic perspective of neural tube closure. *Birth Defects Research Part A: Clinical and Molecular Teratology*, 88(8), 653–669. <https://doi.org/10.1002/bdra.20676>
- Harvey, A. M., & MacIntosh, F. C. (1940). Calcium and synaptic transmission in a sympathetic ganglion. *The Journal of Physiology*, 97(3), 408–416. <https://doi.org/10.1113/jphysiol.1940.sp003818>
- Hashemi, B., Kazemei, T., & Bayat, A. (2010). Sphenoethmoidal encephalocele with associated malformations. *Iran J Med Sci June Iran J Med Sci*, 35(2), 2009–2011.
- Hoving, E. W. (2000). Nasal encephaloceles. *Child's Nervous System*, 16(10–11), 702–706. <https://doi.org/10.1007/s003810000339>
- Istiadjid, M., Santoso, E., & Spbs, S. (2007). *Prof Istiadjid : Asam Folat untuk Mencegah Cacat Bawaan*. 8–9.
- Jane N Githuku, Alejandro Azofeifa, Diana Valencia, Trong Ao, Heather Hamner, Samuel Amwayi, Zeinab Gura, Jared Omolo, Leland Albright, Jing Guo, and W. A. (2014). Assessing the prevalence of spina bifida and encephalocele in a Kenyan hospital from 2005–2010: implications for a neural tube defects surveillance system. *The Pan Africa Medical Journal*.
- Kadia, B. M., Aroke, D., Tianyi, F.-L., Bechem, N. N., & Dimala, C. A. (2017). Spina bifida cystica and severe congenital bilateral talipes equinovarus in one twin of a monoamniotic pair: a case report. *BMC Research Notes*, 10(1), 771. <https://doi.org/10.1186/s13104-017-3108-5>
- Kemenkes RI. (2018). InfoDATIN: Kelainan bawaan. *Pusat Data Dan Informasi Kementerian Kesehatan RI*, 1–6.
- Kingston, H. M. (1989). ABC of clinical genetics. Special issues. *BMJ*, 298(6673), 583–585. <https://doi.org/10.1136/bmj.298.6673.583>
- Kreutzer, C., & Wittenbrook, W. (2011). *NUTRITION FOCUS*. 36(5).
- Kristiyanasari, W. (2010). Gizi Ibu Hamil. In *Gizi Ibu Hamil*. Nuha Medika.
- Ladino Torres, M. F., & DiPietro, M. A. (2014). Spine Ultrasound Imaging in the Newborn. *Seminars in Ultrasound, CT and MRI*, 35(6), 652–661. <https://doi.org/10.1053/j.sult.2014.08.001>
- Lary, J. M., & Paulozzi, L. J. (2001). Sex differences in the prevalence of human birth defects: A population-based study. *Teratology*, 64(5), 237–251. <https://doi.org/10.1002/tera.1070>
- Liptak, G. and D. (n.d.). Myelomeningocele. In *TextBook Pediatrics in Review*.
- Mackay, A., Burford, A., Molinari, V., Jones, D. T. W., Izquierdo, E., Brouwer-Visser, J., Giangaspero, F., Haberler, C., Pietsch, T., Jacques, T. S., Figarella-Branger, D., Rodriguez, D., Morgan, P. S., Raman, P., Waanders, A. J., Resnick, A. C., Massimino, M., Garrè, M. L., Smith, H., ... Jones, C. (2018). Molecular, Pathological, Radiological, and Immune Profiling of Non-brainstem Pediatric High-Grade Glioma from the HERBY Phase II

- Randomized Trial. *Cancer Cell*, 33(5), 829-842.e5. <https://doi.org/10.1016/j.ccr.2018.04.004>
- Mahapatra, A. (2011). Anterior encephalocele – AIIMS experience a series of 133 patients. *Journal of Pediatric Neurosciences*, 6(3), 27. <https://doi.org/10.4103/1817-1745.85706>
- Mahapatra, A. K. (2011). Giant Encephalocele: A Study of 14 Patients. *Pediatric Neurosurgery*, 47(6), 406–411. <https://doi.org/10.1159/000338895>
- Margaron, F. C., Poenaru, D., Bransford, R., & Albright, A. L. (2010). Timing of ventriculoperitoneal shunt insertion following spina bifida closure in Kenya. *Child's Nervous System*, 26(11), 1523–1528. <https://doi.org/10.1007/s00381-010-1156-4>
- Marshall, A.-L., Setty, P., Hnatiuk, M., & Pieper, D. R. (2017). Repair of Frontoethmoidal Encephalocele in the Philippines: An Account of 30 Cases Between 2008–2013. *World Neurosurgery*, 103, 19–27. <https://doi.org/10.1016/j.wneu.2017.03.063>
- Martinez-Lage, J., Poza, M., Sola, J., Soler, C., Montalvo, C., Domingo, R., Puche, A., Ramon, F., Azorin, P., & Lasso, R. (1996). The child with a cephalocele: etiology, neuroimaging, and outcome. *Child's Nervous System*, 12(9). <https://doi.org/10.1007/BF00261608>
- McLone, D. G. (1998). Care of the Neonate With a Myelomeningocele. *Neurosurgery Clinics of North America*, 9(1), 111–120. [https://doi.org/10.1016/S1042-3680\(18\)30284-5](https://doi.org/10.1016/S1042-3680(18)30284-5)
- McPherson, A. C., Swift, J. A., Yung, E., Lyons, J., & Church, P. (2013). The assessment of weight status in children and young people attending a spina bifida outpatient clinic: a retrospective medical record review. *Disability and Rehabilitation*, 35(25), 2123–2131. <https://doi.org/10.3109/09638288.2013.771705>
- Meuli, M., Meuli-Simmen, C., Hutchins, G. M., Seller, M. J., Harrison, M. R., & Adzick, N. S. (1997). The spinal cord lesion in human fetuses with myelomeningocele: Implications for fetal surgery. *Journal of Pediatric Surgery*, 32(3), 448–452. [https://doi.org/10.1016/S0022-3468\(97\)90603-5](https://doi.org/10.1016/S0022-3468(97)90603-5)
- Million, M., Diallo, A., & Raoult, D. (2017). Gut microbiota and malnutrition. *Microbial Pathogenesis*, 106, 127–138. <https://doi.org/10.1016/j.micpath.2016.02.003>
- Mukhlisan1, H., Liputo, N. I., & Ermawati, E. (2013). Hubungan Berat Plasenta Dengan Berat Badan Lahir Bayi di Kota Pariaman. *Jurnal Kesehatan Andalas*, 2(2), 70. <https://doi.org/10.25077/jka.v2i2.122>
- Nikolic, D., Petronic, I., Cvjeticanin, S., Brdar, R., Cirovic, D., Bizic, M., Konstantinovic, L., & Matanovic, D. (2012). Gender and morphogenetic variability of patients with Spina bifida Occulta and Spina bifida Aperta: Prospective population-genetic study. *Hippokratia*, 16(1), 35–39.
- Nnamdi, I. M. (2014). Myelo-meningocele: A multi-disciplinary problem. *Nigerian Medical Journal*, 55(1), 73. <https://doi.org/10.4103/0300-1652.128177>

- Özel, S. K., & Ulman, İ. (2016). Contemporary Urological Management of Spina Bifida. *The Journal of Pediatric Research*, 3(4), 168–174. <https://doi.org/10.4274/jpr.33154>
- Pahlevi, F. R., Heryani, D., & Zuhro, A. (2019). *Craniovertebral junction meningocele : a case report*. 2(3), 64–69. <https://doi.org/10.15562/ijn.v2i3.56>
- Poletta, F. A., Rittler, M., Saleme, C., Campaña, H., Gili, J. A., Pawluk, M. S., Gimenez, L. G., Cosentino, V. R., Castilla, E. E., & López-Camelo, J. S. (2018). Neural tube defects: Sex ratio changes after fortification with folic acid. *PLOS ONE*, 13(3), e0193127. <https://doi.org/10.1371/journal.pone.0193127>
- Prabawa, M. (1998). *Angka Kejadian Kealinan Kongenital*.
- Ramdurg, S., Sukanya, M., & Maitra, J. (2015). Pediatric encephaloceles: A series of 20 cases over a period of 3 years. *Journal of Pediatric Neurosciences*, 10(4), 317. <https://doi.org/10.4103/1817-1745.174462>
- Rao, S., Yajnik, C. S., Kanade, A., Fall, C. H. D., Margetts, B. M., Jackson, A. A., Shier, R., Joshi, S., Rege, S., Lubree, H., & Desai, B. (2001). Intake of Micronutrient-Rich Foods in Rural Indian Mothers Is Associated with the Size of Their Babies at Birth: Pune Maternal Nutrition Study. *The Journal of Nutrition*, 131(4), 1217–1224. <https://doi.org/10.1093/jn/131.4.1217>
- Rathi, A. A., Nagendra, T. R., Naidu, R. C., & Gudipati, A. R. (2015). Lipomyelocele with osseous dysraphic hamartoma: A rare case report. *British Journal of Neurosurgery*, 29(6), 879–880. <https://doi.org/10.3109/02688697.2015.1054353>
- Reddy, P. A., Rajagopal, G., Harinarayan, C. V., Vanaja, V., Rajasekhar, D., Suresh, V., & Sachan, A. (2010). High Prevalence of Associated Birth Defects in Congenital Hypothyroidism. *International Journal of Pediatric Endocrinology*, 2010, 1–5. <https://doi.org/10.1155/2010/940980>
- Rehman, L., Farooq, G., & Bukhari, I. (2018). Neurosurgical interventions for occipital encephalocele. *Asian Journal of Neurosurgery*, 13(2), 233. <https://doi.org/10.4103/1793-5482.228549>
- Rosano, A., Del Bufalo, E., & Burgio, A. (2008). Status socioeconomico e occorrenza di malformazioni congenite. *Epidemiologia e Prevenzione*, 32(1), 21–26.
- Rowland, C. A., Correa, A., Cragan, J. D., & Alverson, C. J. (2006). Are Encephaloceles Neural Tube Defects? *PEDIATRICS*, 118(3), 916–923. <https://doi.org/10.1542/peds.2005-1739>
- Saadai, P., Jelin, E. B., Nijagal, A., Schechter, S. C., Hirose, S., MacKenzie, T. C., Rand, L., Goldstein, R., Farrell, J., Harrison, M., & Lee, H. (2012). Long-term outcomes after fetal therapy for congenital high airway obstructive syndrome. *Journal of Pediatric Surgery*, 47(6), 1095–1100. <https://doi.org/10.1016/j.jpedsurg.2012.03.015>
- Sadler, T. W. (2006). Langman's Medical Embryology. In *Langman's Medical Embryology* (10th ed.). Baltimore: Lippincott Williams & Wilkins arizona.

- Salih, M. A., Murshid, W. R., & Seidahmed, M. Z. (2014). Classification, clinical features, and genetics of neural tube defects. *Saudi Medical Journal*, 35(05), S5–S14.
- Santis, M. De, Cavaliere, A. F., Straface, G., & Caruso, A. (2006). Rubella infection in pregnancy. *Reproductive Toxicology*, 21(4), 390–398. <https://doi.org/10.1016/j.reprotox.2005.01.014>
- Sergides, I. G., Ho-Asjoe, M., Jarosz, J., & Bassi, S. (2008). Closed cranial meningocele with no communication to the CNS. *British Journal of Neurosurgery*, 22(4), 582–584. <https://doi.org/10.1080/02688690701824347>
- Sherwood, L. (2013). *Fisiologi Manusia Dari Sel Ke Sistem*. EGC.
- Shimony, N., & Kao, A. (2018). Neural tube defects. *Rickham's Neonatal Surgery*, 957–967. [https://doi.org/10.1007/978-1-4471-4721-3\\_50](https://doi.org/10.1007/978-1-4471-4721-3_50)
- Sinha, S. K., Dhua, A., Mathur, M. K., Singh, S., Modi, M., & Ratan, S. K. (2012). Neural tube defect repair and ventriculoperitoneal shunting: indications and outcome. *Journal of Neonatal Surgery*, 1(2), 21.
- Suwanwela, C., & Hongsaprabhas, C. (1966). Fronto-Ethmoidal Encephalomeningocele. *Journal of Neurosurgery*, 25(2), 172–182. <https://doi.org/10.3171/jns.1966.25.2.0172>
- Tai, D., Dick, P., To, T., & Wright, J. G. (2006). Development of Pediatric Comorbidity Prediction Model. *Archives of Pediatrics & Adolescent Medicine*, 160(3), 293. <https://doi.org/10.1001/archpedi.160.3.293>
- Takahashi, S., Sekido, K., Ohtsubo, Y., Saida, A., & Yamamoto, I. (1999). Dandy-Walker Syndrome Meningocele and Associated Spinal with Lipoma Occipital Case Report & mdash ; *Neurologia-Medico Chirurgica*, 39, 544–547.
- Talamonti, G., D'Aliberti, G., & Collice, M. (2007). Myelomeningocele: long-term neurosurgical treatment and follow-up in 202 patients. *Journal of Neurosurgery: Pediatrics*, 107(5), 368–386. <https://doi.org/10.3171/PED-07/11/368>
- Tesini, B. (2018). Overview of Neonatal Infections. *MSD Manual Professional Edition*. <https://www.msdmanuals.com/professional/pediatrics/infections-in-neonates/overview-of-neonatal-infections>
- Thaller, S. R., Hoyt, J., Tesluk, H., & Holmes, R. (1993). The Effect of Insulin Growth Factor-1 on Calvarial Sutures in a Sprague-Dawley Rat. *Journal of Craniofacial Surgery*, 4(1), 35–39. <https://doi.org/10.1097/00001665-199301000-00008>
- Ugras, M., & Kavak, O. (2016). New born children with Encephalocele. *Journal of Neurology and Neuroscience*, 7(1), 1–4. <https://doi.org/10.21767/2171-6625.100073>
- Ulsenheimer, M. M. M., Antoniuk, S. A., Santos, L. H. C. dos, Ceccatto, M. P., Silveira, A. E. da, Ruiz, A. P., Egger, P., & Bruck, I. (2004). Myelomeningocele: a Brazilian University Hospital experience. *Arquivos de Neuro-Psiquiatria*, 62(4), 963–968. <https://doi.org/10.1590/S0004-282X2004000600006>

- UNICEF. (2014). *Pemberian Nutrisi.* <https://www.unicef.org/indonesia/id/nutrisi%0A>
- Velho, V., Naik, H., Survashe, P., Guthe, S., Bhide, A., Bhople, L., & Guha, A. (2019). Management strategies of cranial encephaloceles: A neurosurgical challenge. *Asian Journal of Neurosurgery*, 14(3), 718. [https://doi.org/10.4103/ajns.AJNS\\_139\\_17](https://doi.org/10.4103/ajns.AJNS_139_17)
- Walia, B., Bhargava, P., & Sandhu, K. (2005). Giant Occipital Encephalocele. *Medical Journal Armed Forces India*, 61(3), 293–294. [https://doi.org/10.1016/S0377-1237\(05\)80181-9](https://doi.org/10.1016/S0377-1237(05)80181-9)
- Wang, Y., Liu, G., Canfield, M. A., Mai, C. T., Gilboa, S. M., Meyer, R. E., Anderka, M., Copeland, G. E., Kucik, J. E., Nembhard, W. N., & Kirby, R. S. (2015). Racial/Ethnic Differences in Survival of United States Children with Birth Defects: A Population-Based Study. *The Journal of Pediatrics*, 166(4), 819-826.e2. <https://doi.org/10.1016/j.jpeds.2014.12.025>
- Wang, Z.-P., Shang, X.-X., & Zhao, Z.-T. (2012). Low maternal vitamin B 12 is a risk factor for neural tube defects: a meta-analysis. *The Journal of Maternal-Fetal & Neonatal Medicine*, 25(4), 389–394. <https://doi.org/10.3109/14767058.2011.580800>
- Warf, B. C., Stagno, V., & Mugamba, J. (2011). Encephalocele in Uganda: ethnic distinctions in lesion location, endoscopic management of hydrocephalus, and survival in 110 consecutive children. *Journal of Neurosurgery: Pediatrics*, 7(1), 88–93. <https://doi.org/10.3171/2010.9.PEDS10326>
- Weiss, D. A., Lee, A. S., Flanders, T. M., Long, C. J., van Batavia, J. P., Zderic, S. A., & Heuer, G. G. (2019). Neurological dysfunction of the bladder from myelomeningocele. *Neurosurgical Focus*, 47(4), 1–8. <https://doi.org/10.3171/2019.7.FOCUS19468>
- WHO. (2011). *Neonatal mortality: trends 1990-2010.* [https://www.who.int/maternal\\_child\\_adolescent/topics/newborn/neonatal\\_mortality/en/](https://www.who.int/maternal_child_adolescent/topics/newborn/neonatal_mortality/en/)
- WHO. (2016a). *Congenital anomalies.* <https://www.who.int/news-room/fact-sheets/detail/congenital-anomalies>
- WHO. (2016b). *Congenital anomalies.* <https://www.who.int/news-room/fact-sheets/detail/congenital-anomalies>
- Williams, L. J., Mai, C. T., Edmonds, L. D., Shaw, G. M., Kirby, R. S., Hobbs, C. A., Sever, L. E., Miller, L. A., Meaney, F. J., & Levitt, M. (2002). Prevalence of spina bifida and anencephaly during the transition to mandatory folic acid fortification in the United States. *Teratology*, 66(1), 33–39. <https://doi.org/10.1002/tera.10060>
- Wohon, E., Harijono, B., & Saleh, S. C. (2012). Manajemen Anestesia pada Anak dengan Nasofrontal Meningoencephalocele dan Hydrocephalus Non-Communicant. *Jurnal Neuroanestesi Indonesia*, 1(1), 39–43. <https://doi.org/10.24244/10.24244/jni.v1i1.85>
- Wulan, A. J., & Simanjuntak, D. L. (2016). Faktor-Faktor yang Mempengaruhi

- Kejadian Neural Tube Defect. *Majority*, 5(3), 55–61.  
<http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/1037/831>
- Yorulmaz, A., & Konak, M. (2019). Short-term results of patients with neural tube defects followed-up in the Konya region, Turkey. *Birth Defects Research*, 111(5), 261–269. <https://doi.org/10.1002/bdr2.1462>
- Yoshida, F., Morioka, T., Hashiguchi, K., Kawamura, T., Miyagi, Y., Nagata, S., Mihara, F., Ohshio, M., & Sasaki, T. (2006). Epilepsy in patients with spina bifida in the lumbosacral region. *Neurosurgical Review*, 29(4), 327–332. <https://doi.org/10.1007/s10143-006-0035-7>
- Yucetas, S. C., & Uçler, N. (2017). A Retrospective Analysis of Neonatal Encephalocele Predisposing Factors and Outcomes. *Pediatric Neurosurgery*, 52(2), 73–76. <https://doi.org/10.1159/000452805>
- Zaganjor, I., Sekkarie, A., Tsang, B. L., Williams, J., Razzaghi, H., Mulinare, J., Snieszek, J. E., Cannon, M. J., & Rosenthal, J. (2016). Describing the Prevalence of Neural Tube Defects Worldwide: A Systematic Literature Review. *PLOS ONE*, 11(4), e0151586. <https://doi.org/10.1371/journal.pone.0151586>