

## DAFTAR PUSTAKA

Allen, R.D., 1957. *Differential thermal analysis of selected borate minerals*. Washington:US Government Printing Office, p. 196 – 203.

Amorij, J.P., Huckriede, A., Wilschut, J., Frijlink, H.W., Hinrichs, W.L., 2008. Development of stable influenza vaccine powder formulations: challenges and possibilities. *Pharm. Res.*, Vol. 25, p. 125-1273.

Anderson, Christin. 2000. Production and delivery of recombinant subunit vaccines, p. 1-102.

Aqueel, Shalkh, Sarakar, D.M., Misal, R.B., Mohare, Y. and Hattiangbire, K. 2013. Bioadhesive Microspheres As A Controlled Drug Delivery System. *American Journal of Pharmtech Research*, Vol. 3, p.170-189.

Aslani, P., Kennedy, R.A., 1996. Studies on diffusion in alginate gels. I. Effects of cross-linking with calcium or zinc ions on diffusion of acetaminophen. *J. Control Release*, Vol. 42, p. 75-82.

Aynie, I., Vauthier, C., Chacun, H., Fattal, E., Couvreur, P., 1999. Spongelike alginate nanoparticles as a new potential system for the delivery of antisense oligonucleotides. *Antisense and Nuclei Acid Drug Development*, Vol. 9, p. 301-312.

Bajpai, S.K. and Sharma, S., 2004. Investigation of swelling / degradation behavior of alginate beads crosslinked with  $\text{Ca}^{2+}$  and  $\text{Ba}^{2+}$  ions. *Reactive and Functional Polymers*, Vol. 59, pp. 129-140.

Benoit, M-A., Baras, B., Gillard, J., 1999. Preparation and characterization of protein-loaded poly(o-caprolactone) microparticles for oral vaccine delivery. *International Journals of Pharmaceutics*, p. 73-84.

Birnbaum, D.T., Peppas, L.B., 2003. Microparticle Drug Delivery Systems. *Drug Delivery Systems in Cancer Therapy*, p. 117-136.

[Bonifaz](#), Laura., [David](#), B., Karsten, M., Miguel, R., Michel, C.N. and Ralph, M.S. 2002. Efficient targeting of protein antigen to the dendritic cell receptor DEC-205 in the steady state leads to antigen presentation on major histocompatibility complex class I products and peripheral CD8+ T Cell tolerance. *J. Exp. Med*, Vol. 196, p. 1627-1638.

Calvo, P., Reminan-Lopez, C., Vila-Jato, J.L., Alonso, M.J., 1997. Chitosan and chitosan/ethylene oxide-propylene oxide block copolymer nanoparticled as novel carriers for proteins and vaccines. *Pharmaceutical Research*, Vol. 14, p. 1431-1436.

Curtis, H. 1983. Biology, New York: Worth Publishers Inc. S. Aderson.

Departemen Kesehatan Republik Indonesia. 1995. **Farmakope Indonesia Edisi IV. Jakarta**: Departemen Kesehatan, hal. 18-19.

Dincer, I., Wiley, J., Sons. 2003. Refrigeration systems and applications, pp. 534-536.

Dubey, R., Shami, T.C., Rao, K.U.B., 2009. Microencapsulation technology and application. *Science Journal*, Vol. 59, No. 1, pp. 82-95.

Eldridge, J.H., Staas, J.A., Meulbroek, J.A., Tice, T.R., Gilley, R.M., 1991. Biodegradable and biocompatible poly(DL-lactide-co-glycolide) microspheres as an adjuvant for staphylococcal enterotoxin B toxoid which enhances the level of toxin-neutralizing antibodies. *Infect. Immune*, Vol. 59, p. 2978-2986.

Friese, A., Seiller, E., Quack, G., Lorenz, B., Kreuter, J., 2000. Increase of the duration of the anticonvulsive activity of a novel NMDA receptor antagonist using poly(butylcyanoacrylate) nanoparticles as a parenteral controlled release system. *European Journal of Pharmaceutics and Biopharmaceutics*, Vol. 49, p. 103-109.

Goerge, J.P., Datta, A.K., 2002. Development and validation of heat and mass transfer models for freeze-drying of vegetables slices. *J.Food Eng.*, Vol. 52, p. 89-93.

Gombotz, W.R., Siow Fong Wee, 1998. *Protein Release From Alginate Matrices*. *Advanced Drug Delivery Reviews* 31, p. 267-285.

Gotschlich, E.C., Liu, T.Y. and Artenstein, M.S., 1969. Human immunity to the meningococcus-Preparation and immunochemical properties of the group A, group B, and group C meningococcal polysaccharides. **J. Exp. Med.**, Vol. 129, p. 1349-1365.

Gref, R., Quellec, P., Sanchez, A., Calvo, P., Dellacherie, E., Alonso, M.J. 2001. Development and characterization of CyA-loaded poly(lactid acid) / poly(ethylene glycol) PEG micro- and nanoparticles. Comparison with conventional PLA particulate carriers. **European Journal of Pharmaceutics and Biopharmaceutics**, Vol. 51, p. 111-118.

Groot, J.D. and Jongh, H.H.J.D., 2003. The presence of heat-stable conformers of ovalbumin affects properties of thermally formed aggregates. **Protein Engineering**, Vol. 16 No 12, p. 1035-1040.

Guzman, R., Ereifej, E.S., Broadrick, K.M., Rogers, R.A. and VandeVord, P.J., 2008. Alginate-matrigel microencapsulated Schwann cells for inducible secretion of glial cell line derived neurotrophic factor. **Journal of Microencapsulation**, Vol. 17, p. 1-12.

Hansson, M., Nygren, P.A., Stahl, S., 2000. Design and production of recombinant subunit vaccines. **Biotechnol. Appl. Biochem.**, Vol. 31, p. 95-107.

Hilleman, M.R., Carlson, A.J., Jr., McLean, A.A., Vella, P.P., Weibel, R.E. and Woodhour, A.F., 1981. Streptococcus pneumonia polysaccharide vaccine: age and dose responses, safety, persistence of antibody, revaccination, and simultaneous administration of pneumococcal and influenza vaccines. **Rev. Infect. Dis.**, Suppl. 3, p. 31-42.

Hurtado, Pepi Lopez and Sudaxshina M. 2006. An investigation into the adjuvanticity and immunogenicity of zein microspheres being researched as drug and vaccine carriers. **Journal of Pharmacy and Pharmacology Manuscript Draft**, p. 1-30

Jamini, M. and Rawat, S., 2013. A review on microsphere. **Research Journal of Pharmaceutical, Biological and Chemical Sciences**, Vol. 4, p. 1223-1233.

Jaya, S., Durance, T.D., Wang, R., 2010. Physical characterization of drug loaded microcapsules and controlled in vitro release study. *The Open Biomaterials Journal*, Vol. 2, p. 9-17.

Jin, M., Zheng, Y., Hu, Q., 2009. Preparation and characterization of bovine serum albumin alginate/chitosan microspheres for oral administration. *Asian Journal of Pharmaceutical Sciences*, p.215-221.

Joshi, S., Patel, P., Lin, S. and Madan, P.L., 2012. Development of cross-linked alginate spheres by ionotropic gelation technique for controlled release of naproxen orally. *Asian Journal of Pharmaceutical Science*, p. 134-142.

Lindberg, A.A., 1999. Glycoprotein conjugate vaccines. *Vaccine*, Vol. 17, Suupl. 2, p. 28-36.

Liu, Y., Zhao, Y., Feng, X., 2008. Exergy analysis for a freeze-drying process. *Appl. Thermal Eng.*, Vol. 28, p. 675-690.

Lemoine, D., Preat, V., 1998. Polymeric nanoparticles as delivery system for influenza virus glycoproteins. *Journal of Controlled Release*, Vol. 54, p. 15-27.

Manjanna, K.M., Kumar, T.M.P., Shivakumar, B., 2010. Calcium alginate cross-linked polymeric microbeads for oral sustained drug delivery in arthritis. *Drug Discoveries & Therapeutics*, p. 109-122.

Mao, H.Q., Roy, K., Troung-Le, V.L., Janes, K.A., Lin, K.Y., Wang, Y., August, J.T., Leong, K.W., 2001. Chitosan-DNA nanoparticles as gene carriers: Synthesis, characterization and transfection efficiency. *Journal of Controlled Release*, Vol. 70, P. 399-421.

Martin, A., Swarbrick, J., Cammarata, A., 1993. *Farmasi Fisik*. Edisi ke-3, Jakarta: UI Press, hal. 827-846.

Morch, Y.A., Donati, I., Strand, B.L., Gudmund, S.B., 2006. Effect of Ca<sup>2+</sup>, Ba<sup>2+</sup>, and Sr<sup>2+</sup> on Alginate Microbeads. *Biomacromolecules*, Vol. 7, No. 5, p. 1471-1480.

Morris, William, Steinboff, M.C., and Russell, P.K., 1994. Potential of polymer microencapsulation technology for vaccine innovation. *Vaccine*, Vol.12, p.5-11.

Morshed, Md.M., Maikkick, J., Nath, A.K., Uddin, Md, Z., Dutta, M., Hossain, Md.A., and Kawsar, Md.H., 2012. Effect of barium chloride as a cross linking agent on the sodium alginate based diclofenac sodium beads. *Bangladesh Pharmaceutical Journal*, Vol 15, p. 53-57.

Mowat, A.Mcl., 1985. The role of antigen recognition and suppressor cells ini mice with oral tolerance to ovalbumin. *Immunology*, p. 253-260.

Nair, R., Reddy, B.H., Kumar, C.K.A. and Kumar, K.J., 2009. Application of chitosan microspheres as drug carriers: A Review. *Journal of Pharmaceutical Sciences and Research*, Vol. 1, p. 1-12.

Nakamura, K., Kiriyaama, M., Takada, A., Maeda, H., Nemoto, N., 1997. Structure and dynamics of ovalbumin gel. *Rheol Acta*, Vol. 36, p. 252-261.

Narra, K., Dhanalekshmi, U., Rangaraj, G., Raja, D., Kumar, C.S., Reddy, P.N., Mandal, A.B., 2012. Effect of formulation variables on rifampicin loaded alginate beads. *Iranian Journal of Pharmaceutical Research*, Vol. 11(3), p. 715-721.

Nisbet, A.D., Saundry, R.H., Moir, A.J., Fothergill, L.A., Fothergill, J.E., 1981. The complete amino-acid sequence of hen ovalbumin. *Europian Journal of Biochemist*, Vol. 115, p. 335-345.

O'hagan, D.T., Rahman, D., Mcgee, J.P., Jefery, H., Davies, M.C., Williams, P., Davis, S.S. and Challacombe, S.J. 1991. Biodegradable microparticles as controlled release antigen delivery systems. *Immunology*, p. 239-242

O'Hagan, D.T., Singh, M., Gupta, R.K. 1998. Poly (lactic-co-glycolide) microparticles for the development of single-dose controlled release vaccines. *Adv. Drug Deliv. Rev.*, Vol. 32, p. 225-246.

Onjantakanen, S., Hannula, A.M., Marvola, M., Klinge, E. and Makioaa, M., 1993. Bioavailability if ibuprofen from hard gelatin capsules containing sucralfate or sodium alginate. *Eur. J. Pharm. Biopharm*, Vol. 39, p. 197-201.

Pan, Y., Li, Y.J., Zhao, H.Y., Zheng, J.M., Xu, H., Wei, G., Hao, J.S., Cui, F.D., 2002. Bioadhesive polysaccharide in protein delivery system: Chitosan nanoparticles improve the intestinal absorption of insulin in vivo. ***International Journal Pharmaceutics***, Vol. 249, p. 139-147.

Pan, Z., Shih, C., McHugh, T.H., Hirschberg, E., 2008. Study of banana dehydration using sequential infrared radiation heating and freeze-drying. ***LWT-Food Sci. Technol***, Vol. 41, p. 1944-1951.

Panyam, J., Labhsetwar, V., 2003. Biodegradable nanoparticles for drug and gene delivery to cells and tissue. ***Advanced Drug Delivery Reviews***, Vol. 55, p. 329-347.

Patil, P., Chavanke, D., Wagh, M., 2012. A Review on Ionotropic Gelation Methode: Novel Approach for Controlled Gastroretentive Gelspheres. ***International Journal of Pharmacy and Pharmaceutical Sciences***, Vol. 4, p. 1-6.

R. de Guzman, E.S. Ereifej, K.M. Broadrick, R.A. Rogers, and P.J. VandeVord, 2008. Alginate-matrigel microencapsulated Schwann cells for inducible secretion of glial cell line derived neurotrophic factor. ***Journal of the American Chemical Society***, Vol. 125, p. 11170-11171.

Rafati, H., CooDLbes, A.G.A., Adler, J., Holland, J., Davis, S.S., 1997. Protein-loaded poly(DL-lactide-co-glycolide) microparticles for oral administration: formulation, structural and release characteristics. ***J. Control Release***, Vol. 43, p. 89-102.

Reis, C.P., Neufeld, R.J., Vilela, S., Ribeiro, A.J., Veiga, F., 2005. Review and current status of emulsion/dispersion technology using an internal gelation process for the design of alginate particles. ***Journal of Micriencapsulatio***, Vol. 23, p. 245-257.

Richman, L.K., Graff, A.S., Yarchoan, R., and Strober, W., 1981. Simultaneous induction of antigen-specific IgA helper T cells and IgG suppressor T cells in the murine Peyer's patch after protein feeding. ***J.Immunol***, Vol. 126, p. 2079.

Rowe, R.C., Sheskey, P.J. and Quinn, M.E. Eds. 2009. *Handbook of Pharmaceutical Excipient*, 6<sup>th</sup> Ed. London: RPS Publishing, p. 622-624.

Rudra, A., Santra K and Mukherjee, B., 2011. Poly [D, L-lactide-co-glycolide] Microspheres as a Delivery System of Protein Ovalbumin Used as a Model Protein Drug. *Trends Applied Sci.Res.*, 6(1), p. 47-56.

Sabel, B.A., Dominiak, P., Hauser, W., During, M.J., Frese, A. 1990. Levodopa delivery from controlled-release polymer matrix: delivery of more than 600 days in vitro and 225 days of elevated plasma levels after subcutaneous implantation in rats. *J. Pharm. Exp. Ther.*, p. 255, 914-922.

Sanchez, A., Toby, M., Gonzales, L., Fabra, A., Alonso, M.J., 2003. Biodegradable micro- and nanoparticles as long-term delivery vehicles for interferon-alpha. *European Journal of Pharmaceutical Sciences*, Vol. 18, p. 221-229.

Shukla, S., Jain, D., Verma, K., Verma, S., 2010. Formulation and in vitro characterization of alginate microspheres loaded with diloxanide furoate for colon – specific drug delivery. *Asian Journal of Pharmaceutics*. Vol. 4, Issue 4, p. 199-204.

Singh, I. and Kumar, P., 2012. Formulation and optimization of tramadol loaded alginate beads using response surface methodology. *Pak. J. Pharm, Sci*, Vol. 25 No. 4, p. 741-749.

Smith, G.P., 1985. Filamentous fusion phage: novel expression vectors that display cloned antigens on the virion surface. *Science*, Vol. 228, p. 1315-1317.

Smrdel, P., Bogata, M., Mrhar, A., 2008. The influence of selected parameters on the size and shape of alginate beads prepared by ionotropic gelation. *Sci Pharm*, Vol. 76, p. 77-89.

Soares, J.P., Santos, J.E., Chierice, G.O., Cavalheiro, E.T.G., 2004. Thermal behavior of alginic acid and its sodium salt. *Electica Quimica*, Vol. 29, No. 2, p. 57-63.

Sriamornsak, P., 1999. Effect of calcium concentration, hardening agent and drying condition on release characteristics of oral proteins from calcium pectinate gel beads. *European Journal of Pharmaceutical Sciences*, Vol. 8, p. 221-227.

Stockwell, A.F., Davis, S.S. and Walker, S.E. 1986. In vitro evaluation of alginate gel systems as sustained release drug delivery system. *J. Control Release*, Vol. 3, p. 167-175.

Storey, R.A., and Ymen, I. Eds. 2011. *Solid State Characterization of Pharmaceuticals*. 1<sup>st</sup> Ed. Inggis: Blackwell Publishing.

Sweetman, S.C. 2009. *Martindale The Complete Drug Reference*. Ed 36<sup>th</sup> London: Pharmaceutical Press. pp. 2263.

Umer, Hammad, Nigam, H., Tamboli, A.M., and Sundara, M.M.N. 2011. Microencapsulation: Process, Techniques and Applications. *International Journal of Research in Pharmaceutical and Biomedical Sciences*, Vol 2, p.474-481.

US EPA, 1984. US Environmental Protection Agency. Health and Environmental Effects Profile for 2-Propenoic Acid (Acrylic Acid). *Office of Research and Development, US. EPA, Cincinnati, OH* 25 pp ECAO-CIN-P048.

Vahedra, D.V., Nath, K.R., 1973. Eggs as a source of protein. *Critical Reviews in Food Technology*, Vol. 4, p. 193-308.

Veski, P. and Marvola, M., 1993. Sodium alginate as diluents in hard gelatin capsules containing ibuprofen as a model drug. *Pharmazie*, Vol. 48, p. 757-760.

Veski, P., Marvola, M., Smal, J., Heiskanen, I. and Jurjenson, H., 1994. Biopharmaceutical evaluation of pseudoephedrine hydrochloride capsules containing different grades of sodium alginate. *Int. J. Pharm*, Vol. 111, p. 171-179.

Yang, L., Zhang, B., Wen, L., Liang, Q., Zhang, L.M., 2007. Amphiphilic cholesteryl grafted sodium alginate derivate: Synthesis and self assembly in aqueous solution. *Carbohydrate Polymers*, Vol. 68, p. 218-225.



Yeo, Yoon, Namjin B, and Kinam Park. 2001. Microencapsulation Methods for Delivery of Protein Drugs. *Biotechnol. Bioprocess Eng*, Vol.6 No.4, p. 213-230.

[www.who.int/topics/vaccines/en/](http://www.who.int/topics/vaccines/en/) diakses tanggal 5 Desember 2013 pukul 15.55 WIB.

