

**DAFTAR PUSTAKA**

- Almirall, J, Bolibar, I, Serra-Prat, M, Palomera, E, Roig, J, Hospital, I, Carandell, E, Agusti, M, Ayuso, P, Estela, A, & Torres, A, 2010, 'Inhaled drugs as risk factors for community-acquired pneumonia', *European Respiratory Journal*, vol 36, pp.1080-1087.
- Beery, TA, 2003, 'Sex differences in infection and sepsis', *Critical Care Nursing Clinics of North America*, vol 15, pp 55-62.
- Bernard GR, Vincent, JL, Laterre, PF, LaRosa, SP, Dhainaut, JF, Lopez-Rodriguez, A, Steingrub, JS, Garber, GE, Helterbrand, JD, Ely, EW, Fisher, CJ, 2001, 'Efficacy and Safety of Recombinant Human Activated Protein C for Severe Sepsis', *New England Journal of Medicine*, vol 344, pp. 699-709.
- Caironi, P, Latini, R, Struck, J, Hartmann, O, Bergmann, A, Maggio, G, Cavana, M, Tognoni, G, Pesenti, A, Gattinoni, L, Masson, S, Spanuth, E, 2017, 'Circulating Biologically Active Adrenomedullin (bio-ADM) Predicts Hemodynamic Support Requirement and Mortality During Sepsis', *Chest*, vol 152, pp. 312-320.
- Casserly, B, Phillips, GS, Schorr, C, Dellinger, RP, Townsend, SR, Osborn, TM, Reinhart, K, Selvakumar, N, & Levy, MM, 2015, 'Lactate measurements in sepsis-induced tissue hypoperfusion: results from the Surviving Sepsis Campaign database', *Critical Care Med*, vol 43, pp. 567-573.
- Cecconi, M, De Backer, D, Antonelli, M, Beale, R, Bakker, J, Hofer, C, Jaeschke, R, Mebazaa, A, Pinsky, MR, Teboul, JL, Vincent, JL, & Rhodes, A, 2014, 'Consensus on circulatory shock and hemodynamic monitoring. Task Force of the European Society of Intensive Care Medicine'. *Intensive Care Medicine*, vol 40, pp. 1795-1815.

Chioléro, RL, & Berger, MM, 2002, 'Improving nutritional support in critically Ill septic patients: glutamine alone or in combination?', *Nutrition*, vol 18, pp. 723-724.

Clark, E, Kumar, A, Langote, A, Lapinsky, A, Dodek, P, Kramer, A, Wood, G, Bagshaw, W, Wood, K, Gurka, D, & Shood, MM, 2016, 'Septic shock in chronic dialysis patients: clinical characteristics, antimicrobial therapy and mortality', *Intensive Care Medicine*, vol 42, pp 222-232.

Danielle Armstrong-Briley, Neda S. T. Hozhabri, Kris Armstrong, Jason Puthottile, Raul Benavides & Stacy Beal, 2015, 'Comparison of Length of Stay and Outcomes of Patients with Positive Versus Negative Blood Culture Results', *Baylor University Medical Center Proceedings*, vol 28:1, pp. 10-13

de Jong, E, de Lange, DW, Beishuizen, A, van de Ven, PM, Girber, ARJ, Huisman, A, 2016, 'Neutrophil CD64 expression as a longitudinal biomarker for severe disease and acute infection in critically ill patients', *International Journal of Laboratory Hematology*, vol 38, pp. 576-584.

Farkas JD, 2020, 'The complete blood count to diagnose septic shock', *J Thorac Dis*, vol 12, pp. S16-S21.

Fellin, FM 2008, *Medical Management of the Surgical Patient*, 3rd ed, Philadelphia, Elsevier, pp 117-156.

Ferreira, FL, Bota DP, Bross A, Melot C, & Vincent JL, 2001, 'Serial evaluation of the SOFA score to predict outcome in critically ill patients', *Journal of the American Medical Association*, vol 286, pp. 1754-1758.

Fleischmann, C, Scherag, A, Adhikari, NK, Hartog, CS, Tsaganos, T, Schlattmann, T, Angus, DC & Reinhart, K, 2016, 'Assessment of Global Incidence and Mortality of Hospital-treated Sepsis. Current Estimates and Limitations',

- American Journal of Respiratory and Critical Care Medicine*, vol 193, pp. 259-272.
- Grace, E, Turner, RM, 2014, ‘Use of Procalcitonin in Patients With Various Degrees of Chronic Kidney Disease Including Renal Replacement Therapy’, *Clinical Infectious Diseases*, vol 59, pp. 1761-1767.
- Hadley JS, & Hinds CJ, 2002, ‘Anabolic strategies in Critical Illness’, *Current Opinion in Pharmacology*, vol 2, pp. 700-707.
- Hall MJ, Williams SN, DeFrances CJ, Golosinski A, 2011, ‘Inpatient care for septicemia or sepsis: A challenge for patients and hospitals’, *NCHS data brief*, vol 62.
- Hernandez, G, Bruhn, A, & Ince, C, 2013, ‘Microcirculation in Sepsis: New Perspectives’, *Current Vascular Pharmacology*, vol 11, pp. 161-169.
- Irvan, Febyan, & Suparto, 2018, Sepsis dan Tata Laksana berdasar *Guideline* Terbaru, *Jurnal Anestesiologi Indonesia*, vol 10, pp. 62-73.
- Jansen, TC, van Bommel, J, Schoonderberk, FJ, Sleeswijk Visser, SJ, van der Klooster, JM, Lima, AP, Willemsen, SP, & Bakker, J, 2010, ‘Early Lactate-Guided Therapy in Intensive Care Unit Patients’, *American Journal of Respiratory and Critical Care Medicine*, vol 182, pp. 752-761.
- Kraut, JA, & Madias, NE, 2014, ‘Lactic Acidosis’, *New England Journal of Medicine*, vol 371, pp. 2309-2319.
- Kumar, A, 2016, ‘Systematic Bias in Meta-Analyses of Time to Antimicrobial in Sepsis Studies’, *Critical Care Medicine*, vol 44, pp. 234-235.
- Levy, MM, Evans, LE, & Rhodes, A, 2018, ‘The Surviving Sepsis Campaign Bundle: 2018 update’, *Intensive Care Medicine*, vol 44, pp. 925-928.

- Markanday, A, 2015, 'Acute Phase Reactants in Infections: Evidence-Based Review and a Guide for Clinicians', *Open Forum Infectious Diseases*, vol 2.
- Mayr, FB, Yende, S, & Angus, DC, 2014, 'Epidemiology of severe sepsis', *Virulence*, vol 5, pp 4-11.
- Moss, M, 2005, 'Epidemiology of Sepsis: Race, Sex, and Chronic Alcohol Abuse', *Clinical Infectious Disease*, vol 41, pp 490-497.
- Nasir, N, Jamil, B, Siddiqui, S, Talat, N, Khan, FA, Hussain, R, 2015 'Mortality in Sepsis and its relationship with Gender', *Pak J Med Sci*, vol 31(5). pp 1201-1206
- Nguyen, BH, Rivers EP, Abrahamian, FM, Moran, GJ, Abraham, E, Trzeciak, S, Huang, DT, Osborn, T, Stevens, D, & Talan, DA, 2006, 'Severe sepsis and septic shock: review of the literature and emergency department management guidelines', *Annals of Emergency Medicine*, vol 48, pp. 28-54.
- Paoli, CJ, Reynolds, MA, Sinha, M, Gitlin, M, & Crouser, E, 2018, 'Epidemiology and Costs of Sepsis in the United States—An Analysis Based on Timing of Diagnosis and Severity Level', *Critical Care Medicine*, vol 46, pp. 1889-1897.
- Riley, LK, & Rupert, M, 2015, 'Evaluation of Patients with Leukocytosis', *American Academy of Family Physicians*, vol 92, pp 1004-1011.
- Rittirsch, D, Flierl, MA, & Ward, PA, 2008, 'Harmful molecular mechanisms in sepsis', *Nature Reviews Immunology*, vol 8, pp. 776-787.
- Rivers, EP, McIntyre, L, Morro, DC, & Rivers, KK, 2005, 'Early and innovative interventions for severe sepsis and septic shock: taking advantage of a window of opportunity', *Canadian Medical Association Journal*, vol 173, pp. 1054-1065.

- Rivers, E, Nguyen, B, Havstad, S, Ressler, J, Muzzin, A, Knoblich, B, Peterson, E, & Tomlanovich, M, 2001, 'Early goal directed therapy in the treatment of severe sepsis and septic shock', *New England Journal of Medicine*, vol 345, pp. 1368-1377.
- Safdar, N, Crnich, CJ, Maki, DG, 2001, 'Nosocomial Infections in the Intensive Care Unit Associated with Invasive Medical Devices', *Current Infectious Disease Reports*, vol 3, pp. 487-495
- Schulte, W, Bernhagen, J, & Bucala, R, 2013, 'Cytokines in sepsis: potent immunoregulators and potential therapeutic targets', *Mediators of Inflammation*, vol 2013, pp. 1-16.
- Seymour, CW, Liu, VX, Iwashyna, TJ, Brunkhorst, FM, Rea, TD, Scherag, A, Rubenfeld, G, Kahn, JM, Shankar-Hari, M, Singer, M, Deutschman, CS, Escobar, GJ, & Angus, DC, 2016, 'Assessment of Clinical Criteria for Sepsis', *Journal of the American Medical Association*, vol 315, pp. 762-774.
- Wiersinga, WJ, & Seymour, CW 2018, *Handbook of Sepsis*, Cham, Springer, pp. 15-21.
- Shankar-Hari, M, Harrison, DA, Rubenfeld, GD, Rowan, K, 2017, 'Epidemiology of sepsis and septic shock in critical care units: comparison between sepsis-2 and sepsis-3 populations using a national critical care database', *British Journal of Anaesthesia*, vol 119, pp. 626-636.
- Silvestre, JP, Coelho, LM, Póvoa, PM, 2010, 'Impact of fulminant hepatic failure in C-reactive protein?', *Journal of Critical Care*, vol 25, pp. 657-662.
- Su, L, Liu, D, Chai, W, Liu, D, & Long, Y, 2016, 'Role of sTREM-1 in predicting mortality of infection: a systematic review and meta-analysis', *BMJ Open*, vol 6.

- Singer, M, Deutschman, C, Seymour, C., Shankar-Hari, M, Annane, D, Bauer, M, Bellomo, R, Bernard, G, Chiche, J, Coopersmith, C, Hotchkiss, R, Levy, M, Marshall, J, Martin, G, Opal, S, Rubenfeld, G, van der Poll, T, Vincent, J, & Angus, D, 2016, 'The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis 3)', *Journal of the American Medical Association*, vol 315, pp. 801-808.
- Starr, ME, & Hiroshi, S, 2014, 'Sepsis in Old Age : Review of Human and Animal Studies', *Aging and Disease*, vol 5, pp 126-136.
- Taeb, AM, Hooper, MH, & Marik, PE, 2017, 'Sepsis: Current Definition, Pathophysiology, Diagnosis, and Management', *Nutrition in Clinical Practice*, vol 20, pp. 296-308.
- Van Vugt, LA, Klein Klouwenberg, P, Spitoni, C, Scicluna, BP, Wiewel, MA, Horn, J, Schultz, MJ, Nürnberg, P, Bonten, M, Cremer, OL, & van der Poll, T, 2016 'Incidence, Risk Factors, and Attributable Mortality of Secondary Infections in the Intensive Care Unit After Admission for Sepsis', *Journal of the American Medical Association*, vol 315, pp. 1469-1475.
- Vincent, JL, Baron, JF, Reinhart, K, Gattitoni, L, Thijs, L, Webb, A, Meier-Hellmann, A, Nollet, G, & Peres-Bota, D, 2002, 'Anemia and Blood Transfusion in Critically Ill Patients', *Journal of American Medical Association*, vol 288, pp 1499-1507.
- Vincent, JL, Rello, J, Marshall, J, Silva, E, Anzueto, A, Martin, CD, Moreno, R, Lipman, J, Gomersall, C, Sakr, Y, & Reinhart, K, 2009, 'International Study of the Prevalence and Outcomes of Infection in Intensive Care Units', *Journal of the American Medical Association*, vol 302, pp. 2323-2329.

- Vincent, JL, Sakr, Y, Sprung, CL, Ranieri, VM, Reinhart, K, Gerlach, H, Moreno, R, Carlet, J, Le Gall, J, & Payen, D, 2006, 'Sepsis in European intensive care units: Results of the SOAP study', *Critical Care Medicine*, vol 34, pp. 344-353.
- WHO, 2011, 'Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity', *Vitamin and Mineral Nutrition Information System*.
- Wu, CC, Lan, HM, Han, ST, Chaou, CH, Yeh, CF, Liu, SH, Li, CH, Blaney, GN, Liu, ZY, & Chen, KF, 2017, 'Comparison of diagnostic accuracy in sepsis between presepsin, procalcitonin, and C-reactive protein: a systematic review and meta-analysis', *Annals of Intensive Care*, vol 7.
- Yang, Y, Yang, KS, Hsann, YM, Lim, V, Chi Ong, B, 2010, 'The effect of comorbidity and age on hospital mortality and length of stay in patients with sepsis', *Journal of Critical Care*, vol 25, pp. 398-405.