

## DAFTAR PUSTAKA

- Athanasiou, K. A., Shah, A. R., Hernandez, R. J. and LeBaron, R. G. (2001) 'Basic science of articular cartilage repair', *Clin Sports Med*, 20(2), pp. 223-247.
- Becerra, J., Andrades, J. A., C.Ertl, D., Sorgente, N. and Nimni, M. E. (1996) 'Demineralized bone matrix mediates differentiation of bone marrow stromal cells in vitro: Effect of age of cell donor', *J Bone Miner Res*, 11(11), pp. 1703-1714.
- Bedi, A., Feeley, B. T. and Williams, R. J., 3rd (2010) 'Management of articular cartilage defects of the knee', *J Bone Joint Surg Am*, 92(4), pp. 994-1009.
- Brahmana, F. (2018) *Karakteristik fisik, biokimia, dan diferensiasi kondrogenik sel punca mesenkimal sumsum tulang (HBM-MSCs) pada biodegradable porous sponge cartilage bovine scaffold*. Penelitian Akhir, Airlangga, Surabaya.
- Buckwalter, J. A., Mow, V. C. and Ratcliffe, A. (1994) 'Restoration of injured or degenerated articular cartilage', *J Am Acad Orthop Surg*, 2(4), pp. 192-201.
- Cao, Z., Dou, C. and Dong, S. (2014) 'Scaffolding biomaterials for cartilage regeneration', *Journal of Nanomaterials*, 2014, pp. 1-8.
- Charan, J. and Kantharia, N. D. (2013) 'How to calculate sample size in animal studies?', *J Pharmacol Pharmacother*, 4(4), pp. 303-6.
- Chubinskaya, S., Malfait, A.-M. and Wimmer, M. A. (2013) 'Form and function of articular cartilage', in O'Keefe, R.J., Jacobs, J.J., Chu, C.R. and Einhorn, T.A. (eds.) *Orthopaedic basic science: Foundations of clinical practice*. 4th ed. Rosemont, IL: American Academy of Orthopaedic Surgeons, pp. 183-195.
- Cicutini, F., Ding, C., Wluka, A., Davis, S., Ebeling, P. R. and Jones, G. (2005) 'Association of cartilage defects with loss of knee cartilage in healthy, middle-age adults: A prospective study', *Arthritis & Rheumatism*, 52(7), pp. 2033-2039.
- Clar, C., Cummins, E., McIntyre, L., Thomas, S., Lamb, J., Bain, L., Jobanputra, P. and Waugh, N. (2005) 'Clinical and cost-effectiveness of autologous chondrocyte implantation for cartilage defects in knee joints: Systematic review and economic evaluation', *Health Technology Assessment*, 9(47).
- Cunningham, C. J., Redondo-Castro, E. and Allan, S. M. (2018) 'The therapeutic potential of the mesenchymal stem cell secretome in ischaemic stroke', *J Cereb Blood Flow Metab*, 38(8), pp. 1276-1292.
- Damia, E., Chicharro, D., Lopez, S., Cuervo, B., Rubio, M., Sopena, J. J., Vilar, J. M. and Carrillo, J. M. (2018) 'Adipose-derived mesenchymal stem cells: Are they a good therapeutic strategy for osteoarthritis?', *Int J Mol Sci*, 19(7).
- Davatchi, F., Abdollahi, B. S., Mohyeddin, M., Shahram, F. and Nikbin, B. (2011) 'Mesenchymal stem cell therapy for knee osteoarthritis. Preliminary report of four patients', *International Journal of Rheumatic Diseases*, 14, pp. 211-215.
- Duraiyan, J., Govindarajan, R., Kaliyappan, K. and Palanisamy, M. (2012) 'Applications of immunohistochemistry', *J Pharm Bioallied Sci*, 4(Suppl 2), pp. S307-9.
- Eroschenko, V. P. (2013) 'Skeletal tissue: Cartilage and bone', *diFiore's Atlas of Histology with Functional Correlations*. 12th ed. Baltimore, MD: Lippincott Williams & Wilkins, pp. 109-141.
- Fachrizal, A. (2017) *Uji biokompatibilitas decellularized cartilage bovine scaffold secara in-vitro dan in-vivo*. Penelitian Akhir, Airlangga, Surabaya.
- Ferdiansyah, Rushadi, D., Rantam, F. A. and Aulani'am (2011) 'Regenerasi pada massive bone defect dengan bovine hydroxyapatite sebagai scaffold

- mesenchymal stem cell (Regeneration of massive bone defect with bovine hydroxyapatite as scaffold of mesenchymal stem cells)', *JBP*, 13(3), pp. 179-195.
- Ferreira, J. R., Teixeira, G. Q., Santos, S. G., Barbosa, M. A., Almeida-Porada, G. and Goncalves, R. M. (2018) 'Mesenchymal stromal cell secretome: Influencing therapeutic potential by cellular pre-conditioning', *Front Immunol*, 9, pp. 2837.
- Fetterolf, D. E. and Snyder, R. J. (2012) 'Scientific and clinical support for the use of dehydrated amniotic membrane in wound management', *Wounds*, 24(10), pp. 299-307.
- Frese, L., Dijkman, P. E. and Hoerstrup, S. P. (2016) 'Adipose tissue-derived stem cells in regenerative medicine', *Transfus Med Hemother*, 43(4), pp. 268-274.
- Fritz, J., Janssen, P., Gaissmaier, C., Schewe, B. and Weise, K. (2008) 'Articular cartilage defects in the knee--basics, therapies and results', *Injury*, 39 Suppl 1, pp. S50-7.
- Fukuda, K., Chikama, T., Nakamura, M. and Nishida, T. (1999) 'Differential distribution of subchains of the basement membrane components type IV collagen and laminin among the amniotic membrane, cornea, and conjunctiva', *Cornea*, 18(1), pp. 73-79.
- Gudmann, N. S. and Karsdal, M. A. (2016) 'Type II collagen', *Biochemistry of Collagens, Laminins and Elastin*, pp. 13-20.
- Guermazi, A., Hayashi, D., Roemer, F. W., Niu, J., Quinn, E. K., Crema, M. D., Nevitt, M. C., Torner, J., Lewis, C. E. and Felson, D. T. (2017) 'Brief report: Partial- and full-thickness focal cartilage defects contribute equally to development of new cartilage damage in knee osteoarthritis: The multicenter osteoarthritis study', *Arthritis & Rheumatology*, 69(3), pp. 560-564.
- Harrell, C. R., Fellabaum, C., Jovicic, N., Djonov, V., Arsenijevic, N. and Volarevic, V. (2019) 'Molecular mechanisms responsible for therapeutic potential of mesenchymal stem cell-derived secretome', *Cells*, 8(5).
- Hayrapetyan, A., Jansen, J. A. and van den Beucken, J. J. (2015) 'Signaling pathways involved in osteogenesis and their application for bone regenerative medicine', *Tissue Eng Part B Rev*, 21(1), pp. 75-87.
- Hurley, E. T., Yasui, Y., Gianakos, A. L., Seow, D., Shimosono, Y., Kerkhoffs, G. and Kennedy, J. G. (2018) 'Limited evidence for adipose-derived stem cell therapy on the treatment of osteoarthritis', *Knee Surg Sports Traumatol Arthrosc*, 26(11), pp. 3499-3507.
- Ilyas, M., Adzim, M., Simbak, N. and Atif, A. (2017) 'Sample size calculation for animal studies using degree of freedom (E); an easy and statistically defined approach for metabolomics and genetic research', *Curr Trends Biomedical Eng & Biosci*, 10(2).
- Irioda, A. C., Cassilha, R., Zocche, L., Francisco, J. C., Cunha, R. C., Ferreira, P. E., Guarita-Souza, L. C., Ferreira, R. J., Mogharbel, B. F., Garikipati, V. N., Souza, D., Beltrame, M. P. and de Carvalho, K. A. (2016) 'Human adipose-derived mesenchymal stem cells cryopreservation and thawing decrease alpha4-Integrin expression', *Stem Cells Int*, 2016, pp. 2562718.
- Ito, Y., Ochi, M., Adachi, N., Sugawara, K., Yanada, S., Ikada, Y. and Ronakorn, P. (2005) 'Repair of osteochondral defect with tissue-engineered chondral plug in a rabbit model', *Arthroscopy*, 21(10), pp. 1155-63.
- Jang, Y., Jung, H. and Ju, J. H. (2017) 'Chondrogenic differentiation induction of adipose-derived stem cells by centrifugal gravity', *J Vis Exp*, (120).

- Jridi, M., Lassoued, I., Nasri, R., Ayadi, M. A., Nasri, M. and Souissi, N. (2014) 'Characterization and potential use of cuttlefish skin gelatin hydrolysates prepared by different microbial proteases', *Biomed Res Int*, 2014, pp. 461728.
- Karaplis, A. C. (2008) 'Embryonic development of bone and regulation of intramembranous and endochondral bone formation', *Principles of Bone Biology*. Third ed, pp. 53-84.
- Kern, S., Eichler, H., Stoeve, J., Kluter, H. and Bieback, K. (2006) 'Comparative analysis of mesenchymal stem cells from bone marrow, umbilical cord blood, or adipose tissue', *Stem Cells*, 24(5), pp. 1294-301.
- Khatab, S., van Osch, G. J., Kops, N., Bastiaansen-Jenniskens, Y. M., Bos, P. K., Verhaar, J. A., Bernsen, M. R. and van Buul, G. M. (2018) 'Mesenchymal stem cell secretome reduces pain and prevents cartilage damage in a murine osteoarthritis model', *Eur Cell Mater*, 36, pp. 218-230.
- Kim, B. S., Kim, J. S., Sung, H. M., You, H. K. and Lee, J. (2012) 'Cellular attachment and osteoblast differentiation of mesenchymal stem cells on natural cuttlefish bone', *J Biomed Mater Res A*, 100(7), pp. 1673-9.
- Knutsen, G., Drogset, J. O., Engebretsen, L., Grontvedt, T., Isaksen, V., Ludvigsen, T. C., Roberts, S., Solheim, E., Strand, T. and Johansen, O. (2007) 'A randomized trial comparing autologous chondrocyte implantation with microfracture. Findings at five years', *J Bone Joint Surg Am*, 89(10), pp. 2105-12.
- Liu, M., Yu, X., Huang, F., Cen, S., Zhong, G. and Xiang, Z. (2013) 'Tissue engineering stratified scaffolds for articular cartilage and subchondral bone defects repair', *Orthopedics*, 36(11), pp. 868-73.
- Liu, Y., Zhou, G. and Cao, Y. (2017) 'Recent progress in cartilage tissue engineering—Our experience and future directions', *Engineering*, 3(1), pp. 28-35.
- Luongo, F., Mangano, F. G., Macchi, A., Luongo, G. and Mangano, C. (2016) 'Custom-made synthetic scaffolds for bone reconstruction: A retrospective, multicenter clinical study on 15 patients', *Biomed Res Int*, 2016, pp. 5862586.
- Mahla, R. S. (2016) 'Stem cells applications in regenerative medicine and disease therapeutics', *Int J Cell Biol*, 2016, pp. 6940283.
- Mahyudin, F., Utomo, D. N., Martanto, T. W., Hidayat, A. R. and Putri, L. M. (2018) 'Effect of decellularized cartilage bovine scaffold and hypoxic condition on stem cell differentiation to chondrocyte: An in vitro study', *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, 35, pp. 67-76.
- Mancuso, P., Raman, S., Glynn, A., Barry, F. and Murphy, J. M. (2019) 'Mesenchymal stem cell therapy for osteoarthritis: The critical role of the cell secretome', *Front Bioeng Biotechnol*, 7, pp. 9.
- Mankin, H. J., Mow, V. C. and Buckwalter, J. A. (2000) 'Articular cartilage repair and osteoarthritis', in Buckwalter, J.A., Einhorn, T.A. and Simon, S.R. (eds.) *Orthopaedic basic science: Biology and biomechanics of the musculoskeletal system*. 2nd ed: American Academy of Orthopaedic Surgeons, pp. 472-487.
- Mankin, H. J., Mow, V. C., Buckwalter, J. A., Iannotti, J. P. and Ratcliffe, A. (2000) 'Articular cartilage structure, composition, and function', *Orthopaedic basic science: Biology and biomechanics of the musculoskeletal system*. 2nd ed: American Academy of Orthopaedic Surgeons, pp. 444-467.
- Miana, V. V. and Gonzalez, E. A. P. (2018) 'Adipose tissue stem cells in regenerative medicine', *Ecancermedicalscience*, 12, pp. 822.
- Michael, J. W., Schluter-Brust, K. U. and Eysel, P. (2010) 'The epidemiology, etiology, diagnosis, and treatment of osteoarthritis of the knee', *Dtsch Arztebl Int*, 107(9), pp. 152-62.

- Miosge, N., Hartmann, M., Maelicke, C. and Herken, R. (2004) 'Expression of collagen type I and type II in consecutive stages of human osteoarthritis', *Histochem Cell Biol*, 122(3), pp. 229-36.
- Mow, V. C., Proctor, C. S. and Kelly, M. A. (1989) 'Biomechanics of articular cartilage', in Nordin, M. and Frankel, V.H. (eds.) *Basic biomechanics of the musculoskeletal system*. 2 ed. Philadelphia, PA: Lea & Febiger, pp. 31-57.
- Nakamura, M., Watanabe, J., Ogawa, R. and Kanamura, S. (1997) 'Immunohistochemical localization of type II and type I collagens in articular cartilage of the femoral head of dexamethasone-treated rats', *Histochemical Journal*, 29, pp. 645-654.
- Naumann, A., Dennis, J. E., Awadallah, A., Carrino, D. A., Mansour, J. M., Kastenbauer, E. and Caplan, A. I. (2002) 'Immunochemical and mechanical characterization of cartilage subtypes in rabbit', *The Journal of Histochemistry & Cytochemistry*, 50(8), pp. 1049-1058.
- Niemeyer, P., Feucht, M. J., Fritz, J., Albrecht, D., Spahn, G. and Angele, P. (2016) 'Cartilage repair surgery for full-thickness defects of the knee in Germany: indications and epidemiological data from the German Cartilage Registry (KnorpelRegister DGOU)', *Arch Orthop Trauma Surg*, 136(7), pp. 891-7.
- Nooeaid, P., Salih, V., Beier, J. P. and Boccaccini, A. R. (2012) 'Osteochondral tissue engineering: scaffolds, stem cells and applications', *J Cell Mol Med*, 16(10), pp. 2247-70.
- Nowak, M., Madej, J. A. and Dziegiel, P. (2007) 'Intensity of COX2 expression in cells of soft tissue fibrosarcomas in dogs as related to grade of tumour malignancy', *Bull Vet Inst Pulawy*, 51, pp. 275-279.
- Oussedik, S., Tsitskaris, K. and Parker, D. (2015) 'Treatment of articular cartilage lesions of the knee by microfracture or autologous chondrocyte implantation: a systematic review', *Arthroscopy*, 31(4), pp. 732-44.
- Panno, J. (2005) 'Stem Cells are not Equal', *Stem cell research. Medical applications and ethical controversy*. New York, NY: Facts On File, Inc, pp. 1-14.
- Quiroz, F. G. a., Estefan, O. M. P., Pérez, D. G., Castro, N. H., Velásquez, C. A. S., Hansford, D. J., Florez, P. A. and Rojas, L. E. L. p. (2008) 'Isolation of human bone marrow mesenchymal stem cells and evaluation of their osteogenic potential', *Rev Ing Biomed*, 2(3), pp. 48-55.
- Remmele, W. and Stegner, H. E. (1987) 'Vorschlag zur einheitlichen definition eines immunreaktiven score (IRS) für den immunhistochemischen östrogenrezeptornachweis (ER-ICA) im mammakarzinomgewebe', *Der Pathologe*, 8(3), pp. 138-140.
- Roemer, F. W., Felson, D. T., Wang, K., Crema, M. D., Neogi, T., Zhang, Y., Nevitt, M. C., Marra, M. D., Lewis, C. E., Torner, J., Guermazi, A. and investigators, M. s. (2013) 'Co-localisation of non-cartilaginous articular pathology increases risk of cartilage loss in the tibiofemoral joint--the MOST study', *Ann Rheum Dis*, 72(6), pp. 942-8.
- Satue, M., Schuler, C., Ginner, N. and Erben, R. G. (2019) 'Intra-articularly injected mesenchymal stem cells promote cartilage regeneration, but do not permanently engraft in distant organs', *Sci Rep*, 9(1), pp. 10153.
- Schmitz, M. R., DeHart, M. M., Qazi, Z. and Shuler, F. D. (2016) 'Joints', in Miller, M.D. and Thompson, S.R. (eds.) *Miller's review of orthopaedics*. 7th ed. Philadelphia, PA: Elsevier, pp. 40-68.
- Serra, R., Johnson, M., Filvaroff, E. H., LaBorde, J., Sheehan, D. M., Derynck, R. and Moses, H. L. (1997) 'Expression of a truncated, kinase-defective TGF- $\beta$  type II

- receptor in mouse skeletal tissue promotes terminal chondrocyte differentiation and osteoarthritis', *The Journal of Cell Biology*, 139(2), pp. 541-552.
- Seyer, J. M., Brickley, D. M. and Glimcher, M. J. (1974) 'The identification of two types of collagen in the articular cartilage of postnatal chickens', *Calcif. Tiss. Res.*, 17, pp. 43-55.
- Singh, P. and Schwarzbauer, J. E. (2012) 'Fibronectin and stem cell differentiation - lessons from chondrogenesis', *J Cell Sci*, 125(Pt 16), pp. 3703-12.
- Somoza, R. A., Welter, J. F., Correa, D. and Caplan, A. I. (2014) 'Chondrogenic differentiation of mesenchymal stem cells: Challenges and unfulfilled expectations', *Tissue Eng Part B Rev*, 20(6), pp. 596-608.
- Sophia Fox, A. J., Bedi, A. and Rodeo, S. A. (2009) 'The basic science of articular cartilage: Structure, composition, and function', *Sports Health*, 1(6), pp. 461-8.
- Spees, J. L., Lee, R. H. and Gregory, C. A. (2016) 'Mechanisms of mesenchymal stem/stromal cell function', *Stem Cell Res Ther*, 7(1), pp. 125.
- Sung, H. M., Suh, I. S., Lee, H. B., Tak, K. S., Moon, K. M. and Jung, M. S. (2012) 'Case reports of adipose-derived stem cell therapy for nasal skin necrosis after filler injection', *Arch Plast Surg*, 39(1), pp. 51-4.
- Trippel, S. B. (1995) 'Growth factor actions on articular cartilage', *J Rheumatol Suppl.*, 43, pp. 129-132.
- Tsuji, W., Rubin, J. P. and Marra, K. G. (2014) 'Adipose-derived stem cells: Implications in tissue regeneration', *World J Stem Cells*, 6(3), pp. 312-21.
- Tuan, R. S. and Mauck, R. L. (2013) 'Articular cartilage repair and regeneration', in O'Keefe, R.J., Jacobs, J.J., Chu, C.R. and Einhorn, T.A. (eds.) *Orthopaedic basic science: Foundations of clinical practice*. 4th ed. Rosemont, IL: American Academy of Orthopaedic Surgeons, pp. 309-327.
- Ullah, I., Subbarao, R. B. and Rho, G. J. (2015) 'Human mesenchymal stem cells - current trends and future prospective', *Biosci Rep*, 35(2).
- Ulrich-Vinther, M., Maloney, M. D., Schwarz, E. M., Rosier, R. and O'Keefe, R. J. (2003) 'Articular cartilage biology', *J Am Acad Orthop Surg*, 11(6), pp. 421-430.
- Utomo, D. N., Abdul Rantam, F., Ferdiansyah and Purwati (2017) 'Regeneration mechanism of full thickness cartilage defect using combination of freeze dried bovine cartilage scaffold - Allogenic bone marrow mesenchymal stem cells - Platelet rich plasma composite (SMPC) implantation', *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, 31, pp. 70-82.
- Utomo, D. N. and Sari, I. B. K. (2018) 'The effect of decellulization technique on collagen type II and matrices Porosity of cartilage bovine scaffold', *Journal Orthopaedi and Traumatology Surabaya*, 7(1), pp. 43-54.
- Vizoso, F. J., Eiro, N., Cid, S., Schneider, J. and Perez-Fernandez, R. (2017) 'Mesenchymal stem cell secretome: Toward cell-free therapeutic strategies in regenerative medicine', *Int J Mol Sci*, 18(9).
- Wardale, R. J. and Duance, V. C. (1993) 'Quantification and immunolocalisation of porcine articular and growth plate cartilage collagens', *Journal of Cell Science*, 105, pp. 975-984.
- Wexler, S. A., Donaldson, C., Denning-Kendall, P., Rice, C., Bradley, B., Hows, J. M. and O'Gorman, P. (2002) 'Adult bone marrow is a rich source of human mesenchymal 'stem' cells but umbilical cord and mobilized adult blood are not', *Britsh Journal of Haematology*, 121, pp. 368-374.
- Widuchowski, W., Widuchowski, J. and Trzaska, T. (2007) 'Articular cartilage defects: Study of 25,124 knee arthroscopies', *The Knee*, 14(3), pp. 177-182.

Xu, X., Zheng, L., Yuan, Q., Zhen, G., Crane, J. L., Zhou, X. and Cao, X. (2018) 'Transforming growth factor-beta in stem cells and tissue homeostasis', *Bone Res*, 6, pp. 2.