

DAFTAR PUSTAKA

- Adhikari, K., Mustapha, A. and Grun, I. U., 2003. Survival and metabolic activity of microencapsulated *Bifidobacterium longum* in stirred yogurt. **J. Food Sci.**, Vol. 68, p.275-280.
- Al-Qadiri, H. M., Al-Alami, N. I., Lin, M., Al-Holy, M., Cavinato, A. G., Rasco, B. A., 2008. Studying of the bacterial growth phases using fourier transform infrared spectroscopy and multivariate analysis. **J. Rapid Meth. Aut. Mic.**, Vol. 16, p. 73–89.
- Brady, J.E., Dürig, T., Shang, S.S., 2009. Polymer properties and characterization. **In: Y. Qiu, Y. Chen, G. G. Z. Zhang (Eds.). Developing Solid Oral Dosage Forms Pharmaceutical Theory and Practice**, 1st Ed, New York : Academic Press, p.187- 217.
- Burgain, C., Gaiani , M., Linder, J. and Scher, 2011. Encapsulation of probiotic living cells: from laboratory scale to industrial Applications. **J. Food Eng.**, Vol. 104, p.467–483.
- Burin, L., Jouppila, K., Roos, Y. H., Kansikas, J. and Buera, M. P., 2004. Retention of betagalactosidase activity as related to Maillard reaction, lactose crystallization, collapse and glass transition in low moisture whey systems. **Int. Dairy J.**, Vol. 14, p.517-525.
- Boirivant, M. and Strober, W., 2007. The mechanism of action of probiotics. **Curr. Opin. Gastroen.**, Vol. 23, p. 679–692.
- Boyle, R.J., Robins-Browne, R.M. and Tang, M.L., 2006. Probiotic use in clinical practice: what are the risks? **Am. J. Clin. Nutr.**, Vol. 83, p. 1256-1264.
- Chapman, C.M., Gibson, G.R. and Rowland, I., 2012. In vitro evaluation of single- and multi-strain probiotics: inter-species inhibition between probiotic strains, and inhibition of pathogens. **Anaerobe**, Vol. 18, p. 405-413.

- Chenoll, E., Carmen Macian, M. and Aznar, R., 2006. *Lactobacillus tuceti* sp.: a new lactic acid bacterium isolated from sausage. **Syst. Appl. Microbiol.**, Vol. 29, p. 389–395.
- Collado, M.C., Meriluoto, J. and Salminen, S., 2007. Development of new probiotics by strain combinations: is it possible to improve the adhesion to intestinal mucus? **J. Dairy Sci.**, Vol. 90, p. 2710-2716.
- Corcoran, B. M., Stanton, C., Fitzgerald, G. F., Ross, R. P., 2005. Survival of probiotic *Lactobacilli* in acidic environments is enhanced in the presence of metabolizable sugars. **Appl. Environ. Microb.**, Vol. 71, p. 3060–3067.
- D'Souza, A.L., Rajkumar, C., Cooke, J., Bulpitt, C.J., 2002. Probiotics in prevention of antibiotic associated diarrhoea: meta-analysis. **Brit. Med. J.**, Vol. 324, p. 1361-1366.
- Ding, W.K. and Shah, N.P., 2007. Acid, bile, and heat tolerance of free and microencapsulated probiotic bacteria. **J. Food Sci.**, Vol. 72, p. 446-450.
- Djunaedi, D., 2007. Effects of probiotics on immune response. **Jurnal Kedokteran Brawijaya**, Vol. 22 , p. 22-27.
- Doleyrez, Y. and Lacroix, C., 2005. Technologies with free and immobilised cells for probiotic bifidobacteria production and protection. **Int. Dairy J.**, Vol. 15, p. 973-988.
- Elversson, J., 2005. Spray-dried powders for inhalation particle formation and formulation concepts. **Digital Comprehensive Summaries of Uppsala Dissertations from the Faculty of Pharmacy 15**, p. 13-18.
- Felis, G.E., and Dellaglio, F., 2007. Taxonomy of *Lactobacilli* and *Bifidobacteria*. **Curr. Iss. Intest. Microbiol.**, Vol.6, p. 41-61.
- Garrity, G.M., Bell, J.A. and Lilburn, T.G, 2004. Taxonomic Outline of the Procaryotes. **Bergey's Manual of Systematic Bacteriology**, 2nd Ed., DOI: <http://dx.doi.org/10.1007/bergeysoutline200405>

- Gbassi, G.K. and Vandamme, T., 2012. Probiotic encapsulation Technology: from microencapsulation to release into the gut. **Pharmaceutics**, Vol. 4, p. 149-163.
- Gianfrancesco, A., Turchiuli, C., Dumoulin, E., 2008. Powder agglomeration during the spray-drying process: measurements of air properties. **Dairy Sci. Technol.**, Vol. 88, p. 53–64.
- Goldin, B.R. and Gorbach, S.L., 2008. Clinical indications for probiotics: an overview. **Clin. Infect. Dis.**, Vol. 46 (Supplement 2), p. S96-S100.
- Golowczyc, M. A., Silva, J., Teixeira, P., De Antoni, G. L., Abraham, A. G., 2011. Cellular injuries of spray-dried *Lactobacillus* spp. isolated from kefir and their impact on probiotic properties. **Int. J. Food Microbiol.**, Vol. 144, p. 556-560.
- Guandalini, S., 2011. Probiotics for prevention and treatment of diarrhea. **J. Clin. Gastroenterol.**, Vol. 45, p. S149–S153.
- Hansen, L.T., Allan-Wojtas, P.M., Jin, Y.L. and Paulson, A.T., 2002. Survival of Ca-alginate microencapsulated *Bifidobacterium* spp. in milk and simulated gastrointestinal conditions. **Food Microbiol.**, Vol. 19, p.35-45.
- Hardiningsih, R., Napitupulu, R.N., dan Yulinery, T., 2006. Isolasi dan uji resistensi beberapa isolat *Lactobacillus* pada pH rendah. **Biodiversitas**, Vol. 7, p. 15-17.
- Jood, S., Khetarpaul, N., Goyal, R., 2012. Effect of germination and probiotic fermentation on ph, titratable acidity, dietary fibre, β -glucan and vitamin content of sorghum based food mixtures. **J. Nutr. Food Sci.**, Vol.2, p.1-4.
- Kamel, S. Ali, N., Jahangir, K., Shah, S. M., El-Gendy, A. A., 2008. Pharmaceutical significance of cellulose: A review. **Express Polym. Lett.** Vol.2, p. 758–778.

- Kissel, T., Maretschek, S., Packhauser, C., Schieders, J. and Seidel, N., 2006. Microencapsulation techniques for parenteral depot systems and their application in the pharmaceutical industry. **Drug Pharm. Sci.**, Vol. 158, p. 99-118.
- Kleerebezem, M., Hols, P., Hugenholtz, J., 2000. Lactic acid bacteria as a cell factory: rerouting of carbon metabolism in *Lactococcus lactis* by metabolic engineering. **Enzyme Microb. Tech.**, Vol. 26, p. 840–848.
- Krasaekoopt, W., Bhandari, B. and Deeth, H., 2003. Evaluation of encapsulation techniques of probiotics for yoghurt. **Int. Dairy J.**, Vol. 13, p.3–13.
- Lacroix, C. and Yildirim, S., 2007. Fermentation technologies for the production of probiotics with high viability and functionality. **Curr. Opin. Biotech.**, Vol. 18, p.176–183.
- Li, Y., Raftis, E., Canchaya, C., Fitzgerald, G.F., van Sinderen, D. and O'Toole, P.W., 2006. Polyphasic analysis indicates that *Lactobacillus salivarius* subsp. *salivarius* and *Lactobacillus salivarius* subsp. *salicinius* do not merit separate subspecies status. **Int. J. Syst. Evol. Micr.**, Vol. 56, p. 2397–2403.
- Livney, Y.D., 2010. Milk proteins as vehicle for bioactive. **Curr. Opin. Colloid In.**, Vol. 15, p. 73-83
- Lone, K.D. and Dhole, J.A., 2013. Formulation and evaluation of probiotic tablets containing anti-inflammatory drug. **Int. J. Pharm. Sci. Res.** , Vol. 4, p. 341-346.
- Mansouripour, S., Esfandiari, Z., Nateghi, L., 2013. The effect of heat process on the survival and increased viability of probiotic by microencapsulation: A review. **Ann. Biol. Res.**, Vol. 4, p. 83-87.
- McFarland, L.V., 2009. Evidence-based review of probiotics for antibiotic-associated diarrhea and *Clostridium difficile* infections. **Anaerobe**, Vol. 15, p. 274–280.

- Meng, X.C., Stanton, C., Fitzgerald, G.F., Daly, C. and Ross, R.P., 2008. Anhydrobiotics: The challenges of drying probiotic cultures. **Food Chem.**, Vol. 106, p.1406-1416.
- Michail, S., Sylvester, F. and Fuchs, G., 2006. Clinical Efficacy of Probiotics: Review of the Evidence With Focus on Children. **J. Pediatr. Gastr. Nutr.**, Vol. 43, p. 550-557.
- Mishra, M., Mishra, B., 2011. Formulation optimization and characterization of spray dried microparticles inhalation delivery of doxycycline hyclate. **Yakugaku Zasshi** Vol. 131, p. 1813-1825.
- Mortazavian, A., Razavi, S.H., Ehsani, M.R. and Sohrabvandi, S., 2007. Principle and methods of microencapsulation of probiotic microorganism, **Iranian J. Biotechnol.**, Vol. 5, p.1-18.
- Park, K. and Yeo, Y., 2007. Microencapsulation technology. **In: J. Swarbrick (Eds.). Encyclopedia Of Pharmaceutical Technology**, 3rd Ed., New York: Healthcare, p. 2315-2327.
- Patel, R.P., Patel, M. P., Suthar, A. M., 2009. Spray drying technology: an overview. **Indian J. Sci. Technol.**, Vol.2, p. 44-47.
- Pigeon, R.M., Cuesta, E.P. and Gilliland, S.G., 2002. Binding of free bile acids by cells of yoghurt culture bacteria. **J. Dairy Sci.**, Vol. 85, p. 2705-2710.
- Prangdimurti, E., 2001. **Probiotik dan efek perlindungannya**. Tesis Program Pasca Sarjana IPB, Bogor.
- Rabha, B., Victor, L., Miguel, A., Maria, F., Ahmed, B., 2011. Effect of fermentation conditions (culture media and incubation temperature) on exopolysaccharide production by *Streptococcus thermophilus* BN1. **Int. Conf. Biol. Env. Chem.**, Vol. 24, p. 433-437.
- Rastogi, R., Sultana, Y., Aqil, M., Ali, A., Kumar, S., Chuttani, K. and Mishra, A.K., 2007. Alginate microspheres of isoniazid for oral sustained drug delivery. **Int. J. Pharm.**, Vol. 274, p.1-33.

- Rowe, R.C., Sheskey, P.J. and Quinn, M.E., 2009. **Handbook of Pharmaceutical Excipients**. 6th Ed. London : Pharmaceutical Press., p. 326-633.
- Servin, A.L., 2004. Antagonistic activities of *Lactobacilli* and *Bifidobacteria* against microbial pathogens. **FEMS Microbiol. Rev.**, Vol. 28, p. 405–440.
- Sgouras, D., 2004. In vitro and in vivo inhibition of *Helicobacter pylori* by *Lactobacillus casei* strain *Shirota*. **Appl. Environ. Microbiol.**, Vol. 70, p. 518 – 526.
- Shah, N.P. and Ravula, R.R., 2000. Microencapsulation of probiotic bacteria and their survival in frozen fermented dairy desserts. **Aust. J. Dairy Technol.**, Vol. 55, p.139-144.
- Siepmann, J., Peppas, N. A., 2012. Modelling of drug release from delivery systems based on hydroxpropyl methylcellulose (HPMC). **Adv. Drug Deliv. Rev.**, Vol. 64, p. 163-174.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., 2005. **Spectrometric identification of organic compounds**, 7th Ed., New York : Wiley Inc.
- Sun, W.R. and Griffiths, M.W., 2000. Survival of *Bifidobacteria* in yogurt and simulated gastric juice following immobilization in gellan-xanthan beads. **Int. J. Food Microbiol.**, Vol. 61, p.17-25.
- Talwalkar, A. and Kailasapathy, K. 2004. A review of oxygen toxicity in probiotic yogurts: influence on the survival of probiotic bacteria and protective techniques. **Comp. Rev. Food Sci. Food Safety.**, Vol. 3, p.117-124.
- Teapaisan, R., Chooruk, A., Wannun A., Wichienhot S. and Piwat S., 2012. Survival rates of human-derived probiotic *Lactobacillus paracasei* SD1 in milk powder using spray drying. **Songklanakarin J. Sci. Technol.**, Vol. 34, p. 241-245.

- Tritt-Goc, J., Kowalczyk, J., Pislewski, N., 2005. Hydration of hydroxypropyl- methyl cellulose: Effects of pH and molecular mass. **Acta Phys. Pol. A**, Vol. 108, p. 197-205.
- Vehring, R., Foss, W. R., Lechuga-Ballesteros, D., 2007. Particle formation in spray drying. **Aerosol Sci.**, Vol. 38, p. 728 – 746.
- Wandrey, C., Bartkowiak, A. and Harding, S.E., 2010. Materials for Encapsulation. **In:** N. J. Zuidam, V. A. Nedovic (Eds.). **Encapsulation Technologies for Active Food Ingredients and Food Processing**. New York: Springer, p. 41-64.
- Wang, L., Dong, W., Xu, Y., 2007. Synthesis and characterization of hydroxypropyl methylcellulose and ethyl acrylate graft copolymers. **Carbohydr. Polym.**, Vol. 68, p. 626–636.
- WHO, 2002. Guidelines for the evaluation of probiotics in food. **FAO/WHO Working Group Report**, p.1-11. Also available in internet at :
http://www.who.int/foodsafety/fs_management/en/probiotic_guidelines.pdf
- Yadav, A.K., Chaudhari, A.B. and Kothari, R.M., 2009. Enhanced viability of *Bacillus coagulans* after spray drying with calcium lactate storage and rehydration. **Indian J. Chem. Technol.**, Vol.16, p. 519-522.
- Yonekura, L., Sun, H., Soukoulis, C. and Fisk, I., 2013. Microencapsulation of *Lactobacillus acidophilus* NCIMB 701748 in matrices containing soluble fibre by spray drying: Technological characterization, storage stability and survival after in vitro digestion. **J. Funct. Foods**. Also available in:
<http://dx.doi.org/10.1016/j.jff.2013.10.008>.