

DAFTAR PUSTAKA

- Anjali Mishra et al. Quality of Life (QoL) in Patients With Benign Thyroid Goiters (Pre- and Post-Thyroidectomy): A Prospective Study. *World J Surg. Soci te  Internationale de Chirurgie* 2013.
- Bahn, R. S. and Castro, M. R. (2011) ‘Approach to the patient with nontoxic multinodular goiter’, *Journal of Clinical Endocrinology and Metabolism*, 96(5), pp. 1202–1212. doi: 10.1210/jc.2010-2583.
- Bekkering, G. E. et al. (2019) ‘Thyroid hormones treatment for subclinical hypothyroidism: A clinical practice guideline’, *BMJ (Online)*, 365, pp. 1–9. doi: 10.1136/bmj.l2006.
- Burch, H. B. et al. (2016) ‘2016 American Thyroid Association Guidelines for Diagnosis and Management of Hyperthyroidism and Other Causes of Thyrotoxicosis’, 26(10). doi: 10.1089/thy.2016.0229.
- Chen, A. Y. et al. (2014) ‘American thyroid association statement on optimal surgical management of goiter’, *Thyroid*, 24(2), pp. 181–189. doi: 10.1089/thy.2013.0291.
- Djokomoeljanto, R. The Effect of Severe Iodine Deficiency : A study on Population in Central Jawa, Indonesia. 1974. Semarang : Thesis Universitas Diponegoro.
- Djokomoeljanto, R. The Effect of Severe Iodine Deficiency : A study on Population in Central Jawa, Indonesia. 1974. Semarang : Thesis Universitas Diponegoro.
- Dogan et al. Quality of Life After Thyroidectomy. *Italian society endocrinology* 2017.
- Epstein. Tracheomalacia. *Intensive Care Med Pulmonary and Critical Care Division, New England Medical Center*, 2002.
- Findlay JM, et al. Post-thyroidectomy tracheomalacia. minimal risk despite significant tracheal compression. 2011.
- Hicks, C. W. et al. (2014) ‘Clinicopathologic presentation and natural history of anorectal melanoma: A case series of 18 patients’, *JAMA Surgery*, 149(6), pp. 608–611. doi: 10.1001/jamasurg.2013.4643.
- Jesper Roed Sorensen, MD et al. Quality of life after thyroidectomy in patients with nontoxic nodular goiter: A prospective cohort study. *Wiley Original Article*, 2017.
- Kumar, K V S Hari et al. “Massive multinodular goiter with stridor.” *Indian journal of endocrinology and metabolism* vol. 16,4 (2012): 664-5. doi:10.4103/2230-8210.98043

- Lam S, Lang BH-H. A Review of the Pathogenesis and Management of Multinodular Goiter. *Thyroid Disord - Focus Hyperthyroidism*. 2014;
- Lemeshow, S., Hosmer, D. W., Klar, J., & Lwanga, S. K. (1991). Adequacy of Sample Size in Health Studies. *Biometrics*, 47(1), 347. <https://doi.org/10.2307/2532527>
- Mansjoer A et al (editor). *Struma Nodosa Non Toksik., Kapita Selekt Kedokteran., Jilid 1, Edisi III., 2001. Media Esculapius., FKUI., Jakarta*
- Medeiros-Neto G. Multinodular Goiter. [Updated 2016 Sep 26]. In: Feingold KR, Anawalt B, Boyce A, et al., editors. *Endotext* [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK285569/>
- Ms, A. G. and Vitreo-retina, F. N. B. (no date) 'Technique of', pp. 81–89.
- Mulinda, James R., *Goiter.*, 2005. eMedicine.
- Mutalazimah, -, Azwar, S. and Murti, B. (2014) 'Penskalaan Thurstone pada Aitem Thyroid Dysfunction Questionnaire (TDQ) Berbasis Gejala Biopsikosial', *Jurnal Psikologi*, 41(2), p. 135. doi: 10.22146/jpsi.6945. Norman Oniel Machado. *Tiroidectomy for Massive Goiter Weighing more Than 500 Grams.*
- Mutalazimah, -, Azwar, S. and Murti, B. (2014) 'Penskalaan Thurstone pada Aitem Thyroid Dysfunction Questionnaire (TDQ) Berbasis Gejala Biopsikosial', *Jurnal Psikologi*, 41(2), p. 135. doi: 10.22146/jpsi.6945.
- NOEHREN, A. H. (1947) 'The technique of thyroidectomy.', *Surgery, gynecology & obstetrics*, 84(2), pp. 239–244. doi: 10.1177/014107689809133s04.
- Ogston, S. A. et al. (1991) 'Adequacy of Sample Size in Health Studies.', *Biometrics*, 47(1), p. 347. doi: 10.2307/2532527.
- Paro H. B.M.S., Silveira P. S. P., et al, 2014. Empathy among medical students: is there a relation with quality of life and burnout?, *PLoS ONE* 9(4):e94133. doi:10.1371/journal.pone.0094133
- Paz-Filho G, Graf H. Nontoxic Multinodular Goiter. *Thyroid Its Dis*. 2019;517–37.
- Rogers, S. N. et al. (2016) 'Quality of life considerations in head and neck cancer : United Kingdom National Multidisciplinary Guidelines', *The Journal of Laryngology and Otology*, 130, pp. 49–52. doi: 10.1017/S0022215116000438.
- Ross, D. S. et al. (2016) '2016 American Thyroid Association Guidelines for Diagnosis and Management of Hyperthyroidism and Other Causes of Thyrotoxicosis', *Thyroid*, 26(10), pp. 1343–1421. doi: 10.1089/thy.2016.0229.

- Sephton, B. M. (2019) 'Extracervical Approaches to Thyroid Surgery: Evolution and Review', *Minimally Invasive Surgery*. Hindawi, 2019, pp. 1–14. doi: 10.1155/2019/5961690. Technical Difficulties, Complications and Management. Review. 2011; 2: 278-284.
- Sorensen, J. R. *et al.* (2017) 'Quality of life after thyroidectomy in patients with nontoxic nodular goiter: A prospective cohort study', *Head and Neck*, 39(11), pp. 2232–2240. doi: 10.1002/hed.24886.
- Tagay, S. *et al.* (2006) 'Health-related quality of life, depression and anxiety in thyroid cancer patients', *Quality of Life Research*, 15(4), pp. 695–703. doi: 10.1007/s11136-005-3689-7.
- Torquil watt et all. Confirmatory factor analysis of the thyroid-related quality of life questionnaire TDQ Health and Quality of Life Outcomes 2014, 12:126.
- Unit, E. T. and Unit, E. (2018) '2018 European Thyroid Association Guideline for the Management of Graves ' Hyperthyroidism', pp. 167–186. doi: 10.1159/000490384.
- Utami M., 2016. Hubungan aspek spiritual dan dukungan sosial terhadap kualitas hidup pasien kanker dengan kemoterapi di RSUD Prof. Dr. Margono Soekarjo Purwokerto tahun 2016.
- Van Heck G. L., Den Oudsten B. L., 2008. In A. Vingerhoets et al., (eds.), *Emotion regulation, Chapter 7 Emotional Intelligence: relationship to stress, Health, and well-being*. Springer.
- Wang J., Sun L. et al, 2016. The association between comorbidities and the quality of life colorectal cancer survivors in the people's republic of china, *Patient Preference and Adherence* (10):1071-1077.
- Watt, T. et al. (2014) 'The thyroid-related quality of life measure ThyPRO has good responsiveness and ability to detect relevant treatment effects', *Journal of Clinical Endocrinology and Metabolism*, 99(10), pp. 3708–3717. doi: 10.1210/jc.2014-1322.
- Watt, T. et al. (2014) 'The thyroid-related quality of life measure ThyPRO has good responsiveness and ability to detect relevant treatment effects', *Journal of Clinical Endocrinology and Metabolism*, 99(10), pp. 3708–3717. doi: 10.1210/jc.2014-1322.
- Wibawa I. S., 2013. Tingkat kecerdasan emosional siswa yang mengikuti ekstrakurikuler olahraga dan yang tidak mengikuti ekstrakurikuler olahraga di SMK PGRI Sentolo.
- Wilson Ira B., Cleary Paul D., 1995, Linking clinical variable with health-related quality quality of life, *JAMA*, Vol 273, No.1.
- Yoga Wijayahadi et all. Kelenjar Tiroid Kelainan, Diagnosis, dan Penatalaksanaan. Seksi Bedah Kepala Leher Bagian Ilmu Bedah Fak. Kedokteran Universitas Airlangga RSUD Dr Soetomo Surabaya. 2000

Youssef N.F.A., 2013. Health related quality of life, symptoms experience and perceived social support among patients with liver cirrhosis: a cross-sectional study in Egypt. University of Stirling.

Yuri choi et all. Impact of Post Thyroidectomy scar on the Quality of Life of Thyroid Cancer Patients. Ann dermatol vol 26. No26, 2014