

## DAFTAR PUSTAKA

- Ancuța, E. *et al.* (2008) ‘Tumor biomarkers in cervical cancer: Focus on Ki-67 proliferation factor and E-cadherin expression’, *Romanian Journal of Morphology and Embryology*, 50(3), pp. 413–418.
- Ardhiansyah, A.O. (2015) ‘Kanker Tiroid: Surgery Mapping’. Surabaya: Airlangga University Press.
- Askitis, D. *et al.* (2013) ‘Incidental thyroid carcinoma diagnosed after total thyroidectomy for benign thyroid diseases: Incidence and association with thyroid disease type and laboratory markers’, *International Journal of Endocrinology*, 2013(3). doi: 10.1155/2013/451959.
- Baulieu, J. L. (1978) [*Tiroid gland: anatomy and physiology*]. 2nd edn, *Soins; la revue de référence infirmière*. 2nd edn. Elsevier Inc. doi: 10.1016/B978-0-12-801238-3.96022-7.
- Berney, D. M. *et al.* (2009) ‘Ki-67 and outcome in clinically localised prostate cancer: Analysis of conservatively treated prostate cancer patients from the trans-atlantic prostate group study’, *British Journal of Cancer*, 100(6), pp. 888–893.
- Bombil, I. *et al.* (2014) ‘Incidental cancer in multinodular goitre post thyroidectomy’, *South African Journal of Surgery*, 52(1), pp. 5–9. doi: 10.7196/SAJS.1970.
- Brown, *et al.* (2011). Thyroid Cancer: Burden of Illness and Management of Disease. *J Cancer*. 2011; 2: 193–199. doi: 10.7150/jca.2.193
- Dzulkifli, FA; Mashor, MY; dan Jaafar, H. 2018. An verview of recent counting methods for Ki67 IHC staining. *J. of Biomed. & Clin. Sci.* Vol 3 (2), 10-17
- Fagan, J. (2017) ‘Open Access Atlas of Otolaryngology, Head and Neck Operative Surgery: Volume 1 - Head and Neck’, Open Access Atlas of Otolaryngology, Head and Neck Operative Surgery: Volume 1 - Head and Neck.
- Faisal, M. *et al.* (2018) ‘Incidental thyroid carcinoma after thyroidectomy for benign thyroid disease in Suez Canal region’, *The Egyptian Journal of Surgery*, 37(3), p. 361. doi: 10.4103/ejs.ejs\_34\_18.
- Gavilán, *et al.* (2004) ‘Functional neck dissection: the Latin approach’, *Operative Techniques in Otolaryngology*, 15, pp. 168-175. doi: 10.1016/j.otot.2004.07.007.
- Guyton MD. Thyroid disease in Human physiology and mechanism of disease. 3rd ed. WB Saunders Co. Philadelphia. 182. pp 665-86

- Harish, K. (2005) 'Neck dissections: Radical to conservative', *World Journal of Surgical Oncology*, 3, pp. 1–13.
- Haymart, M. 2009. Understanding the Relationship Between Age and Thyroid Cancer. *The Oncologist* ; 216–21.
- Hughes, K. and Eastman, C. (2012) 'Goitre: Causes, investigation and management', *Australian Family Physician*, 41(8), pp. 573–576.
- Iribarren, C. et al. (2001) 'Cohort study of thyroid cancer in a San Francisco bay area population', *International Journal of Cancer*, 93(5), pp. 745–750. doi: 10.1002/ijc.1377.
- Is, W. et al. (2016) 'www.tiroid.org'.
- Jarrell BE, Carabasi RA. Endocrine disorders in NMS Surgery. 3rded. Williams & Wilkins. Hong Kong. 1996. p 306.
- Kaemmerer D, Peter L, Lupp A, Schulz S, Sanger J, Baum R, et al. (2012). Comparing of IRS and Her2 as immunohistochemical scoring schemes in gastroenteropancreatic neuroendocrine tumors. *Int J Clin Exp Pathol*; 5 : 187 – 94
- Khoo, M. L. C. et al. (2002) 'Tiroid calcification and its association with tiroid carcinoma', *Head and Neck*, 24(7), pp. 651–655. doi: 10.1002/hed.10115.
- Kumar, Abbas, Aster. (2017). Robbins Basic Pathology 10<sup>th</sup> Editio. Elsevier.
- Li, et al. (2015) 'Ki-67 is a promising molecular target in the diagnosis of cancer (Review)', *Molecular Medicine Reports*. Doi: 10.3892/mmr. 2014.2914.
- Liu, et. Atl. (2017). Risk factors of central lymph node metastasis of papillary thyroid carcinoma: A single-centerretrospective analysis of 3273 cases. *Medicine (Baltimore)*. 2017 Oct 96(43): e8365.
- Lupoli, R. et al. (2014) 'Clinical outcome in differentiated thyroid carcinoma and microcarcinoma', *International Journal of Surgery*. Elsevier Ltd, 12, pp. S148–S151. doi: 10.1016/j.ijsu.2014.05.024.
- Menon, S. S., Guruvayoorappan, C., & Sakthivel, K. M. (2019). Ki-67 protein as a tumour proliferation marker *Clinica Chimica Acta* Ki-67 protein as a tumour proliferation marker. *Clinica Chimica Acta*, 491(April), 39–45.
- Moore, K. L. and Agur, A. M. R. (2004) *Clinically oriented anatomy, fourth edition*, *Air Medical Journal*. doi: 10.1016/s1067-991x(00)90091-9.
- Nahed, A. S. and Shaimaa, M. Y. (2016) 'Ki-67 as a prognostic marker according to breast cancer molecular subtype', *Cancer Biology & Medicine*, 13(4), p. 496.
- Nowak M, Madej JA, Dziegieł P. (2007). Intensity of cox2 expression in cell of soft tissue fibrosarcoma in dogs are related to grade of tumour malignancy. *Bull Vet Ins Pulawy* ; 51 ; 275 – 9

- Oktahermoniza *et al.* (2013) ‘Analisis Ketahanan Hidup Lima Tahun Kanker Tiroid yang’, *Journal Fakultas Kedokteran Unand*, 2(3), pp. 151–157.
- Paunović, I. *et al.* (2012) ‘Surgical anatomy of thyroid and parathyroid glands and basic principles of operative technique’, *Medicinski glasnik Specijalna bolnica za bolesti stitaste zlezde i bolesti metabolizma Zlatibor*, 17(43), pp. 7–28. doi: 10.5937/medgla1243007p.
- Pezzolla, A. *et al.* (2014) ‘Incidental carcinoma of the thyroid’, *International Journal of Surgery*, 12(S1), pp. S98–S102. doi: 10.1016/j.ijsu.2014.05.041.
- Prihantono, P. *et al.* (2017) ‘Ki-67 expression by immunohistochemistry and quantitative real-time polymerase chain reaction as predictor of clinical response to neoadjuvant chemotherapy in locally advanced breast cancer’, *Journal of Oncology*. Hindawi, 2017.
- Pujani M, Arora B, Singh SK, Tejwani N. (2010). Role of Ki 67 as a proliferative marker in lesion of thyroid. *Indian J cancer* ; 47 : 304 – 7
- Saiz AD, Olvera M, Rezk S, Florentine BA, Mc Courty A, Brynes R. (2002). Imunohistochemical expession of cycling D1, E2F-1, and Ki-67 in benign and malignant tiroid lesion. *J pathol* ; 2 : 157 - 62
- Skilbeck, C., Leslie, A. and Simo, R. (2007) ‘Tiroid isthmusectomy: A critical appraisal’, *Journal of Laryngology and Otology*, 121(10), pp. 986–989. doi: 10.1017/S0022215106005238.
- Sturgeon, C. *et al.* (2013) ‘There Is a High Rate of Incidental Thyroid Cancer in Surgical Series of Toxic and Nontoxic Multinodular Goiter Series of Toxic and Nontoxic Multinodular Goiter’, 25(8), pp. 168–169.
- Sulastri, H. and Azhar, M. B. (2014) ‘Hubungan Antara Ekspresi Cyclooxygenase-2 Dengan Derajat Histopatologi dan Invasi Limfovaskular Karsinoma Sel Skuamosa Serviks’, 23(3), pp. 211–215.
- Sun, X. and Kaufman, P. D. (2018) ‘Ki-67: more than a proliferation marker’, *Chromosoma Chromosoma*, 127(2), pp. 175–186.
- Xiong *et al.* (2019). Ki-67/MKI67 as a Predictive Biomarker for Clinical Outcome in Gastric Cancer Patients: an Updated Meta-analysis and Systematic Review involving 53 Studies and 7078 Patients. *J Cancer*. 2019; 10(22): 5339–5354. doi: 10.7150/jca.30074.

Lampiran 1



KOMITE ETIK PENELITIAN KESEHATAN  
RSUD Dr. SOETOMO SURABAYA

KETERANGAN KELAIKAN ETIK  
(" ETHICAL CLEARANCE ")

1613/KEPK/X/2019

KOMITE ETIK RSUD Dr. SOETOMO SURABAYA TELAH MEMPELAJARI  
SECARA SEKSAMA RANCANGAN PENELITIAN YANG DIUSULKAN, MAKA  
DENGAN INI MENYATAKAN BAHWA PENELITIAN DENGAN JUDUL :

" PERBEDAAN EKSPRESI Ki-67 PADA PASIEN KANKER TIROID PAPILLARY  
NON METASTASIS DAN METASTASIS REGIONAL DI RSUD DR. SOETOMO  
SURABAYA "

PENELITI UTAMA : Dr. Marjono Dwi Wibowo, dr., Sp.B (K) KL

PENELITI LAIN : 1. Dyah Fauziah, dr., Sp.PA(K)  
2. Eureka Nusra Grahita, dr

UNIT / LEMBAGA / TEMPAT PENELITIAN : RSUD Dr. Soetomo

DINYATAKAN LAIK ETIK

Berlaku dari : 28/10/2019 s.d 28/10/2020  
Surabaya, 28 October 2019

KETUA



(Dr. Elizeus Hanindito, dr., Sp.An, KIC,KAP)  
NIP. 19511007 197903 1 002

*\*) Sertifikat ini dinyatakan sah apabila telah mendapatkan stempel asli dari Komite Etik  
Penelitian Kesehatan*