

DAFTAR PUSTAKA

- Anonim, <https://www.bostonoandp.com/>, 14 November 2019
- Anonim, <https://www.specialchem.com/>, 15 November 2019
- Barrey, C., Roussouly, P., Le Hucc, J., 2013, Compensatory mechanism contributing to keep the sagittal balance of the spine, *Eur. Spine J.*, **22**(6): 834-41
- Basri, H., Syahrom, A., Ramadhoni, T.S., Prakoso, A.T., 2019, The analysis of dimple arrangement of the artificial hip joint to the performance of lubrication, *IOP Conference Series: Materials Science and Engineering*, **620**: 1-10
- Bi, Zhuming, 2018, *Finite Element Analysis Applicatios: A Systematic and Practical Approach*, Elsevier, Missouri
- Brousil, J. and Robinson, A., 2018, Orthoses for the Foot and Ankle, *Core Topics in Foot and Ankle Surgery*, 63-81, Cambridge University Press, Cambridge
- Callister, W.D. dan Rethwisch, D.G., 2010, *Materials Science and Engineering: An Introduction*, 8th Edition, John Wiley & Sons, Inc., USA
- Cameron, M.H. dan Monroe, L., 2011, *Physical Rehabilitation for the Physical Therapist Assistant*, Elsevier, Missouri
- Evayanti, L.G., Kalanjati, V.P., Machin, A., 2018, A rare widespread tuberculous spondylitis extended from the T5-T10 levels – a case report, *IOP Conf. Series: Materials Science and Engineering*, **434**: 1-5
- Faustini, M.C., Crawford, R.H., Neptune, R., Stanhope, S.J., 2008, Manufacture of Passive Dynamic Ankle-Foot Orthoses Using Selective Laser Sintering, *IEEE transactions on bio-medical engineering*, **55**: 784-90
- Feng, Y. dan Song, Y., 2017, The Categories of AFO and Its Effect on Patients With Foot Impair: A Systemic Review, *Psysical Activity and Health*, **1**(1): 8-16
- Ganz, M., 2010, *Finite Element Method I*, University of Copenhagen, Copenhagen
- Gomes, G., Lourenço, I., Oliveira, J., Vale, A., Freire, L., Quental, P., Policarpo, H., Matos, J., 2017, Structural Reinforcements on AFO's: A study using Computer Aided Design and finite element method, *2017 IEEE 5th Portuguese Meeting on Bioengineering (ENBENG)*, 1-4

- Ielapi, A., Lammens, N., Van Paepegem, W., Forward, M., Deckers, J.P., Vermandel, M., De Beule, M., 2019, A validated computational framework to evaluate the stiffness of 3D printed ankle foot orthoses, *Computer Methods in Biomechanics and Biomedical Engineering*, 1-8
- Jain, A.K. and Kumar, J., 2013, Tuberculosis of spine: neurological deficit, *Eur. Spine J.*, **22**(4): 624-33
- Kharb, A., Saini, V., Jain, Y.K., Dhiman, S., 2011, A Review of Gait Analysis Cycle and Its Parameter, *IPCEM International Journal of Computational Engineering & Management*, **13**: 78-83
- Kusmiati, T. dan Narendrani, H.P., 2016, Pott's Disease, *Jurnal Respirasi*, **2**(3): 99-109
- Markopoulos, A.P., 2013, *Finite Element Method in Machining Processes*, Springer, London
- Meadows, B. dan Bowers, R., 2019, Biomechanics of the Hip, Knee, and Ankle, *Atlas of Orthoses and Assistive Devices*, **5**: 207-215
- Moon, Myung-Sang, 2014, Tuberculosis of Spine: Current Views in Diagnosis and Management, *Asian Spine J.*, **8**(1): 97-111
- Nabhani, F., Ladokun, T., Askari V., 2012, Reduction of Stresses in Cylindrical Pressure Vessels Using Finite Element Analysis, *Finite Element Analysis – From Biomedical Applications to Industrial Developments*, 379-390
- Netter, F., 2014, *Atlas of Human Anatomy*, 4th Edition, Saunders, Philadelphia
- Nikishkov, G., 2010, *Programming Finite Elements in Java™*, 1th Edition, Springer-Verlag, London
- Rajasekaran, S., Soundarajan, D.C.R., Shetty, A.P., Kanna, R.M., 2018, Spinal Tuberculosis: Current Concepts, *Global Spine J.*, **8**(4S): 96-108
- Rasouli, M.R., Mirkoohi, M., Vaccaro, A.R., Yarandi, K.K., Rahimi-Movaghar, V., 2012, Spinal Tuberculosis: Diagnosis and Management, *Asian Spine J.*, **6**(4): 294-308
- Rodiyah, N.K., 2019, *Analisis Kegagalan Ankle Foot Orthosis (AFO) pada Kasus Spinal Tuberkulosis Pasca Operasi*, Universitas Airlangga, Surabaya
- Roniger, L., 2016, AFO stiffness can help optimize patient function, *Lower Extremity Review*, November 2016, diakses melalui <https://lermagazine.com/article/afo-stiffness-can-help-optimize-patient-function>
- Sarikhani, A., Motalebizadeh, A., Asiaei, S., Azad, B.K.D., 2016, Studying Maximum Plantar Stress per Insole Design Using Foot CT-Scan Images

- of Hyperleastic Soft Tissues, *Applied Bionics and Biomechanics*, **2016**(8985690): 1-6
- Seshu, P., 2012, *Textbook of Finite Element Analysis*, PHI Learning Private Limited, New Delhi
- Surmen, H.K., Akalan, N.E., Arslan, Y.Z., 2018, Design, Manufacture, and Selection of Ankle-Foot-Orthoses, *Encyclopedia of Information Science and Technology*, **4**: 298-313
- Syngellakis, S. dan Arnold, M.A., 2012, Modelling considerations in finite element analysis of ankle foot orthoses, *WIT Transactions on Ecology and The Environment*, **160**: 183-194
- Terriault, P. dan Brailovski, V., 2017, Influence of Boundary Conditions on the Simulation of a Diamond-Type Lattice Structure: A Preliminary Study, *Advances in Materials Science and Engineering*, 1-8
- Tongen, A. dan Wunderlich, R.E., 2010, Biomechanics of Running and Walking, *Mathematical Association of America*, 315-328
- Wach, A., 2015, *Mechanical Characterization of Carbon Fiber and Thermoplastic Ankle Foot Orthoses*, Master's Theses, Paper 341
- Wang, R., Zheng, S., Zheng, Y., 2011, *Polymer matrix composites and technology*, Woodhead Publishing Limited, Cambridge
- Wojciechowski, E., Chang, A.Y., Balasson, D., Ford, J., Cheng, T.L., Little, D., Menezes, M.P., Hogan, S., Burns, J., 2019, Feasibility of designing, manufacturing and delivering 3D printed ankle-foot orthoses: a systematic review, *Journal of Foot and Ankle Research*, **12**(11): 1-12
- World Health Organization. 2019, *Global Tuberculosis Report 2019*, World Health Organization, Geneva
- Zamanian, H., 2017, *Toward Creating Normal Ankle Joint Behavior for Drop Foot Patients Using an Ankle Foot Orthosis (AFO) with Superplastic NiTi Springs*, University of Toledo, Ohio
- Zou, D., He, T., Dailey, M., Smith, K.E., Silva, M.J., Sinacore, D.R., Mueller, M.J., Hastings, M.K., 2014, Experimental and computational analysis of composite ankle-foot orthosis, *J. Rehabil. Res. Des.*, **51**(10): 1525-1536
- Zuwanda dan Janitra, R., 2013, Diagnosis dan Penatalaksanaan Spondalitis Tuberkulosis, *CDK-208*, **40**(9): 661-73