

DAFTAR PUSTAKA

- Al-Musqsith. (2018). *Anatomi Dan Biomekanika Sendi Dan Pergelangan Tangan*. 19–48.
- Bakara, D. M., & Warsito, S. (2016). Latihan Range of Motion (Rom) Pasif Terhadap Rentang Sendi Pasien Pasca Stroke. *Idea Nursing Journal*, 7(2), 12–18.
- Bihani, A. (2014). A New Approach to Monte Carlo Simulation of Operations. *International Journal of Engineering Trends and Technology*, 8(4), 218–222. <https://doi.org/10.14445/22315381/ijett-v8p240>
- Bischoff, C., Fuglsang-Fredriksen, A., Vendelbo, L., & Summer, A. (1999). Standards of instrumentation of EMG. *Recommendations for the Practice of Neurophysiology*, 199–211. <https://doi.org/10.1016/j.clinph.2019.07.025>
- Bishop, Robert H. (2015). *Learning with LabVIEW*. Copyright © 2015 by Pearson Education, Inc., Upper Saddle River, New Jersey 07458, ISBN-13: 978-0-13-402212-3.
- Cermak, N., Wilson, M. A., Schiller, J., & Newman, J. P. (2019). Stimjim: open source hardware for precise electrical stimulation. *BioRxiv*, 757716. <https://doi.org/10.1101/757716>
- Chamim, A. N. N. (2010). PENGGUNAAN MICROCONTROLLER SEBAGAI PENDETEKSI POSISI DENGAN MENGGUNAKAN SINYAL GSM. *JURNAL INFORMATIKA*, 4(1).
- Clancy, E. A., Morin, E. L., & Merletti, R. (2002). Sampling, noise-reduction and amplitude estimation issues in surface electromyography. *Journal of Electromyography and Kinesiology*, 12(1), 1–16. [https://doi.org/10.1016/S1050-6411\(01\)00033-5](https://doi.org/10.1016/S1050-6411(01)00033-5)
- Das, S., & Chakraborty, B. (2018). Design of an Absolute Shaft Encoder Using Optically Modulated Binary Code. *IEEE Sensors Journal*, 18(12), 4902–4910. <https://doi.org/10.1109/JSEN.2018.2834378>
- Day, B. S. (2002). Important Factors in Surface EMG Measurement. *Measurement*, 1–17. Retrieved from http://edge.rit.edu/content/P08027/public/IRB/Papers/intro_EMG.pdf

- Dinata, C. A. (2013). Gambaran Faktor Risiko dan Tipe Stroke pada Pasien Rawat Inap di Bagian Penyakit Dalam RSUD Kabupaten Solok Selatan, Jurnal Kesehatan Andalas. 2013; 2(2)
- Dobkin, B. H. (2005). Rehabilitation After Stroke. *Neurology and Clinical Neuroscience*, 645–660'.
- Heymsfield, S. B., McManus, C., Smith, J., Stevens, V., & Nixon, D. W. (1982). Anthropometric measurement of muscle mass: Revised equations for calculating bone-free arm muscle area. *American Journal of Clinical Nutrition*, 36(4), 680–690. <https://doi.org/10.1093/ajcn/36.4.680>
- Himmelsbach, I., Lipinski, J., & Putzke, M. (2016). Internet-Recherche nach Beratungsangeboten für ältere Menschen mit Sehbehinderung. *Ophthalmologe*, 113(11), 933–942. <https://doi.org/10.1007/s00347-016-0276-y>.
- <http://www.ia.omron.com/products/category/sensors/rotary-encoders/>. Diakses: 18 November 2019.
- <https://blog.3dcs.com/dimensional-analysis-how-many-monte-carlo-simulations-should-i-run>. Diakses: 18 Mei 2020
- Hutahaean, H. D. (2018). Analisa Simulasi Monte Carlo Untuk Memprediksi Tingkat Kehadiran Mahasiswa dalam Perkuliahan. *Journal of Informatic Pelita Nusantara*, 3(1), 41–45.
- Instrument, N. (2012). *User Guide and Specifications Ni Usb- 6008/6009*. 30. Retrieved from <http://www.ni.com/pdf/manuals/371303m.pdf>
- Krithikadatta, J. (2014). Normal Distribution. *Journal of Conservative Dentistry*, 17(1), 96–97. <https://doi.org/10.4103/0972-0707.124171>
- Lee, W., Kim, H., Hwang, S., Zanobetti, A., Schwartz, J. D., & Chung, Y. (2017). Monte Carlo simulation-based estimation for the minimum mortality temperature in temperature-mortality association study. *BMC Medical Research Methodology*, 17(1), 1–10. <https://doi.org/10.1186/s12874-017-0412-7>
- Lerche, I., & Mudford, B. S. (2005). How many Monte Carlo simulations does one need to do? *Energy Exploration and Exploitation*, 23(6), 405–427. <https://doi.org/10.1260/014459805776986876>

- Liu, M. (2017). Optimal Number of Trials for Monte Carlo Simulation. *Valuation Research.* Https://Www.Valuationresearch.Com/Wpcontent/Uploads/Kb/SpecialReport_MonteCarloSimulationTrials.Pdf.
- Liu, P., Liu, L., Martel, F., Rancourt, D., & Clancy, E. A. (2013). Influence of joint angle on EMG-torque model during constant-posture, quasi-constant-torque contractions. *Journal of Electromyography and Kinesiology*, 23(5), 1020–1028. <https://doi.org/10.1016/j.jelekin.2013.06.011>
- Lubis, A. R., Dasari, D., & Agustina, F. (2017). PENERAPAN MODEL M_o DAN MODEL M_t UNTUK MENGESTIMASI UKURAN POPULASI TERTUTUP PADA DATA CAPTURE-RECAPTURE. *Jurnal EurekaMatika*, 5(1), 46–63.
- Maeda, K., Konaka, E., Okuda, H., & Suzuki, T. (2012). Hierarchical modelling of obstacle avoidance and steering behaviour. *19th Intelligent Transport Systems World Congress, ITS 2012*, (April), 1–60.
- Mavaddat, N. (2017). Learning Networks. *Encyclopedia of Educational Philosophy and Theory*, 1271–1271. https://doi.org/10.1007/978-981-287-588-4_100586
- Mirković, D., Stošović, M. A., Petković, P., & Litovski, V. (2015). IIR digital filters with critical monotonic pass-band amplitude characteristic. *AEU - International Journal of Electronics and Communications*, 69(10), 1495–1505. <https://doi.org/10.1016/j.aeue.2015.07.005>
- Morris, A. F. (2016). Therapeutic Exercise (4th Ed.). In *Adapted Physical Activity Quarterly* (Vol. 2). <https://doi.org/10.1123/apaq.2.1.86>
- Myers, L. J., Lowery, M., O’Malley, M., Vaughan, C. L., Heneghan, C., St. Clair Gibson, A., ... Sreenivasan, R. (2003). Rectification and non-linear pre-processing of EMG signals for cortico-muscular analysis. *Journal of Neuroscience Methods*, 124(2), 157–165. [https://doi.org/10.1016/S0165-0270\(03\)00004-9](https://doi.org/10.1016/S0165-0270(03)00004-9)
- Nau, R. (2014). Forecasting with moving averages. (*Unpublished Technical Report*, (August), 1–28. Retrieved from http://people.duke.edu/~rnau/Notes_on_forecasting_with_moving_averages-Robert_Nau.pdf
- Nguyen, K. H., Smith, A. C., Armfield, N. R., Bensink, M., & Scuffham, P. A. (2015). Cost-effectiveness analysis of a mobile ear screening and surveillance service versus an outreach screening, surveillance and surgical service for Indigenous children in Australia. *PLoS ONE*, 10(9). <https://doi.org/10.1371/journal.pone.0138369>

- Paquin, J., & Power, G. A. (2018). History dependence of the EMG-torque relationship. *Journal of Electromyography and Kinesiology*, 41(May), 109–115. <https://doi.org/10.1016/j.jelekin.2018.05.005>
- Pascasarjana, S. (2017). *PENGENALAN POLA JARINGAN SARAF TIRUAN (STUDI KASUS: LEMBAR JAWABAN UJIAN PERGURUAN TINGGI)*.
- Potter, P.A, Perry, A.G. .2010 Fundamental Keperawatan. Buku 2 & 3 edisi ke-7 (Diah Nur Fitriani, Onny Tampubolon, & Farah Diba, Penerjemah). Jakarta: Salemba Medika
- Purwanti, O. S. (2016). REHABILITASI KLIEN PASCA STROKE Okti Sri Purwanti * Arina Maliya ** Abstract Keywords: post stroke client, earlier mobilization. Rehabilitasi Pasien Pasca Stroke (Okti Sri Purwanti dan Arina Maliya). *Berita Ilmu Keperawatan*, 1 no 1, 46.
- Rachman, R. (2018). Penerapan Metode Moving Average Dan Exponential Smoothing Pada Peramalan Produksi Industri Garment. *Jurnal Informatika*, 5(2), 211–220. <https://doi.org/10.31311/ji.v5i2.3309>
- Rahmatullah, S. I. (2005). Perbedaan Pengaruh Pemberian Strengthening Exercise Jenis Kontraksi Concentric Dengan Eccentric Terhadap Peningkatan Kekuatan Otot Biceps Brachii. *Jurnal Fisioterapi Indonusa*, 5(2), 18–28. Retrieved from <http://download.portalgaruda.org/article.php?article=178312&val=4571&title=Perbedaan%20Pengaruh%20Pemberian%20Strengthening%20Exercise%20Jenis%20Kontraksi%20Concentric%20Dengan%20Eccentric%20Terhadap%20Peningkatan%20Kekuatan%20Otot%20Biceps%20Brachii>
- Rhestifujiyani, E., Huriani, E., & Muhammiza, M. (2015). Comparison of Muscle Strength in Stroke Patients between The Given and Not Given Range of Motion Exercise. *Nurse Media Journal of Nursing*, 5(2), 88. <https://doi.org/10.14710/nmjn.v5i2.10534>
- Rindengan, A. J., Mananohas, M., Matematika, P. S., Sam, U., Manado, R., & Digital, P. C. (n.d.). *Cakalang Menggunakan Metode Curve Fitting Berbasis Citra System Design of Freshness Level Determination of Skipper Fish Using Curve Fitting Method Based on Digital Image of*.
- Ruiz, A. F., Forner-Cordero, A., Rocon, E., & Pons, J. L. (2006). Exoskeletons for rehabilitation and motor control. *Proceedings of the First IEEE/RAS-EMBS International Conference on Biomedical Robotics and Biomechatronics, 2006, BioRob 2006*, 2006(February 2001), 601–606. <https://doi.org/10.1109/BIOROB.2006.1639155>

- Saad, I., Bais, N. H., Bun Seng, C., Mohd Zuhir, H., & Bolong, N. (2015). *Electromyogram (EMG) signal processing analysis for clinical rehabilitation application BT- 3rd International Conference on Artificial Intelligence, Modelling and Simulation, AIMS 2015, December 2, 2015-December 4, 2015.* (December 2015), 105–110. <https://doi.org/10.1109/AIMS.2015.76>
- Santos, C. J., Santos, W. S., Perini, A. P., Valeriano, C. C. S., Belinato, W., Caldas, L. V. E., & Neves, L. P. (2020). Evaluation of polymer gels using Monte Carlo simulations. *Radiation Physics and Chemistry*, 167(March). <https://doi.org/10.1016/j.radphyschem.2019.03.038>
- Schober, P., & Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Tao, J., & Yu, S. (2019). Developing conceptual pss models of upper limb exoskeleton based post-stroke rehabilitation in China. *Procedia CIRP*, 80, 750–755. <https://doi.org/10.1016/j.procir.2019.01.031>
- Triwiyanto, T., Wahyunggoro, O., Nugroho, H. A., & Herianto, H. (2017). Evaluating the performance of Kalman filter on elbow joint angle prediction based on electromyography. *International Journal of Precision Engineering and Manufacturing*, 18(12), 1739–1748. <https://doi.org/10.1007/s12541-017-0202-5>
- Truelsen, T. et al., 2006. Stroke Incidence and Prevalence in Europe: a review of available data. *Eur J Neurol*, Volume 13(6), pp. 581-598.
- Venketasubramanian, N., Yoon, B. W., Pandian, J., & Navarro, J. C. (2017). Stroke Epidemiology in South, East, and South-East Asia: A Review. *Journal of Stroke*, 19(3), 286–294’.
- Vitiello, N., Lenzi, T., Roccella, S., De Rossi, S. M. M., Cattin, E., Giovacchini, F., ... Carrozza, M. C. (2013). NEUROExos: A powered elbow exoskeleton for physical rehabilitation. *IEEE Transactions on Robotics*, 29(1), 220–235. <https://doi.org/10.1109/TRO.2012.2211492>
- Yendra, R., & Noviadi, E. T. (2015). Perbandingan Estimasi Parameter Pada Distribusi Eksponensial Dengan Menggunakan Metode Maksimum Likelihood Dan Metode Bayesian. *Jurnal Sains Matematika Dan Statistika*, 1(2), 62. <https://doi.org/10.24014/jsms.v1i2.1960>