

DAFTAR PUSTAKA

- Adam, A., Schrimpl, L., Schmidt, C., Peter, 2000. Some physicochemical properties of mefenamic acid. **Drug Development Industry Pharmacy**, Vol. 26, p. 477-87.
- Almarsson, O., Peterson, M.L., Zaworotko, M., 2012. The a to z of pharmaceutical co-crystals: c decade of fast moving new science and patents. **Pharmaceutical Patent Analyst**, Vol. 1, No. 30, p. 313-27.
- Anil, P.R., Pravin, C.D., 2012. Novel techniques for solubility, dissolution rate and bioavailability enhancement of class II and IV drugs. **Asian Journal of Biomedical and Pharmaceutical Sciences**, Vol. 2, No. 13, p. 9-14.
- Anonim, 2007. **The United States Pharmacopoeia 30 – The National Formulary 25**. United States Pharmacopoeia Convention, Inc. Electronic version., p. 2560.
- Ansel, H.C., Popovich, N.G., Allen, L.V. Eds. 2011. **Pharmaceutical Dosage Form and Drug Delivery System**, 9th ed. Malvern : Williams & Wilkins. p.100-104.
- Ban, M., Bombicz, P., Madarasz, J., 2009. Thermal stability and structure of a new co-crystal of theophylline formed with phthalic acid TG/DTA-EGA-MS and TG-EGA-FTIR study. **Journal of Thermal Analysis and Calorimetry**, Vol. 95, p. 895-901.
- Basavoju, S., Bostrom, D., Velaga S.P., 2008. Indomethacin - saccharin co-crystal : design, synthesis and preliminary pharmaceutical characterization. **Pharmaceutical Research**, Vol.25, p. 530-41.
- Chandramouli, Y., Gandhimathi, R., Yasmeen, B.R., Vikram, A., Mahitha, B., Imroz, S.M., 2012. Review of cocrystal as an approach with newer implications in pharmaceutical field. **International Journal of Medicinal Chemistry and Analysis**, Vol. 2, p.2.

- Chieng, N., Hubert, M., Saville, D., Rades, T., Aaltonen, J., 2009. Formation kinetics and stability of carbamazepine – nicotinamide cocrystals prepared by mechanical activation. **Crystal Growth Design**, Vol. 96, p. 147–58.
- Choundhary, N.H., Kumbhar, M.S., Dighe, D.A., Mujgond, P.S., Singh, M.C., 2013. Solubility enhancement of escitalopram oxalate using hydrotrope. **International Journal of Pharmacy and Pharmaceutical Sciences**, Vol. 5, No. 1, p. 121-25.
- Costa, P., Lobo, J.M.S., 2000. Modelling and comparison of dissolution profiles. **European Journal of Pharmaceutical Sciences**, Vol.13, p.123-33.
- Departemen Kesehatan Republik Indonesia, 1995. **Farmakope Indonesia**. Edisi ke 4. Jakarta: Departemen Kesehatan Republik Indonesia.
- European Food Safety Authority. 2012. Scientific opinion on the safety and efficacy of niacin (nicotinamide) as feed additive for all animal species based on a dossier submitted by agrinutrition BV1. **European Food Safety Authority Journal**.
- Evstigneev, M.P., Evstigneev, V.P., Santiago, A.A.H., Davies, D.B., 2006. Effect of a mixture of caffeine and nicotinamide on the solubility of vitamin (B₂) in aqueous solution. **European Journal of Pharmaceutical Sciences**, Vol. 28, p. 59-66.
- Fabian, L., Hamill, N., Eccles, K.S., Moynihan, H.A., Maguire, A.R., Mc Causland, L., Lawrence, S.E., 2011. Cocrystals of fenamic acids with nicotinamide. **Crystal Growth and Design**, Vol. 11, No.8, p. 3522-28.
- Fang L., Sachihiko, N.K., Daisuke, U., Hideo, Koji, N., Hiroshi, M., Yasunori, M., 2004. Physicochemical and crystallographic characterization of mefenamic acid complexes with alkanolamines. **Journal of Pharmaceutical Sciences**., Vol. 93, No. 1, p. 144-54.

- Fleischman, S.G., Kuduyam, S.S., Mc Mahon, J.A., Moulton, B., Walsh, R.D.B., Rodriguez - Hornedo, N., 2003. Crystal engineering of the composition of pharmaceutical phases : multiple - component crystalline solids involving carbamazepine. **Crystal Growth and Design**, Vol. 3, p. 909–19.
- Ganiswara, S. G., (Ed), 1995. **Farmakologi dan Terapi**. Edisi keempat. Bag. Farmakologi Fakultas Kedokteran Universitas Indonesia. Jakarta, hal: 207-10, 217.
- Hickey, M.B., Peterson, M.L., Scoppettuolo, L.A., 2007. Performance comparison of a co-crystal of carbamazepine with marketed product. **European Journal of Pharmaceutics and Biopharmaceutics**, Vol. 67, p. 112-119.
- Jayasankar, A., Somwangthanaroj, A., Shao, Z., Rodriguez - Hornedo, N., 2006. Cocrystal formation during cogrinding and storage is mediated by amorphous phase. **Pharmaceutical Research**, Vol. 23, p. 2381–92.
- Khan, K.A., 1975. The concept of dissolution efficiency. **Journal of Pharmacy and Pharmacology**, Vol. 27, No. 1, P.48-90.
- Kothur, R.R., Swetha, A.S., Bondili, N.P., 2012. An outline of crystal Engineering of pharmaceutical co-crystals and applications : a review. **International Journal of Pharmaceutical Research and Development**, Vol. 4, No. 08, p. 084-92.
- Lee, J., Lee, C.S., Acharya, G., Chang, C., Park, K., 2003. Hydrotropic solubilization of paclitaxel: analisis of chemical structures for hydrotropic property. **Pharmaceutical Research**, Vol. 20, No. 7, p. 1022-30.
- Martin, A., 2006. **Physical Pharmacy**. 5th edition. Baltimore : Lippincott Williams & Wilkins.
- Mirza, S., Miroshnyk, I., Heinamaki, J., Ylirussi, J., 2008. Co crystal : an emerging approach for enhancing properties of pharmaceutical solids. **Dosis**, Vol. 24, No. 2, p. 90-95.

- Mustapa, D.R., 2012. Pengaruh suhu pembentukan kristal terhadap karakteristik kokristal asam mefenamat dengan asam tartrat. **Depok: Universitas Indonesia.**
- Nidhi, K., Indrajeet, S., Khushboo, M., Gauri, K., Jyoti, D.S., 2011. Hydrotrophy: a promising tool for solubility enhancement: a review. **International Journal of Drug Development and Research**, Vol. 3, No. 2, p.26-33.
- Oberoi, L.M., Alexander, K.S., Riga, A.T., 2005. Study of interaction between ibuprofen and nicotinamide using differential scanning calorimetry, spectroscopy, and microscopy and formulation of a fast-acting and possibly better ibuprofen suspension for osteoarthritis patients. **Journal of Pharmaceutical Sciences**, Vol. 94, p. 93-101.
- Okonogi, S., *et al.*, 2002. Effect of carrier types on the physicochemical and dissolution characteristics of ofloxacin solid dispersion. **Scientia Pharmaceutica**, Vol. 70, p. 309-16.
- O'Neil, M.J., 2006. **The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals**. 14th edition. NJ: Merck.
- Organization for Economic Co-operation and Development. 2012. **SIDS Initial Assessment Report For SIAM 15**. UNEP PUBLICATIONS.
- Patil, P.B., Gupta, V.R.M., Udipi, R.H., Srikanth, K., Prasad, B.S.G., 2010. Development of dissolution medium for poorly water soluble drug mefenamic acid. **Research Journal of Pharmaceutical, Biological and Chemical Sciences**, Vol. 1, No. 4, p. 544-49.
- Prasada, R., Nagabhushanam, M.V., 2011. Enhancement of dissolution profile of mefenamic acid by solid dispersion technique. **International Journal of Research in Pharmacy and Chemistry**, Vol. 1, No. 4, p.2231-2781.
- Rahman, Z., Agarabi, C., Zidan, A.S., Khan, S.R., Khan, A., 2011. Physico-mechanical and stability evaluation of carbamazepine cocrystal with nicotinamide. **American Association of Pharmaceutical Scientist Pharmaceutical Sciences Technology**, Vol. 12, No. 2, p. 693-04.

- Reynold, J.E.F., 1982. **Martindale The Extra Pharmacopoeia**. 28nd Ed. London: The Pharmaceutical Press. p. 262-263, 1440-1441.
- Rohrs, B.R., 2001. Dissolution method development for poorly soluble compound. **Dissolution Technologies**, Vol.8, No. 3, p. 1-5.
- Sanghvi, R., Evans, D., Yalkowsky S.H., 2007. Stacking complexation by nicotinamide: a useful way of enhancing drug solubility. **International Journal of Pharmacy**, Vol. 336, p. 35-1.
- Sanphui, P., Goud, N.R., Khandavilli, U.B.R., Nangia, A., 2011. Fast dissolving curcumin cocrystals. **Crystal Growth and Design**, Vol. 11, p. 4135-45.
- Sarma, B., Chen, J., His, H.Y., Myerson, A.S., 2011. Solid forms of pharmaceuticals: Polymorphs, salts and cocrystals. **Korean Journal of Chemical Engineering**, Vol. 28, No. 2, p. 315-22.
- Seefeldt, K., Miller, J., Alvarez-Nunez, F., Rodriguez-Hornedo, N., 2007. Crystallization pathways and kinetics of carbamazepine–nicotinamide cocrystals from the amorphous state by in situ thermomicroscopy, spectroscopy and calorimetry studies. **Journal of Pharmaceutical Sciences**, Vol. 9, p. 2377–86.
- Sekhon, B.S., 2009. Pharmaceutical co-crystals – a review. **ARS Pharmaceutica**, Vol. 50, No. 3, p. 99-17.
- Sheikh, A.Y., Rahim, S.A., Hammond, R.B., Roberts, K.J., 2009. Scalable solution cocrystallization: case of carbamazepine-nicotinamide. **Crystal Engineering Communication**, Vol. 11, p. 501-09.
- Siregar, C.J.P. dan Wikarsa, S. 2010. **Teknologi Farmasi Sediaan Tablet Dasar – Dasar Praktis**. Jakarta: EGC, hal. 54.
- Sundari, N. Radhika, T., Saranya, V. Jayakumar, C., Gandhi, N.N., 2012. Quantitative analysis of salbutamol bulk sample using nicotinamide hydrotrope. **International Journal of Pharmacy and Pharmaceutical Science Research**, Vol. 2, No. 1, p. 16-9.

- Suzuki, H., Sunada, H., 1998. Mechanistic studies on hydrotropic solubilization of nifedipine in nicotinamide solution. **Chemical and Pharmaceutical Bulletin**, Vol. 46. No.1, p. 125-30.
- Sweetman, S.C., 2009. **Martindale : The Complete Drug Reference**. 36th Ed. London: Pharmaceutical Press., p.80-81, 1957-59.
- Tiwari, R., Tiwari, G., Srivastava, B., Rai, A.K., 2009. Solid dispersion: an overview to modify bioavailability of poorly water soluble drugs. **Internasional Journal of Pharmaceutical Technology Research** Vol. 1, p. 1338-49.
- Trask, A.V., Motherwell, S.W.D., Jones, W., 2006. Physical stability enhancement of theophylline via cocrystallization. **International Journal of Pharmaceutical**, Vol. 320, p. 114–30.
- Trask, A.V., Motherwell, W.D.S., Jones W., 2005. Pharmaceutical cocrystallization: engineering a remedy for caffeine hydration. **Crystal Growth and Design**., Vol. 5, p. 1013-21.
- U.S. Food and Drug Administration. Diakses dari <http://www.fda.gov/AboutFDA/CentersOffices/OfficeofMedicalProductsandTobacco/CDER/ucm128219.htm>, pada tanggal 27 Januari 2014.
- Vishweshwar, P., McMahon, J.A., Zaworotko, M.J., 2006. Pharmaceutical co-crystals. **Journal of Pharmaceutical Sciences**, Vol. 95, p. 499-16.
- Walsh, R.D.B., Bradner, M.W., Fleischman, S., 2003. Crystal engineering of the composition of pharmaceutical phases. **Chemical Communications**, p. 186-87.
- Zaini, E., Halim, A., Soewandhi, S. N., Setyawan, D., 2011. Peningkatan laju pelarutan trimetoprim melalui metode ko-kristalisasi dengan nikotinamida. **Jurnal Farmasi Indonesia**, Vol. 5, No. 4, p. 205-12.