

## DAFTAR PUSTAKA

- Antcliffe, D., Jimenez, B., Veselkov, K. & Holmes, E., 2017. Metabolic Profiling in Patients with Pneumonia on Intensive Care. *EBioMedicine*, 24 March. Issue <http://dx.doi.org/10.1016/j.ebiom.2017.03.034>.
- Bashar, F. R., Manucherian, N. & Mahmoudabadi, M., 2013. Effects of Ranitidine and Pantoprazole on Ventilator-Associated Pneumonia: A Randomized Double-Blind Clinical Trial. *Tanaffos*, Issue 12, pp. 16-21.
- Blot, S., Koulehti, D., Dimopoulos, G. & Martin, C., 2014. Prevalence, risk factors, and mortality for ventilator-associated pneumonia in middle-aged, old, and very old critically ill patients. *Crit Care Med*, 42(3), pp. 601-609.
- Bonell, A., Azarrafiy, R., Huaong, V. T. L. & Viet, T. L., 2018. A Systematic Review and Meta-analysis of Ventilator-associated Pneumonia in Adults in Asia: An Analysis of National Income Level on Incidence and Etiology. *Clinical Infectious Disease*.
- Bonten, M. J. M. & Froon, A. H. M., 1997. The Systemic Inflammatory Response in the Development of Ventilator- Associated Pneumonia. *American Journal of Respiratory and Critical Care Medicine*, Issue 156, pp. 1106-1113.
- Centers for Disease Control and Prevention, January 2017. Pneumonia (Ventilator[VAP]and non-ventilator-associated Pneumonia [PNEU]) Event. Volume pp. 6-1-16.
- Charles, M. P., Kali, A., Easow, J. M. & Joseph, N. M., 2014. Ventilator-associated pneumonia. *Australasian Medical Journal*, 7(8), pp. 334-344.
- Chien, Y.-F. et al., 2015. Decreased serum level of lipoprotein cholesterol is a poor prognostic factor for patients with severe community-acquired pneumonia that required intensive care unit admission. *Journal of critical care*.
- Christaki, E., 2009. Host immune response in sepsis due to ventilator-associated pneumonia: how is it different?. *Critical Care Forum*, 13(1).
- Chung, D. et al., 2011. High prevalence of multidrug-resistant nonfermenters in hospital-acquired pneumonia in Asia. *Am J Respir Crit Care Med*, Volume 184:1409–1417.
- Cirstea, M., 2017. Decreased high-density lipoprotein cholesterol level is an early prognostic marker for organ dysfunction and death in patients with suspected sepsis. *Journal of Critical Care*, Volume 38, pp. 289-294.
- Delgado-Rodriguez, M., Medina-Cuadros, M. & Gomez-Ortega, A., 2002. Cholesterol and Serum Albumin Levels as Predictors of Cross Infection, Death and Length of Hospital Stay. *Archives Surgical*, Volume 137, pp. 805-812.
- Feingold, K. R., 2019. The Effect of Inflammation and Infection on Lipids and Lipoproteins. *NCBI Bookshelf*.

- Hashizume, M. & Mihara, M., 2011. IL-6 and Lipid Metabolism. *Inflammation and Regeneration*, 31(3), pp. 325-333.
- Hou, T. et al., 2015. Accuracy of serum interleukin (IL)-6 in sepsis diagnosis: a systematic review and meta-analysis. *International Journal Clinical Experiment Medicine*, 8(9), pp. 15238-15245.
- Jin, W. et al., 2003. Inhibition of endothelial lipase causes increased HDL cholesterol levels in vivo.. *J Clin Invest.*, 111(3), pp. 357-362.
- Kalanuria, A. A., Zai, W. & Mirski, M., 2014. Ventilator-associated pneumonia in the ICU. *Critical Care*, 18(2), p. 328.
- Karatas, M., 2016. An Assessment of Ventilator-Associated Pneumonia and Risk Factors Identified in the Intensive Care Unit. *Pakistan Journal Medical Science*, 32(4).
- Lee, S. et al., 2013. The epidemiology of ventilator-associated pneumonia in a network of community hospitals: a prospective multicenter study.. Volume 34(7).
- Monastero, R. N. & Pentyala, S., 2017. Cytokines as Biomarkers and Their Respective Clinical Cutoff Levels. *Hindawi International Journal of Inflammation*, Volume 2017, pp. 1-5.
- Othman, A. A. & Abdelazim, M. S., 2017. Ventilator-associated Pneumonia in adult intensive care unit and complication. *The Egyptian Journal of Critical Care Medicine*.
- Raghuram, A., 2017. Sepsis in Patients with Ventilator Associated Pneumonia due to Methicillin Resistant Staphylococcus aureus: Incidence and Impact on Clinical outcomes. *University of Louisville Journal of Respiratory Infections*, Volume 1, pp. 3-7.
- Ramirez, P., Ferrer, M., Gimeno, R. & Tormo, S., 2009. Systemic Inflammatory Response and Increased Risk for Ventilator- Associated Pneumonia : Preliminary study. *Critical Care Medicine*, 37(5), pp. 1691-1695.
- Rello, J. & Ollendorf, D. A., 2002. Epidemiology and Outcomes of Ventilator-Associated Pneumonia in Large US Database. *chest*, 122(6), pp. 2115-2121.
- Septihingtyas, R., Semedi, B. P., Utariani, A. & Kuntaman, 2018. Insiden dan Pola Kuman Ventilator Associated Pneumoniadi Unit Perawatan Intensif RSUD dr.Soetomo Surabaya. *Perpustakaan Universitas Airlangga*.
- Soni, R., Mehta, K., Mehta, T. & Seth, K., 2014. Influence of Ventilator-Associated Pneumonia on Length of Stay for Hospitalized Patient Requiring Mechanical Ventilation : A Nationwide Analysis. *Chest*, Volume 4, p. 146.
- Tanaka, T., Narazaki, M. & Kishimoto, T., 2014. IL-6 in Inflammation, Immunity, and Disease. *Cold Spring Harb Perspect Biol*, 6(10).
- Timsit, J.-F., 2017. Update on ventilator-associated pneumonia. *F1000 Research*, Volume 6.

- Topchiy, E., Cirstea, M., Kong, H. J. & Boyd, J. H., 2016. Lipopolysaccharide Is Cleared from the Circulation by Hepatocytes via the Low Density Lipoprotein Receptor. *PLoS ONE* 11, p. 1.
- Widyaningsih, R. a. B. L., 2012. Pola Kuman Penyebab Ventilator Associated Pneumonia (VAP) dan Sensitivitas Terhadap Antibiotik di RSAB Harapan Kita. Volume 384–390..
- Wip, C., 2009. Bundles to prevent ventilator-associated pneumonia: how valuable are they?. *Current Opinion in Infectious Disease*, Volume 22, pp. 159-166.
- Woiciechowsky, C., Schoning, B. & Cobanov, J., 2002. Early IL-6 plasma concentrations correlate with severity of brain injury and pneumonia in brain injured patients. *The Journal of TRAUMA Injury, Infection, and Critical Care*, Volume 52, pp. 339-345.
- Zuliani, G. et al., 2007. High interleukin-6 plasma levels are associated with low HDL-C levels in community-dwelling older adults: The InChianti stud. *Atherosclerosis*, Volume 192, pp. 384-390.