

DAFTAR PUSTAKA

- Anglen, J., Apostoles, P. S., Christensen, G., Gainor, B. & Lane, J. (1996) ‘Removal of surface bacteria by irrigation’, *Journal of Orthopaedic Research*, 14(2), pp. 251–254. doi: 10.1002/jor.1100140213.
- Aspelund, A. S., Sjostrom, K., Liljequist, B. O., Morgelin, M., Melander, E. & Pahlman, L. I. (2016) ‘Acetic acid as a decontamination method for sink drains in a nosocomial outbreak of metallo- b -lactamase-producing *Pseudomonas aeruginosa*’, *Journal of Hospital Infection*, 94, pp. 13–20. doi: 10.1016/j.jhin.2016.05.009.
- Brooks, G. F., Carroll, K. C., Butel, J. S. & Morse, S. A. (2007) *Jawetz, Melnick, & Adelberg’s Medical Microbiology*. 24th edn. Edited by G. F. Brooks et al. McGraw-Hill Medical.
- Brooks, S. E., Walczak, M., Hameed, R. & Coonan, P. (2002) ‘Chlorhexidine resistance in antibiotic-resistant bacteria isolated from the surfaces of dispensers of soap containing chlorhexidine’, *Infect Control Hosp Epidemiol*, 23(11), pp. 692–695. doi: 10.1086/501996.
- Conceição, T., Coelho, C., Lencastre, H. De & Aires-de-sousa, M. (2016) ‘High Prevalence of Biocide Resistance Determinants in *Staphylococcus aureus* Isolates from Three African Countries’, *Antimicrob Agents Chemother*, 60(1), pp. 678–681. doi: 10.1128/AAC.02140-15.Address.
- Cortesia, C., Vilch, C., Bernut, A., Contreras, W., Jacobs, W. R., Kremer, L. & Takiff, H. (2014) ‘Acetic Acid, the Active Component of Vinegar, Is an Effective Tuberculocidal Disinfectant’, *mBio*, 5(2), pp. 13–16. doi: 10.1128/mBio.00013-14.Editor.
- Drosou, A., Falabella, A. & Kirsner, R. S. (2003) ‘Antiseptics on wounds: An area of controversy (Part One)’, *Wounds*, 15(5), pp. 149–166.
- Fraise, A. P., Wilkinson, M. A. C., Bradley, C. R., Oppenheim, B. & Moiemen, N. (2013) ‘The antibacterial activity and stability of acetic acid’, *Journal of Hospital Infection*. Elsevier Ltd, 84(4), pp. 329–331. doi: 10.1016/j.jhin.2013.05.001.
- Galiano, R. D. & Mustoe, T. A. (2007) ‘Wound Care’, in Thorne, E. et al. (eds) *Grabb and Smith’s Plastic Surgery, 6th Edition*. 6th Ed. Lippincott Williams & Wilkins, pp. 1–11.
- Gompelman, M., van Asten, S. A. V. & Peters, E. J. G. (2016) ‘Update on the Role of Infection and Biofilms in Wound Healing’, *Plastic and Reconstructive Surgery*, 138, pp. 61S-70S. doi: 10.1097/PRS.0000000000002679.
- Gruber, R. P., Vistnes, L. & Pardoe, R. (1975) ‘The Effect of Commonly Used Antiseptics on Wound Healing’, *Plastic and Reconstructive Surgery*, 55(4), pp. 472–476.
- Halstead, F. D., Rauf, M., Moiemen, N. S., Bamford, A., Wearn, C. M., Fraise, A. P., Lund, P. A., Oppenheim, B. A. & Webber, M. A. (2015) ‘The antibacterial activity of acetic acid against biofilm-producing pathogens of relevance to burns patients’, *PLoS ONE*, 10(9), pp. 1–15. doi: 10.1371/journal.pone.0136190.
- Harold, F. M., Baarda, J. R., Baron, C. & Abrams, A. (1969) ‘DIO 9 and Chlorhexidine: Inhibitors of Membrane-Bound ATPase and of Catin Transport in *Streptococcus Faecalis*’, *Biochimica et Biophysica Acta*, 183, pp. 129–136.
- Hasanuddin, Dewi, K. H. & Wulandra, O. (2012) ‘Penggunaan Air Kelapa untuk Bahan Dasar Cuka Makan’, *Agroindustri*, 2(2), pp. 53–61.
- Hoekstra, M. J., Westgate, S. J. & Mueller, S. (2017) ‘Povidone-iodine ointment demonstrates in vitro efficacy against biofilm formation’, *International Wound*

- Journal*, 14(1), pp. 172–179. doi: 10.1111/iwj.12578.
- Hollander, J. E., Richman, P. B., Werblud, M., Miller, T., Huggler, J. & Singer, A. J. (1998) ‘Irrigation in facial and scalp lacerations: Does it alter outcome?’, *Annals of Emergency Medicine*, 31(1), pp. 73–77. doi: 10.1016/S0196-0644(98)70284-7.
- Janis, J. E. & Harrison, B. (2016) ‘Wound healing: Part I. basic science’, *Plastic and Reconstructive Surgery*, 138(3S), pp. 9S-17S. doi: 10.1097/PRS.0000000000002773.
- Junka, A., Bartoszewicz, M., Smutnicka, D., Secewicz, A. & Szymczyk, P. (2014) ‘Efficacy of antiseptics containing povidone-iodine, octenidine dihydrochloride and ethacridine lactate against biofilm formed by *Pseudomonas aeruginosa* and *Staphylococcus aureus* measured with the novel biofilm-oriented antiseptics test’, *International Wound Journal*, 11(6), pp. 730–734. doi: 10.1111/iwj.12057.
- Kanno, E., Toriyabe, S., Zhang, L., Imai, Y. & Tachi, M. (2010) ‘Biofilm formation on rat skin wounds by *Pseudomonas aeruginosa* carrying the green fluorescent protein gene’, *Experimental Dermatology*, 19, pp. 154–156. doi: 10.1111/j.1600-0625.2009.00931.x.
- Kanno, E., Kawakami, K., Ritsu, M., Ishii, K., Tanno, H., Toriyabe, S., Imai, Y., Maruyama, R. & Tachi, M. (2011) ‘Wound healing in skin promoted by inoculation with *Pseudomonas aeruginosa* PAO1: The critical role of tumor necrosis factor- α secreted from infiltrating neutrophils’, *Wound Repair and Regeneration*, 19(5), pp. 608–621. doi: 10.1111/j.1524-475X.2011.00721.x.
- Kanno, E., Tanno, H., Suzuki, A., Kamimatsuno, R. & Tachi, M. (2016) ‘Reconsideration of iodine in wound irrigation: the effects on *Pseudomonas aeruginosa* biofilm formation’, *Journal of wound care*, 25(06), pp. 335–339.
- Kayser, F., Bienz, K. A., Eckert, J. & Zinkernagel, R. M. (2004) *Medical Microbiology (Flexibook)*. Thieme.
- Kõljalg, S., Naaber, P. & Mikelsaar, M. (2002) ‘Antibiotic resistance as an indicator of bacterial chlorhexidine susceptibility’, *Journal of Hospital Infection*, 51(2), pp. 106–113. doi: 10.1053/jhin.2002.1204.
- Luttrell, W. E. (2012) ‘Acetic Acid’, *Journal of Chemical Health and Safety*, 19(6), pp. 37–38. doi: 10.1016/j.jchas.2012.09.008.
- Madhusudhan, V. L. (2015) ‘Efficacy of 1 % acetic acid in the treatment of chronic wounds infected with *Pseudomonas aeruginosa*: prospective randomised controlled clinical trial’, *International Wound Journal*, 1(1), pp. 1–8. doi: 10.1111/iwj.12428.
- Mann, E. E. & Wozniak, D. J. (2012) ‘*Pseudomonas* biofilm matrix composition and niche biology’, *FEMS Microbiology Reviews*, 36(4), pp. 893–916. doi: 10.1111/j.1574-6976.2011.00322.x.
- McDonnell, G. & Russell, A. D. (1999) ‘Antiseptics and disinfectants: Activity, action, and resistance’, *Clinical Microbiology Reviews*, 12(1), pp. 147–179. doi: 10.1007/s13398-014-0173-7.2.
- Milner, S. M. (1992) ‘Acetic Acid to Treat *Pseudomonas Aeruginosa* in Superficial Wounds and Burns’, *The Lancet*, 340, p. 61.
- Murray, P. R., Rosenthal, K. S. & Pfaffer, M. A. (2016) *Medical Microbiology*. 8th edn. Philadelphia: Elsevier.
- Nagoba, B., Wadher, B., Kulkarni, P. & Kolhe, S. (2008) ‘Acetic acid treatment of pseudomonal wound infections’, *Eur J Gen Med*, 5(2), pp. 104–106.
- Nagoba, B., Selkar, S. P., Wadher, B. J. & Gandhi, R. C. (2013) ‘Acetic acid treatment of pseudomonal wound infections - A review’, *Journal of Infection and Public Health*. King Saud Bin Abdulaziz University for Health Sciences, 6(6), pp. 410–415. doi:

- 10.1016/j.jiph.2013.05.005.
- National Center for Biotechnology Information (2017) ‘Acetic Acid’, *PubChem Compound Database; CID=176*. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/176>.
- Nikaido, H. & Hancock, R. E. W. (1986) ‘Outer Membrane Permeability of *Pseudomonas aeruginosa*’, in Sokatch, J. R. (ed.) *The Biology of Pseudomonas*. Orlando: Academic Press, Inc, pp. 145–193.
- Palleroni, N. J. (1986) ‘Taxonomy of the Pseudomonads’, in Sokatch, J. R. (ed.) *The Biology of Pseudomonas*. Orlando: Academic Press, Inc, pp. 3–25. doi: 10.1111/j.1558-5646.2009.00877.x.
- Pang, X. Y., Yang, Y. S. & Yuk, H. G. (2017) ‘Biofilm formation and disinfectant resistance of *Salmonella* sp. in mono- and dual-species with *Pseudomonas aeruginosa*’, *Journal of Applied Microbiology*, 123(3), pp. 651–660. doi: 10.1111/jam.13521.
- Parsek, M. R. & Singh, P. K. (2003) ‘Bacterial Biofilms: An Emerging Link to Disease Pathogenesis’, *Annual Review of Microbiology*, 57(1), pp. 677–701. doi: 10.1146/annurev.micro.57.030502.090720.
- Payne, D. N., Gibson, S. A. & Lewis, R. (1998) ‘Antiseptics: a forgotten weapon in the control of antibiotic resistant bacteria in hospital and community settings?’, *J.R.Soc.Health*, 118(1), pp. 18–22. doi: 10.1177/146642409811800105.
- Phillips, I. & Lobo, A. Z. (1968) ‘Acetic Acid in the Treatment of Superficial Wounds Infected by *Pseudomonas Aeruginosa*’, *The Lancet*, pp. 11–13.
- Pravasi, S. D. (2014) ‘Acetic Acid’, in Wexler, P. (ed.) *Encyclopedia of Toxicology*. Third Edit. Amsterdam: Elsevier, pp. 33–35. doi: 10.1016/B978-0-12-386454-3.00216-5.
- Pronchik, D., Barber, C. & Rittenhouse, S. (1999) ‘Low- versus high-pressure irrigation techniques in *Staphylococcus aureus*-inoculated wounds’, *American Journal of Emergency Medicine*, 17(2), pp. 121–124. doi: 10.1016/S0735-6757(99)90041-4.
- Rossolini, G. M. & Mantengoli, E. (2005) ‘Treatment and control of severe infections caused by multiresistant *Pseudomonas aeruginosa*’, *Clinical Microbiology and Infection*, 11(Supplement 4), pp. 17–32. doi: 10.1111/j.1469-0691.2005.01161.x.
- Ryssel, H., Kloeters, O., Germann, G., Schäfer, T., Wiedemann, G. & Oehlbauer, M. (2009) ‘The antimicrobial effect of acetic acid-An alternative to common local antiseptics?’, *Burns*, 35(5), pp. 695–700. doi: 10.1016/j.burns.2008.11.009.
- Salton, M. R. J. (1968) ‘Lytic Agents, Cell Permeability, and Monolayer Penetrability’, *J Gen Physiol.*, 52, pp. 227–252. doi: 10.1085/jgp.52.1.227.
- Sheldon, A. T. (2005) ‘Antiseptic “resistance”: real or perceived threat?’, *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*, 40(11), pp. 1650–1656. doi: 10.1086/430063.
- Sloss, J. M., Cumberland, N. & Milner, S. M. (1993) ‘Acetic acid used for the elimination of *Pseudomonas aeruginosa* from burn and soft tissue wounds.’, *Journal of the Royal Army Medical Corps*, 139(2), pp. 49–51. doi: 8355236.
- Taylor, K. (1916) ‘Treatment of *Bacillus Pyocyanus* Infection’, *Jour. A. M. A.*, LXVII(22), pp. 1598–1599.
- Thomas, G. W., Rael, L. T., Bar-Or, R., Shimonkevitz, R., Mains, C. W., Slone, D. S., Craun, M. L. & Bar-Or, D. (2009) ‘Mechanisms of delayed wound healing by commonly used antiseptics.’, *The Journal of trauma*, 66(1), pp. 82–90; discussion 90-1. doi: 10.1097/TA.0b013e31818b146d.
- Traoré, O., Fournet Fayard, S. & Laveran, H. (1996) ‘An in-vitro evaluation of the activity of povidone-iodine against nosocomial bacterial strains’, *Journal of Hospital*

- Infection*, 34(3), pp. 217–222. doi: 10.1016/S0195-6701(96)90069-9.
- Tucker, K. & Lettin, A. (1975) ‘Surgery of Violence The Tower of London Bomb Explosion’, *British Medical Journal*, 3, pp. 287–290.
- Turner, P. & Richardson, G. (1917) ‘The treatment of wounds infected with *Bacillus pyocyaneus*’, *British Medical Journal*, pp. 421–423. doi: 10.1136/bmj.2.2961.421.