

**DAFTAR PUSTAKA**

- A.I Alan. 2009. Manajemen Konferensi dan Event. Yogyakarta: Gajah Mada University Press.
- A.C. Alavarse, F.W. de Oliveira Silva, J.T. Colque, V.M. da Silva, T. Prieto, E.C. Venancio J.-J. Bonvent, *Tetracycline hydrochloride-loaded electrospun nanofibers mats based on PVA and chitosan for wound dressing*, Mater. Sci. Eng. C 77 (2017) 271–281
- Abdullah, Iqbal Alan. 2009. Manajemen Konferensi dan Event. Yogyakarta: Gajah Mada University Press. (Chellamani et al., 2012)
- Adeli, H., Khorasani, M. T., & Parvazinia, M. (2018). *Wound dressing based on electrospun PVA/chitosan/starch nanofibrous mats: Fabrication, antibacterial and cytocompatibility evaluation and in vitro healing assay*. International Journal of Biological Macromolecules. doi:10.1016/j.ijbiomac.2018.10.115
- Adhi, Djuanda. 2003. *Ilmu Penyakit Kulit Dan Kelamin*. Fakultas Kedokteran. Universitas Indonesia. Jakarta engineering, Artif. Cell. Nanomed. B. (2017) 1–15.
- A.M. Abdelgawad, S.M. Hudson, O.J. Rojas, *Antimicrobial wound dressing nanofiber mats from multicomponent (chitosan/silver-NPs/polyvinyl alcohol) systems*, Carbohydr. Polym. 100 (2014) 166–178.
- Anindyajati, A., Boughton, P., Ruys, A. 2015. “*The Effect of Rotating Collector Design on Tensile Properties and Morphology of Electrospun Polycaprolactone Fibres*”, *Matec Web of Conferences* 27, 02002.
- A. Oryan, S. Sahviah, Effectiveness of chitosan scaffold in skin, bone and cartilage healing, Int. J. Biol. Macromol. 104 (2017) 1003–1011
- Beilvert A, Chaubet F, Chaunier L, Guilois S, Pavon-Djavid G, Letourneur D, Meddahi-Pellé A, Lourdin D (2014) Shapememory starch for resorbable biomedical devices. Carbohydr Polym 99:242–248
- Boateng, J.S., Matthews, K.H., Stevens, H., and Eccleston, G.M. 2008. Wound Healing Dressing and Drug Delivery System: a Review. *Pharmaceutical Sci.* 97: 2892-2895. Zahedi et al (2010)
- Bryant, A.R., Nix, P.D. 2007. *Acute & Chronic Wounds : Current Management Concepts*, Third Edition. St. Louis, Missouri. Mosby
- Cui, W., Chou, Y., Chang, J. 2010. “Electrospun nanofibrous materials for tissue

- engineering and drug delivery”, *Science and Technology of Advanced Materials* **11** (2010) 014108 (11pp).
- F. Blažević, T. Milekić, M. D. Romić, M. Juretić, I. Pepić, J. Filipović-Grcić, J. Lovrić, A. Hafner, Nanoparticle-mediated interplay of chitosan and melatonin for improved wound epithelialisation, *Carbohydr. Polym.* **146** (2016) 445–454.
- Feng X, Zhang F, Dong R, Wang H, Liu J, Liu X, Li W, Yao J, Xu J, Yu B (2010) Effects of hydroxyethyl starch (130 kD) on brain inflammatory response and outcome during normotensive sepsis. *Int Immunopharmacol* **10**:859–864
- G. Liu, Z. Gu, Y. Hong, L. Cheng, C. Li, Electrospun starch nanofibers: recent advances, challenges, and strategies for potential pharmaceutical applications, *J. Control. Release* **252** (2017) 95–107.
- Gurtner GC, Werner S, Barrandon Y, Longaker MT. Wound repair and regeneration. *Nature*. 2008;453(7193):314-321.
- H. Wang, W. Wang, S. Jiang, S. Jiang, L. Zhai, Q. Jiang, Poly (vinyl alcohol)/oxidized starch fibres via electrospinning technique: fabrication and characterization, *Iran, Polym. J.* **20** (2011) 551–558. Healing, *Int. J. Biol. Macromol.* **104** (2017) 1003–1011.
- Instron Product Life Cycle Phases. Diakses tanggal 31 Mei 2019, dari [Instron https://www.instron.com/en/service-and-support/product-life-cycle/life-cycle-phase/phase4](https://www.instron.com/en/service-and-support/product-life-cycle/life-cycle-phase/phase4).
- Ismail. 2011. *Luka dan Perawatannya*. Yogyakarta: Universitas Negeri Yogyakarta.
- Jannesari M, Morshed M, Varshosaz J, Zamani M (2011) Composite poly (vinyl alcohol) poly(vinyl acetate) electrospun nanofibrous mats as a novel *wound dressing* matrix for controlled release of drugs. *Int J Nanomedicine Publisher. Dove Medical Press*: 993–1003. doi: [10.2147/ijn.s17595](https://doi.org/10.2147/ijn.s17595) (Singh, 2005).
- Jayakumar R, Nwe N, Nagahama H, Tamura H. Synthesis, characterization and biospecific degradation behavior of sulfated chitin. *Macromol Symp* **2008;264**: 163–7.)
- Jayakumar R, Nwe N, Tokura S, Tamura H. Sulfated chitin and chitosan as novel biomaterials. *Int J Biol Macromol* **2007;40**:175–81.
- Jayakumar R, Prabaharan M, Nair SV, Tamura H. Novel chitin and chitosan nanofibers in biomedical applications. *Biotechnol Adv* **2010c;28**:142–50.

- Jayakumar R, Prabakaran M, Nair SV, Tokura S, Tamura H, Selvamurugan N. Novel carboxymethyl derivatives of chitin and chitosan materials and their biomedical applications. *Prog Mater Sci* 2010d;55:675–709.
- Jayakumar R, Reis RL, Mano JF. Phosphorous containing chitosan beads for controlled oral drug delivery. *J Bioact Compat Polym* 2006;21:327–40.
- Jeong-Yun Sun, X. Zhao, W.R.K. Illeperuma, O. Chauduri, K.H. Oh, D.J. Mooney, J.J. Vlassal, Z. Zao. 2012. *Highly Stretchable and Tough Hydrogel*. Macmilan Publisher Limited.
- Jianyu Li, Widusha R, K. Illeperuma, Z. Suo, J.J. Vlassak. 2014. *Hybrid Hydrogels with Extremely High Stiffness and Toughness*. ACS Publication. American Chemical Society.
- Jia YT, Gong J, Gu XH, Kim HY, Dong J, Shen XY. Fabrication and characterization of poly(vinyl alcohol)/chitosan blend *nanofibers* produced by electrospinning method. *Carbohydrate Research*. 2007;67(3):403-409. DOI: 10.1016/j.carbpol.2006.06.010
- Joy Rainey. 2002. *Wound Care: A Handbook for Community Nurses*. Whurr Publisher
- Kim, J.K.; Kim, J.Y.; Lee, Y.M.; Kim, K.Y. Properties and swelling characteristics of cross-linked poly (vinyl alcohol)/chitosan blend membrane. *J. Appl. Polym. Sci.* 1992, 45, 1711–1717. [CrossRef]
- Komur, B., Bayrak, F., Ekren, N., Eroglu, M. S., Oktar, F. N., Sinirlioglu, Z. A., ... Gunduz, O. (2017). *Starch/PCL composite nanofibers by co-axial electrospinning technique for biomedical applications*. *BioMedical Engineering OnLine*, 16(1). doi:10.1186/s12938-017-0334-y
- Kozier, Erb, Blais, and Wilkinson. 1995. *Fundamental of Nursing Concep Proses and Practise*. Addison- WesleyPublishing Company. Inc. California.
- Kricheldorf, H. R. 2005. *Handbook of Polymer Synthesis*. Second Edition. Marcel Dekker. New York.
- Laovachirasuwan P, Peerapattana J, Srijesdaruk V, Chitropas P, Otsuka M, 2010, *The Physicochemical Properties Of A Spray Dried Glutinous Rice Starch Biopolymer Colloids and Surfaces B: Biointerfaces* 78 (2010) 30–35.
- Lazarus, R. S. 1994. *Coping*. Corsini, R. J., Auerbach, A. J., Anastasi, A., *Concise encyclopedia of psychology*. pp. 326-328. New York: Wiley Publication.
- LewisKM,AtleeH,MannoneA,LinL,GoppeltA(2015)Efficacy of hemostatic matrix and microporous polysaccharide hemospheres. *J Surg Res* 193:825–830
- Lin, A., Hokugo, A. & Nishimura, I., 2010. Wound Closure and Wound Management: A New Therapeutic Molecular Target. *Cell Adhesion &*

*Migration*, Volume 4, pp. 396-399.

Liu Z, Jiao Y, Wang Y, Zhou C, Zhang Z. Polysaccharidesbased nanoparticles as drug delivery systems. *Adv Drug Deliv Rev* 2008;60:1650–1662.

Liu, Z, *et al.* 2013. “Control of structure and morphology of highly aligned PLLA ultrafine fibers via linear-jet electrospinning”, *Polymer* **54**: 6045-6051. M.T. Khorasani, A. Joorabloo, A. Moghaddam, H. Shamsi, Z. Mansoorimoghadam, Incorporation of ZnO nanoparticles into heparinised polyvinyl alcohol/chitosanhydrogels for *wound dressing* application, *Int. J. Biol. Macromol.* 114 (2018)1203–1215.

L. Kong, G. R Ziegler, Patents on fiber spinning from starches, *Recent patents on food, nutrition & agriculture*, 4 (2012) 210-219.

Mahdieh Z, Bagheri R, Eslami M, Amiri M, Shokrgozar MA, Mehrjoo M. Thermoplastic starch/ethylene vinyl alcohol/ forsterite nanocomposite as a candidate material for bone tissue engineering. *Mater Sci Eng C.* 2016;69(1):301–10.

Medicine Stuffs, Diakses tanggal 31 Mei 2019, <https://www.medicinestuffs.com/2017/02/proses-penyembuhan-luka.html>

Mendes JF, Paschoalin RT, Carmona VB, Sena Neto AR, Marques ACP, Marconcini JM, Mattoso LHC, Medeiros ES, Oliveira JE (2016) Biodegradable polymer blends based on corn starch and thermoplastic chitosan processed by extrusion. *Carbohydr Polym* 137:452–458

M. Ignatova, K. Starbova, N. Markova, N. Manolova, I. Rashkov, Electrospun nanofibre mats with antibacterial properties from quaternised chitosan and poly(vinyl alcohol), *Carbohydr. Res.* 341 (2006) 2098-2107.

M. Koosha, H. Mirzadeh, Electrospinning, mechanical properties, and cell behavior study of chitosan/PVA *nanofibers*, *J. Biomed. Mater. Res. A* 103 (2015) 3081-3093.

M. Kong, X.G. Chen, K. Xing, H.J. Park, Antimicrobial properties of chitosan and mode of action: A state of the art review, *Int. J. Food Microbiol.* 144 (2010) 51-63.

M. Theresia., R. Eriningsih, dan R. Safitri. 2011. *Membran Alginat Sebagai Pembalut Luka Primer Dan Media Penyampaian Obat Topikal Untuk Luka Yang Terinfeksi, Jurnal Riset Industri Vol. V, No.2, 2011, Hal 161-174.* Bandung: Balai Besar Tekstil Bandung dan Mikrobiologi – UNPAD.

M.T.Khorasani, A. Joorabloo, A. Moghaddam, H. Shamsi, Z. Mansoorimoghadam, Incorporation of ZnO nanoparticles into

- heparinised polyvinyl alcohol/chitosan hydrogels for *wound dressing* application, *Int. J. Biol. Macromol.* 114 (2018) 1203–1215.
- M.Z. Elsabee, H.F. Naguib, R.E. Morsi, Chitosan based nanofibers, review, *Mater. ScEng. C* 32 (2012) 1711–1726.
- N.A.F.Mohd Hori, N.F.Mohd Nasir, E.M.Cheng & N.A.Mohd Amin Department of Biomedical Electronic Engineering School of Mechatronic Engineering, Universiti Malaysia Perlis (Unimap), Malaysia, 2017
- N. Choktaweasap, K. Arayanakul, D. Aht-Ong, C. Meechaisue, P. Supaphol. Electrospun Gelatin Fibers: Effect of Solvent System on Morphology and Fiber Diameter, *Polimer Journal*, vol. 39, 6, 2007, pp. 622-631. S. A. Theron, E. Zussman, A. L. Yarin. *Exp*
- N.S. Sambudi, S.B. Park, K. Cho, Enhancing the mechanical properties of electrospun chitosan/poly(vinyl alcohol) fibers by mineralization with calcium carbonate, *J. Mater. Sci.* 51 (2016) 7742–7753. Newport Corporation, Manual Book Newport Corporation 2014.
- O’Leary. 2007. *The Physiologic Basis of Surgery*. Philadelphia : Lippincort Company. Parida, U.K., A.K Nayak, B.K Binhani, and P. L. Nayak. 2011, Synthesis and Characterization of ChitosanPolyvinyl Alcohol Blended with Cloisite 30B for Controlled Release of the Anticancer Drug Curcumin, *Journal of Biomaterials* 29 (2011) 322–337.
- P J. Brown K, Stevensi. 2009. *Nanofibers and Nanotechnology in Textiles*. Cambridge, UK:Woodhead Publishing Limited.
- P. Jaiturong, B. Sirithunyalug, S. Eitsayeam, C. Asawahame, P. Tipduangta, J. Sirithunyalug, Preparation Of Glutinous Rice Starch/Polyvinyl Alcohol Copolymer Electrospun fibers For Using As A Drug Delivery Carrier, *Asian J. Pharm. Sci.* 13 (2018) 239–247.
- R. Jayakumar, M. Prabakaran, S.V. Nair, H. Tamura, Novel chitin and chitosan nanofibers in biomedical applications, *Biotechnol. Adv.* 28 (2010) 142–150.
- R.P. Gonçalves, W.H. Ferreira, R.F. Gouvêa, C.T. Andrade, Effect Of Chitosan On The Properties Of Electrospun fibers From Mixed Poly(Vinyl Alcohol)/Chitosan Solution *mater. Res.* 20 (2017) 984–993.
- R.Jayakumar, M. Prabakaran, Riccardo A. A. Muzzarelli. 2011. *Chitosan for Biomaterial I*. Springer-Verlag Berlin Heidelberg
- Santos MI, Ungerc RE, Sousa RA, Reis RL, Kirkpatrick CJ (2009) Crosstalk between osteoblasts and endothelial cells co-cultured on a polycaprolactone–starch scaffold and the in vitro development of

vascularization. *Biomaterials* 30:4407–4415

S. Chen, B. Liu, M.A. Carlson, A.F. Gombart, D.A. Reilly, J. Xie, Recent advances in electrospun nanofibers for wound healing, *Nanomedicine* (London) 12 (2017) 1335–1352.

S. Gomes, G. Rodrigues, G. Martins, C. Henriques, J.C. Silva, Evaluation of nanofibrous scaffolds obtained from blends of chitosan, gelatin and polycaprolactone for skin tissue engineering, *Int. J. Biol. Macromol.* 102 (2017) 1174–1185.

S. Lin, Q. Wang, X. Yan, X. Ran, L. Wang, J. G. Zhou, et al. (2018). Mechanical properties, degradation behaviors and biocompatibility evaluation. *Materials Letters*.

Tescan Technology. Diakses tanggal 31 Mei 2019,

<https://www.tescan.com/en-us/technology/sem/vega3>, 31 Mei 2019.

Yeh, J. T., Chen, C. L., Huang, K. S., Nien, Y. H., Chen, J. L., & Huang, P. Z. (2006). Synthesis, characterization, and application of PVP/chitosan blended polymers, *Journal of Applied Polymer Science*. 101(2), 885–891

Yeng, C. M., & Chun, K. S. (2019). *Crosslinked glutinous rice starch filled polyvinyl alcohol films*. *Journal of Vinyl and Additive Technology*. doi:10.1002/vnl.21704

Y. Zhou, D. Yang, X. Chen, Q. Xu, F. Lu, J. Nie, of the cellular and molecular mechanisms. *J Int Med Res* 37: 1528–1542

Y. Zhou, Q. Dong, H. Yang, X. Liu, X. Yin, Y. Tao, Z. Bai, W. Xu, Photocrosslinked maleilated chitosan/methacrylated poly (vinyl alcohol) bicomponent nanofibrous scaffolds for use as potential *wound dressings*, *Carbohydr. Polym.* 168 (2017) 220–226.

Y.O. Kang, I.-S. Yoon, S.Y. Lee, D.-D. Kim, S.J. Lee, W.H. Park, S.M. Hudson, Chitosan coated poly(vinyl alcohol) nanofibers for *wound dressings*, *J Biomed Mater Res Appl Biomater* 92 (2010) 568–576.

Velnar T, Bailey T, Smrkolj V 2009: The wound healing proces: an overview of the cellular and molecular mechanisms. *J Int Med Res* 37: 1528–1542

Wadke, P., Chhabra, R., Jain, R., & Dandekar, P. (2017). *Silver-embedded starch-based nanofibrous mats for soft tissue engineering*. *Surfaces and Interfaces*, 8, 137–146. doi:10.1016/j.surfin.2017.05.008

Waghmare, V. S., Wadke, P. R., Dyawanapelly, S., Deshpande, A., Jain, R., & Dandekar, P. (2018). Starch based nanofibrous scaffolds for wound

healing applications. *Bioactive Materials*, 3(3), 255–266.  
doi:10.1016/j.bioactmat.2017.11.006

Wang, W., Jin, X., Zhu, Y., Zhu, C., Yang, J., Wang, H., & Lin, T. (2016). *Effect of vapor-phase glutaraldehyde crosslinking on electrospun starch fibers. Carbohydrate Polymers*, 140, 356–361. doi:10.1016/j.carbpol.2015.12.061

Weller, R et al. (2015): Natural new particle formation at the coastal Antarctic site Neumayer. *Atmospheric Chemistry and Physics*, **15(19)**, 11399-11410, Electrospun water-soluble carboxyethyl chitosan/poly(vinyl alcohol) nanofibrous membrane as potential *wound dressing* for skin regeneration, *Biomacromolecules* 9 (2008) 349–354.

Wu, W.-C., Hsiao, P.-Y., & Huang, Y.-C. (2019). *Effects of amylose content on starch-chitosan composite film and its application as a wound dressing. Journal of Polymer Research*, 26(6). doi:10.1007/s10965-019-1770-0

Zheng H, Du YM, Yu JH, Huang RH, Zhang LN, Preparation and characterization of chitosan/ poly(vinyl alcohol) blend fibers, *J Appl Polym Sci*, 80, 2558-2565, 2001.