

DAFTAR PUSTAKA

- Abbasnezhad, A., Hayadavoudi, P., Niazmand, S., and Mahmoudabady, M. 2014. The effects of hydroalcoholic extract of *Nigella sativa* seed on oxidative stress in hippocampus of STZ-induced diabetic rats. *Avicenna J Phytomed*, 5 (4), 333-340.
- Abbasnezhad, A., Niazmand, S., Mahmoudabady, M., Rezaee, S.A., Soukhtanloo, M., Mosallanejad, R., Hayatdavoudi, P. et al. 2019. *Nigella sativa* L. seed regulated eNOS, VCAM-1 and LOX-1 genes expression and improved vasoreactivity in aorta of diabetic rat. *J Ethnopharmacol*, 228, 142-147. doi: 10.1016/j.jep.2018.09.021
- Abdala-Valencia, H., Berdnikovs, S., & Cook-Mills, J. M. 2011. Mechanisms for vascular cell adhesion molecule-1 activation of ERK1/2 during leukocyte transendothelial migration. *PLoS one*, 6(10), e26706.
- Abdelghany, T.M., Ismail, R.S., Mansoor, F.A., Zweier, J.R., Lowe, F., and Zweier, J.L. 2018. Cigarette smoke constituents cause endothelial nitric oxide synthase dysfunction and uncoupling due to depletion of tetrahydrobiopterin with degradation of GTP cyclohydrolase. *Nitric Oxide*, 76, 113–121. doi:10.1016/j.niox.2018.02.009
- Abdelmeguid, N.E., Fakhoury, R., Kamal, S.M., and AL-Wafai, R.J. 2010. Effects of *Nigella sativa* and thymoquinone on biochemical and subcellular changes in pancreatic β -cells of streptozotocin-induced diabetic rats. *Journal of Diabetes*, 2(4), 256–266. doi:10.1111/j.1753-0407.2010.00091.x
- Abdul-Rasheed, O.F. and Al-Rubayee W.T. 2013. Effects of cigarette smoking on lipid peroxidation and antioxidant status in Iraqi men at Baghdad city. *International Journal of Basic and Applied Sciences*, 2 (1), 47-50. www.sciencepubco.com/index.php/IJBAS
- Ahmad, S. and Beg, Z.H. 2016. Evaluation of therapeutic effect of omega-6 linoleic acid and thymoquinone enriched extracts from *Nigella sativa* oil in the mitigation of lipidemic oxidative stress in rats. *Nutrition*, 32(6), 649–655. doi: 10.1016/j.nut.2015.12.003.
- Ahmed, S., Alam, A., Husain, S., Ahmed, Z. and Shahabuddin, M. 2015. Shoneez (*Nigella sativa*) and its therapeutic effect in Unani Medicine-A Review. *IJPSR*, 6(01),12–14.
- Al-Asoom, L.I. 2017. Coronary angiogenic effect of long-term administration of *Nigella sativa*. *BMC Complement Altern Med*, 17(308), 1–7. https://doi.org/10.1186/s12906-017-1795-z
- Al-Seeni, M.N., El-Rabey, H.A., Zamzami, M.A. and Alnefayee, A.M. 2016. The hepatoprotective activity of olive oil and *Nigella sativa* oil against CCl₄ induced hepatotoxicity in male rats. *BMC Complement Altern Med*, 16:1–14. https:// doi.org/10.1186/s12906-016-1422-4 PMID:27814700 PMCID:PMC5097446
- Alenzi, F.Q., Alsakran, M.A., Kujan, O., Tarakji, B., Tamimi, W. et al. 2013. Antioxidant Properties of *Nigella sativa*. *J. Mol. Genet. Med*, 7:3 http://dx.doi.org/10.4172/1747-0862.1000077
- Ali, S.S., Ayuob, N.N., Al-Ansary, A.K., and Soluman, E.R. 2012. Antioxidants protect against increased risk of atherosclerosis induced by exposure to

- cigarette smoke: Histological and biochemical study. *Saudi J. Biol. Sci*, 19: 291-301. <http://dx.doi.org/10.1016/j.sjbs.2012.03.002>
- Al Asoom, L. I. 2017. Coronary angiogenic effect of long-term administration of *Nigella sativa*. *BMC complementary and alternative medicine*, 17(1), 1-7.
- Al-Naqeep, G., Al-Zubairi, A.S., Ismail, M., Amom, Z.H., and Esa, N.M. 2011. Antiatherogenic potential of *nigella sativa* seeds and oil in diet-induced hypercholesterolemia in rabbits. *Evid. Based Complemen. Alternat. Med*, 213628. <https://doi.org/10.1093/ecam/neaq071>
- Al-Saleh, I.A, Billedo, G., El-Doush, I.I. 2006. Level of selenium, DL- α -tocopherol, DL- γ -tocopherol all-trans-retinol, timoquinon and thymol in different brands og *Nigella sativa* seeds. *J. Food Compos. anal.* 19:167-175
- Alsuhaibani, A.M.A. 2018. Effect of *Nigella sativa* against cisplatin induced nephrotoxicity in rats. *Ital. J. Food. Saf*, 7(2), 7242, doi: 10.4081/ijfs.2018.7242
- Al-Turkmani, M., Karabet, F., Mokrani, L., Soukkarieh, C. 2015. Chemical composition and in vitro antioxidant activities of essential oil from *Nigella sativa* L. seeds cultivated in Syria. *Int. J. Chem. Tech. Res*, 8(10), 76-82.
- Ambrose, J., and Barua, R.S. 2004. The pathophysiology of cigarette smoking and cardiovascular disease: An update. *J. Am. Coll. Cardiol*, 43(10), 1731–1737. <https://doi.org/10.1016/j.jacc.2003.12.047>
- Amina, B. 2016. Toxicity and anti-oxidant activity of the essential oil of *Nigella sativa*. *Der. Pharmacia Lettre*, 8(15), 245–249.
- Antolovich, M., Prenzler, P.D., Patsalides, E., McDonald, S., and Robards, K. 2002. Methods for testing antioxidant activity. *Analyst*, 127(1), 183–198. <https://doi.org/10.1039/b009171p>
- Ashurst, J.V., and Nappe, T.M. Toxicity, Methanol. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2019 Jan. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482121/>
- Ayala, A., Muñoz, M.F. and Argüelles, S., 2014. Lipid Peroxidation: Production, Metabolism, and Signal-ing Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. *Oxid. Med. Cell. Longev*, 2014, Article ID 360438doi:10.1155/2014/360438
- Bakir, T., Sönmezoğlu, D., and Apak, R. Antioxidant/Prooxidant Effects Of Garlic On Linoleic Acid Peroxidation Induced By Copper. *JOTCSA*, 2, 5, 36-38 2015.
- Benjamin, E.J., Muntner, P., Alonso, A., Bittencourt, M.S., Callaway, C.W., Carson, A.P., Chamberlain AM, Chang AR, Cheng S, Das SR, Delling FN, Djousse L, Elkind MSV, Ferguson JF, Fornage M, Jordan LC, Khan SS, Kissela BM, Knutson KL, Kwan TW, Lackland DT, Lewis TT, Lichtman JH, Longenecker CT, Loop MS, Lutsey PL, Martin SS, Matsushita K, Moran AE, Mussolino ME, O’Flaherty M, Pandey A, Perak AM, Rosamond WD, Roth GA, Sampson UKA, Satou GM, Schroeder EB, Shah SH, Spartano NL, Stokes A, Tirschwell DL, Tsao CW, Turakhia MP, VanWagner LB, Wilkins JT, Wong SS, Virani SS; on behalf of the American Heart Association Council on Epidemiology and Prevention Statistics Committee and Stroke Statistics Subcommittee. 2019. Heart disease and stroke statistics - 2019 update: a report from the American

- Heart Association [published online ahead of print January 31, 2019]. *Circulation*. doi: 10.1161/CIR.0000000000000659.
- Botnick, I., Xue, W., Bar, E., Ibdah, M., Schwartz, A., Joel, D.M, Lev, E., Fait, A., Lewinsohn, E. 2012. Distribution of primary and specialized metabolites in *Nigella sativa* seeds, a spice with vast traditional and historical uses. *J. Molecules*. 17.10159-10177. Doi:10.3390/molecules170910159
- Bourgaud, F., Gravot, A., Milesi, S., Gontier, E. 2001. Production of plant secondary metabolites: A historical perspective. *Plant. Sci*, 161(5):839-851. DOI: 10.1016/S0168-9452(01)00490-3
- Burchfield, J.S., Dimmeler, S. 2008. Role of paracrine factors in stem and progenitor cell mediated cardiac repair and tissue fibrosis. *Fibrogen Tissue Repair*, 1(1):4. <https://doi.org/10.1186/1755-1536-1-4>
- Burits, M., and Bucar, F. 2000. Antioxidant activity of *Nigella sativa* essential oil. *Phytother. Res*, 14(5), 323–328. [https://doi.org/10.1002/1099-1573\(200008\)14:5<323::AID-PTR621>3.0.CO;2-Q](https://doi.org/10.1002/1099-1573(200008)14:5<323::AID-PTR621>3.0.CO;2-Q)
- Carnevale, R., Cammisotto, V., Pagano, F., and Nocella, C.. 2018. *Effects of Smoking on Oxidative Stress and Vascular Function*, Smoking Prevention and Cessation. United Kingdom: IntechOpen.
- Chen, H., Cowan, M.J., Hasday, J.D., Vogel, S.N., and Medvedev, A.E. 2007. Tobacco Smoking Inhibits Expression of Proinflammatory Cytokines and Activation of IL-1R-Associated Kinase, p38, and NF-κB in Alveolar Macrophages Stimulated with TLR2 and TLR4 Agonists. *J. Immunol*, 179, 6097–6106
- Chuang, Y.C. 2012. Effects of olmesartan on arterial stiffness in rats with chronic renal failure. *Cardiovasc Diabetol*, 11(1),66. doi: 10.1186/1475-2840-11-66.
- Cirak, C., Radusiene, J., Ivanauskas, L., Jakstas, V., Camas, N. 2015. Population variability of main secondary metabolites in *Hypericum lydiu*m Boiss. (Hypericaceae). *Iran. J. Pharm. Res*, 14, 969-978.
- Csordas, A. and Bernhard, D. 2013. The biology behind the atherothrombotic effects of cigarette smoke. *Nat. Rev. Cardio*, 10(4), 219–230. doi: 10.1038/nrcardio.2013.8.
- Cüce, G., Sözen, M.E., Çetinkaya, S., Canbaz, H.T., Seflek, H., and Kalkan, S. 2016. Effects of *Nigella sativa* L. seed oil on intima–media thickness and Bax and Caspase 3 expression in diabetic rat aorta. *Anatol. J. Cardiol*, 16(7), 460-466. doi: 10.5152/AnatolJCardiol.2015.6326
- Cullen, P., Rauterberg, J., and Lorkowski, S. 2005. The pathogenesis of arteriosclerosis. *Handbook of Experimental Pharmacology* 170: 3–70.
- Daiber, A., Steven, S., Weber, A., Shuvaev, V.V., Muzykantov, V.R., Laher, I., Münzel, T. 2017. Targeting vascular (endothelial) dysfunction. *British Journal of Pharmacology*, 174(12), 1591–1619. <https://doi.org/10.1111/bph.13517>
- De Caterina, R., Libby, P., Peng, H.B., Thannickal, V.J., Rajavashisth, T.B., Gimbrone, M.A., ... and Liao, J.K. 1995. Nitric oxide decreases cytokine-induced endothelial activation. Nitric oxide selectively reduces endothelial expression of adhesion molecules and proinflammatory cytokines. *J. clin. inves*, 96(1), 60-68. doi: 10.1172/JCI118074

- de Gaetano, M., Crean, D., Barry, M., Belton, O. 2016. M1- and M2-type macrophage responses are predictive of adverse outcomes in human atherosclerosis. *Front Immunol*, 7(275),1-17. doi: 10.3389/fimmu.2016.00275.
- Dewhurst, J.A., Lea, S., Hardaker, E., Dungwa, J.V., Ravi, A.K., and Singh, D. 2017. Characterisation of lung macrophage subpopulations in COPD patients and controls. *Scientific Reports*, 7(1),1-12. doi:10.1038/s41598-017-07101-2
- Dinagaran, S., Sridhar, S., and Eganathan, P. 2016. Chemical composition and antioxidant activities of black seed oil (*Nigella sativa* L.). *International Journal of Pharmaceutical Sciences and Research*, 7(11), 4473.
- DiNicolantonio, J.J and O’Keefe, J.H. 2018. Omega-6 vegetable oils as a driver of coronary heart disease: the oxidized linoleic acid hypothesis. *Open Heart* 2018;5:e000898. doi: 10.1136/openhrt-2018-000898
- Donohue, J.F. 2006. Ageing, smoking and oxidative stress. *Thorax*, 61(6), 461–462. <https://doi.org/10.1136/thx.2005.053058>
- Dudda, A., Spiteller, G., Kobelt, F. 1996. Lipid oxidation products in ischemic porcine heart tissue. *Chem Phys Lipids* 82:39–51. doi: 10.1016/0009-3084(96)02557-1.
- Dugo, L., Belluomo, M.G., Fanali, C., Russo, M., Cacciola, F., Maccarrone, M., and Sardanelli, A.M. 2017. Effect of Cocoa Polyphenolic Extract on Macrophage Polarization from Proinflammatory M1 to Anti-Inflammatory M2 State. *Oxid. Med. Cell. Long*, 2017, 1–11. doi:10.1155/2017/6293740
- Düken, H., Mustafa, K., Cemil, T., Basra, D., Baylan, Y., Abdurrahman, P. 2001. Effects of Cigarette Smoking on Blood Antioxidant Status in Short-Term and Long- Term Smokers. *Turk J Med Sci*, 31: 553- 57.
- Eapen, M.S., Hansbro, P.M., McAlinden, K., Kim, R.Y., Ward, C., Hackett, T.L., ... Sohal, S.S. 2017. Abnormal M1/M2 macrophage phenotype profiles in the small airway wall and lumen in smokers and chronic obstructive pulmonary disease (COPD). *Scientific Reports*, 7(1). doi:10.1038/s41598-017-13888-x
- El-Agamy, D.S., and Nader, M.A. 2012. Attenuation of oxidative stress-induced vascular endothelial dysfunction by thymoquinone. *Exp. Biol. Med*, 237(9), 1032–1038. doi:10.1258/ebm.2012.012107
- Ellis, R. 2010. *Hematoxylin and Eosin (H&E) Staining Protocol*. (Online) (<http://www.imvs.or.au/read.thp?id=36s6>). Diakses tanggal 1 juli 2019.
- Farah, N., Fauzi, A., Hidayah, N., Bakar, A., Mohamad, N., Hadzrullathfi, S., Fauzi, A. 2018. *Nigella sativa* Effects on Neurotransmitter Systems : Potential Treatment for Drug Tolerance and Dependence. *Int. J. Pharm. Res. Allied Sci.*, 2018, 7(1):196-200
- Farhangi, M.A., and Tajmiri, S. 2020. The effects of powdered black cumin seeds on markers of oxidative stress, intracellular adhesion molecule (ICAM)-1 and vascular cell adhesion molecule (VCAM)-1 in patients with Hashimoto’s thyroiditis. *Clin. Nutr. ESPEN*. 37: 207-212. doi:10.1016/j.clnesp.2020.02.015.
- Fu, H., Tang, Y.Y., Ouyang, X.P., Tang, S.L., Su, H., Li, X., Huang, L.P., He, M., Lv, Y.C., He, P.P., Yao, F., Tan, Y.L., Xie, W., Zhang, M., Wu, J., Li,

- Y., Chen, K., Liu, D., Lan, G., Zeng, M.Y., Zheng, X.L., Tang, C.K. 2014. Interleukin-27 inhibits foam cell formation by promoting macrophage ABCA1 expression through JAK2/STAT3 pathway. *Biochem. Biophys. Res. Commun.*, 452(4). 881–887. doi: 10.1016/j.BBrc.2014.08.120.
- Fukui, S., Iwamoto, N., Takatani, A., Igawa, T., Shimizu, T., Umeda, M., ... and Kawashiri, S. Y. 2017. M1 and M2 monocytes in rheumatoid arthritis: a contribution of imbalance of M1/M2 monocytes to osteoclastogenesis. *Front. Immunol.*, 8. 19582018. doi: 10.3389/fimmu.2017.01958
- Gale, R., 2018. 26 April. Indonesia Duduki Peringkat 4 Dunia Sebagai Negara dengan Konsumsi Tembakau Tertinggi. Diakses pada 14 Maret 2019 dari <https://bali.tribunnews.com/2018/04/26/indonesia-duduki-peringkat-4-dunia-sebagai-negara-dengan-konsumsi-tembakau-tertinggi>.
- Galkina, E., and Ley, K. 2007. Vascular Adhesion Molecules in Atherosclerosis. *Arterioscler. Thromb. Vasc. Biol.*, 27(11), 2292–2301. <https://doi.org/10.1161/ATVBAHA.107.149179>
- Gargari, B.P., Ebrahimzadeh-attary, V., and Rafrat, M. 2009. Effect of dietary supplementation with *Nigella sativa* L. on serum lipid profile, lipid peroxidation and antioxidant defense system in hyperlipidemic rabbits. *J. Med. Plant. Res.*, 3(10), 815–821. <https://doi.org/ISSN 1996-0875>
- Gholamnezhad, Z., Boskabady, M.H., and Hosseini, M. 2014. Effect of *Nigella sativa* on immune response in treadmill exercised rat. *BMC Complement. Altern. Med.*, 14(1), 1–11. <https://doi.org/10.1186/1472-6882-14-437>
- Goldstone A., Liochev, S., and Fridovich, I. 2006. Inactivation of Copper, Zinc superoxide dismutase by H₂O₂ : Mechanism of protection. *Free Radic. Biol. Med.*, 41(12), 1860–1863. doi:10.1016/j.freeradbiomed.2006.09.015
- Guergouri, F.Z., Sobhi, W., and Benboubetra, M. 2017. Antioxidant activity of Algerian *Nigella sativa* total oil and its unsaponifiable fraction. *Int. J. Phytopharm.*, 6(4), 234–238.
- Er sahin., M., Toklu, H. Z., Akakin, D., Yuksel, M., Yeg'en, B.C., Sener, G. 2011. The effects of *Nigella sativa* against oxidative injury in a rat model of subarachnoid hemorrhage. *Acta Neurochir.*, 153, (2). 333–341,
- Hadad, G.M., Abdel, S.R.A., Soliman, R.M., Mesbah, M.K. 2012. High-Performance Liquid Chromatography Quantification of Principal Antioxidants in Black seed (*Nigella sativa* L.) Phytopharmaceuticals. *J. AOAC Int.* 95 (4)
- Haraba, R. and Antohe, F. 2011. T cells are active participants in the progression of atherosclerotic plaques. *Dig. J. Nanomater Bios.*, 6:1529–1534.
- Hartman, J., and Frishman, W.H. 2014. Inflammation and atherosclerosis: A review of the role of interleukin-6 in the development of atherosclerosis and the potential for targeted drug therapy. *Cardiol. Rev.*, 22(3), 147–151. <https://doi.org/10.1097/CRD.0000000000000021>
- Haq, A., Abdullatif, M., Lobo, P.I., Khabar, K.S.A., Sheth, K.V., and Al-Sedairy, S.T. 1995. *Nigella sativa*: effect on human lymphocytes and polymorphonuclear leukocyte phagocytic activity. *Immunopharmacology*, 30(2), 147–155. doi:10.1016/0162-3109(95)00016-m
- He, Z., Chen, Y., Hou, C., He, W. and Chen, P. 2017. Cigarette Smoke Extract Changes Expression of Endothelial Nitric Oxide Synthase (eNOS) and p16(INK4a) and is Related to Endothelial Progenitor Cell Dysfunction.

- Medical Science Monitor*, 23, 3224–3231. doi:10.12659/msm.902746
- Heller, R., Unbehauen, A., Schellenberg, B., Mayer, B., Werner-Felmayer, G., and Werner, E.R. 2001. L-Ascorbic Acid Increases Intracellular Tetrahydrobiopterin Via A Chemical Stabilization and Potentiates Nitric Oxide Synthesis in Endothelial Cells. *J. Biol. Chem*, 276(1):40-7. doi: 10.1074/jbc.M004392200.
- Hidayati, T and Habib, I. 2015. Antiimmunotoxic of Black Cumin Seed Oil (Nigella sativa Oil) in DMBA (Dimethylbenzanthracene) -Induced Mice. *Int. J. Pharm. Med. Biol. Sci*, 4(3), 171–174. <https://doi.org/10.18178/ijpmbs.4.3.171-174>
- Hidayati, T., Akrom, A., Indrayanti, I., and Sagiran, S. 2017. Evaluation of the Black Cumin Seed Oil Role (BCSO) on a Decline in eNOS Expression and Plasma NO Levels: Initial Studies Kemopreventive BCSO for Lung Cancer. *Int. J. Biosci. Biochem. Bioinforma*, 7(2), 162-168.
- Houcher, Z, Boudiaf, K., Benboubetra, M., and Houcher, B. 2007. Effects of Methanolic Extract and Commercial Oil of Nigella sativa L. on Blood Glucose and Antioxidant Capacity in Alloxan-Induced Diabetic Rats. *Pteridines*, 18(1), 8-18.
- Hristova, M., Spiess, P.C., Kasahara, D.I, Randall, M.J., Deng, B., and van der Vliet, A. 2012. The tobacco smoke component, acrolein, suppresses innate macrophage responses by direct alkylation of c-Jun N-terminal kinase. *Am J. Respir. Cell. Mol. Biol*, 46, 23–33
- Huang, A., Vita, J.A., Venema, R.C., and Keaney, J.F.Jr. 2000. Ascorbic acid enhances endothelial nitric-oxide synthase activity by increasing intracellular tetrahydrobiopterin. *J. Bio.l Chem*, 275: 17399–17406.
- Huang, Y.C., Chin, C.C., Chen, C.S., Shindel, A.W., Ho, D.R., Lin, C.S. 2015. Chronic cigarette smoking impairs erectile function through increased oxidative stress and apoptosis, decreased nNOS, endothelial and smooth muscle contents in a rat model. *PLoS One*. 10(10):1–13.
- Hussain, D.A., and Hussain, M.M. 2016. Nigella sativa (black seed) is an effective herbal remedy for every disease except death – a Prophetic statement which modern scientists confirm unanimously: A review. *Adv. Med. Plant Res*, 4(2), 27–57. <http://www.netjournals.org/pdf/AMPR/2016/2/16-008.pdf>
- Hussain, T., Al-Attas, O.S., Alamery, S., Ahmed, M., Odeibat, H.A.M., Alrokayan, S. 2019. The plant flavonoid, fisetin alleviates cigarette smoke-induced oxidative stress, and inflammation in Wistar rat lungs. *J. Food Biochem*, 43(8).
- Ichiki, T. 2011. Collaboration between smokers and tobacco in endothelial dysfunction. *Cardiovascular Research*, 90(3), 395–396. <https://doi.org/10.1093/cvr/cvr085>
- Ilhan, F., and Kalkanli, T.S. 2015. Atherosclerosis and the role of immune cells. *World J Clin Cases*, 3(4): 345–352. doi: 10.12998/wjcc.v3.i4.345
- Incalza, M.A., D’Oria, R., Natalicchio, A., Perrini, S., Laviola, L., and Giorgino, F. 2018. Oxidative stress and reactive oxygen species in endothelial dysfunction associated with cardiovascular and metabolic diseases. *J. Vascul. Pharmacol*, 100 1–19. <https://doi.org/10.1016/j.vph.2017.05.005>
- Iqbal, M.S., Ahmad, A., and Pandey B. 2018. Solvent based optimization for

- extraction and stability of *Thymoquinone* from *Nigella sativa* Linn. and its quantification using RP-HPLC. *Physiol Mol. Biol. Plants*, 24(6):1209-1219. doi: 10.1007/s12298-018-0593-5.
- Islam, M.T., Guha, B., Hosen, S., Riaz, T.A., Shahadat, S., da Rocha Sousa, L., de Oliveira Santos, J.V., da Silva Júnior, J.J., de Lima, R.M.T., Braga, A.L., dos Reis, A.C., de Alencar, M.V.O.B., de Carvalho Melo-Cavalcante, A.A. 2017. Nigellalogy: A Review on *Nigella Sativa*. *MOJ Bioequiv. Availab*, 3(6):167–181. <https://doi.org/10.15406/mojBB.2017.03.00056>
- Jablonski, K.A., Amici, S.A., Webb, L. M., Ruiz-Rosado, J.D.D., Popovich, P.G., Partida-Sanchez, S., and Guerau-De-arellano, M. 2015. Novel markers to delineate murine M1 and M2 macrophages. *PLoS ONE*, 10(12). <https://doi.org/10.1371/journal.pone.0145342>
- Jaimes, E.A., DeMaster, E.G., Tian, R.X., and Rajj, L. 2004. Stable compounds of cigarette smoke induce endothelial superoxide anion production via NADPH oxidase activation. *Arterioscler. Thromb. Vasc. Biol*, 24(6),1031–1036. doi: 10.1161/01.ATV.0000127083.88549.58.
- Jaldin, R.G., Castardelli, É., Perobelli, J.E, Yoshida, W.B., de Castro Rodrigues, A., Sequeira, J.L., Paiva, S.A.R. 2013. Morphologic and biomechanical changes of thoracic and abdominal aorta in a rat model of cigarette smoke exposure. *Ann. Vasc. Surg*, 27(6),791–800. <http://dx.doi.org/10.1016/j.avsg.2013.03.002>. PMID:23880458.
- Jira, W., Spitteller, G., Carson, W. 1998. Strong increase in hydroxy fatty acids derived from linoleic acid in human low density lipoproteins of atherosclerotic patients. *Chem. Phys. Lipids*,91:1–11
- Kaleem, M., Kirmani, D., Asif, M., Ahmed, Q., Bano, B. 2006. Biochemical effects of *Nigella sativa* L seeds in diabetic rats. *Indian J. Exp. Biol.* 44: 745-748. <https://europepmc.org/article/med/16999030>
- Kakadiya, J. 2009. Causes, Symptoms, Pathophysiology and Diagnosis of Atherosclerosis. *Pharmacologyonline*, 3, 420–442. <https://pharmacologyonline.silae.it/files/newsletter/2009/vol3/44.Jagdish>.
- Kang, Y.J. In: Klaassen, C.D., and Amdur, M.O, editor. 2013. Toxic Responses of the Heart and Vascular System. *Casarett and Doull's toxicology: the basic science of poisons*. 8th ed. New York: McGraw-Hill. 799-838.
- Kanter, M., Meral, I., Dede, S., Cemek, M., Ozbek, H., Uygan, I., and Gunduz, H. 2003. Effects of *Nigella sativa* L. and *Urtica dioica* L. on lipid peroxidation, antioxidant enzyme systems and some liver enzymes in CCl₄-treated rats. *J. Vet., Med. Physiol. Pathol. Clin. Med*, 50(5), 264-268. DOI:10.1046/j.1439-0442.2003.00537.x
- Karaçil Ermumucu, M.Ş., and Şanlıer, N. 2017. Black Cumin (*Nigella sativa*) and Its Active Component of Thymoquinone: Effects on Health. *J. Food Nutr. Res*, 170–183. <https://doi.org/10.3153/JFHS17020>
- Kausar, H., and Mujeeb, A.L. 2017. Comparative Assessment of Extraction Methods and Quantitative Estimation of Thymoquinone in the Seeds of *Nigella sativa* L By HPLC. *Int. J. Pharmacogn. Phytochem. Res*, 9(12), 1425–1428. doi: 10.25258/phyto.v9i11.11186.
- Kazemi, M. 2015. Chemical composition and antioxidant properties of the essential oil of *Nigella sativa* L. *Bangladesh J. Botany*, 44(1), 111-116.

- Kemkes.go.id. 2017, 29 Juli. Penyakit Jantung Penyebab Kematian Tertinggi, Kemenkes Ingatkan CERDIK. Diakses pada 19 Maret 2019, dari <https://www.kemkes.go.id/article/view/17073100005/penyakit-jantung-penyebab-kematian-tertinggi-kemenkes-ingatkan-cerdik-.html>
- Kemkes.go.id. 2018, 2 November. Potret Sehat Indonesia dari Riskesdas 2018. Diakses pada 19 Maret 2019, dari <https://www.kemkes.go.id/article/view/18110200003/potret-sehat-indonesia-dari-riskesdas-2018.html>
- Khan, B.V., Harrison, D.G., Olbrych, M.T., Alexander, R.W., and Medford, R.M. 1996. Nitric oxide regulates vascular cell adhesion molecule 1 gene expression and redox-sensitive transcriptional events in human vascular endothelial cells. *Proceedings of the National Academy of Sciences*, 93(17), 9114-9119.
- Khader, M., Bresgen, N., and Eckl, P.M. 2009. In vitro toxicological properties of thymoquinone. *Food Chem. Toxicol*, 47(1), 129–133. doi:10.1016/j.fct.2008.10.019
- Kim, E., Kang, B.Y., and Kim, T.S. 2005. Inhibition of interleukin-12 production in mouse macrophages by hydroquinone, a reactive metabolite of benzene, via suppression of nuclear factor-kappaB binding activity. *Immunol.Lett*, 99, 24–29. doi: 10.1016/j.imlet.2004.11.025
- Kliebsentein, 2004. Secondary metabolites and plant/environment interactions: a view through *Arabidopsis thaliana* tinted glasses. *Plant Cell Environ*, 27 (6), 675-684. <https://doi.org/10.1111/j.1365-3040.2004.01180.x>
- Koch, A., Giembycz, M., Stirling, R.G., Lim, S., Adcock, I., Wassermann, K., Erdmann, E., and Chung, K.F. 2004. Effect of smoking on MAP kinase-induced modulation of IL-8 in human alveolar macrophages. *Eur. Respir. J*, 23, 805–812. doi: 10.1183/09031936.04.00104304
- Koka, P.S., Mondal, D., Schultz, M., Abdel-Mageed, A.B., and Agrawal, K.C. 2010. Studies on molecular mechanisms of growth inhibitory effects of thymoquinone against prostate cancer cells: role of reactive oxygen species. *Exp. Biol. Med*, 235(6), 751–760. doi:10.1258/ebm.2010.009369
- Koshak, A.E. Yousif, N.M., Fiebich, B.L., Koshak, E.A., and Heinrich, M. 2018. Comparative immunomodulatory activity of *Nigella sativa* L. preparations on proinflammatory mediators: A focus on asthma. *Front. Pharmacol*, 9, 1–11. doi: 10.3389/fphar.2018.01075.
- Kumar, U., Mishra, M., and Prakash, V. 2012. Assessment of antioxidant enzymes and free radical scavenging activity of selected medicinal plants. *Free Radicals and Antioxidants*, 2(3), 58–63. <https://doi.org/10.5530/ax.2012.3.8>
- Kusano, C., and Ferrari, B. 2008. Total Antioxidant Capacity: A Biomarker In Biomedical And Nutritional Studies. *J. Cell Mol. Biol*, 7(1): 1-15
- Lau, P.P., Li, L., Merched, A.J., Zhang, A.L., Ko, K.W.S., Chan, L. 2006. Nicotine induces proinflammatory responses in macrophages and the aorta leading to acceleration of atherosclerosis in low-density lipoprotein receptor-/-mice. *Arterioscler. Thromb. Vasc. Biol*, 26(1), 143–149. doi: 10.1161/01.ATV.0000193510.19000.10.
- Lee, W.J., Sanshiro, T., Andrew, M.C., Norma, D.L., Nicholas F.W., Priya, P., Carole, L.W., Alexander, W.C., Ian, R.S., Karol, B., Michael,

- W.S., Francis, K. 2015. M2 macrophage polarization mediates anti-inflammatory effects of endothelial nitric oxide signaling. *Diabetes*, 64(8), 2836–2846. doi: 10.2337/db14-1668.
- Lewinsohn E, Botnick I, Xue W, Bar E, Ibdah M, Schwartz A, Joel DM, Lev E, Fait A. 2012. Distribution of primary and specialized metabolites in *Nigella sativa* seeds, a spice with vast traditional and historical uses. *J Molecules*.17: 10159-10177.
- Ley, K., Huo, Y. 2001. VCAM-1 is critical in atherosclerosis. *J. Clin. Invest*, 107(10): 1209-1210. <https://doi.org/10.1172/JCI13005>.
- Li, Y., Zhong, X., Cheng, G., Zhao, C., Zhang, L., Hong, Y., Wang, Z., 2017. Hs-CRP and all-cause, cardiovascular, and cancer mortality risk: a meta-analysis. *Atherosclerosis*, 259, 75–82.
- Li, H., Srinivasan, S.R., Chen, W., Xu, J.H., Li, S., Berenson, G.S. 2005. Vascular abnormalities in asymptomatic, healthy young adult smokers without other major cardiovascular risk factors: The Bogalusa Heart Study. *Am. J. Hypertens*, 18(3), 319–324. doi: 10.1016/j.amjhyper.2004.10.005.
- Libby, P., Ridker, P.M., and Hansson, G.K. 2009. Inflammation in Atherosclerosis. From Pathophysiology to Practice. *J. Am. Coll. Cardiol*, 54(23), 2129–2138. <https://doi.org/10.1016/j.jacc.2009.09.009>
- Libby, P., Ridker, P.M., and Hansson, G.K. 2011. Progress and challenges in translating the biology of atherosclerosis. *Nature*, 473(7347), 317–325. <https://doi.org/10.1038/nature10146>
- Lin, L., Yin, Y., Hou, G., Han, D., Kang, J., Wang, Q. 2017. Ursolic acid attenuates cigarette smoke-induced emphysema in rats by regulating PERK and Nrf2 pathways. *Pulm. Pharmacol. Ther.*, 44:111–21.
- Liu, J., Liang, Q., Frost-Pineda, K., Muhammad-Kah, R., Rimmer, L., Roethig, H., Sarkar, M. 2011. Relationship between biomarkers of cigarette smoke exposure and biomarkers of inflammation, oxidative stress, and platelet activation in adult cigarette smokers. *Cancer Epidemiology Biomarkers and Prevention*, 20(8), 1760–1769. <https://doi.org/10.1158/1055-9965.EPI-10-0987>
- Lü, J.M., Lin, P.H., Yao, Q., and Chen, C. 2010. Chemical and molecular mechanisms of antioxidants: Experimental approaches and model systems. *Journal of Cellular and Molecular Medicine*, 14(4), 840–860. <https://doi.org/10.1111/j.1582-4934.2009.00897.x>
- Maharrani, T., Santoso, S., Indrawan, I., and Irawati, D. 2019. The Effect of Ethanol Extract Black Cumin (*Nigella sativa*) on Renal ET-1 and eNOS Expression Mice Preeclampsia Model. *Indian J. Med. Forensic Med. Toxicol*, 13(4), 1712-1716. DOI: 10.1016/j.jtumed.2017.06.002
- Mahmoud, Y.K. and Abdelrazek, H.M. 2019. Cancer: Thymoquinone antioxidant/pro-oxidant effect as potential anticancer remedy. *Biomed. Pharmacother*, 115, 108783. doi: 10.1016/j.biopha.2019.108783.
- Mahrous, M.M., El-Barrany, U.M., El-Din Ismail, M.M., Gaballah, I.F., and Rashed, L.A. 2019. Blood biomarkers of nicotine-induced toxicity in healthy males. *Egypt. J. Forensic Sci*, 9(28), 1-8. DOI:10.1186/s41935-019-0135-5
- Manafa, P.O., Okafor, C.C., Okeke, C.O., Chukwuma, G.O., Ibeh, N.C., Ogenyi, S. I., ... and Aneke, J.C. 2017. Assessment of superoxide dismutase activity

- and total antioxidant capacity in adult male cigarette smokers in New metropolitan, Nigeria. *The Journal of Medical Research*, 3(1), 23-26.
- Maton, A., Roshan, L., Jean H., Charles W.L., Susan J., Maryanna Q.W., David L., Jill D., and Wright. 1993. *Human Biology and Health*. Englewood Cliffs, New Jersey, USA: Prentice Hall 1993. ISBN 0-13-981176-1.
- Mansour, M.A., Nagi, M.N., El-Khatib, A.S., dan Al-Bekairi, A.M. 2002. Effects of thymoquinone on antioxidant enzyme activities, lipid peroxidation and DT-diaphorase in different tissues of mice: a possible mechanism of action. *Cell Biochemistry and Function*, 20(2), 143–151. doi:10.1002/cbf.968
- Mardisiwi, R.S. Kurniawati, A., Sulistyono, E., dan Faridah, D.R. 2018. Pertumbuhan Tanaman dan Produksi Timokuinon Jintan Hitam pada Beberapa Komposisi Media Tanam dan Interval Penyiraman. Sekolah Pascasarjana Institut Pertanian Bogor. *J. Agron. Indonesia* 46(1):89-94
- Marumo, S., Hoshino, Y., Kiyokawa, H., Tanabe, N., Sato, A., Ogawa, E., Muro, S., Hirai, T., and Mishima, M. 2014. p38 mitogen- activated protein kinase determines the susceptibility to cigarette smoke-induced emphysema in mice. *BMC Pulm. Med*, 14(1),79. DOI: 10.1186/1471-2466-14-79 ·
- Marwan, M., Widjajanto, E., Karono, S. 2005. The Effect of Black Seed Crude Extract (*Nigella sativa*) on GSH and MDA Level, Number and Function of Lung Alveolar Macrophage of Wistar Rat which Exposed by Chronic Cigarette Smoke. *Jurnal Kedokteran Brawijaya*, XXI(5), 6–8. <https://doi.org/10.16309/j.cnki.issn.1007-1776.2003.03.004>
- McConnell, E.L., Basit, A. W. and Murdan, S. 2008. Measurements of rat and mouse gastrointestinal pH, fluid and lymphoid tissue, and implications for in-vivo experiments. *J. Pharm. Pharmacol*, 60(1), 63–70. doi: 10.1211/jpp.60.1.0008.
- Meral, I., Yener, Z., Kahraman, T., Mert, N. 2001. Effect of *Nigella sativa* on glucose concentration, lipid peroxidation, antioxidant defence system and liver damage in experimentally induced diabetic rabbits. *J. Vet. Med. Physiol. Pathol. Clin. Med.* 48 (10), 593-9.
- Metcalf, H.J., Lea, S., Hughes, D., Khalaf, R., Abbott-Banner, K., and Singh, D. 2014. Effects of cigarette smoke on Toll-like receptor (TLR) activation of chronic obstructive pulmonary disease (COPD) macrophages. *Clin. Exp. Immunol*, 176, 461–472
- Michaud, S.É., Dussault, S., Groleau, J., Haddad, P., Rivard, A. 2006. Cigarette smoke exposure impairs VEGF-induced endothelial cell migration: Role of NO and reactive oxygen species. *J. Mol. Cell. Cardiol*, 41(2), 275–284. doi: 10.1016/j.yjmcc.2006.05.004.
- Miliani, M., Nouar, M., Paris, O., Lefranc, G., Mennechet, F., and Aribi, M. 2018. Thymoquinone Potently Enhances the Activities of Classically Activated Macrophages Pulsed with Necrotic Jurkat Cell Lysates and the Production of Antitumor Th1-/M1-Related Cytokines. *J. Interferon Cytokine Res.* doi:10.1089/jir.2018.0010
- Miller, N.J, Rice-Evans, C., Davies, M.J, Gopinathan, V., and Milner, A. 1993. A novel method for measuring antioxidant capacity and its application to monitoring the antioxidant status in premature neonates. *Clin. Sci.* 84:407-412.

- Miyazawa, T., Fujimoto, K and Oikawa, S. 1990. Determination of lipid hydroperoxides in low density lipoprotein from human plasma using high performance liquid chromatography with chemiluminescence detection. *Biomed. Chromatogr*, 4:131–4.
- Mohammed, E.T., Hashem, K.S., Ramadan, M., and Rheim, A. 2014. Biochemical study on the impact of *Nigella sativa* and virgin olive oils on cadmium-induced nephrotoxicity and neurotoxicity in rats. *J. Investig. Biochem.* 3(2).71-78. <https://doi.org/10.5455/jib.20140716041908>
- Morris, P.B., Ference, B.A., Jahangir, E., Feldman, D.N., Ryan, J.J., Bahrami, H., Benowitz, N.L. 2015. Cardiovascular Effects of Exposure to Cigarette Smoke and Electronic Cigarettes: Clinical Perspectives from the Prevention of Cardiovascular Disease Section Leadership Council and Early Career Councils of the American College of Cardiology. *J. Am. Coll. Cardiol*, 66(12), 1378–1391. <https://doi.org/10.1016/j.jacc.2015.07.037>
- Mu, W., Chen, M., Gong, Z., Zheng, F., and Xing, Q. 2015. Expression of vascular cell adhesion molecule-1 in the aortic tissues of atherosclerotic patients and the associated clinical implications. *Exp. Ther. Med*, 10(2), 423–428.
- Mudau, M., Genis, A., Lochner, A., and Strijdom, H. 2012. Endothelial dysfunction: the early predictor of atherosclerosis. *Cardiovasc. J. Afr*, 23(4), 222–231. <https://doi.org/10.5830/CVJA-2011-068>
- Münzel, T., Gori, T., Bruno, R.M., and Taddei, S. 2010. Is oxidative stress a therapeutic target in cardiovascular disease?. *Eur. Heart J*, 31(22), 2741–2749. <https://doi.org/10.1093/eurheartj/ehq396>
- Musfiroh, M. and Gustari, S. 2015. The Effect of Black Seed (*Nigella sativa* L) Oil on Spermatogenesis of *Wistar* Rats Exposed by Cigarette Smoke. *Jurnal Kedokteran Hewan*, 9(2), 114–116.
- Namazi, N., Mahdavi, R., Alizadeh, M., and Farajnia, S. 2016. The Effects Of *Nigella Sativa* Oil With A Balanced Low-Calorie Diet On Insulin Resistance In Obese Women : Gene-Intervention Interactions. *Curr. Top. Nutraceutical Res*, 14(4), 273–282.
- Napoli, C., de Nigris, F., Williams-Ignarro, S., Pignalosa, O., Sica, V., Ignarro, L.J. 2006. Nitric oxide and atherosclerosis: An update. *Nitric Oxide-Biol. Ch*, 15(4), 265–279. doi: 10.1016/j.niox.2006.03.011.
- Nedeljkovic, Z. S., Gokce, N., and Loscalzo, J. 2003. Mechanisms of oxidative stress and vascular dysfunction. *Postgrad. Med. J*, 79(930), 195–200. <https://doi.org/10.1136/pmj.79.930.195>
- Nesto, R.W. 2007. Comprehensive clinical assessment of modifiable cardiometabolic risk factors. *Clin. Cornerstone*. 2008;9 [Suppl 1]
- Neunteufl, T., Heher, S., Kostner, K., Mitulovic, G., Lehr, S., Khoschsorur, G., Stefenelli, T. 2002. Contribution of nicotine to acute endothelial dysfunction in long-term smokers. *J. Am. Coll. Cardiol*, 39(2), 251–256. [https://doi.org/10.1016/S0735-1097\(01\)01732-6](https://doi.org/10.1016/S0735-1097(01)01732-6)
- Nimse, S.B., and Pal, D. 2015. Free radicals, natural antioxidants, and their reaction mechanisms. *RSC Advances*, 5(35), 27986–28006. <https://doi.org/10.1039/c4ra13315c>
- Noguchi, T. 1999. Soluble intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 concentrations, and leukocyte count in smokers. *Environ. Health Prev. Med*, 4(2), 71–74.

- Ortis, F., Pirot, P., Naamane, N., Kreins, A.Y., Rasschaert, J., Moore, F., ... Eizirik, D.L. 2008. Induction of nuclear factor- κ B and its downstream genes by TNF- α and IL-1 β has a pro-apoptotic role in pancreatic beta cells. *Diabetologia*, 51(7), 1213–1225. doi:10.1007/s00125-008-0999-7
- Ozaki, K., Hori, T., Ishibashi, T., Nishio, M., and Aizawa, Y. 2010. Effects of chronic cigarette smoking on endothelial function in young men. *J. Cardiol*, 56(3), 307–313. <https://doi.org/10.1016/j.jjcc.2010.07.003>
- Özkol, H., Tülüce, Y., and Koyuncu, I. 2012. Subacute effect of cigarette smoke exposure in rats: protection by pot marigold (*Calendula officinalis* L.) extract. *Toxicol. Ind. Health*, 28(1):3-9. doi: 10.1177/0748233711401263. Epub 2011 Apr 19.
- Papagianni, A., Kalovoulos, M., Kirmizis, D., Vainas, A., Belechri, A.M., Alexopoulos, E., and Memmos, D. 2003. Carotid atherosclerosis is associated with inflammation and endothelial cell adhesion molecules in chronic haemodialysis patients. *Nephrol. Dial. Transplant*, 18(1), 113–119. doi: 10.1093/ndt/18.1.113
- Paradossi, U., Ciofini, E., Clerico, A., Botto, N., Biagini, A., & Colombo, M. G. 2004. Endothelial function and carotid intima-media thickness in young healthy subjects among endothelial nitric oxide synthase Glu298→ Asp and T- 786→ C polymorphisms. *Stroke*, 35(6), 1305-1309.
- Park, K.H., and Park, W.J. 2015. Endothelial dysfunction: Clinical implications in cardiovascular disease and therapeutic approaches. *J. Korean Med. Sci*, 30(9), 1213–1225. <https://doi.org/10.3346/jkms.2015.30.9.1213>
- Pasupathi, P., Saravanan, G., and Farook, J. 2009. Oxidative stress bio markers and antioxidant status in cigarette smokers compared to nonsmokers. *J. Pharm. Sci. Res*, 1(3), 55–62. <https://www.researchgate.net/publication/202073091>
- Paul, N.H., Makozho, E.R., Choto, K., Mandikwaza, G., Mutambanengwe, C.G., and Sibanda, E. 2017. Evidence-Based Strategy for Cancer Prevention : Advocating for the Adoption of Black Cumin (*Nigella sativa*) Herbal Gardens in Zimbabwe. *Res. Rev. Med. Clin. Oncol*, 1(2), 1–7.
- Pini, A., Boccalini, G., Baccari, M.C., Becatti, M., Garella, R., Fiorillo, C., ... Nistri, S. 2016. Protection from cigarette smoke-induced vascular injury by recombinant human relaxin-2 (serelaxin). *J. Cell. Mol. Med*, 20(5), 891–902. doi:10.1111/jcmm.12802
- Poredoš, P. 2001. State-of-the-Art Review: Endothelial Dysfunction in the Pathogenesis of Atherosclerosis. *Clin. Appl. Thrombosis/Hemostasis*, 7(4), 276–280. <https://doi.org/10.1177/107602960100700404>
- Pott, G.B., Tsurudome, M., Bui, J., Banfield, C., Hourieh, S., Pratap, H., and Goalstone, M.L. 2017. VCAM-1 Mediates Cigarette Smoke Extract Enhancement of Monocyte Adhesion to Human Carotid Vascular Endothelial Cells. *Med. Res. Arch*, 5(7). <https://journals.ke-i.org/mra/article/view/1398>
- Rahman, M., Yang, D.K., Kim, G.B., Lee, S.J., and Kim, S.J. 2017. *Nigella sativa* seed extract attenuates the fatigue induced by exhaustive swimming in rats. *Biomed. Rep*, 6(4), 468–474. doi:10.3892/br.2017.866
- Ramesh, T., Sureka, C., Bhuvana, S., Begum, V.H. 2015. Oxidative stress in the brain of cigarette smoke-induced noxiousness: neuroprotective role of

- Sesbania grandiflora. *Metab. Brain. Dis*, 30(2):573–82.
- Ramji, D.P., and Davies, T.S. 2015. Cytokines in atherosclerosis: Key players in all stages of disease and promising therapeutic targets. *Cytokine and Growth Factor Reviews*, 26(6), 673–685. <https://doi.org/10.1016/j.cytogfr.2015.04.003>
- Rasoli, M.S., Khalili, M., Mohammadi, R., Soleimani, A., Kohzadi, R., et al. 2018. The Chemical Composition of *Nigella sativa L.* and Its Extract Effects on Lipid Peroxidation Levels, Total Antioxidant Capacity and Catalase Activity of the Liver and Kidney in Rats Under Stress. *Gene Cell Tissue*, 5(1):e61323. doi: 10.5812/gct.61323.
- Remmele, W. 1987. Recommendation for uniform definition of an immunoreactive score (IRS) for immunohistochemical estrogen receptor detection (ER-ICA) in breast cancer tissue. *Pathologie*, 8, 138-140.
- Rooney, S., and Ryan, M. F. 2010. Effects of alpha-hederin and thymoquinone, constituents of *Nigella sativa*, on human cancer cell lines. *Anticancer Res*, 25:2199–204.
- Rueda-Clausen, C.F., Lopez-Jaramillo, P., Luengas, C., Oubiña, M.D.P., Cachofeiro, V., and Lahera, V. 2009. Inflammation but not endothelial dysfunction is associated with the severity of coronary artery disease in dyslipidemic subjects. *Mediat. Inflamm*, 2009. <https://doi.org/10.1155/2009/469169>
- Sabzghabae, A., Dianatkah, M., Sarrafzadegan, N., Asgary, S., and Ghannadi, A. 2012. Clinical Evaluation of *Nigella Sativa* Seeds for the Treatment of Hyperlipidemia: a Randomized, Placebo Controlled Clinical Trial. *Med. Arch*, 66(3), 198. <https://doi.org/10.5455/medarh.2012.66.198-200>
- Sadik, I., Allah, A.A., Abdulhameed, M., and Abdelkader, M. 2017. Antioxidant activity and in-vitro Potential inhibition of *Nigella sativa* and *Saussurea lappa* against LDL oxidation among Sundance, *E3 Journal of Medical Research*, 6(3). 022-026
- Sahak, M.K.A., Kabir, N., Abbas, G., Draman, S., Hashim, N.H., and Hasan Adli, D.S. 2016. The role of *Nigella sativa* and its active constituents in learning and memory. *Evid. Based Complementary Altern. Med*, 2016. 6075679. <https://doi.org/10.1155/2016/6075679>
- Salahuddin, S., Prabhakaran, D., and Roy, A. 2012. Pathophysiological mechanisms of tobacco-related CVD. *Global Heart*, 7(2), 113–120. <https://doi.org/10.1016/j.gheart.2012.05.003>
- Salonen, J.T., Nyyssonen, K., Salonen, R., Lakka, H.M., Kaikkonen, J., Porkkala-Sarataho, E., Poulsen, H.E. 2000. Antioxidant Supplementation in Atherosclerosis Prevention (ASAP) study: a randomized trial of the effect of vitamins E and C on 3-year progression of carotid atherosclerosis. *J. Intern. Med*, 248(5), 377–386. doi:10.1046/j.1365-2796.2000.00752.x
- Selim, A.O., Gouda, Z.A., and Selim, S.A. 2017. An experimental study of a rat model of emphysema induced by cigarette smoke exposure and the effect of Survanta therapy. *Ann. Anat.* 1;211:69–77.
- Şen, N., Kar, Y., and Tekeli, Y. 2010. Antioxidant Activities of Black Cumin (*Nigella Sativa L.*) Seeds Cultivating in Different Regions of Turkey. *J. Food Biochem*, 34, 105–119. doi:10.1111/j.1745-4514.2009.00309.x
- Sethi, G., Ahn, K.S., and Aggarwal, B.B. 2008. Targeting Nuclear Factor- B

- Activation Pathway by Thymoquinone: Role in Suppression of Antiapoptotic Gene Products and Enhancement of Apoptosis. *Mol. Cancer Res*, 6(6), 1059–1070. doi:10.1158/1541-7786.mcr-07-2088
- Shah, P.K. 2013. Pathogenesis of atherosclerosis. *Essential Cardiology: Principles and Practice*, 47(8), 377–386. https://doi.org/10.1007/978-1-4614-6705-2_21
- Shaykhiev, R., Krause, A., Salit, J., Strulovici-Barel, Y., Harvey, B.G., O'Connor, T.P., and Crystal, R.G. 2009. Smoking-Dependent Reprogramming of Alveolar Macrophage Polarization: Implication for Pathogenesis of Chronic Obstructive Pulmonary Disease. *J. Immunol*, 183(4), 2867–2883. doi:10.4049/jimmunol.0900473
- Sinet, P.M., and Garber, P. 1981. Inactivation of the human CuZn superoxide dismutase during exposure to O₂ and H₂O₂. *Arch. Biochem. Biophys.* 212:41 1-416.
- Singh, S., Das, S.S., Singh, G., Schuff, C., de Lampasona, M.P., and Catalán, C.A.N. 2014. Composition, In Vitro Antioxidant and Antimicrobial Activities of Essential Oil and Oleoresins Obtained from Black Cumin Seeds (*Nigella sativa*L.). *BioMed. Res. Int*, 1–10. doi:10.1155/2014/918209
- Sirisha, N.C., and Manohar, R. 2013. Study of antioxidant enzymes superoxide dismutase and glutathione peroxidase levels in tobacco chewers and smokers: A pilot study. *J. Cancer. Res. Ther*, 9(2), 210. doi:10.4103/0973-1482.113352
- Skilton, M.R., Celermajer, D.S., Cosmi, E., Crispi, F., Gidding, S.S, Raitakari, O.T. 2019. Natural History of Atherosclerosis and Abdominal Aortic Intima-Media Thickness: Rationale, Evidence, and Best Practice for Detection of Atherosclerosis in the Young. *J. Clin Med*, 12;8(8):1201.
- Smiljic, S. 2017. The clinical significance of endocardial endothelial dysfunction. *Medicina (Lithuania)*, 53(5), 295–302. <https://doi.org/10.1016/j.medic.2017.08.003>
- Sochor, J., Ryvolova, M., Krystofova, O., Salas, P., Hubalek, J., Adam, V., ... Kizek, R. 2010. Fully automated spectrometric protocols for determination of antioxidant activity: Advantages and disadvantages. *Molecules*, 15(12), 8618–8640. <https://doi.org/10.3390/molecules15128618>
- Srinivasan, K. 2018. Cumin (*Cuminum cyminum*) and black cumin (*Nigella sativa*) seeds: traditional uses, chemical constituents, and nutraceutical effects. *Food Quality and Safety*, 2(1), 1–16. <https://doi.org/10.1093/fqsafe/fyx031>
- Storch, A.S., Mattos, J.D. de, Alves, R., Galdino, I. dos S., and Rocha, H.N.M. 2017. Methods of Endothelial Function Assessment: Description and Applications. *Int. J. Cardiovasc. Sci*, 30(3), 262–273. <https://doi.org/10.5935/2359-4802.20170034>
- Su, Y., Han, W., Giraldo, C., De Li, Y., and Block, E.R. 1998. Effect of Cigarette Smoke Extract on Nitric Oxide Synthase in Pulmonary Artery Endothelial Cells. *Am. J. Respir. Cell. Mol Biol*, 19(5), 819–825. doi:10.1165/ajrcmb.19.5.3091
- Shubin, A.V., Demidyuk, I.V, Komissarov, A.A., Rafieva, L.M., Kostrov, S.V. 2016. Cytoplasmic vacuolization in cell death and survival. *Oncotarget*,

- 7(34):55863-55889. doi: 10.18632/oncotarget.10150.
- Sultana, S., Asif, H.M., Akhtar, N., Iqbal, A., Nazar, H. and Ur Rehman, R. 2015. *Nigella sativa*: Monograph. *J. Pharmacogn. Phytochem*, 4(4), 103-106.
- Syaputra, A., Asni, E., and Malik, Z. 2014. Histopatologi Arteri Koroner Rattus Novergicus Strain *Wistar* Jantan Pada Minggu Ke-12 Setelah Pemberian Diet Aterogenik. *Journal of Medicine FK*, 1(2),1-12
- Talukder, M.A, et al. Chronic cigarette smoking causes hypertension, increased oxidative stress, impaired NO bioavailability, endothelial dysfunction, and cardiac remodeling in mice. *Am J Physiol Heart Circ Physiol*, 300(1), 388–96. DOI: 10.1152/ajpheart.00868.2010
- Tavakkoli, A., Mahdian, V., Razavi, B.M., and Hosseinzadeh, H. 2017. Review on clinical trials of black seed (*Nigella sativa*) and its active constituent, Thymoquinone. *J. Pharmacopuncture*, 20(3), 179–193. <https://doi.org/10.3831/KPI.2017.20.021>
- Teasdale, J.E., Hazell, G., Newby, A.C., and White, S.J. 2014. Paradoxical effects of cigarette smoke extract and high laminar flow on tumour necrosis factor- α induced VCAM-1 up-regulation – Implications for endothelial dysfunction. *Atherosclerosis*, 237(2), e13–e14. doi:10.1016/j.atherosclerosis.2014.10.074
- Teixeira, B.C., Lopes, A.L., Macedo, R.C.O., Correa, C.S., Ramis, T.R., Ribeiro, J.L., and Reischak-Oliveira, A. 2014. Inflammatory markers, endothelial function and cardiovascular risk. *J. Vasc. Bras*, 13(2), 108–115. <https://doi.org/10.1590/jvb.2014.054>
- Toma, L., Sanda, G.M., Deleanu, M., Stancu, C.S., and Sima, A.V. 2016. Glycated LDL increase VCAM-1 expression and secretion in endothelial cells and promote monocyte adhesion through mechanisms involving endoplasmic reticulum stress. *Mol. Cell. Biochem*, 417(1-2), 169-179.
- Tondang, Y. (2018). Infografis: Fakta seputar konsumsi rokok dan tembakau di dunia. Diakses dari <https://www.rappler.com/indonesia/gaya-hidup/203786-infografis-fakta-seputar-konsumsi-rokok-dan-tembakau-di-dunia>
- Tousoulis, D., Kampoli, A.M, Tentolouri, C., Stefanadis, C. 2011. Pathophysiology of atherosclerosis: the role of inflammation. *Curr. Phar. Des*, 17(37), 4089-4110. doi: 10.2174/1381612111798764843.
- Umar, S., Hedaya, O., Singh, A.K., and Ahmed, S. 2015. Thymoquinone inhibits TNF- α -induced inflammation and cell adhesion in rheumatoid arthritis synovial fibroblasts by ASK1 regulation. *Toxicol. App. Pharma*, 287(3), 299–305. doi:10.1016/j.taap.2015.06.017
- U.S. Department of Health and Human Services. 2010. *How Tobacco Smoke Causes Disease: The Biology and Behavioral Basis for Smoking-Attributable Disease: A Report of the Surgeon General*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. <https://doi.org/10.1037/e590462011-001>
- Valavanidis, A., Vlachogianni, T and Fiotakis, K. 2009. Tobacco Smoke: Involvement of Reactive Oxygen Species and Stable Free Radicals in Mechanisms of Oxidative Damage, Carcinogenesis and Synergistic

- Effects with Other Respirable Particles. *Int. J. Environ. Res. Public Health*, 6(2): 445–462.
- Velho-Pereira, R.M., Barhate, C.R., Kulkarni, S.R., Jagtap, A.G. 2011. Validated high-performance thin-layer chromatographic method for the quantification of thymoquinone in *Nigella Sativa* extracts and formulations. *Phytochem. Anal*, 22(4), 367–373. doi: 10.1002/pca.1289
- Von Burg, R. 1994. Methanol. *J. Appl. Toxicol*, 14(4), 309–313. doi:10.1002/jat.2550140412
- Wei, Q. 2013. Advanced glycation end products accelerate rat vascular calcification through RAGE/oxidative stress. *BMC Cardiovasc. Disord*, 13(1):13. doi: 10.1186/1471-2261-13-13.
- WHO. (2015). WHO global report on trends in prevalence of tobacco smoking. Diakses dari https://apps.who.int/iris/bitstream/handle/10665/156262/9789241564922_eng.pdf;jsessionid=18318DE7B3C3CE50967CF3B71C8B4B5D?sequence=1.
- Widlansky, M.E., Gokce, N., Keaney, J.F., and Vita, J.A. 2003. The clinical implications of endothelial dysfunction. *J. Am. Coll. Cardiol*, 42(7), 1149–1160. [https://doi.org/10.1016/S0735-1097\(03\)00994-X](https://doi.org/10.1016/S0735-1097(03)00994-X)
- Wooten, J.B., Chouchane, S., and McGrath, T.E. 2006. Tobacco Smoke Constituents Affecting Oxidative Stress, in: *Cigarette Smoke and Oxidative Stress*, eds. B.H. Halliwell and H.E. Poulsen, Springer, Berlin, Germany, 5–46.
- Wu, M.Y., Li, C.J., Hou, M.F., and Chu, P.Y. 2017. New insights into the role of inflammation in the pathogenesis of atherosclerosis. *Int. J. Mol. Sci*, 18(10), 2034; <https://doi.org/10.3390/ijms18102034>
- Yamashita, T., Sasaki, N., Kasahara, K., and Hirata, K. 2015. Anti-inflammatory and immune-modulatory therapies for preventing atherosclerotic cardiovascular disease. *J. Cardiol*, 66(1), 1–8. <https://doi.org/10.1016/j.jjcc.2015.02.002>
- Yang, G.H., Li, Y.C., Wang, Z.Q., Liu, B., Ye, W., Ni, L., ... Liu, C.W. 2014. Protective effect of melatonin on cigarette smoke-induced restenosis in rat carotid arteries after balloon injury. *J. Pineal. Res*, 57(4), 451–458. doi:10.1111/jpi.12185
- Yoshikawa, T., and Naito, Y. 2002. What Is Oxidative Stress?. *Japan Medical Association Journal*, 45(7): 271–276. https://www.med.or.jp/english/pdf/2002_07/271_276.pdf
- Youssef, A., Madkour, K., Cox, C. and Weiss, B. 1992. Comparative lethality of methanol, ethanol and mixtures in female rats. *J. Appl. Toxicol*. 12(3), 193–197. doi:10.1002/jat.2550120308
- Yuan, F., Fu, X., Shi, H., Chen, G., Dong, P., and Zhang, W. 2014. Induction of murine macrophage M2 polarization by cigarette smoke extract via the JAK2/STAT3 pathway. *PLoS one*, 9, e107063
- Zhang, J.Y. 2006. Lipid-soluble smoke particles damage endothelial cells and reduce endothelium-dependent dilatation in rat and man. *BMC Cardiovasc. Disord*, 6, 1–9. doi: 10.1186/1471-2261-6-3

Zhou, J., Li, Y.S., Nguyen, P., Wang, K.C, Weiss, A., Kuo, Y.C. 2013. Regulation of vascular smooth muscle cell turnover by endothelial cell-secreted microRNA-126 role of shear stress. *Circ. Res*,113(1):40–51.