

DAFTAR PUSTAKA

- Abou-Al-Shaar, H., Adogwa, O., dan Mehta, A. I.. 2018. Lumbar Spinal Stenosis: Objective Measurement Scales and Ambulatory Status. *Asian Spine Journal*, 12(4), 765–774. <https://doi.org/10.31616/asj.2018.12.4.765>
- Adeli H., Khorasani MT., dan Parvazinia M. 2019. Wound dressing based on electrospun PVA/chitosan/starch nanofibrous mats: Fabrication, antibacterial and cytocompatibility evaluation and in vitro healing assay. *Int J Biol Macromol.* 1 (122) 238-254. doi:10.1016/j.ijbiomac.2018.10.115.
- Almetwally AA., et al. 2017. Technology of Nano-Fibers: Production Techniques and Properties - Critical Review. *Journal of The Textile Association*. 78(1):5-14
- Amini M., et al. 2018. Preparation and characterization of PVDF/Starch nanocomposite nanofibers using electrospinning method. *Materails today proceeding*. 5 (7) 15613-15619. <https://doi.org/10.1016/j.matpr.2018.04.170>
- Annaidh AN., et al. 2010. Mechanical Properties of Excised Human Skin. *IFMBE Proceedings*. 31, 1000-1003. DOI: 10.1007/978-3-642-14515-5_255
- Asmarajaya AAGN., Suryadi, IA., dan Muliawan. 2010. Proses Penyembuhan dan Penanganan Luka. Denpasar: Ilmu Penyakit Bedah Fakultas Kedokteran Universitas Udayana
- Atichokudomchai, N., et al. 2001. A study of some physicochemical properties of high- crystalline tapioca starch. *Starch Biosynthesis Nutrion Biomedical*. 53: 577–581. [https://doi.org/10.1002/1521-379X\(200111\)53:11<577::AID-STAR577>3.0.CO;2-0](https://doi.org/10.1002/1521-379X(200111)53:11<577::AID-STAR577>3.0.CO;2-0)
- Atichokudomchai, N., Varavinit S., dan Chinachoti P., 2002. Gelatinization transitions of acid-modified tapioca starches by differential scanning calorimetry (DSC). *Starch Biosynthesis Nutrion Biomedical*. 54: 296–302. DOI: [10.1002/1521-379X\(200207\)54:73.0.CO;2-W](https://doi.org/10.1002/1521-379X(200207)54:73.0.CO;2-W)
- Atichokudomchai, N. dan Varavinit S., 2003. Characterization and utilization of acid- modified cross-linked tapioca starch in pharmaceutical tablets. *Carbohydrate Polymers* 53: 262–270. [https://doi.org/10.1016/S0144-8617\(03\)00070-5](https://doi.org/10.1016/S0144-8617(03)00070-5)
- Budiman H. 2016. Analisis Pengujian Tarik (Tensile Test) Pada Baja St37 Dengan Alat Bantu Ukur Load Cell. *Jurnal J-Ensitec*: 3 (1). <http://dx.doi.org/10.31949/j-ensitec.v3i01.309>
- Bertoft, E. 2017. Understanding Starch Structure: Recent Progress. *Agronomy*, 7 (3) 1-29. <https://doi.org/10.3390/agronomy7030056>

- Boateng J., dan Catanzano O., Advanced Therapeutic Dressings for Effective Wound Healing-A Review. *J. Pharm Sci.* 104 (11) 3653-3680. <https://doi.org/10.1002/jps.24610>
- Cornelia, M., et al. 2013. Pemanfaatan biji durian (*Durio zibenthinus* Murr.) dan pati sagu (*Metroxylon sp.*) dalam pembuatan bioplastik. *Jurnal Kimia Kemasan.* 35(1): 20-29. <http://dx.doi.org/10.24817/jkk.v35i1.1869>
- Cholida E, 1989. Perbandingan Efektifitas Pati Ketan dan Pati Kentang Sebagai Bahan Pengikat pada Pembuatan Tablet Sulfadiazin secara Granulasi Basah. *Skripsi.* Fakultas Farmasi. Universitas Airlangga, Surabaya.
- Espinoza G., et al. 2017. Burns: Definition, Classification, Pathophysiology and Initial Approach. *General Medicine.* 5 (5). DOI: 10.4172/2327-5146.1000298
- Evangelina, 2020. PENGEMBANGAN SCAFFOLD PLA-PCL-PMMA-KOLAGEN DENGAN METODE ELECTROSPINNING SEBAGAI MENISKUS LUTUT ARTIFISIAL. *Skripsi.* Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya
- Fang J., et al, 2002. The preparation and characterisation of a series of chemically modified potato starches. *Carbohydrate polymers,* 47 (3) 245-252. [https://doi.org/10.1016/S0144-8617\(01\)00187-4](https://doi.org/10.1016/S0144-8617(01)00187-4)
- Freshney, R.I., 1987, Culture of Animal Cell: A Manual of Basic Technique. *Fourt Ed.* A John Wiley and Sons, Inc. Publication, New York, USA. ISBN: 978-1-118-87365-6
- Ghaleseiedi ZK., Tehrani AD., dan Parsamanesh M., 2018. Starch-based dual amphiphilic graft copolymer as a new pH-sensitive multidrug co-delivery system. *Int. J. Biol. Macromol.* 118 (partA) 913-920. <https://doi.org/10.1016/j.ijbiomac.2018.06.156>
- Ginting EM., 2016. Sifat mekanis nano komposit HDPE. *Skripsi.* Unimed Press, Medan. ISBN 978-602-0888-77-4
- Gayatri, 2020. Sintesis dan Karakterisasi scaffold Kitosan Poly(ϵ -caprolactone) sebagai Kandidat Rekayasa Jaringan Kulit pada Luka Bakar. *Skripsi.* Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya
- Helmut, 1993. Strategies of Antioxidant Defense. *European Journal of Biochemistry.* (215):213-219. <https://doi.org/10.1111/j.1432-1033.1993.tb18025.x>
- Herawati H., 2010. Potensi Pengembangan Produk Pati Tahan Cerna Sebagai Pangan Fungsional. *Jurnal Litbang Pertanian.* 30 (1) DOI: <http://dx.doi.org/10.21082/jp3.v30n1.2011.p31-39>

- Iman M., dan Maji TK. 2012. Effect of crosslinker and nanoclay on starch and jute fabric based green nanocomposites. *Carbohydrate Polymers.* 89 (1) 290-297. <https://doi.org/10.1016/j.carbpol.2012.03.012>
- Jacobs, H., dan Delcour JA. 1998. Hidrotermal Modifications of Granular Starch, with Retention of the Granular Structure: a Review. *Journal of Agriculture. Food Chemistry.* 46 (8) 2895-2905. <https://doi.org/10.1021/jf980169k>
- Junedy, S., 2005, Isolasi dan Uji Sitotoksisitas Senyawa Alkaloid dari Spon Koleksi no MD-02 Cyang. *Skripsi.* Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta
- Kara YA, 2018. Burn Etiology and Pathogenesis. *Intechopen.* DOI: 10.5772/intechopen.71379
- Kardiman, Marno, dan Sumarjo J. 2018. Analisis Sifat Mekanik Terhadap Bentuk Morfologi Papan Komposit Sekam Padi sebagai Material Alternatif Pengganti Serat Kaca. *JRST (Jurnal Riset Sains dan Teknologi).* 2 (1) 21 – 26. DOI: [10.30595/jrst.v2i1.2344](https://doi.org/10.30595/jrst.v2i1.2344)
- Kenry dan Lim TC. 2017. Nanofiber technology: current status and emerging developments. *Progress in Polymer Science.* 70, 1-17. <https://doi.org/10.1016/j.progpolymsci.2017.03.002>
- Kizil R., Irudayaraj J., dan Seetharaman K., 2002. Characterization of irradiated starches by using FT- Raman and FTIR spectroscopy, *Journal of agricultural and food chemistry,* 50 (14) 3912- 3918. <https://doi.org/10.1021/jf011652p>
- Khatijah, I. 2000. Effect of reaction pH and concentration of phosphorus oxychloride on cross-linking of tapioca starch (abstract). *J. Trop. Agric. Food Sci.* 28: 95–100
- Kumar et al. 2010. Pathologic Basic of Disease. 8th Edition. Philadelphia : Elsevier. p. 1131-1146.
- Komur, B., et al., 2017. Starch/PCL composite nanofibers by co-axial electrospinning technique for biomedical applications. *Biomedical engineering online.* 16 (1) 40.
- Kong L., dan Ziegler GR. 2013. Quantitative relationship between electrospinning parameters and starch fiber diameter. *Carbohydr. Polym.* Volume 92, 1416–1422. doi: [10.1186/s12938-017-0334-y](https://doi.org/10.1186/s12938-017-0334-y)
- Kong L. dan Ziegler GR., 2012. Patents on fiber spinning from starches. *Recent patents on food, nutrition & agriculture.* 4 (3) 210-219. doi: 10.2174/2212798411204030210
- Laurencin CT dan Nair LS. 2008. Nanotechnology and Tissue Engineering. *CRC Press Taylor & Francis Group.* Boca Raton. 1st edition. 329- 347. <https://doi.org/10.1201/9781420051834>

- Lee JS., et al. 2004. Role of molecular weight of atactic poly (vinyl alcohol)(PVA) in the structure and properties of PVA nanofabric prepared by electrospinning. *J. Appl. Polym. Sci.* 93 (4) 1638-1646. <https://doi.org/10.1002/app.20602>
- Liu F., et al. 2015. Fabrication and Applications of Electrospun Nanofibers. *Journal of Nanomaterials*. Vol. 2015. <https://doi.org/10.1155/2015/697236>
- Lin Z Q., et al. 2003. Essential involvement of IL-6 in the skin wound-healing process as evidenced by delayed wound healing in IL-6-deficient mice. *J Leukoc Biol.* 73(6):713–721. DOI: [10.1189/jlb.0802397](https://doi.org/10.1189/jlb.0802397)
- Liu Z., Peng L, dan Kennedy JF. 2005. The technology of molecular manipulation and modification assisted by microwaves as applied to starch granules. *Carbohydrate Polymers*. 61 (3) 374–378. <https://doi.org/10.1016/j.carbpol.2005.06.004>
- Marno., et al. 2018. Perancangan dan Pengembangan Sistem Electrospinning sebagai Teknologi dalam Pembuatan Nanofiber. 18 (2) p-ISSN: 1411 – 3411 e-ISSN: 2549 – 9815. DOI: 10.24036/invotek.v18i2.394
- Maghsoudi H dan Monshizadeh S. 2010. Comparative Study of the BurnWound Healing Properties Saline-Soaked Dressing and Silver Sulfadiazine in Rats. *Indian J Surg.* 73 (1) 24-27 DOI 10.1007/s12262-010-0169-2
- Mahdieh Z., et a;: 2016. Thermoplastic starch/ethylene vinyl alcohol/ forsterite nanocomposite as a candidate material for bone tissue engineering. *Mater Sci Eng C*. 69 (1) 301–10. <https://doi.org/10.1016/j.msec.2016.06.043>
- McKeen, L. 2012. The Effect of Sterilization on Plastics and Elastomers. *Renewable Resource and Biodegradable Polymers*. 3rd edition. 305–317.
- Meiyanto E., Rahmi F., dan Riyanto S. Efek Sitotoksik Fraksi Semipolar Ekstrak Metanolik Kulit Batang Cangkring (*Erythrina Fusca Lour*) Terhadap Sel HeLa. *Skripsi*. Fakultas Farmasi. Universitas Gadjah Mada, Yogyakarta
- Mulyadi *et al.* 2016. Pengaruh Model Speciment Uji Tarik Pada Pengelasan Besi Fc-30 Di Lihat Dari Kekuatan Tarik Pengelasan. *REM Jurnal (Rekayasa, Energi, Manufaktur)* 1 (2). DOI: <https://doi.org/10.21070/r.e.m.v1i2.565>
- National Starch. 2005. Esterified starch spe- cification. Diakses di: www.universal_starch.com. Pada [24 Agustus 2009].
- Niculescu M., et al. 2016. Evaluation of Biodegradability of Surgical Synthetic Absorbable Suture Materials : An In Vitro Study. *Materiale Plastice*. 53 (4), 4–7.

- Oh GW., et al. 2016. Fabrication, characterization and determination of biological activities of poly(ϵ -caprolactone)/chitosan-caffeic acid composite fibrous mat for wound dressing application. *Int J Biol Macromol.* 93 (partB) 1549–58. <https://doi.org/10.1016/j.ijbiomac.2016.06.065>
- Orsted HL., et al. 2004. Basic Principles of Wound Healing. *Wound Care Canada.* 9 (2) 4-12.
- Ozkan O dan Sasmazel HT. 2017. Antibacterial Performance of PCL-Chitosan Core–Shell Scaffolds. *Journal of Nanoscience and Nanotechnology.* 18 (4) 2415–21. <https://doi.org/10.1166/jnn.2018.14378>
- Pambudi A, et al. 2017. Analisis Morfologi dan Spektroskopi Infra Merah Serat Bambu Betung (*Dendrocalamus Asper*) Hasil Proses Alkalisasi Sebagai Penguat Komposit Absorbsi Suara. *Jurnal Teknik ITS.* 6 (2). ISSN: 2337-3539
- Persada AN., Windarti I., dan Fiana DN. 2014. The Second Degree Burns Healing Rate Comparison Between Topical Mashed Binahong (*Anredera cordifolia* (Ten.) Steenis) and Hydrogel On White Rats (*Rattus norvegicus*) Sprague Dawley Strain. *Jurnal Kedokteran Unila.* 2(2) 1–10. ISSN 2337-3776
- Perez, A et al. 2009. *Tithonia diversifolia* (Hemsl.) A. Gray. Pastos y forrajes, 32 (1): 1-15
- Prasetyono TOH. 2009. General concept of wound healing, revisited. *Med J Indones.* 18 (3) 208-16. DOI: <https://doi.org/10.13181/mji.v18i3.364>
- Pratama BW. 2017. Uji Karakteristik Morfologi, Fisis, Dan Kimia Butiran Sub Mikron Nanomaterial Dengan Variasi Sumber Karbon Sebagai Alat Filtrasi Sederhana. Universitas Negeri Yogyakarta
- Riss, TL, et al. 2014. Cell Viability Assays. *Assay Guidance Manual.* 1-31
- Sadri M., et al. 2015. New wound dressing polymeric nanofiber containing green tea extract prepared by electrospinning method. *Fibers and Polymers.* 16:1742-1750. <https://doi.org/10.1007/s12221-015-5297-7>
- Sakinah, A., dan Kurniawansyah, I. 2018. Isolasi, Karakterisasi Sifat Fisikokimia dan Aplikasi Pati Jagung dalam Bidang Farmasetik. *Jurnal Farmaka Suplemen.* 16 (2), 430-442. DOI : <https://doi.org/10.24198/jf.v16i2.17575>
- Saxena M., et al. 2013. Phytochemistry of Medicinal Plants. *Journal of Pharmacognosy and Phytochemistry,* 1(6). 168-182.

- Shimomura, K., Hamamoto, S., Hart, D. A., Yoshikawa, H., & Nakamura, N. (2018). Meniscal repair and regeneration : Current strategies and future perspectives. *Journal of clinical orthopaedics and trauma*, 9(3), 247–253. doi :10.1016/j.jcot.2018.07.008
- Silva I., et al. 2013. Scaffolds based on hydroxypropyl starch: Processing, morphology, characterization, and biological behavior. *Journal of Applied Polymer Science*. 127 (3) , 1475-1484. <https://doi.org/10.1002/app.37551>
- Siregar, F. dan Hadijono, B.S., 2000, Uji Sitotoksitas Dengan Esei MTT, *Jurnal Kedokteran Gigi UI*, pp.28–32.
- Smolle C., et al, 2018. Recent Trends in Burn Epidemiology Worldwide: A Systematic Review. *Pubmed*. 43(2): 249–257. DOI: [10.1016/j.burns.2016.08.013](https://doi.org/10.1016/j.burns.2016.08.013)
- Subbiah T. et.al. 2005. Electrospinning of Nanofiber. *Journal of Applied Polymer Science*. Vol 96, 557-569. <https://doi.org/10.1002/app.21481>
- Sutanto, Wandono, Rudyardjo, Aziz. (2019). Simulation Of The Straight Jet Movement From Polymer Injection With Drum Collector For Manufacturing Optical Fibers. *Journal of Engineering Science and Technology*. Vol. 14, No. 5 (2019) 2716 – 2730.
- Sun Z., et al. 2018. Starch-graft-polyacrylonitrile nanofibers by electrospinning. *Int J Biomol Macromol*. 120(Part B):2552-2559. doi: [10.1016/j.ijbiomac.2018.09.031](https://doi.org/10.1016/j.ijbiomac.2018.09.031).
- Tamariz E., dan Rios-Rmirez A. 2013. Biodegradation of Medial Purpose Polymeric Materials and Their Impact on Biocompatibility. *Biodegradation - Life of Science*, 1-21. DOI: [10.5772/56220](https://doi.org/10.5772/56220)
- Tobin DJ., 2017. Introduction to skin aging. *Journal of Tissue Viability* 26 (1) 37-46. DOI: [10.1016/j.jtv.2016.03.002](https://doi.org/10.1016/j.jtv.2016.03.002)
- Unila, 2016. Scanning Electron Microscope (SEM-EDX). diakses di <http://uptltsit.unila.ac.id/2016/10/02/scanning-electron-microscope-sem-edx/> pada tanggal 26 November 2019
- Varavinit, S., Chaokkasem N, dan Shobsngob S. 2001. Studies of flavor encapsulation by agents produced from modified sago and tapioca starches. *Starch/Starke*. 53 (6) 281–287. DOI: [10.1002/1521-379X\(200106\)53:6<281::AID-STAR281>3.0.CO;2-R](https://doi.org/10.1002/1521-379X(200106)53:6<281::AID-STAR281>3.0.CO;2-R)
- Vázquez JJ., dan Martinez ESM,. 2019. Collagen and elastin scaffold by electrospinning for skin tissue engineering applications. *Journal of Materials Research*. 34 (16) 2819-2827. doi:[10.1557/jmr.2019.233](https://doi.org/10.1557/jmr.2019.233)

- Velnar T., Bailey T., dan Smrkolj. 2009. The Wound Healing Process: an Overview of the Cellular and Molecular Mechanism. *Journal of International Medical Research*, 37: 1528 – 1542. <https://doi.org/10.1177/147323000903700531>
- Wadke., et al. 2017. Silver-embedded starch-based nanofibrous mats for soft tissue engineering. *Science Direct*. (8) 137-146. <https://doi.org/10.1016/j.surfin.2017.05.008>
- Waghmare V S., et al. 2018. Starch based nanofibrous scaffolds for wound healing applications. *Bioactive Materials*. 3 (3) 255-266. <https://doi.org/10.1016/j.bioactmat.2017.11.006>
- Wang W, et al. 2016. Effect of vapor-phase glutaraldehyde crosslinking on electrospun starch fibers. *Carbohydrate Polymers*. 140: 356-361. DOI: 10.1016/j.carbpol.2015.12.061
- Warby *et al*, 201. *Burn Classification*. *StatPearls Publishing*.
- Wardhana, *et al*. 2017. The epidemiology of burns in Indonesia's national referral burn center from 2013 to 2015. *Elsevier Ltd*. 1 (2) 67-73. <https://doi.org/10.1016/j.burnso.2017.08.002>
- Wuzburg, O.B. 1989. Modified Starches: Properties and Uses. *CRC Press, Inc.*, Boca Raton, Florida.
- Yasti *et al*, 2015. Guideline and treatment algorithm for burn injuries. *Ulus Travma Acil Cerrahi Derg*. Vol. 21, No. 2
- Yusof M R, et al. 2019. Fabrication and Characterization of Carboxymethyl Starch/Poly(l-Lactide) Acid/β-Tricalcium Phosphate Composite Nanofibers via Electrospinning. *Polymers*. 11(9), 1468; <https://doi.org/10.3390/polym11091468>
- Zainuddin, A F, 2009. Spiritual Emotional Freedom Technique, *Textbook*. Jakarta: Afzan,
- Zhang, Y., Wang, C., Jiang, W., Zuo, W., & Han,G. 2017. Influence of Stage Cooling Method on Pore Architecture of Biomimetic Alginate Scaffolds. (June), 1–8. <https://doi.org/10.1038/s41598-017-16024-x>