

DAFTAR PUSTAKA

- Afzal-ahmed, I., Mann, G.E., Shennan, A.H., Poston, L., Naftalin, R.J., 2007. Preeclampsia inactivates glucose-6-phosphate dehydrogenase and impairs the redox status of erythrocytes and fetal endothelial cells 42, 1781–1790.
- Al-Gubory, K.H., Fowler, P.A., Garrel, C., 2010. The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. *Int. J. Biochem. Cell Biol.* 42, 1634–1650.
- Alberts, B., Johnson, A., Lewis, J., Morgan, D., Walter, P., Raff, M., Roberts, K., 2015. *Molecular Biology of the Cell*, Statewide Agricultural Land Use Baseline 2015.
- Au, S.W.N., Gover, S., Lam, V.M.S., Adams, M.J., 2000. Human glucose-6-phosphate dehydrogenase: the crystal structure reveals a structural NADP + molecule and provides insights into enzyme deficiency. *Structure* 8, 293–303.
- Berg, J.M., Tymoczko, J.L., Stryer, L., 2008. *Biochemistry*, 5th ed. W.H. Freeman and Company and Sumanas, Inc.
- Binte faruky, K.S., Begum, N., Begum, S., Ali, T., Ferdousi, S., Amin, A.H., 2009. Study of Glucose-6-phosphate Dehydrogenase (G6PD) Status in Preeclampsia. *BSMMU J.* 2, 56–60.
- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S., Kalayci, O., 2012. Oxidative Stress and Antioxidant Defense 9–19.
- Borrego, E., Proverbio, T., Marín, R., Proverbio, F., 2006. Lipid Peroxidation and Ca-ATPase Activity of Basal Plasma Membranes of Syncytiotrophoblast from Normotensive Pregnant Women 128–132.
- Burton, G.J., Jauniaux, E., 2011. Oxidative stress. *Best Pract. Res. Clin. Obstet. Gynaecol.* 25, 287–299.
- Burton, G.J., Yung, H.-W., Cindrova-Davies, T., Charnock-Jones, D.S., 2009. Placental endoplasmic reticulum stress and oxidative stress in the pathophysiology of unexplained intrauterine growth restriction and early onset preeclampsia. *Placenta* 30 Suppl A, S43–548.
- Cai, H., Harrison, D.G., 2000. Endothelial Dysfunction in cardiovascular Disease-The Role of Oxidant Stress. *Circ. Res.* 840–844.
- Cappelini, M.D., Fiorelli, G., 2008. Glucose-6-phosphate dehydrogenase deficiency. *Lancet* 371, 64–74.
- Cox, M.M., Nelson, D.L., 2008. *Sample Chapters and Art for Lehninger Principles of Biochemistry*, 4th ed. W.H. Freeman and Company, New York.
- D.G, H., 1997. Endothelial Function and Oxidant Stress. *Clinn Cardiol* 20, 1–7.
- DIALAB Production und Vertrieb von chemisch –, 2018. G6PDH (Glucose-6-Phosphate Dehydrogenase).
- Duley, L., 2009. The global impact of pre-eclampsia and eclampsia. *Semin. Perinatol.* 33, 130–137.
- Elabscience, 2017. 8-epi-PGF2 α (8-Epi-Prostaglandin F2 Alpha) ELISA Kit.
- Elabscience Botechnology, 2018. 8-epi-PGF2 α (8-Epi-Prostaglandin F2 Alpha) ELISA Kit. Catalog No : E-EL-0041.
- Elvira, P., Judith, D., Michele, J.R., Gipson, Q.R.R.F., 2015. Maternal Characteristics and Clinical Diagnoses Influence Obstetrical Outcomes in Indonesia. *Matern. Child Health J.* 1624–1633.

- Gopalakrishna, D., Pennington, S., Karaa, A., Clemens, M.G., Sciences, B., Carolina, N., Carolina, N., Carolina, N., 2016. ET-1 stimulates superoxide production by enos following exposure of vascular endothelial cells to endotoxin. *SHOCK* 46, 60–66.
- International Society for the Study of Hypertension in Pregnancy, 2014. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health* The classification, diagnosis and management of the hypertensive disorders of pregnancy: A revised statement from the ISSHP. *Pregnancy Hypertens. An Int. J. Women's Cardiovasc. Heal.* 4, 97–104.
- Jasovic-siveska, E., Jasovic, V., 2011. Demographic characteristics in preeclamptic women in Macedonia 748–754.
- Kartika, A.R., Ilham, M., Akbar, A., Umiastuti, P., 2017. Risk Factor of Severe Preeclampsia in Dr . Soetomo Hospital Surabaya in 2015 25, 6–9.
- Kawamoto, F., Matsuoka, H., Kanbe, T., Tantular, I.S., Pusarawati, S., Kerong, H.I., Damianus, W., Mere, D., Dachlan, Y.P., 2006. Further investigations of glucose-6-phosphate dehydrogenase variants in Flores Island, eastern Indonesia. *J. Hum. Genet.* 51, 952–957.
- Krishnadath, I.S.K., Jaddoe, V.W. V., Venrooij, L.M.N., Toelsie, J.R., 2016. Ethnic differences in prevalence and risk factors for hypertension in the Suriname Health Study: a cross sectional population study. *Popul. Health Metr.*
- Kumari, N., Dash, K., Singh, R., 2016. Relationship between Maternal Age and Preeclampsia. *15*, 55–57.
- Lemeshow, S., Hosmer Jr, D.W., Klar, J., Lwanga, S.K., 1990. Part 1: Statistical Methods for Sample Size Determination. *Adequacy Sample Size Heal. Stud.* 247.
- Leopold, J.A., Zhang, Y., Scribner, A.W., Stanton, R.C., Loscalzo, J., 2003. Glucosa-6-Phosphate Dehydrogenase Overexpression Decreases Endothelial Cell Oxidant Stress and Increases Bioavailable Nitric Oxide. Comparisons with NADPH-cytochrome P450 oxidoreductase. *Arter. Thromb Vasc Biol* 23, 411–417.
- Leslie, N.R., 2006. The Redox Regulation of PI 3-Kinase-Dependent Signaling. *Antioxid. Redox Signal.* 8, 1765–1774.
- Marseglia, L., Angelo, G.D., Manti, S., Arrigo, T., Barberi, I., Reiter, R.J., Gitto, E., 2014. Oxidative Stress-Mediated Aging during the Fetal and Perinatal Periods. *Oxidative Med. Cell. Longev* 2014, 1–8.
- Maryam, K., Khalil, A., Abolghasem, J., 2016. Variations of malondialdehyde in pre-eclampsia. *Hypertens. Pregnancy* 35, 346–349.
- Matsubara, K., Higaki, T., Matsubara, Y., Nawa, A., 2015. Nitric oxide and reactive oxygen species in the pathogenesis of preeclampsia. *Int. J. Mol. Sci.* 16, 4600–4614.
- Maynard, S.E., Min, J., Merchan, J., Lim, K.-H., Li, J., Mondal, S., Libermann, T.A., Morgon, J.P., Sellke, F.W., Stillman, I.E., Epstein, F.H., Sukhatme, V.P., Karumanchi, S.A., 2003. Excess Placental Soluble fms-like Hypertension, and Proteinuria in. *J. Clin. Invest.* 111, 649–58.
- Mehta, A., Mason, P.J., Vulliamy, T.J., 2000. Glucose-6-phosphate dehydrogenase deficiency. *Best Pract. Res. Clin. Haematol.* 13, 21–38.
- Milne, G.L., Yin, H., Hardy, K.D., Davies, S.S., Ii, L.J.R., 2012. Isoprostane

- Generation and Function. *Chem Rev* 111, 5973–5996.
- Ministry of Health of Ukraine Kharkiv National Medical University, Study Of Arterial Pulse And Blood Pressure, 2017.
- Mohanty, J.G., 2013. *Hematology & Blood Disorders* 4, 9864.
- Münzel, T., Gori, T., Bruno, R.M., Taddei, S., 2010. Is oxidative stress a therapeutic target in cardiovascular disease? *Eur. Heart J.* 31, 2741–2749.
- Murray, R.K., Bender, D.A., Botham, K.M., Kennelly, P.J., Victor, W., Weil, P.A., 2018. *Harper ' s Illustrated Biochemistry* , 31e, 31st ed. McGraww Hill, New York.
- Nordberg, J., Arner, E.S.J., 2001. Reactive Oxygen Species, Antioxidants, and the Mammalian Thioredoxin System. *Free Radic. Biol. Med.* 31, 1287–1312.
- Nurnaningtyas, L., Karyono, S.S., I, D.D.S.L., 2013. Faktor Resiko Preeklampsia Berat di Ruang Bersalin Rumah Sakit Umum Daerah DR. Moh. Soewandhi Surabaya. *J. Ilmu Kesehat.* 2, 32–40.
- Ouyang, Y., Li, S., Zhang, Q., Cai, H., Chen, H., 2009. Inflammatory and Oxidative Stress in Preeclampsia 56–62.
- Paolo, M., Barnes, P.J., II, L.J.R., 2004. Isoprostanes: markers and mediators of oxidative stress. *FASEB J.* 18, 1791–1800.
- Powe, C.E., Levine, R.J., Karumanchi, S.A., 2011. Preeclampsia, a disease of the maternal endothelium: the role of antiangiogenic factors and implications for later cardiovascular disease. *Circulation* 123, 2856–69.
- Rani, N., Dhingra, R., Arya, D.S., Kalaivani, M., Bhatla, N., Kumar, R., 2010. Role of oxidative stress markers and antioxidants in the placenta of preeclamptic patients. *J. Obstet. Gynaecol. Res.* 36, 1189–1194.
- RayBiotech, 2017. RayBio ® Human eNOS ELISA Kit. Catalog #: ELH-ENOS.
- Roberts, J.M., Druzin, M., August, P.A., Gaiser, R.R., Bakris, G., Granger, J.P., Barton, J.R., Jeyabalan, A., Bernstein, I. a, Johnson, D.D., Karamanchi, S.A., Spong, C.Y., Lindheiner, M.D., Tsingas, E., Owens, M.Y., Martin Jr, J.N., Saade, G.R., Sibai, B.M., 2012. ACOG Guidelines: Hypertension in pregnancy, American College of Obstetricians and Gynecologists. The American.
- Salvador-pascual, A., Flores, J.M., Vin, J., 2016. G6PD protects from oxidative damage and improves healthspan in mice. *Nat. Commun.* 1–9.
- Schlembach, D., 2003. Pre-eclampsia - still a disease of theories. *Fukushima J. Med. Sci* 49, 69–115.
- Semenza, G.L., 2011. Hypoxia-inducible factor 1: Regulator of mitochondrial metabolism and mediator of ischemic preconditioning. *Biochim. Biophys. Acta* 1813, 1263–1268.
- Shimizu, H., Tamam, M., Augustinus, S., Ishida, T., 2005. Glucose-6-phosphate dehydrogenase deficiency and Southeast Asian ovalocytosis in asymptomatic Plasmodium carriers in Sumba island , Indonesia. *J. Hum. an Genet.* 50, 420–424.
- Soetjipto, Nugroho, R.A.B., 2015. Oksidan, Radikal Bebas, dan Antioksidan. In: *Buku Ajar Biokimia Kedokteran FK Universitas Airlangga.* pp. 1–36.
- Staff, A.C., Halvorsen, B., Ranheim, T., 2006. Elevated level of free 8-iso-prostaglandin F 2 α in the decidua basalis of women with preeclampsia 1211–1215.
- Stoes E, Kastelein J, C.F., 1997. Tetrahydrobiopterin restores endothelial function

- in hypercholesterolemia. *J. Clin. Invest.* 99, 41–46.
- Suryantoro, P., 1996. Formazan ring method: a simple test for screening of glucose-6-phosphate dehydrogenase (G-6-PD) deficiency in the neonates. *Berkala Ilmu Kedokteran* 28, 91–94.
- Vasquez-vivar, J., Kalyanaraman, B., Martasek, P., Hogg, N., Masters, B.S.S., Karoui, H., Tardos, P., Kirkwood A. Pritchard, J., 1998. Superoxide generation by endothelial nitric oxide synthase : The influence of cofactors. *Proc. Natl. Acad. Sci. USA* 95, 9220–9225.
- Viridis, A., Bacca, A., Colucci, R., Duranti, E., Fornai, M., Materazzi, G., Ippolito, C., Bernardini, N., Blandizzi, C., Bernini, G., Taddei, S., 2013. Endothelial dysfunction in small arteries of essential hypertensive patients: Role of cyclooxygenase-2 in oxidative stress generation. *Hypertension* 62, 337–344.
- Vulliamy, T.J., Kaeda, J.S., Ait-Chafa, D., Mangerini, R., Roper, D., Barbot, J., Mehta, A.B., Athanassiou-Metaxa, M., Luzatto, L., MASON, P.J., 1998. Clinical and haematological consequences of recurrent G6PD mutations and a single new mutation causing chronic nonspherocytic haemolytic anaemia. *Br. J. Haematology* 101, 670–675.
- Wang, C.N., Chen, J.Y.S., Sabu, S., Chang, Y.L., Chang, S.D., Kao, C.C., Peng, H.H., Chueh, H.Y., Chao, A.S., Cheng, P.J., Lee, Y.S., Chi, L.M., Wang, T.H., 2011. Elevated amniotic fluid F2-isoprostane: A potential predictive marker for preeclampsia. *Free Radic. Biol. Med.* 50, 1124–1130.
- Williamson, R.D., McCarthy, C., McCarthy, F.P., Kenny, L.C., 2017. Oxidative stress in pre-eclampsia; have we been looking in the wrong place? *Pregnancy Hypertens.* 8, 1–5.
- Xia, Y., Tsai, A., Berka, V., Zweier, J.L., 1998. Superoxide Generation from Endothelial Nitric-oxide Synthase. *ACa²⁺/calmodulin-dependent and tetrahydrobiopterin regulatory process.* *J. Biol. Chem.* 273, 25804–25808.
- Zhang, J., Marta, P., Paschke, R., Shea, T., Sue, B., Masters, S., Kim, J.P., 2001a. Crystal Structure of the FAD / NADPH-binding Domain of Rat Neuronal Nitric-oxide Synthase. *J. Biol. Chem.* 276, 37506–37513.
- Zhang, J., Marta, P., Paschke, R., Shea, T., Sue, B., Masters, S., Kim, J.P., 2001b. Crystal Structure of the FAD / NADPH-binding Domain of Rat Neuronal Nitric-oxide Synthase: Comparisons with NADPH-cytochrome P450 oxidoreductase. *J. Biol. Chem.* 276, 37506–37513.
- Zhang, J., Patel, G., 2007. Partner change and perinatal outcomes : a systematic review 21, 46–57.
- Zhang, Z., Yang, Z., Zhu, B., Hu, J., Liew, C.W., Zhang, Y., Leopold, J.A., Handy, D.E., Loscalzo, J., Stanton, R.C., 2012. Increasing Glucose 6-Phosphate Dehydrogenase Activity Restores Redox Balance in Vascular Endothelial Cells Exposed to High Glucose 7.