

DAFTAR PUSTAKA

- Agustyniak AM, Rotsztein H, Bartnicka E, Budzisz 2016, 'Effects of reactive oxygen species on skin photoaging', *Przegl Dermatol*, vol. 103, pp. 233-9.
- Anshori AM, Wiraguna AAGP, Pangkajila W 2017, 'Pemberian oral ekstrak kulit buah lemon (*Citrus limon*) menghambat peningkatan ekspresi *MMP-1* (*matrix metalloproteinase-1*) dan penurunan jumlah kolagen pada tikus putih galur Wistar jantan (*Rattus norvegicus*) yang dipajan sinar UV-B', *Jurnal e-Biomedik (eBm)*, vol. 5, no. 10, pp. 1-5.
- Asmara A, Daili SF, Noegrohowati T, Zubaedah I 2012, 'Vehikulum dalam dermatoterapi topikal', *MDVI*, vol. 39, no. 1, pp. 25-35.
- Avanti C 2015, *Formulasi sediaan dermatologik*, Jakarta: ISFI Penerbitan.
- Bellezza I, Giambanco I, Minelli A, Donato R 2017, 'Nrf2-Keap1 signaling in oxidative and reductive stress', *Molecular Cell Research*, vol. 1865, pp. 721-33.
- Bickers DR, Athar M 2006, 'Oxidative stress in the pathogenesis of skin disease', *The Society for Investigative Dermatology*, vol. 126, pp. 2565-75.
- Biesalski HK, Berneburg M, Grune T, Kerschner M, Kruttman J, Raab W, et al 2003, 'Oxidative and premature skin aging', *Exp Dermatol*, vol. 12, suppl. 3, pp. 3-15.
- Bhagal RK, Stoica CM, McGaha TL, Bona CA 2005, 'Molecular aspects of regulation of collagen gene expression in fibrosis', *J Clin Immunol*, vol. 25, no. 6, pp. 592-603.
- Bosch R, Philips N, Suarez-Perez JA, Juarranz A, Devmurari A, Khaosaat JC, Gonzalez S 2015, 'Mechanism of photoaging and cutaneous photocarcinogenesis, and photoprotective strategies with phytochemicals', *Antioxidants*, vol. 4, pp. 248-68.
- Buonocore G, Perrone S, Tataranno ML 2010, 'Oxygen toxicity: chemistry and biology of reactive oxygen species', *Semin Fetal Neonatal Med*, vol. 15, pp. 186-90.
- Caturla N, Vera-Samper E, Villalain J, Mateo CR, Micol V 2003, 'The relationship between the antioxidant and antibacterial properties of galloylated catechins and the structure of phospholipid model membrane', *Free Radic Biol Med*, vol. 34, pp. 648-62.
- Cavinato M, Waltenberger B, Baraldo G, Grade CVC, Stuppner H, Durr PJ 2017, 'Plant extracts and natural compounds used against UVB-induced photoaging', *Biogerontology*, vol. 18, pp. 499-516.
- Chang KCN, Wang Y, Oh IG, Jenkins S, Freedman LP, Thompson CC, et al 2010, 'Esterogen receptor β is a novel therapeutic target for photoaging', *Mol Pharmacol*, vol. 77, no. 5, pp. 744-50.

Chen J, Li Y, Zhu Q, Li T, Lu H, Wei N, Huang Y, et al 2017, 'Anti skin aging effect of epigallocatechin gallate by regulating epidermal growth factor receptor pathway on aging mouse model induced by D-galactose', *Mech Ageing Dev*, vol. 164, pp. 1-7.

Chen Y, Yu Q, Bao Xu C. 2017. A convenient method for quantifying collagen fibers in atherosclerotic lesions by ImageJ software, *Int J Clin Exp Med*, vol. 10, no. 10, pp. 14904-10.

Chiu HW, Chen CH, Chen YJ, Hsu YH 2017, 'Far infrared suppresses in skin photoaging in ultraviolet B-exposed fibroblast and hairless mice', *PLoS One*, vol. 12, no. 3, pp. 1-15.

Choi SI, Jung TD, Cho BY, Choi SH, Sim WS, Han X, et al 2019, 'Anti-photoaging effect of fermented agricultural by-products on ultraviolet B-irradiated hairless mouse skin', *Int J Mol Med*, vol. 44, pp. 559-68.

Chowdhury NU, Farooq T, Abdullah S, Mahadi AS, Hasan MM, Paran TZ, et al 2016, 'Molecular enzymology and drug targets matrix metalloproteinases (MMP), a major responsible downstream signaling molecule for cellular damage - a review', *Molecular Enzymology and Drug Targets*, vol. 2, no. 2, pp. 1-10.

Chow HH, Hakim IA, Vining DR, Crowell JA, Tome ME, Ranger-Moore J, et al 2007, 'Modulation of human glutathione s-transferases by polyphenone intervention', *Cancer Epidemiol Biomarkers Prev*, vol. 16, pp. 1662-6.

Clarke KA, Dew TP, Watson REB, Farrar MD, Osman JE, Nicolaou A, et al 2016, 'Green tea catechins and their metabolites in human skin before and after exposure to ultraviolet radiation', *J Nutr Biochem*, vol. 27, pp. 203-10.

Cooper SJ, Bowden GT 2007, 'Ultraviolet B regulation of transcription factor families', *Curr Cancer Drug Targets*, vol. 7, no. 4, pp. 325-34.

De Souza A & Strober BE 2013, 'Principle of Therapy', *Fitzpatrick's Dermatology in General Medicine*, 9th ed., New York: McGraw-Hill, pp. 2643-51.

Deshmukh P, Unni S, Krishnappa G, Padmanabhan B 2017, 'The Keap1-Nrf2 pathway: promising therapeutic target to counteract ROS-mediated damage in cancers and neurodegenerative diseases', *Biophys Rev*, vol. 9, pp. 41-56.

Dong KK, Damaghi N, Picart SD, Markova NG, Obayashi K, Okano Y, et al 2008, 'UV-induced DNA damage initiates release of MMP-1 in human skin', *Exp Dermatol*, vol. 17, pp. 1037-44.

Doren SR 2015 'Matrix metalloproteinase interactions with collagen and elastin', *Matrix Biol*, pp.224-31.

Dvorakora K, Dorr RT, Valcic S, Timmermann B, Alberts DS 1999, 'Pharmacokinetics of the green tea derivative, EGCG, by the topical route of

administration in mouse and human skin', *Cancer Chemother Pharmacol*, vol. 43, pp. 331-5.

Ekowati J, Diyah NW, Nofianti KA, Hamid IS, Siswandono 2018, 'Molecular Docking of Ferulic Acid Derivatives on P2Y12 receptor and their ADMET prediction', *J Math Fund Sci*, vol. 50, no.2, pp.203-19.

Fatchiyah 2015, *Prinsip dasar bioinformatika*, Malang: UB Press.

Fedchenko N & Reifenrath J 2014, 'Different approaches for interpretation and reporting of immunohistochemistry analysis results in the bone tissue-a review', *Diagnostic Pathology*, vol. 9, no. 221, pp 1-12.

Fisher GJ, Choi HC, Csorgo ZB, Shao Y, Datta S, Wang ZQ, et al 2001, 'Ultraviolet irradiation increases matrix metalloproteinase-8 protein in human skin in vivo', *J Invest Dermatol*, vol. 117, pp. 219-26.

Fisher GJ, Wang ZQ, Datta SC, Varani J, Kang S, Voorhees JJ 1997, 'Pathophysiology of Premature Skin Aging Induced by Ultraviolet Light', *N Eng J Med*, vol. 337, no. 20, pp. 1419-28.

Food and Drug Association (FDA) 2018, *GRAS Notices GRN no. 259*.

Gardien KLM, Baas DC, Vet HCW, Middelkoop E 2016, 'Transepidermal water loss measured with the Tewameter TM300 in burn scar', *Burns*, vol. 30, pp 1-8.

Grundmann JU, Wiswedel I, Gollnick HPM 2004, 'Detection of monohydroxyeicosatetraenoic acids and F2-isoprostanes in microdialysis samples of human UV-irradiated skin by gas chromatography-mass spectrometry', *Skin Pharmacol Physiol*, vol. 17, pp. 37-41.

Gonzaga ER 2009, 'Role of UV light in photodamage, skin aging, and skin cancer', *Am J Clin Dermatol*, vol. 10, no.1, pp. 19-24.

Habib A, Johargy A, Mahmood K, Humma 2014, 'Design and determination of the sample size in medical research', *IOSR JDSM*, vol. 13, no. 5, pp. 21-31.

Hagerman AE, Dean RT, Davies MJ 2003, 'Radical chemistry of epigallocatechin gallate and its relevance to protein damage', *Arch Biochem Biophys*, vol. 414, pp. 115-20.

Haratake A, Uchida Y, Mimura K, Elias PM, Holleran WM 1997, 'Intrinsically aged epidermis displays diminished UVB-induced alterations in barrier function associated with decreased proliferation', *J Invest Dermatol*, vol. 108, pp. 319-23.

Haroun MT 2003, 'Dry Skin in Elderly', *Geriatr Aging*, vol. 6, no.6, pp. 41-4.

Hsu S 2005, 'Green tea and the skin', *J Am Acad Dermatol*, vol. 52, no. 6, pp. 1049-59.

Huang CC, Fang JY, Wu WB, Chiang HS, Wei YJ, Hung CF 2005, 'Protective effect of epigallocatechin-3-gallate on UVA-induced damage in HaCaT keratinocyte', *Arch Dermatol Res*, vol. 296, pp. 473-81.

Huang Y, Zhu M, Li Z, Sa R, Chu Q, Zhang Q, *et al* 2014, 'Mass spectrophotometry-based metabolomic profiling identifies alterations in salivary status and fatty acid metabolism in response to inflammation and oxydative stress in periodontal disease', *Free Radic Biol Med*, vol. 70, pp. 223-32.

Hung CF, Chen WY, Aljuffali IA, Lin YK, Shih HC, Fang JY 2015, 'Skin aging modulates percutaneous drug absorbtion: the impact of ultraviolet irradiation and ovariectomy', *AGE*, vol. 37, no. 21, pp. 1-14.

Huo C, Wan SB, Lam WH, Li L, Wang Z, Piwowar KRL, *et al* 2008, 'The challenge of developing green tea polyphenols as therapeutic agents', *Inflammopharmacology*, vol. 16, pp. 248-52.

Hwang KA, Yi BR, Choi KC 2011, 'Molecular mechanism and in vivo mouse models of skin aging associated with dermal matrix alterations', *Lab Anim Res*, vol. 27, no. 1, pp. 1-8.

Issa AY, Volate SR, Wargovich MJ 2006, 'The role of phytochemicals in inhibition of cancer and inflammation: new directions and perspectives', *J Food Compos Anal*, vol. 19, pp. 405-19.

Jafferany M, Huynh TV, Silverman MA, Zaidi Z 2012, 'Geriatric dermatoses: a clinical review of skin diseases in an aging population', *Int J Dermatol*, vol. 51, pp. 509-22.

Jakaria Md, Azam S, Hee Jo S, Su Kim I, Dash R, Kug Choi D 2019, 'Potential therapeutic targets of quercetin and its derivates: its role in the therapy pf cognitive impairment', *Journal of Clinical Medicine*, vol. 8, no. 1789, doi:10.3390/jcm8111789.

Jaramillo MC & Zhang DD 2013, 'The emerging role of the Nrf2-Keap1 signaling pathway in cancer', *Genes & Development*, vol. 27, pp. 2179-91.

Jeon HY, Kim JK, Lee SJ 2009, 'Effect of oral epigallocatechin gallate supplementation on the minimal erythema dose and UV-induced skin damage', *Skin Pharmacol Physiol*, vol. 22, pp. 137-41.

Jeyapaul J & Jaiswal AK 2000, 'Nrf2 and c-Jun regulation of antioxidant response element (ARE)-mediated expression and induction of γ -glutamylcystein synthetase heavy subunit gene', *Biochem Pharmacol*, vol. 59, pp. 1433-9.

Kementerian Kesehatan RI 2017, *Analisis lansia di Indonesia*, Jakarta: Pusat Data dan Informasi Kemenkes RI.

Khan SA, Priyamvada S, Khan W, Farooq N, Yusufi AN 2009, 'Studies on the protective effect of green tea against cisplatin-induced nephrotoxicity', *Pharmacol Res*, vol. 60, pp. 382-91.

Kim C, Ryu HC, Kim JH 2010, 'Low dose UVB irradiation stimulates matrix metalloproteinase-1 expression via a BLT2-linked pathway in HaCaT cells', *Exp Mol Med*, vol. 42, no. 12, pp. 833-41.

Kim SY, Kim DS, Kwon SB, Park ES, Huh CH, Youn SW, et al 2005, 'Protective effect of EGCG on UVB-induced damage in living skin equivalents', *Arch Pharm Res*, vol. 28, no.7, pp. 784-90.

Kim JE, Shin MH, Chung JH 2013, 'Epigallocatechin-3-gallate prevents heat shock-induced MMP-1 expression by inhibiting AP-1 activity in human dermal fibroblast', *Arch Dermatol Res*, vol. 305, pp. 595-602.

Kim YJ, Kim HN, Shin MS, Choi BY 2015, 'Thread embedding acupuncture inhibits ultraviolet B irradiation-induced skin photoaging in hairless mice', *Evidence-based complementary and alternative medicine*, doi 10.1115/2015/539172, pp. 1-9.

Kochevar IE, Taylor CR, Krutmann J 2012, 'Fundamental of Cutaneous Photobiology and Photoimmunology', *Fitzpatrick's in General Medicine*, 8th ed., New York: The McGraw Hill Companies, pp. 1031-48.

Krupkova O, Ferguson SJ, Kozak KW 2016, 'Stability of epigallocatechin gallate and its activity in liquid formulations and delivery systems', *J Nutr Biochem*, vol. 37, pp.1-12.

Krutmann J, Gilchrist BA 2006, 'Photoaging of the skin', *Skin Aging*, New York: Springer. Pp. 33-44.

Kwon S, Jung SH 2013, 'Topical administration of manuka oil prevents UV-B irradiation-induced cutaneous photoaging in mice', *Evidence-based Complementary and Alternative Medicine*, doi 10.1155/2013/930857, pp. 1-10.

Lambert JD, Sang S, Yang CS 2007, 'Biotransformation of green tea polyphenols and the biological activities of those metabolites', *Mol Pharm*, vol. 4, no. 6, pp. 819-25.

Lappas M, Permezzel M, Ricel GE. 2007. Advanced glycation endproducts mediate pro-inflammatory actions in human gestational tissues via nuclear factor-kB and extracellular signal-regulated kinase 1/2, *Journal of Endocrinology*, vol.193, p. 269-77.

Lee KO, Kim SN, Kim YC 2014, 'Anti-wrinkle effect of water extracts of teas in hairless mouse', *Toxicol Res*, vol. 30, no. 4, pp. 283-9.

Lephart ED 2016, 'Skin aging and oxidative stress: equol's anti-aging effects via biochemical and molecular mechanism', *Ageing Res Rev*, vol. 31, pp. 36-54.

Leslie CC 1997, 'Properties and regulation of cytosolic phospholipase A₂', *J Biol Chem*, vol. 272, no. 27, pp. 16709-12.

Lestari M & Binarjo A 2013, 'Formulasi *cold cream* propranolol untuk penghantaran transdermal dengan basis emulsi yang mengandung *VCO* (*virgin coconut oil*)', *Pharmaciana*, vol. 3, no. 2, pp. 37-43.

Liu T, Stern A, Roberts LJ, Morrow JD 1999, 'The isoprostanes: novel prostaglandin-like products of the free radical-catalyzed peroxidation of arachidonic acid', *J Biomed Sci*, vol. 6, pp. 226-35.

Liu C, Zheng XQ, Xiang LP, Lu JL, Politol CA, Liang YR. 2016. Protective effect of (-)-epigallocatechin gallate on ultraviolet B-induced skin damage in hairless mice, *Tropical Journal of Pharmaceutical Research*, vol. 15, no. 6, p. 1183-9.

Liu T, Zhang L, Joo D, Sun SC 2017, 'NFκB signaling in inflammation', *Signal Transduct Target Ther*, vol. 2, e17023.

Lucarini M, Sciubba F, Capitani D, Di Cocco ME, D'Evoli L, Durazzo A, Delfini M, *et al.*, 2019, 'Role of catechin on collagen type I stability upon oxidation: an NMR approach', *Natural Product Research*, doi: 10.1080/14786419.2019.1570509.

Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I, Purwanto SH 2011, 'Perkiraan besar sampel', *Dasar-dasar metodologi penelitian klinis*, Jakarta: Sagung Seto, pp. 348-82.

Matsumura Y & Ananthaswamy HN, 2004, 'Toxic effect of ultraviolet radiation on the skin', *Toxicol Appl Pharmacol*, vol. 195, pp. 298-308.

McClain GE & Watson RR 2013, 'The role of polyphenols in skin health', *Bioactive Dietary Factors and Plant Extracts in Dermatology*, New York: Springer Science Business Media, Pp.169-75.

Milne GL, Musiek ES, Morrow JD 2005, 'F₂-Isoprostane as markers of oxidative stress in vivo: an overview', *Biomarkers*, vol. 10, no. 1, pp. S1-23.

Milne GL, Yin H, Hardy KD, Davies SS, Roberts II LJ 2005, 'Isoprostane generation and function', *Chem Rev*, vol. 111, no. 10, pp. 5973-96.

Moran JF, Klucas RV, Grayer RJ, Abian J, Becana M 1996, 'Complexes of iron with phenolic compounds from soybean nodules and other legume tissues: prooxidant and antioksidants properties', *Free Radical Bio Med*, vol. 22, no. 5, pp. 861-70.

Morrow JD & Roberts LJ 1999, 'Mass spectrophotometric quantification of F₂-Isoprostanes in biological fluids and tissue as measure of oxidant stress', *Methods Enzymol*, vol. 300, pp. 3-12.

Nash DB 2016, 'In silico pharmacology', *Am Health Drug Benefits*, vol. 9, no.3, pp. 126-7.

Oeckinghaus A, Ghosh S 2009, 'The NF κ B family of transcription factors and its regulation', *Cold Spring Harb Perspect Biol*, vol. 1, pp. 1-11.

Oh H, Ghosh S 2013, 'NF κ B: roles and regulation in different CD4⁺ T cell subsets', *Immunol Rev*, vol. 252, no. 1, pp. 41-51.

Owen J, Punt J, Stranford S 2013, *Kuby Immunology*, 7th ed., New York: WH Freeman.

Pasrija D & Anandharamakrishnan C 2015, 'Techniques for extraction of green tea polyphenols: a review', *Food Bioprocess Technol*, vol. 8, pp. 935-50.

Pittayapruek P, Meephasan J, Prapapan O, Komine M, Ohtsuki M 2016, 'Role of matrix metalloproteinases in photoaging and photocarcinogenesis', *Int J Mol Sci*, vol. 17, pp. 868(1-20).

Pires DE, Blundell TL, Ascher DB 2019, 'pkCSM: predicting small-molecule pharmacokinetic properties using graph-based signatures', *J Med Chem*, vol. 58, no. 9, pp. 4066-72.

Plessis J, Stefaniak A, Eloff F, John S, Agner T, Chou TC, et al 2013, 'International guidelines for the in vivo assessment of skin properties in non-clinical settings: part 2. transepidermal water loss and skin hydration', *Skin Res Technol*, vol. 19, no. 3, hal. 265-78.

Polley S, Passos DO, Huang DB, Mulero MC, Mazumder A, Biswas T, et al 2016, 'Structural basis for the activation of IKK1/ α ', *Cell Rep*, vol. 17, no. 8, pp. 1907-14.

Poon F, Kang S, Chien AL 2014, 'Mechanism and treatments of photoaging', *Photodermatol Photoimmunol Photomed*, vol. 31, pp. 65-74.

Prior RL, Wu X, Schaich K 2005, 'Standardized methods for the determination of antioxidant capacity and phenolics in food and dietary supplements', *J Agric Food Chem*, vol. 53, pp.4290-302.

Puizina IN 2008, 'Skin aging', *Acta Dermatovenereol Alp Pannonica Adriat*, vol. 17, no. 21, pp. 47-54.

Pyun HB, Kim M, Park J, Sakai J, Numata N, Shin JY, et al 2012, 'Effect of collagen tripeptide supplement on photoaging and epidermal skin barrier in UVB-exposed hairless mice', *Prev Nutr Food Sci*, vol. 17, pp. 245-53.

Quan T, He T, Kang S, Voorhees JJ, Fisher GJ 2004, 'Solar ultraviolet irradiation reduces collagen in photoaged human skin by blocking Transforming Growth Factor- β type II receptor/Smad signaling', *Am J Pathol*, vol. 165, no. 3, pp. 741-51.

Rasool M, Malik A, Ghuman AA, Ashraf MAB, Arooj M, Waquar S, et al 2018, 'Implications of isoprostanes and matrix metalloproteinase-7 having potential role in the development of colorectal cancer in mass', *Front Oncol*, vol. 8, no. 205, pp. 1-8.

Rittie L, Fisher GJ 2002, 'UV-light-induced signal cascades and skin aging', *Ageing Res Rev*, vol. 1, pp. 705-20.

Roberts LJ & Morrow JD 2000, 'Measurement of F₂-Isoprostanes as an index of oxidative stress in vivo', *Free Radic Biol Med*, vol. 28, no. 4, pp.505-13.

Rokach J, Khanapure SP, Hwang SW, Adiyaman M, Lawson JA, FitzGerald GA 1997, 'The isoprostane: a perspective', *Prostaglandins*, vol. 54, pp. 823-51.

Rosner B, '*Fundamental of biostatistics*', 8th ed., Boston: Cengage Learning.

Sang S, Lambert JD, Hong J, Tian S, Lee MJ, Stark RE, et al 2005, 'Synthesis and structure identification of thiol conjugates of (-)-Epigallocatechin gallate and their urinary levels in mice', *Chem Res Toxicol*, vol. 18, pp. 1762-9.

Scalia S 2014, 'In vivo human skin penetration of epigallocatechin-3-gallate from topical formulation', *Acta Pharm*, vol. 64, pp. 257-65.

Schaefer H, Redelmeir TE, Nohynek GJ, Lademann J 2012, 'Pharmacokinetics and topical applications of drugs', *Fitzpatrick's in General Medicine*, 8th ed., New York: The McGraw Hill Companies, pp. 2652-8.

Schwarz A, Maeda A, Gan D, Mammone T, Matsui MS 2008, 'Green tea polyphenol extracts reduce UVB-induced DNA damage in human cells via interleukin-12', *Photochem Photobiol*, vol. 84, pp. 350-5.

Shek FWS, Benyon RC, Walker FM, McCrudden PR, Pender SLF, Williams EJ, 2002, 'Expression of TFG β -1 by pancreatic stellate cells and its implications for matrix secretion and turnover in chronic pancreatitis', *AJP*, vol. 160, no. 5, pp. 1787-98.

Shetty PK, Manikkath J, Tupally K, Kokil G, Hegde AR, Raut SY, et al 2017, 'Skin delivery of EGCG and sibilinin: potential of peptide dendrimers for enhanced skin permeation and deposition', *AAPS PharmSciTech*, vol. 18, no. 6, pp. 2346-57.

Shutterland BA, Rahman RMA, Appleton 2006, 'Mechanism of action of green tea catechins, with a focus on ischemia-induced neurodegeneration', *J Nutr Biochem*, vol. 17, pp. 291-306.

Skrzydowska E, Ostrowska J, Fabiszewski R, Michalak K 2012, 'Protective effect of green tea against lipid peroxidation in the rat liver, blood serum and the brain', *Phytomedicine*, vol.9, pp. 232-8.

Spencer TS 1990, 'Transepidermal water loss', *Methods for cutaneous investigation*, New York: Marcell Dekker, pp. 191-217.

Su B & O'Connor JP 2013, 'NSAID therapy effects on healing bone, tendon, and the enthesis', *J Appl Physiol*, vol. 115, pp. 892-9.

Taber DF, Morrow JD, Roberts JD 1997, 'A nomenclature system for the isoprostanes', *Prostaglandins*, vol. 53, pp. 63-7.

Tagami H 2008, 'Functional characteristics of the stratum corneum in photoaged skin in comparison with those found in intrinsic aging', *Arch Dermatol Res*, vol. 300, supp.1, pp. S1-6.

Terao J, Piskula M, Yao Q 1993, 'Protective effect of epicatechin, epicatechin gallate, and quercetin on lipid peroxidation

Tipoe GL, Leung TM, Liong EC, Lau TYH, Fung ML, Nanji AA 2010, 'Epigallocatechin-3-gallate (EGCG) reduces liver inflammation, oxidative stress and fibrosis in carbon tetrachloride (CCl₄)-induced liver injury in mice', *Toxicology*, vol. 273, pp. 45-52.

Treiber N, Maity P, Singh K, Ferchiu F, Walscheck M, Kochanek KS 2012, 'The role of manganese superoxide dismutase in skin aging', *Dermatoendocrinol*, vol. 4, no. 3, pp. 232-5.

Vayalil PK, Mittal A, Hara Y, Elmets CA, Katiyar SK 2004, 'Green tea polyphenols prevents ultraviolet light-induced oxidative damage and matrix metalloproteinase expression in mouse skin', *J Invest Dermatol*, vol. 122, pp. 1480-7.

Vu LA, Quyen PTC, Huong NT 2015, 'In silico drug design: prospective for drug lead discovery', *Int J Eng Sci*, vol. 4, no. 10, pp. 60-70.

Wadood A, Ahmed N, Ahmad A, Hassan H, Shams S 2013, 'In silico drug design: an approach which revolutionarised the drug discovery process', *Drug Des Del Ther*, vol.1, no.1, pp. 1-4.

Wiswedel IJ, Hirsch D, Kropft S, Gruening M, Pfister E, Schewe T, *et al* 2004, 'Flavanol-rich Cocoa Drink Lowers Plasma F(2)-isoprostane Concentrations in Humans', *Free Radic Biol Med*, Vol. 37, No. 3, Pp. 411-21.

Wiswedel I, Grundmann JU, Boschmann M, Krautheim A, Bockelmann R, Peter DS, *et al* 2007, 'Effects of UVB irradiation and diclofenac on F2-isoprostane/prostaglandin concentrations in keratinocyte and microdialysates of human skin', *J Invest Dermatol*, vol.127, pp.1794-7.

Widiyowati HS, Pangkahila WI, Wiraguna AAGP, Pangkahila JA, Adiputra IN, Aman IGM 2017, 'Pemberian krim ekstrak teh hijau (*Camellia sinesis*) dapat mencegah penurunan jumlah kolagen dermis dan peningkatan kadar matriks metalloproteinase-1 pada mencit Balb-C yang dipapar sinar ultraviolet B', *Indonesian Journal of Anti Aging Medicine*, vol. 1, no.1, pp 1-6.

Wyatt EL, Sutter SH, Drake LA 2001, 'Dermatology pharmacology', *Pharmacological basis of therapeutic*, 10th ed., New York: McGraw Hill, pp. 1795-814.

Yaar M & Gilchrest BA 2012, 'Aging of the skin', *Fitzpatrick's in General Medicine*, 8th ed., New York: The McGraw Hill Companies, pp. 1213-26.

Yoshino K, Suzuki M, Sasaki K, Miyase T, Sano M 1999, 'Formulation of antioxidants from (-)-epigallocatechin gallate in mild alkaline fluids, such as intestinal juice and mouse plasma', *J Nutr Biochem*, vol. 10, pp. 223-9.

Zhu N, Sang S, Huang TC, Bai N, Yang CS, Ho CT 2000, 'Antioxidant chemistry of green tea catechins: oxidation products of (-)-Epigallocatechin-3-gallate and (-)-Epigallocatechin with peroxidase', *J Food Lipids*, pp. 275-82.

Zouboulis CC, Makrantonaki E 2011, 'Clinical aspects and molecular diagnostics of skin aging', *Clin Dermatol*, vol. 29, pp. 3-14.