

## DAFTAR PUSTAKA

- Alekseev V., B. Stasio and J.Gilbert. 2007. Diapause in aquatic invertebrates: Theory and human use. Springer Science and Business Media. 1- 214
- Angraeni, D. 2003. Pengaruh Dosis Minyak Ikan dan Lama Waktu Pengkayaan Terhadap Kadar Lemak *Daphnia* sp. Skripsi. Institut Pertanian Bogor. Bogor.
- Darmanto, S. D., A. Putra, M. Chumaidi dan D. Rochjat. 2000. Budidaya Pakan Alami untuk Benih Ikan Air Tawar. Bagian Peneliti dan Pengembangan Pertanian. Instalasi Penelitian dan Pengkajian Teknologi Pertanian. Jakarta. 19.
- Delbare, D. and P. Dhert. 1996. Manual on The Production and Use of Live Food for Aquaculture "chapter six: Cladocerans, Nematodes and Trochophora. FAO Fisheries Technical Paper. 361: 201-295.
- Djarijah. 2002. *Moina* sp. Bogor: Media Ilmu Perikanan.
- Djunaidah, I. S., M. R. Toelihere, M. I. Effendie, S. Sukimin dan E. Riani. 2004. Pertumbuhan dan Kelangsungan Hidup Benih Kepiting Bakau (*Scylla paramamosain*) yang Dipelihara pada Substrat Berbeda. Ilmu Kelautan. Maret 2004. 9(1) : 20-25.
- Dodson S, C. Caceras, C. Rogers. 2010. Ecology and Classification of North American Freshwater Invertebrates. Chapter 20. Cladocera and Other Branchiopoda Third Edition. San Diego California. Academic Press: 775-827.
- Effendie, M. I. 1997. Biologi Perikanan. Yogyakarta: Yayasan Pustaka Nusatama.
- Fink, P., C. Pflitsch and K. Marin. 2011. Dietary Essential Amino Acids Affect The Reproduction of The Keystone Herbivore. Ploosone org 6, issue 12.
- Goldman, C. R., and A. J. Horne. 1983. Limnology. Mac Graw Hill Int. Tokyo. Book Company. 464.
- Hadipernata, M., W. Supartono dan M. A. F. Falah. 2012. Proses Stabilisasi Dedak Padi (*Oryza sativa* L) Menggunakan Radiasi Far Infra Red (FIR) Sebagai Bahan Baku Minyak Pangan. Jurnal Aplikasi Teknologi Pangan, 1 (4) : 103-106.

- Hakima B., C. Khémissa, S. Boudjéma. 2013. Effects food limitation on the life history of *Simocephalus expinosus* (Cladocera: *Daphniidae*). Journal Biology Sciences (5): 25-31.
- Hiruta C., C. Nishida and S. Tochinai. 2010. Abortive Meiosis in The Oogenesis of Parthenogenetic *Daphnia pulex*. Chromosome Research 18: 833-840.
- Isnansetyo dan Kurniastuty. 1995. Teknik Kultur Phytoplankton dan Zooplankton. Yogyakarta : Penerbit Kanisius.
- Jobgen, W. S., S. K. Fried, W. J. Fu, C. J. Meininger and G. Wu. 2006. Regulatory Role For The Arginine Nitric Oxide Pathway in Metabolism of Energy Substrates. Journal Nutrition Biochemical 17 : 571-588.
- Koch, U., and D. M. Creuzburg. 2011. Single Dietary Amino Acids Control Resting Egg Production and Affect Populaton Growth of a Key Freshwater Herbivore. Journal Oceologia, 167 : 981-989.
- Koch U., E. Elert and D. Staile . 2009. Food quality triggers the reproductive mode in the cyclical parthenogenesis daphnia (Cladocera). Journal Oecologia 159: 317-324
- Koswara. 1995. Teknologi Pengolahan Kedelai Menjadi Makanan Bermutu. Jakarta : Pustaka Seminar Harapan.
- Kurniawan, A. 2010. Budidaya Pakan Alami. Universitas Bangka Belitung.
- Kusriningrum, R. S. 2010. Perancangan Percobaan. Surabaya : Pusat Penerbitan dan Percetakan Airlangga University Press.
- Kusriningrum, R. S. 2012. Perancangan Percobaan. Surabaya: Airlangga University Press.
- Leung Y. F. J. 2009. Reproduction of the zooplankton, *Daphnia carinata* and *Moina australiensis*: implication as live food for aquaculture and utilization of nutrient loads in effluent, 189. School of Agriculture, Food, Wine – The University of Adelaide, Adelaide.
- Lingga. 2002. Morfologi *Moina* sp. Bogor: Buku ilmu Perikanan.
- Li, P., K. Mai, J. Trushenski and Guoyao. 2008. New developments in fish amino acid nutrition : to wards functional and environmentally oriented aquafeeds. Amino Acid 37: 43–53.

- Loh, J. Y. 2011. Fatty Acid Enrichment and Potential Food Source For *Moina macrocopia* Cultivation. Faculty of Engineering and Science. Universiti Tunku Abdul Rahman. Malaysia.
- Lopatina, T. S., and E. S. Zadereev. 2012. The Effect of Food Concentration on The Juvenile Somatic Growth Rate of Body Length, Fecundity and The Production of Resting Eggs by *Moina brachiata* (Crustacea: Cladocera) Single Females. Journal of Siberian Federal University, 4 (5) : 427-438.
- Malla, S. and S. Banik. 2015. Production and Application of Live Food Organisms For Freshwater Ornamental Fish Larva Culture. Advanced Biomedical Research 6:159-167.
- Miah, F., S. Roy, E. Jinnat and Z. K. Khan. 2013. Assessment of *Daphnia*, *Moina* and *Cylops* in Freshwater Ecosystems and The Evaluation of Mixed Culture in Laboratory. American International Journal of Research in Formal, Applied and Natural Sciences 4: 1-7
- Mokoginta, I. 2003. Budidaya Pakan Alami Air Tawar. Bogor. Modul *Daphnia* sp. Direktorat Jenderal Pendidikan Dasar dan Menengah Departemen Pendidikan Nasional.
- Mubarak, A. S. 2017. Evaluasi Pemanfaatan Suspensi Dedak Dan Ketela Pohon Pada Pertumbuhan Populasi Produksi Anak Jantan Dan Ephipia *M. macrocopia*. Doctoral Thesis. Institut Pertanian Bogor. Bogor: 74-76.
- Mubarak, A. S., D. Jusadi, M. Z. Junior, and M. A. Suprayudi. 2017. Evaluation of The Rice Bran and Cassava Suspension Use in The Production of Male *Moina* Off Springs and Ephipia. AACL Bioflux. Institute Pertanian Bogor. 10 (3).
- Mubarak, A. S., D. Jusadi, M. Z. Junior, and M. A. Suprayudi. 2019. Maximum density in the *Moina macrocopia* culture able to produce parthenogenesis in female offspring. IOP Conf. Series: Earth and Environmental Science. 236: 1-8.
- Mudjiman, A. 2008. Makanan Ikan. Jakarta : Swadaya. 190-191.
- Nurruhwati, I., Zahidah, dan A. Sahidin. 2017. Kelimpahan Plankton di Waduk Cirata Provinsi Jawa Barat. Jurnal Akuatika Indonesia. 2 (2): 102-108.
- Pangkey, H., 2009. *Daphnia* dan Penggunaanya. Jurnal Perikanan dan Kelautan. 5 (3): 33-36
- Purba, G. N. J. 2003. Pengaruh Waktu Tebar terhadap Kelimpahan *Daphnia* sp. dalam Media Kultur yang Mengandung 4,5 g/L Kotoran Ayam dan 2,25

- g/L Tepung Tapioka.* Skripsi (Tidak dipublikasikan). Institut Pertanian Bogor, Bogor.
- Rasyaf, M. 2002. Pakan Ayam Broiler. Yogyakarta : Kanisius Cetakan 1.
- Rietzler, A. C., P. M Maia-Barbosa, M. M Ribeiro and R. M Menendez. 2014. The First Record of The Exotic *Moina macrocopia* (Straus, 1820) in Minas Gerais State, Brazilian Journal Biology 74: 518-520.
- Ronnestad, I., R. N. Finn, E. P. Groot and H. J. Fyhn. 1992. Utilization of Free Amino Acids Related to Energy Metabolism of Developing Eggs and Larvae of Lemon Sole Microstomus Kitt Reared in The Laboratory. Marine Ecology Progress Series. University of British Columbia. 88 : 195-205.
- Rosyadi. 2013. Pemberian Pupuk Organik Cair Lengkap (POCL) Super ACI Dengan Dosis Berbeda Terhadap Perkembangbiakan *Moina* sp. Jurnal Dinamika Pertanian Fakultas Pertanian Universitas Islam Riau Pekanbaru, 28 (2) :153-160.
- Roy, A. M. S. H., M. L. Rahman, M. A. Salam and M. M. Ali. 2014. Fecundity and Gonadosomatic Index of *Glossogobius giuris* From The Payra River, Patuakhali, Bangladesh. Journal of Fisheries. 2 (2) : 141-147.
- Smirnov, N. N. 2014. Physiology of the Cladosera. Elsevier. 129 - 149.
- Steffens, W. 1989. Principles of fish nutrition. Ellis Horwood Limited. West Sussex. England. 384.
- Ullimaz , A. 2019 Konsentrasi Suspensi Dedak Terhadap Fekunditas Dan Produksi Anak Per Induk *Moina macrocopia*. Skripsi. Universitas Airlangga. Surabaya
- Watanabe, T. 1988. Fish Nutrition and Mariculture. JICA Texbook. The General Aquaculture Course. Kanagawa International Fisheries Training Centre Japan International Coopertion Agency, 348 .
- Wibowo, A. H. 2010. Pendugaan Kandungan Nutrient Dedak Padi Berdasarkan Karakteristik Sidat Fisik. Tesis. Institut Pertanian Bogor. Bogor.
- Winarsi, H. 2010. Protein Kedelai dan Kecambah Manfaatnya bagi Kesehatan. Yogyakarta: Kanisius.
- Yan, L. J. 2011. Fatty Acid Enrichment and Potential Food Source for *Moina macrocopia* Cultivation. Thesis. Faculty of Engineering and Science, Universiti Tunku Abdul Rahman. Malaysia.