# DAFTAR PUSTAKA

Abbas AK, Lichtman AH, Pillai S. 2017. *Innate immunity, in celullar and molecular immunology*. Elsevier, Saunder.7th ed., pp: 55-87.

Abbas AK, Lichtman AH, Pillai S. 2015. *Basic immunology, function and disorders of the immune system*, 2nd Ed., Philadelphia. Saunders Elsevier.

Abbey AW, Fogako J, Sama, Thuita LH, Beardslee E, Snounou G, Zhou A, Taylor DW, 2005. Malaria in pregnant Cameroonian women: the effect of age and gravidity on submicroscopic and mixed-species infections and multiple parasites genotypes. *Am. J. Trop. Med. Hyg.*, 72(3), pp. 229–235.

Akbar S, 2011. Andrographis paniculata: A Review of Pharmacological Activities and Clinical Effects. *Alternative Medicie Review*, 1 (16): 66-77.

Amsel S, 2012. *Movie worksheets, what owls eat-The bones of a mouse*.http://visual. Merriam-Webster.com/images/animal/kingdom/rodents-lagomorphs/rodents/skleton-rats.jpg. Diakses 05 November 2015.

Ashley EA, Dhorda M & Fairhurst RM, 2014. Spread of artemisinin resistance in *Plasmodium falciparum* malaria. *N Engl J Med*. 371: 411-23.

Bardi D. A, Halabi MF & Hassandarvish P, 2014. Andrographis paniculata leaf extract prevents thioacetamide-induced liver cirrhosis in rats. *PLoS One*. 9(10):e109424. Published 2014 Oct 3. doi:10.1371/journal.pone.0109424.

Boareto AC, Mueller JC, Lourenco ELB, Lombardi N, Lourenco AC, Rabitto I, de Morais RN, Rios FS & Dalsenter PR, 2013. Effects of the combined artesunate and mefloquine antimalarial drugs on rat embryos. *Human and Experimental Toxicology*, pp 1-12.

Brabin BJ, Romagosa C & Abdelgalil S, 2004. The sick plasenta-The role of malaria. *Placenta*. 25:359-78.

Byung-Mu L, Sam K & Hyung SK, 2017. *Lu's Basic Toxicology Fundamentals, Target Organs, and Risk Assessment*, Seventh Edition-CR Press.

Canavese M and Roberta S, 2014. Protective or pathogenic effects of Vascular Endothelial Growth Factor (VEGF) as potential biomarker in cerebral malaria. *Pathogens and Global Healths* 108 (2): 67-75. https://doi.org/10.1179/2047773214Y.0000000130.

CDC. 2016. Malaria. Atlanta: Centers for Disease Control and Prevention. Diunduh pada tanggal 8 Januari 2017. http://www.cdc.gov/parasites/malaria/index.html

Chao WW and Lin BF, 2010. Isolation and identification of bioactive compounds in *Andrographis paniculata* (Chuanxinlian). *Chao and Lin Chinese Medicine*, 5:17.

Chishti AH, 2015. Malaria selectively targets pregnancy receptors. *Blood*. 125:217-218

Clark RL, White TEK, Cloude SA, Gaunt I, Winstanley P & Ward SA, 2004. Developmental toxicity of artesunate and artesunate combination in the rat and rabbit. *Birth Defects Res Part B*, 71 (6): 380-94.

Clark RL, 2019. Genesis of placental sequestration in malaria and possible targets for drugs for placental malaria. *Birth Defect Research*, 111: 569-583

Coban C, Yagi M, Ohata K, Igari Y, Tsukui T, Horii T, Ishii KJ & Akira S. 2010. The malarial metabolite hemozoinand its potential use as a vacine adjuvant. *Allergology International*. 59:115-124.

Cox FEG, 2010. History of the discovery of the malaria parasites and their vectors. *Parasites & Vectors*, 3-5.

Costa FTM, Avril M, Nogueira PA & Gysin J, 2006. Cytoadhesion of *Plasmodium falciparum*-infected erythrocytes and the infected placenta: a two-way pathway. *Brazilian Journal of Medical and Biological Research*. 39:1525-1536.

Conroy A, Serghides I, Finney C, Owitno SO, Kumar S,Gowda DC et al, 2009. C5a enhaced dysregulated inflammatory and angiogenic responses to malaria in vitro: potential implication for placental malaria. PloS One 4:e4953.doi: 10.1371/journal.pone.0004953

Cruz LN, Wu Y, Ulrich H, Craig AG & Garcia CRS, 2016. Tumor necrosis factor reduces *Plasmodium falciparum* growth and activates calcium signaling in human malaria parasites. *Biochimica et Biophysica Acta (BBA)* - General Subjects**.** 1860 (7), 1489-1497.

Cui L and Su XZ, 2009. Discovery, mechanisms of action and combination therapy of artemisinin. *Expert Rev Anti Infect Ther*, 7 (8):999-1013.

Davis TME, Hung TY & Sim IK, Karunajeewa HA, Ilett KF, 2005. Piperaquine a resurgent antimalarial drug. *Drugs 2005*. 65 (1): 75-87.

Davison BB, Kaack MB, Rogers LB, Rasmussen KK, Rasmussen TA, Henson EW, et al, 2006. The role of soluble tumour necrosis factor receptor types I and II and tumour necrosis factor-a in malaria during pregnancy. *J.Infect Dis.* 194:123-32

Dachlan YP, 2013. Imunologi Malaria, In *Epidemiologi, Klinik Diagnostik dan Terapi*, edited by Yoes Prijatna Dachlan, Widodo A, and Burhan Hidajat, 1-26. Rumah Sakit Penyakit Tropik Infeksi Universitas Airlangga

Doolan DL, Doban C, Baird JK, 2009. Acquired Immunity to Malaria. *Clinical Microbiology Review*, 22 (1): 13-16

Duffy PE and Fried M. 2003. Antibodies that inhibits *Plasmodium falciparum* adhesion to chondroitin sulfate are associated with increased birth weight and the gestational age of newborns. *Infection and Immunity*. 71:6620-3.

Duru V, Witkowski B & Menard D, 2016. *Plasmodium falciparum* resistance to artemisinin derivatives and piperaquin: A major challenge for malaria elimination in Cambodia.*Am. J. Trop. Med. Hyg*., 95 (6): 1228-38.

Doritchmou J, Bertin G & Moussiliou A. 2012. First trisemester *Plasmodium falciparum* infections display a typical placental phenotype. *J Infect Dis*. 206 (12):1911-19.

Ellis MF, Wendy AP & Allan JM, 2005. White blood cell counts and malaria. *J Infect Dis.* 192 (2): 323-320.

El-Assaad F, Combes V & Grau GER. 2014. Experimental models of microvascular immunopathology: The example of cerebral malaria. *J Neuroinfect Dis*. 5(1):1-15

El Assad F, Wheway J, Mitchell AJ, Lou J, Hunt J & Raymond GE, 2013. Cytoadherence of Plasmodium berghei-infected red blood cells to murine brain and lung microvascular endothelial cells in vitro. *Infection and Immunity* 81 (11):3984-3991. http;//doi.org/10.1128/IAI.00428-13.

El Tayeb R, Bilal N, Abass AE, Elhassan EM, Mohammed A & Adam I, 2015. Macrophage migration inhibitory factor and placental malaria infection in an area characterized by unstable malaria transmission in central Sudan. *F1000 Research*. 4:824.

Eriksson EM, Sampaio NG & Schofield L, 2013. Toll-like receptors and malaria – Sensing and Susceptibility. *J Trop Dis* 2: 126.

Fried M, Muga RO, Misore AO & Duffy PE, 1998. Malaria elicits type 1 cytokines in the human placenta: IFN-γ and TNF-*α* associated with pregnancy outcomes.*J Immunol.*160(5):2523-30.

Franklin BS, Parroche P, Ataide MA, Lauw F, Ropert C, de Oliveira RB, Pereira D, Tada MS, Nogueira P, da Silva LHP, Bjorkbacka H, Golenbock DT & Gazzineli RT, 2009. Malaria primes the innates immune response due to interferon-γ induced

enhancement of toll-like receptor expression and function. *PNAS*. 106 (14): 5789-5794.

Fitri L.E, Sardjono T.W, Rahmah Z, Siswanto B, Handono K & Dachlan Y.P. 2015. Low fetal weight is directly caused by sequestration of parasites and indirectly by IL-17 and IL-10 imbalance in the placenta of pregnant mice with malaria. *Korean J Parasitol* Vol. 53, No. 2: 189-196.

Gomes C, Boareto AC, Dalsenter PR, 2016. Clinical and non clinical safety of artemisinin derivatives in pregnancy. *Reprod Toxicol*, 65: 194-203

Gowda DC. 2007. TLR Mediated cell signaling by malaria GPI. *Trend in Parasitology* 23(17):596-604.

Gowda DC, 2007. Proinflamatory responses and cell signaling during malaria infection: the parasite glycosylphosphatidylinositol ligant in Protozoans in macrophages. *Landes Biosciences*: 84-94.

Gowda DC and Wu X, 2018. Parasite recognition and signaling mechanisms in innate immune responses to Malaria. *Frontiers in Immunology*, vol. 9: article 3006.

Guyatt HL and Snow RW, 2004. Impact of malaria during pregnancy on low birth weight in sub-saharan Africa, *Clinical Microbiology Reviews*, 17 (4): 760-769.

Hafid AF, Rifai B, Tumewu L, Widiastuti W, Dachliyati L, Primaharinastiti R & Widyawaruyanti A, 2015. Andrographolide determination of *Andrographis paniculata* extracts, ethyl acetate fractions and tablets by thin layer chromatography. *Journal of Chemoical and Pharmaceutical Research*. 7 (12): 557-561

Hafid AF, Retnowati D & Widyawaruyanti A, 2015. The combination therapy model of *Andrographis paniculata* extract and chloroquin on *Plasmodium Berghei* infected mice. *Asian Journal of Pharmaceutical and Clinical Research*. 8 (2): 205-208.

Hearn J, Rayment N, Landon DN, Katz DR & de Souza B. 2000. Immunopathology of cerebral malaria: Morphological evidence of parasite sequestration in murine brain microvasculature. *Infection and Immunity* 68 (9): 5364–5376.

Hrotmaka BS, Ngeleza S, Adibi JJ, Niles RK, Tshefu AK, Fisher SJ, 2013. Histopathologies, Immunolocalization, and glycan binding screen provide insighght into *Plasmodium falciparum* interaction with human placenta. *Biology of Reproduction,* 88 (6): 154. 1-14

Hull R and Dlamini Z, 2014. The role played by alternative splicing inantigenic variability in human endo-parasites, *Parasites & Vectors*, 7:53, 1-19.

Hunt NH, Ball HJ, Hansen AM, Khaw LT, Guo J, Bakmiwewa S, Mitchell AJ, Combes V & Grau GE, 2014. Cerebral malaria: gamma-interferon redux. Front Cell Infect Microbiol. 15;4:113. doi: 10.3389/fcimb.2014.00113

Hviid L, Marinho CRF, Staalsoe T, Penha-Gonzales C, 2010. Of mice and women: rodent models of placental malaria. *Trends in Parasitology*, 26: 412-419

Iona OD, Rajeshwara NA & Sean TA, 2001. Gravidity-dependent production of antibodies that inhibits Binding of *Plasmodium falciparum*-infected Erythrocytes to Placental Chondroitin Sulfate Proteoglycan during Pregnancy. *Infect Immun*. 69 (12):7487-92.

Jain, Kunal, Sood S, Gowthamarajan K, 2013. Modulation of cerebral malaria by curcumin as an adjunctive therapy. *Brazilian Journal of Infection Disease*, 17 (5): 579-591.

Janse C, 2016. *P.Berghei* Netherlands: Leids Universitairs Medis Centrum. http://www.lumc.nl/org/parasitologie/research/malaria/berghei-model/ Diunduh pada tanggal 8 Januari 2017.

Jarukamjorn K and Nemoto N, 2008. Pharmacological aspects of *Andrographis paniculata* on helath and its major diterpenoid constituent andrographolide. *Journal of Health Sciences*, 54 (4): 370-381.

Jayakumar T, Hsieh, CC, Lee JJ & Sheu JR, 2013. Experimental and clinical pharmacology of *Andrographis paniculata* and its major bioactive phytoconstituent andrographolide. *Evidence-Based Complementary and Alternative Medicine*. Hindawi Publishing Corporation. Article ID 846740, 16 pages.

Kakuru A, Jaganathan P, Muhindo MK, Natureeba P, Awori P & Nakalembe M., 2016. Dihydroartemisinin-Piperaquin for the prevention of malaria in pregnancy. *The New Englan Journal of Medicine*, 374: 928-39.

Kabmeyla ER, Muehlenbachs A, Fried M, Kurtis JD, Mutabingwa TK & Duffy PE, 2008. Maternal pheripheral blood level of IL-10 as a marker for inflammatory plasental malaria. *Malaria Journal*, 7: 26.

Kalantari P, 2018. The emerging role of pattern recognition receptors in pathogenesis of malaria. *Vaccines*, 6, 13; doi: 10.3390/vaccines6010013

Kemenkes RI, 2013.*Riset Kesehatan Dasar 2013*, Jakarta: Badan Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia.

Kemenkes RI, 2010. Pusat data dan informasi dirjen P2P. *Epidemiologi Malaria di Indonesia*.

Kemenkes RI, 2018. *Profil Kesehatan Indonesia Tahun 2017*. Kementerian Kesehatan Republik Indonesia, Jakarta, 127.

Kimoloi S and Rashid K, 2015. Potential role of *Plasmodium falciparum* derived ammonia in the pathogenesis of cerebral malaria. Frontiers in neuroscience 9 (234). doi: 10.3389/fnins.2015.00234.

Kinansi RR, Mayasari R & Pratamawati, DA, 2017. Pengobatan malaria kombinasi artemisinin (ACT) di Provinsi Papua Barat Tahun 2013, *BALABA* vol.13 No. 1: 43-54.

Kojiyama Y, Tam OH & Tam PP, 2014. Timing of developmental events in the early mouse embryo. *Semin Cell Dev Biol*. 34: 65-75.

Li J, Huang W., Wang H & Zhou H., 2007. Synthesis of andrographolide derivatives and their TNF-α and IL-6 expression inhibitory activities. *Bioorganic & Medicinal Chemistry*, 17: 6891-6894.

Lin C, 2018. Antimalarial activity and toxicity of Piperaquin in: *Artemisinin-Based and Other Antimalarials Chapter 10,* Elsevier: 613-17.

Lin FL, Wu SJ, Lee SC & Ng IT, 2009. Antioxidant, antioedema and analgesic activities of *Andrograpjis paniculata* extract and their active coumpound andrographolide. *Phytoter Res*, 23 (7): 958-64.

Liu M, Guo S, Battle M, Stiles, Jonathan K, 2012. Current advances in cerebral Malaria associated encephalopathy. In *Miscellanea on Encephalopathies*, 129-154

LUMC. 2012. *P. berghei, Model of malaria*. Diunduh Maret 2016. <https://www.lumc.nl/org/parasitologie/research/malaria/berghei-model/general-introduction>

Luiz C.S. Pinheiro, Livia, M.F, da Silveira F.F & Boechat N, 2018. Current antimalarial theraphies and advances in the development of semi-synthetic artemisinin derivatives. *Annals of the Brazilian academy of Sciences*, 90 (1Suppl.2):1251-1271.

Longo M, Zanoncelli S, Torre PD, Riflettuto M, Cocco F, Pesenti M, Giusti AM, Colombo P, Brughera M, Mazue G, Navaratman V, Gomes M & Olliaro P, 2006. In vivo and in vitro investigation of the effects of the antimalarial drug dihydroartemisinin (DHA) on rat embryos. *Reproductive Toxicology* 22: 797-810

Mamatha A. 2014. Brine Shrimp lethality test of Andrographis paniculata.. *Res J Pharm Techno*l 7 (7):743-5.

Maestre A, Carmona-Fonseca J, 2014. Immune response during gestational malaria: a review of the current knowledge and future trend of research. *J InfectDev Ctries* 8:391-402. Doi: 10.3855/jidc.3777

McClure EM, Meshnick SR, Lazebnik N, Mungai P, King CL, Hudgens M, Goldenberg RL, Siega-Riz AM & Dent AE, 2014. A cohort study of *Plasmodium falciparum* malaria in pregnancy and associations with uteroplacental blood flow and fetal anthropometrics in Kenya. *Int J Gynaecol Obstet.*Jul 12 6(1):78-82.

McDonald CR, Tran V & Kain KC, 2015. Complement activation in placental malaria, *Frontiers in Microbiology*, December,Vol. 6, Article 1460.

McGrady R, Davisson BB, Stepniewska K, Cho T, Shee H, Brockman A, Udomsangpetch S, Looareesuwan S, White NJ, Meshnick SR, Nosten F, 2004. The effects of *Plasmodium falciparum* and *P.vivax* infections on placental histopathology in an area of low malaria transmission. *Am. J. Trop. Med. Hyg*, 70 (4): 398-407

Memar, Yousef M, Ghostaslou R, Samiei M, Adibkia K, 2018. Antimicrobial use of Reactive Oxygen therapy :current insights. *Infections and Drug Resistance* 11(1): 567-576

Mens PF, Bojtor EC & Schallig HD, 2010. Molecular interactions in the placenta during malaria infection.*Eur. J. Obstet. Gynecol. Reprod. Biol.*152 126–132.

Megnekou R, Lissom A, Bigoga JD & Djontu JC, 2015. Effects of pregnancy-associated malaria on T cell cytokines in cameroonian women, *Scandinavian Journal of Immunology*, 81, 508-514.

Mishra K, Dash AP, Swain BK & Dey N., 2009. Antimalarial activities of andrographis paniculata and Hedyotis corymbosa extracts and their combination with curcumin. *Malaria Journal*. 8 (26), 1-9.

Mishra K, Dash AP & Dey N., 2011. Andrographolide: A novel antimalarial diterpene lactone coumpound from *Andrographis paniculata* and its interaction with curcumin and artesunate. *J. trop Med*. 1-6.

Mor G, Cardenas I, 2010. The immune system in pregnancy: A unique complexiy. Am. J. Reprod Immunol, 63 (6): 425-433

Mutabingwa TK, Bolla MC, Li JL, Domingo GJ & Li X, 2005. Maternal malaria and gravidity interact to modify infant susceptibility to malaria. *PLoS Med* 2 (12):e407.DOI:10.1371/journal.pmed.0020407

Neres R, Martinho C, Goncalves LA, Catarino MB, Goncalves PC, 2008. Pregnancy outcome and placenta pathology in *Plasmodium berghei* ANKA infected mice reproduce the pathogenesis of severe malaria in pregnant women. Feb 2008/volume 3/ issue 2/e1608.E/www.plosone.org

Niikura M, Inoue S & Kobayashi F.2011. Role of interleukin-10 in malaria: Focusing on coinfection with lethal and nonlethal murine malaria. *Parasites Journal of Biomedicine and Biotechnology*.Article ID 383962.

Nureje D & Assefa S, 2020. Old and recent advences in life cycle, pathogenesis, diagnosis, prevention, and treatment of malaria including perspective in Ethiopia. *Hindawi The Scientific Journal*. Article ID 1295381.

Paul Mo, Victoria EB & Stephen AW, 2010. The molecular mechanism of action of artemisinin-The debatte continues. *Review Molecules*, 15:1705-21.

Pino P, Taofiq Z, Nitcheu J, Vouldoukis I & Mazier D, 2005. Blood brain barrier breakdown during cerebral malaria: Suicides or murder?. *Thrombosis and Haemostasis* 94 (4):336-340.

Poepoprodjo, PR, 2011. Malaria dalam kehamilan skrining malaria dan pengobatan yang efektif, *Buletin Jendela Data & Informasi Kesehatan*, Vol. 1, 29-33.

Reza BM, 2011. Neuroprotection caused by hyperoxia preconditioning in animal stroke models. *The Scientific World Journal*, 11: 403-421

Riskesdas, 2013; Pusat data dan informasi Dirjen P2P. Epidemiologi malaria di Indonesia.

Robertson AA, Petroff MG & Hunt JS, 2015. Immunology of pregnancy in *Knobill and Neill's Physiology and Reproduction*, 4th Edition, Elsevier, Ch.41, 1835-1874.

Robbins JR, Bakardjiev AI, 2012. Pathogena and the plasental fortress. Current Opinion in Microbiology, 15: 36-43

Rogerson SJ, Hviid L, Duffy PE, Leke RF & Taylor DW. 2007. Malaria in pregnancy: pathogenesis and immunity. *Lancet Infect Disease*. 7: 105-17.

Rogerson SJ, Mwapasa V & Meschnick SR. 2007. Malaria in pregnancy: Linking immunity and pathogenesis to prevention. *American Journal Tropical Medicine and Hygiene* 77 (Suppl 6): 14-22.

Sahu PK, Satpathi S, Behera PK, Mishra SK, Mohanty S & Wassmer SC. 2015. Pathogenesis of cerebral malaria: new diagnostic tools, biomarkers, and therapeutic approaches. *Front. Cell. Infect. Microbiol.* 5. https://doi.org/10.3389/fcimb.2015.00075.

Saito M, Gilder ME, McGready R, Nosten F, 2018. Antimalarial drugs for treating and preventing malaria in pregnant and lactating women. *Expert Opinion on Drug Safety*, 17:11, 1129-1144.

Sallares R, 2002. *Malaria and Rome*: A history of malaria in ancient Italy. Oxford University Press.

Salvadori MLB, Lessa TB, Russo FB, Fernandes RA, Kfoury JR, Braga PCB & Miglino MAL, 2012. Mice embryology: A microscopic overview, *Microscopy Research and Technique*. 75 (10): 1437-44

Sarangi A, Mohapatra PC, Dalai RK & Sarangi AK. 2014. Serum IL-4, IL-12 and TNFα in malaria: a comparative study associating cytokine responses with severity of disease from the coastal district of odisha. *J Parasit Dis*. 38 (2): 143-147.

Shakir L, Hussain M, Javeed A, Ashraf M, Riaz A, 2011. Artemisinins and Immun System. European Journal of Pharmacology 668: 6-14

Sharafi-Mood B. 2015. Malaria in pregnant women. *Int. J. Infect*.2 (3): e22992. DOI:10.17795/iji22992.

Schmiegelow C, Minja D, Oesterholt M, Pchrson C, Suhrs HE & Boström S, 2013. Malaria and fetal growth alteration in the third trisemester of pregnancy: a longitudinal ultrasound study. *Plos One*. 8 (1): e53794.

Schofield L & Grau GE, 2005. Immunological processes in malaria patahogenesis. *Nature Reviews. Immunolgy*. 5:723-735.

Setyawati I, 2011. Penampilan reproduksi dan perkembangan skleton fetus mencit setelah pemberian ekstrak buah nanas muda. *Jurnal Veteriner*. 12 (3):192-199

Septiana E, Gianny D & Simanjuntak P, 2017. Toksisitas dan aktivitas antimalaria melalui penghambatan polimerisasi hem secara *In vitro* ekstrak daun sambiloto (*Andrographis paniculata*). *Media Litbangkes*.27 (4):255-262.

Sharma L and Sukhla G, 2017. Placental Malaria: A new insight into the pathophysiology. Front. Med, 4:117. Doi: 10.3389/fmed.2017.00117

Sijwali PS and Rosenthal PJ, 2010. Functional Evaluation of *Plasmodium* export signals in *Plasmodium berghei* suggest multiple modes of protein export. *Plos One* 5(4): e10227.doi.: 10.1371/journal.pone.0010227

Souza BD, Haafalla JC, Riley EM & Couper KM, 2010. Cerebral malaria: Why experimental murine models are required to understand the pathogenesis of disease. *Parasitology* 137 (5): 755-72.

Steketee RW, Nahlen BL, Parise NE & Menendez C, 2001. The burden of malaria in pregnancy in malaria-endemic areas. *Am J Trop Med Hyg*:64 (1-2 Suppl):28-35.

Storm, J & Craig A, 2014. Pathogenesis of cerebral malaria-inflammation and cytoadherence. *Frontiers in Cellular and Infection Microbiology*, 4:100

Supranto J, 2000. Teknik sampling untuk survei dan eksperimen. Penerbit PT. Rineka Cipta, Jakarta.

Sucipto CD, 2015. Manual lengkap malaria. Edisi pertama. Yogyakarta. Gosyen Publishing.

Sykes L, MacIntyre DA, Yap YJ, Teoh TG, Bennet PR, 2012. The Th1:Th2 dichotomy of pregnancy and preterm labour. In Mediators of Inflammation. Hindawi Publishing Corporation, Article ID 967629. Doi: 10.1155/2012/967629

Tarning J, 2007. Piperaquin: Bioanalysis, drug metabolism and pharmacokinetics. PhD Thesis, Göteborg University Sweden

Tarning J, 2016. Treatment of malaria In pregnancy.*The New England Journal of Medicine.* 374:10.

Uenecke CJ, 2007. Impact of placental *Plasmodium falciparum* malaria on pregnancy and perinatal outcome in sub Saharan Africa II: Effects of placental malaria on perinatal outcome, Malaria and HIV. *Yale J Biol Med*. 80 (3): 95-103.

Valdiani A, Kadir MA, Tan SG, Talei D, Abdullah MP, Nikzad S, 2011. Nain-e Havandi *Andrographis paniculata* present yesterday, absent today: a plenary review on underutilized herb of Iran's pharmaceutical plants. *Mol Biol Rep*, 11: 1341-1357

Wahdi N, Widjiati, Widyawaruyanti & Prasetyo B, 2018. The Effect of sambiloto tablet (FEAS) on placental chondroitin sulfate A (CSA) expression of pregnant mice infected by *Plasmodium berghei*. *Maj. Obs Gin*, 26 (2): 83-90.

Weidinger A and Kozlov AV, 2015. Biological activities of reactive oxygen and nitrogen species: Oxidative stress versus signal transduction. *Biomolecules*, 5: 472-484.

White TE, Bushdid PB & Ritter S, 2006. Artesunate-induced depletion of Embryonic erythroblasts precedes embryolethality and teratogenicity in vivo. *Birth Defects Res B Devb Reprod Toxicol*, 77: 413-17.

Whitty CJM, Edmon S & Mutabingwa T, 2005. Malaria in pregnancy. BJOG: *an International Journal of Obstetrics and Gynaecology*, September, Vol. 112, pp. 1189-1195.

Widyawaruyanti A, Asrory M, Ekasari W, Setiawan D., Radjaram A., Tumewu L & Hafid AF, 2014. In vivo antimalarial activity of *Andrographis paniculata* tablets, *Procedia Chemistry 13*, pp. 101-104.

Widyawaruyanti A., Astrianto D, Ilmi H, Tumewu L, Setyawan D, Widiastuti E, Dachliyati L, Hafid AF, Tantular I. & Dachliyanti L, 2017. Antimalarial activity and survival time of *Andrographis paniculata* Fraction. (AS202-01) on *Plasmodium berghei* Infected Mice, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, *www.rjpbcs.com/pdf/2017_8(1S)/[8].pdf*

Widyawaruyanti A., Hafid AF, Tantular I., DachliyantiL. & Santosa MH, 2009. Pengembangan fitofarmaka obat malaria dari fraksi diterpen lakton herba sambiloto

(*Andrographis Paniculata Nees*), *Laporan Penelitian Unggulan Strategis Nasional Tahun I*, Surabaya : Universitas Airlangga.

Widyawaruyanti A., Hafid AF., Tantular I, Dachliyanti L. & Santosa MH, 2010. Pengembangan fitofarmaka obat malaria dari fraksi diterpen lakton herba sambiloto (*Andrographis Paniculata Nees*), *Laporan Penelitian Unggulan Strategis Nasional Tahun II*, Surabaya : Universitas Airlangga.

Widyawaruyanti A, Hafid, AF & Radjaram A, 2011. Pengembangan produk fitofarmaka fraksi etil asetat sambiloto kombinasi dengan artesunat sebagai terapi antimalaria, *Laporan Penelitian*, Surabaya: Universitas Airlangga.

Widyawaruyanti A., Hafid AF & Tantular I, 2015. Aplikasi klinik tablet fraksi etil asetat herba sambiloto (*Andrographis Paniculata Nees*), *Laporan Penelitian Unggulan Strategis Nasional Tahun I*, Surabaya: Universitas Airlangga.

Widyawaruyanti A., Prasetyo B. Tumewu L, Ilmi H, 2016. Potensi tablet fraksi etil asetat sambiloto sebagai terapi malaria pada kehamilan. *Laporan Akhir Peneltian Hibah Riset Mandat Universitas Airlangga*, Surabaya: Universitas Airlangga.

Widyawaruyanti A, Safarianti TL & Ilmi H, 2015. Antimalarial effects of *Andrographis paniculata* Nees on *Plasmodium falciparum* food vacuole. Surabaya: ISPSA

Widyawaruyanti A, Rachmat J, Viandika N, Ilmi H, Tumewu L & Praseto B, 2018. Effect of *Andrographis paniculata* tablet (AS 201-01) on tranforming growth factor β (TGF- β) expressionand parasite inhibition in mice placenta infected with *Plasmodium Berghei*, *Bali Med J* vol 7 (1): 210-14.

Wolfender, JL, Marti G, Thomas A & BertrandS, 2015. Current approaches and challenges for the metabolite profiling of complex natural extracts, *Journal of Chromatography A*, 1382, pp. 136-164.

WHO, 2015. *World Malaria Report 2015*. Geneva, World Health Organization Press.

WHO, 2001. Anti malarial drug combination therapy, *Report of WHO technical consultation.* Geneva. WHO Press; 2001 p. 6-23.

WHO, 2018. *World Malaria Report 2018*. Geneva, World Health Organization Press.

Yanow SK, Gavina K, Gnidehou & Maestre A, 2016. Impact of malaria in pregnancy as Latin America approaches elimination, Trends in Parasitology.1480: 12.

Zein U, Fitri LE, Saragih A, 2013. Comparative study of antimalarial effect of sambiloto (*Andrographis paniculata*) extract, chloroquin and artemisinin and their combination against *Plasmodium falciparum* in-vitro, *Acta Medica Indonesiana-The Journal of Internal Medicine*, vol 45, p38-43.