

**DAFTAR PUSTAKA**

- American Diabetes Association. 2015. Classification and Diagnosis of Diabetes. *Diabetes Care*, Jan; 38(Supplement 1): S8-S16.
- Aloia JF, Patel M, Dimaano R, Li-Ng M, Talwar SA, Mikhail M, Pollack S, Yeh JK. 2008. Vitamin D intake to attain a desired serum 25-hydroxyvitamin D concentration. *American Journal of Clinical Nutrition*, 87:1952–1958.
- Aksoy MK, Altan L, Karlibel IA. 2019. Associations between Handgrip Strength and Vitamin 25(OH)D Levels in Geriatric Patients. *Folia Medica*, 61(3): 397-403.
- Apóstolo J, Cooke R, Holland C. 2015. Predicting risk and outcomes for frail older adults: a protocol for an umbrella review of available frailty screening tools. *JBI Database of Systematic Reviews & Implementation Reports*, 13(12): 14–24.
- Artabe IA, Lopez PS, Hernandez NS, Guiterrez NF, Malafarina V. 2016. The relationship between nutrition and frailty: Effects of protein intake, nutritional supplementation, vitamin D and exercise on muscle metabolism in the elderly. A systematic review. *Maturitas*;93:89-99.
- SF, Angersbach B, Klimek CN, Wanderley ALM, Shaibekov A, Wang B, Wirth R, Pourhassan M. 2018. Prevalence and predictors of vitamin D-deficiency in frail older hospitalized patients. *BMC Geriatrics*, 18:219.
- Bouillon K, Kivimaki M, Hamer M. Diabetes risk factors, diabetes risk algorithms, and the prediction of future frailty: the Whitehall II prospective cohort study. *Journal American Medicine Director Association*, 14:851.e1–e6.
- Bruyere O, Cavalier E, Buckinx F, Reginster J. 2017. Relevance of vitamin D in the pathogenesis and therapy of frailty. *Current Opinion in Clinical nutrition and Metabolic Care*, 20(1):26-29.
- Buchebner D, Bat=rtosch P, Malmgren L, McGuigan FE, Gerdhem P, Akesson KE. 2019. Association between vitamin D, frailty, and Progression of frailty in community-dwelling older women. *Journal of Clinical and Endocrinology and Metabolism*, 104(12):0139-0147.
- Castel MV, Sanchez M, Julian R, Queipo R, Martin S, Otero A. 2013. Frailty prevalence and slow walking speed in persons age 65 and older: implications for primary care. *BMC Family Practice*, 14:86.
- Castrejón-Pérez RC, Jiménez-Corona A, Bernabé E. 2017. Oral disease and 3-year incidence of frailty in Mexican older adults. *Journals of Gerontology*;72:951–7
- Cesari M, Calvani R, Marzetti E. 2017. Frailty in Older Persons. *Clinics in geriatric medicine*. Elsevier Inc, 33(3) :293–303.
- Chen JS, Sambrook PN, March L, Cameron ID, Cumming RG, Simpson JM, Seibel MJ. 2008. Hypovitaminosis D and parathyroid hormone response in the elderly: Effects on bone turnover and mortality. *Clinical Endocrinology*, 68:290–298.
- Chodzko-Zajko, Ringel RM. 2009. Biology of aging and longevity dalam BJ, H. et al. (eds) *Hazzard's geriatric medicines and gerontology*. Edisi ke- 6. New York: McGraww-Hill Helath Professions.

- Choi J, Ahn A, Kim S, Won CW. 2015. Global prevalence of physical frailty by Fried's criteria in community-dwelling elderly with national population-based surveys. *Journal of the American Medical Directors Association*, 16:548-550.
- DeLuca, HF. 2004. Overview of general physiologic features and functions of vitamin D. *American Journal of Clinical Nutrition*, 80: 1689S–1696S.
- Dent E, Kowal P, dan Hoogendijk EO. 2016. European Journal of Internal Medicine Frailty measurement in research and clinical practice : A review. *European Journal of Internal Medicine*. European Federation of Internal Medicine, 31:3–10.
- Elnenaei MO, Chandra R, Mangion T, Moniz C. 2011. Genomic and metabolomic patterns segregate with responses to calcium and vitamin D supplementation. *British Journal Nutrition*, 105: 71–79
- Ensrud KE, Ewing SK, Fredman L, Hochber MC, Cauley JA, Hillier TA, Cummings SR, Yaffe K, Cawthon PM. 2010. Circulating 25-Hydroxyvitamin D Levels and Frailty Status in Older Women. *Journal of Clinical Endocrinology and Metabolism*, 95(12): 5266-5273.
- Ensrud KE, Blackwell TL, Cauley JA, Cumming SR, Connor EB, Dam TL, Homffman AR, Shikany JM, Lane NE, Stefanick ML, Orwoll ES, Cawthon PM. 2011. Circulating 25-hydroxyvitamin D levels and frailty status in older men: The Osteoporotic Fractures in men study. *Journal of American Geriatric Society* 59(1): 101–106. doi:10.1111/j.1532-5415.2010.03201.x.
- Fried LP, Xue Q, Cappole AR, Ferruci L, Chaves P, Varadhan R, Guralnik JM, Leng SX, Semba RD, Walston JD, Blaum CS, Bandeen-Roche K. 2009. Nonlinear Multisystem Physiological Dysregulation Associated With Frailty in Older Women : Implications for Etiology and Treatment. *Journal of Gerontology: MEDICAL SCIENCES*, 64(10):1049–1057.
- Fried LP, Tangen CM, Walston J, Newman AB, Hirsch C, Gottdiener J, Seeman T, Tracy R, Kop WJ, Burke G. 2001. Frailty in Older Adults: Evidence for a Phenotype. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 56(3): M146–M157.
- Fu L, Yun F, Oczak M, Wong BY, Vieth R, Cole DE. 2009. Common genetic variants of vitamin D binding protein (DBP) predict differences in response of serum 25-hydroxyvitamin [25(OH)D] to vitamin D supplementation. *Clinical Biochemistry*, 42: 1174–1177.
- Gallagher JC, Peacock M, Yalamanchili V, Smith LM. 2013. Effects of vitamin D supplementation in older african american women. *Journal of Clinical Endocrinology Metabolism*, 98: 1137–1146.
- Gingrich A, Volkert D, Kiesswetter E, Thomanek M, Bach S, Sieber CC, Zopf Y. 2019. Prevalence and overlap of sarcopenia, frailty cachexia and malnutrition in older medical inpatients. *BMC Geriatrics*; 19:120.
- Gotfredsen A, Westergren Hendel H, Andersen T. 2001. Influence of orlistat on bone turnover and body composition. *International Journal of Obesity*, 25: 1154–1160.
- Grossmann RE, Tangpricha V. 2010. Evaluation of vehicle substances on vitamin D bioavailability: A systematic review. *Molecular Nutrition Food Research*, 54: 1055–1061.

- Harris SS dan Dawson-Hughes B. 2002. Plasma vitamin D and 25OHD responses of young and old men to supplementation with vitamin D3. *Journal of American. Colleague Nutrition*, 21:357–362.
- Holick, MF. 2007. Vitamin D deficiency. *New Engiand Journal Medicine*, 357: 266–281.
- Holick MF, Binkley NC, Bischoff-Ferrari HA, Gordon CM, Hanley DA, Heany RP, Murad MH, Weaver CM. 2011. Evaluation, Treatment, and Prevention of vitamin D deficiency: an Endocrine Society Clinical Practice Guideline. *The Journal of Clinical Endocrinology & Metabolism*, 96(7): 1911-1930.
- Houston DK, Tooze JA, Neiberg RH, Hausman DB, Johnson MA, Cauley JA, Bauer DC, Cawthon PM, Shea MK, Schwartz GG, Williamson JD, Tylavsky FA, Visser M, Simonsick EM, Harris TB, Kritchevsky SB, Health ABC Study. 2012. 25-hydroxyvitamin D status and change in physical performance and strength in older adults: the Health, Aging, and Body Composition Study. *American Jouranal of Epidemiology*, 176:1025–1034
- Huang C, Huang, YA, Lai Y, Sun C. 2017. Prevalence and Predictors of hypovitaminosis D among elderly in subtropical region. *PLoS ONE*, 12(7) e0181063.
- Imagama S, Ando K, Kbayashi K, Seki T, Ishizuka S, Machino M, Tanaka S, Morozumi M, Kanbara S, Ito S, Inoue T, Nakashima H, Ishiguro N, Hasegawa Y. 2019. Musculoskeletal factors and geriatriv syndromes related to the absence of musculoskeletal degeneratative disease in elderly people aged over 70 years. *Biomed Research International*, Volume 2019 Article ID 7097652, 7 pages <https://doi.org/10.1155/2019/7097652>.
- Iolascon G, Mauro GL, Fiore P, Cisari C, Benedetti MG, Panella L, De Sire A, Calafore D, Moretti A, Gimigliano F. 2017. Can vitamin D defciency influence muscle performance in postmenopausal women? A multicenter retrospective study. *European Journal of Physical and Rehabilitation Medicine*, 54:676–682
- Isaia G et al. 2003. Prevalence of hypovitaminosis D in elderly women in italy: Clinical consequences and risk factors. *Osteoporos.International*, 14: 577–582.
- Janssen I, Hemsfield SB, Ross R. 2002. Low relative skeletal muscle mass (sarcopenia) in older persons is associated with functional impairment and physical disability. *Journal of the American Geriatric Society*, 50(5):889-96.
- Jongh R, Schoor N, Lips P. 2017. Changes in vitamin D endocrinology during aging in adults. *Molecular and Cellular Endocrinology*, 1-26.
- Jugde J, Birge S, Gloth F 3rd, Heaney RP, Hollis BW, Kenny A, Kiel DP, Saliba D, Schneider DL, Vieth R. 2014. Recommendations abstracted from the American Geriatrics Society Consensus Statement on vitamin D for Prevention of Falls and their consequences. *Journal of American Geriatrics Society*, 62(1):147-152.
- Jung HW, Jang IY, Lee YS, Lee CK, Cho EI, Kang WY, Chae JH, Lee EJ, Kim DH. 2016. Prevalence of frailty and aging-related health condition in older Koreans in rural communities: a cross sectional analysis of the

- aging study Pyeongchang rural area. *Journal of Korean Medicine and Science*; 31:345-352.
- Ju SY, Lee JY, Kim DH. 2018. Low 25-hydroxyvitamin D levels and the risk of frailty syndrome: a systematic review and dose-response meta-analysis. *BMC Geriatrics*, 18:206
- Krams T, Cesari M, Guyonnet S, Abellan Van Kan G, Cantet C, Vellas B, Rolland Y. 2016. Is the 25-Hydroxy-Vitamin D serum concentration a good marker of frailty?. *Journal of Nutrition, Health and Aging*,20(10):1034-1039.
- Kehler DS, Ferguson T, Stammers AN, Bohm C, Arora RC, Duhamel TA, Tangri N. 2017. Prevalence of frailty in Canadians 18-79 years old in the Canadian Health Measures Survey. *BMC Geriatrics*, 17, 28. doi:10.1186/s12877-017-0423-6
- Kendhapedi KK, Devasenapathy N. 2019. Prevalence and factors associated with frailty among community-dwelling older people in rural Thanjavur district of South India: a cross-sectional study. *BMJ Open*,9:e032904. doi:10.1136/bmjopen-2019-032904.
- Kidney Disease Improving Global Outcomes. 2013. Acute Kidney Injury (AKI).2013. KDIGO
- Kitsu T, Kabasaawa K, Ito Y, Kitamura K, Watanabe Y, Tanaka J, Nakamura K, Narita I.2019. Low serum 25-hydroxyvitamin D is associated with low grip strength in an older Japanese population. *Journal of Bone and Mineral Metabolism*, <https://doi.org/10.1007/s00774-019-01040-w>.
- Liljas AEM, Carvalho LA, Papachristou E. 2018. Self-reported vision impairment and incident prefrailty and frailty in English community-dwelling older adults: findings from a 4-year follow-up study. *Journal Epidemiology Community Health*;71:1053–1058.
- Lips P. 2006. Vitamin D physiology. *Progress in Biophysics and Molecular Biology*, 92(1):4-8
- Maltais M, Desroches J, Dionne I. 2009. Changes in Muscle Mass and Strength after Menopause. *Journal of Musculoskeletal and Neural Interaction*; 9(4):186-197.
- Man REK, Li L, Cheng C, Wong TY, Lamoureux E, Sabanayagam C.2017. Prevalence and Determinants of Suboptimal Vitamin D Levels in a Multiethnic Asian Population, *Nutrient*, 9(3): 313.
- Meehan M, Penckofer S. 2015. The Role of Vitamin D in The Aging Adult. *Journal of Aging and Gerontology*, 2(2):60-71.
- Mendes J, Santos A, Borges N, Afonso C, Moreira P, Padrão P, Negrão R, Amaral TF. 2018. Vitamin D status and functional parameters: a cross-sectional study in an older population. *PLoS One*, 13:e0201840.
- Miroliaee A, Khalizadeh O, Esteghamati A, Nasri-Toosi M, Abdollahi A, Mazloumi M. 2010. Disturbances of parathyroid hormone-vitamin D axis in non-cholestatic chronic liver disease: a cross sectional study. *Asian Pacific Association for the Study of the Liver*; 4:634-640.
- Mitnitski AB, Mogilner AJ, dan Rockwood K. 2001. Accumulation of Deficits as a Proxy Measure of Aging: 323–336
- Molina PE. 2004. Parathyroid Gland and Ca<sup>2+</sup> and PO<sup>-4</sup> Regulation. *Endocrine Physiology, Edisi 4, Chapter 5*. McGraww-Hill

- Moller UK, *et al.* 2013. Increased plasma concentrations of vitamin D metabolites and vitamin D binding protein in women using hormonal contraceptives: A cross-sectional study. *Nutrients*, 5: 3470–3480.
- Morley JE, Vellas B, van Kan GA, Anker SD, Bauer JM, Bernabei R, Cesari M, Chumlea WC, Doehner W, Evans J, Fried LP, Guralnik JM, Katz PR, Malmstrom TK, McCarter RJ, Gutierrez Robledo LM, Rockwood K, von Haehling S, Vandewoude MF, Walston J. 2013. Frailty consensus: A Call to Action. *Journal American Medicine Association*, 14(6):392–397.
- Mosekilde L. 2005. Vitamin D and the elderly. *Clinical Endocrinology*, 62:265-281.
- Nelson, ML *et al.* 2009. Supplements of 20 µg/d cholecalciferol optimized serum 25-hydroxyvitamin D concentrations in 80% of premenopausal women in winter. *Journal of Nutrition*, 139: 540–546.
- Nimitphong H, Holick MF. 2013. Vitamin D status and sun exposure in Southeast Asia. *Dermato-Endocrinology*, 5 (1):34-37.
- Nimitphong, H, *et al.* 2013. Changes in circulating 25-hydroxyvitamin D according to vitamin D binding protein genotypes after vitamin D3 or D2 supplementation. *Nutrition Journal*, 12: 39.
- Niramitmahapanya S, Harris SS, Dawson-Hughes B. 2011. Type of dietary fat is associated with the 25-hydroxyvitamin D3 increment in response to vitamin D supplementation. *Journal of Clinical Endocrinology and Metabolism*, 96: 3170–3174.
- Nuti R *et al.* 2001. Prevalence of undiagnosed coeliac syndrome in osteoporotic women. *Journal of Internal Medicine*, 250: 361–366.
- Pabst G, Zimmermann AK, Huth C, Koenig W, Ludwig T, Ziere A, Peters A, Thorand B. 2015. Association of low 25-hydroxyvitamin D levels with the frailty syndrome in an aged population: results from the KORA-age Augsburg study. *Journal of Nutrition and Health Aging*, 3(19):258-264.
- Pludowski P, *et al.* 2017. Vitamin D supplementation guidelines. *The Journal of Steroid Biochemistry and Molecular Biology*, 175: 125–135.
- Robien K, *et al.* 2013. Drug-vitamin D interactions: A systematic review of the literature. *Nutritional Clinical Practice*, 28: 194–208.
- Rosen CJ, Manson JAE. 2010. Frailty: A D-ficiency syndrome of aging?. *Journal of Clinical Endocrinology and Metabolism*, 95(12): 5210-5212.
- Ross AC, Judd S, Ziegler TR, Camacho-Gonzalez A, Fitzpatrick A, Hadley G, Grossmann R, Seydaffkan S, Mulligan MJ, Riman N, Tangpricha V, McComsey GA. 2012. Risk factors for vitamin D deficiency and relationship with cardiac biomarkers, inflammation and immune restoration in HIV-infected youth. *Antiviral Therapy*, 17(6):1069-1078.
- Santos AR dan Amaral TF. 2017. Differences in handgrip strength protocols to identify sarcopenia and frailty - a systematic review. *BMC Geriatrics* 17:238.
- Santos AR, Afonso C, Santos A, Borges N, Moreira P, Padrao P, Fonseca I, Amaral TF. 2018. The association between 25(OH)D levels, frailty status and obesity indices in older adults. *PLoS ONE*, 13(8):e0198650. <https://doi.org/10.1371/journal.pone.0198650>.
- Se JO, Knight PHA, dan Bush PG. 1995. The Process and Theories of Aging, 25(1): 1–12.

- Semmarath W, Seesen M, Yodkeeree S, Sapbamrer R, Ayood P, Malasao R, Siviroj P, Limtrakul P. 2019. The Association between Frailty Indicators and Blood-Based Biomarkers in Early-Old Community Dwellers of Thailand. *international Journal of Environmenal Research and Public Health*, 16,3457.
- Setiati, S. 2014. Geriatric Medicine, Sarkopenia, Frailty, dan Kualitas Hidup Pasien Usia Lanjut: Tantangan Masa Depan Pendidikan, Penelitian dan Pelayanan Kedokteran di Indonesia. *Jurnal Kedokteran Indonesia*, 1(3):234-242.
- Setiati S, Harimurti K, dan Govinda RA. 2014. Proses menua dan Implikasi Klinisnya. *Buku Ajar Ilmu Penyakit Dalam*: 3669–3685.
- Setiati S, Laksmi PW, Aryana IGPS, Sunarti S, Widajanti N, Dwipa L, Seto E, Istanti R, Ardian LJ, Chotimah SC. 2019. Frailty state among Indonesian elderly: prevalene, associated fractors, and frailty state transition. *BMC Geriatrics*, 19:182.
- Seto E, *et al.* 2013. Diagnostic Test of a Scoring System for Frailty Syndrome in the Elderly According to Cardiovascular Health Study, Study of Osteoporotic Fracture and Comprehensive Geriatric Assessment Based Frailty Index Compared with Frailty Index 40 Items: 183–187.
- Shardell M, Hicks GE, Miller RR, Krichevsky S, Andersen D, Bandinelli S, Cherubini A, Ferrucci L. 2009. Association of Low Vitamin D Levels With the Frailty Syndrome in Men and Women. *Journal of Gerontology: MEDICAL SCIENCES*, 64A(1):69-75.
- Siriwardhana DD, Haroon S, Rait G, Weerasinghe MC, Walters KR. 2018. Prevalence off frailty and prefrailty among community-dwelling older adults in low income and middle-income countries: A systematic review and meta-analysis. *BMJ Open*, 8, e018195. doi:10.1136/bmjopen-2017-018195
- Smit E, Crespo CJ, Michael Y, ramirez-Marrero FA, Brodowicz GR, Bartlett S, Andersen RE. 2012. The effect of vitamin D and frailty on mortality among non-institutionalized US older adults. *European Journal of Clinical Nutrition*, 66, 1024–1028.
- Stechschulte SA, Kirsner RS, dan Federman DG. 2009 Vitamin D: Bone and Beyond, Rationale and Recommendations for Supplementation. *American Journal of Medicine*. Elsevier Inc., 122(9): 793–802.
- Stephenson A, *et al.* 2007. Cholecalciferol significantly increases 25-hydroxyvitamin D concentrations in adults with cystic fibrosis. *American Journal of Clinical Nutrition*, 85: 1307–1311.
- Stokes C, Volmer D, Lanmert F. 2012. Vitamin D in Chronic Liver Disease. *Official Journal of The International Association for The Study of The Liver*; 33:338-352.
- Stockton KA, Mengersen K, Paratz JD, Kandiah D, Benell K. Effect of vitamin D upplementation on muscle strength: a systematic review and meta-analysis. *Osteoporosis International*, 22:859-871.
- Suzuki T, Kwon J, Kim H, Shimada H, Yoshida Y, Iwasa H, Yoshida H. 2008. Low serum 25-hydroxyvitamin D levels associated with falls among Japanese community-dwelling elderly. *Journal of Bone and Mineral Research*, 3:1309–1317

- Tajar A, Lee DM, Pe SR, O'Connell DL, Ravindrarajah R, Gielen E, Boonen S, Vanderschueren, Pendleton N, Finn JD, Bartfai G, Casanueva FF, Forti G, Giwercman A, Han TS, Huhtaniemi IT, Kula K, Lean MEJ, Punab M, Wu FCW, O'Neill T. 2013. The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. *Age and Ageing*, 42:352-359.
- Tangpricha V, *et al.* 2003. Fortification of orange juice with vitamin D: A novel approach for enhancing vitamin D nutritional health. *American Journal of Clinical Nutrition*, 77: 1478–1483.
- Tarigan P. 1996. Sirosis Hati. Buku Ajar Ilmu Penyakit Dalam, Jilid 1 edisi ketiga. PB PAPDI, Jakarta: 271-279.
- Thomas SD, Need AG, Nordin BE. 2010. Suppression of c-terminal telopeptide in hypovitaminosis D requires calcium as well as vitamin D. *Calcification Tissue International*, 86: 367–374.
- Vetrano DL, Palmer KM, Galluzzo L, Giampaoli S, Marengoni A, Bernabei R, Onder G. 2018. Hypertension and frailty: a systematic review and meta analysis. *BMJ Open*, 8:e024406. doi:10.1136/bmjopen-2018-024406.
- Vogt S, Decke S, Heras-Gala T, Linkohr B, Koenig W, Ladwig KH, Petters A, Thorand B. 2015. Prospective association of vitamin D with frailty status and all-cause mortality in older adults-Results from the KORA-Age Study. *Preventive Medicine*, doi: 10.1016/j.ypmed.2015.01.010
- Warner H, Sierra F, dan Thompson L. 2010. Biology of Aging, dalam Fillit H, Rockwood K, dan Woodhouse K. *Brocklehurst's textbook of geriatric medicine and gerontology*. Edisi ke-7. New York: Saunders.
- World Health Organization. 2000. Obesity: preventing and managing the global epidemic. WHO. Jenewa.
- Widajanti N, Kandinata SG, Wulandari M. 2018. Profil sarkopenia dan *frailty* pada populasi lanjut usia Surabayadi komunitas.
- Wimalawansa SJ. 2018. Non-musculoskeletal benefits of vitamin D. *Journal of Steroid Biochemistry and Molecular Biology*, 175: 60–81.
- Wong YE, McCaul KA, Yeap BB, Hankey GJ, Flicker L. 2013. Low vitamin D status is an independent predictor of increased frailty and all-cause mortality in older men: the health men study. *Journal of Clinical and Metabolism*, 98(9):3821-3828.
- Wortsman J, Matsuoka LY, Chen TC, Lu Z, Holick M.F. 2000. Decreased bioavailability of vitamin D in obesity. *American Journal. Clinical. Nutrition*, 72: 690–693.
- Yang L, *et al.* 2013. Therapeutic effect of vitamin D supplementation in a pilot study of crohn's patients. *Clinical Translation of Gastroenterology*, 4: e33.
- Zhou J, Liu B, Liang C, Li Y, Song YH. 2016. Cytokine Signaling in Skeletal Muscle Wasting. *Trends in Endocrinology and Metabolism*, 27(5):335-347.