

DAFTAR PUSTAKA

- Alexiev, B. A., Drachenberg, C. B. and Burke, A. P. (2007) ‘Thymomas: A cytological and immunohistochemical study, with emphasis on lymphoid and neuroendocrine markers’, *Diagnostic Pathology*, 2(1). doi: 10.1186/1746-1596-2-13.
- Ambade, A., Satishchandran, A., Saha, B., Gyongyosi, B., Lowe, P., Kodys, K., Catalano, D., Szabo, G. (2016) ‘Hepatocellular carcinoma is accelerated by NASH involving M2 macrophage polarization mediated by hif-1 α induced IL-10’, *OncoImmunology*. Taylor & Francis, 5(10), pp. 1–13. doi: 10.1080/2162402X.2016.1221557.
- Bakker, M. A. Den, Roden, A., Marx, A., Marino, A. (2014) ‘Histologic classification of thymoma : A practical guide for routine cases’, *Journal of Thoracic Oncology*. International Association for the Study of Lung Cancer, 9(9), pp. S125–S130. doi: 10.1097/JTO.0000000000000297.
- Blagosklonny, Mikhail V (2002) Are p27 and p21 Cytoplasmic Oncoproteins?, *Cell Cycle*, 1:6, 391-393, DOI: 10.4161/cc.1.6.262
- Ching, Y., Leong, V., Lee, M., Xu, H., Jin,D., Ng, I. (2007) ‘P21-Activated Protein Kinase Is Overexpressed in Hepatocellular Carcinoma and Enhances Cancer Metastasis Involving c-Jun NH 2 -Terminal Kinase Activation and Paxillin Phosphorylation’, (8), pp. 3601–3609. doi: 10.1158/0008-5472.CAN-06-3994.
- Costa Brandão Berti, F. dan Brajão de Oliveira, K. (2018) ‘IL-10 in cancer: Just a classical immunosuppressive factor or also an immunostimulating one?’, *AIMS Allergy and Immunology*, 2(2), pp. 88–97. doi: 10.3934/allergy.2018.2.88.
- Drevet, G., Collaud, S., Tronc, F., Girard, N., Maury, J. (2019) ‘Optimal management of thymic malignancies: Current perspectives’, *Cancer Management and Research*, 11, pp. 6803–6814. doi: 10.2147/CMAR.S171683.
- Fan, Y. Z., Jing-Tao Zhang, Hu-Chuan Yang, Yao-Qin Yang (2002) ‘Expression of MMP-2, TIMP-2 protein and the ratio of MMP-2/TIMP-2 in gallbladder carcinoma and their significance’, *World Journal of Gastroenterology*, 8(6), pp. 1138–1143. doi: 10.3748/wjg.v8.i6.1138.
- Honkavuori-Toivola, M., Santala, M., Soini, M., Turpeenniemi-Hujanen, Y., Talvensaari-Mattila, T, Anne. (2013) ‘Combination of strong MMP-2 and

weak TIMP-2 immunostainings is a significant prognostic factor in endometrial carcinoma', *Disease Markers*, 35(4), pp. 261–266. doi: 10.1155/2013/416870.

Huang, Yefei, Wang, W., Chen, Y., Huang, Y., hang, J. (2013) 'The opposite prognostic significance of nuclear and cytoplasmic p21 expression in resectable gastric cancer patients'. doi: 10.1007/s00535-013-0900-4.

ITMIG (2011) 'Standard Definitions and Polices Institutional Kit of Specialty-Specific Summary Sheets Introduction to Institutional Summary Kits of ITMIG Standard Definitions and Policies'. Available at: http://www.itmig.org/?page_id=315.

Jabłońska-Trypuć, A., Matejczyk, M. and Rosochacki, S. (2016) 'Matrix metalloproteinases (MMPs), the main extracellular matrix (ECM) enzymes in collagen degradation, as a target for anticancer drugs', *Journal of Enzyme Inhibition and Medicinal Chemistry*, 31(March), pp. 177–183. doi: 10.3109/14756366.2016.1161620.

Jayadev, R. and Sherwood, D. R. (2017) 'membranes', *Current Biology*. Elsevier, 27(6), pp. R207–R211. doi: 10.1016/j.cub.2017.02.006.

Jiang, Y., Goldberg, I. D. and Shi, Y. E. (2002) 'Complex roles of tissue inhibitors of metalloproteinases in cancer', *Oncogene*, 21(14), pp. 2245–2252. doi: 10.1038/sj.onc.1205291.

Khoury T., Chandrasekhar R., Wilding G., Tan D., Cheney RT. Tumour eosinophilia combined with an immunohistochemistry panel is useful in the differentiation of type B3 thymoma from thymic carcinoma. *Int J Exp Pathol.* 2011 Apr;92(2):87-96. doi: 10.1111/j.1365-2613.2010.00745.x. Epub 2010 Nov 2. PMID: 21044186; PMCID: PMC3081511.

Kolen, K. Van, Pierrache, L., Heyman, S., Pauwel, P., Schil, P. (2010) 'Prognostic factors and genetic markers in thymoma', 1, pp. 133–140. doi: 10.1111/j.1759-7714.2010.00028.x.

Kondo, K., Kinoshita, H., Ishikura, H., Miyosi, T., Hirosi, T., Matsumori, Y., Monden, Y. (2001) 'Activation of matrix metalloproteinase-2 is correlated with invasiveness in thymic epithelial tumors', *Journal of Surgical Oncology*, 76(3), pp. 169–175. doi: 10.1002/jso.1030.

Kondo, K., Yoshizawa, K., Tsuyuguchi, M., Kimura, S., Sumitomo, M. (2004) 'WHO histologic classification is a prognostic indicator in thymoma', *Annals of Thoracic Surgery*, 77(4), pp. 1183–1188. doi: 10.1016/j.athoracsur.2003.07.042.

- Kreis, N. N., Alexandra Friemel 1, Andreas Ritter 1, Susanne Roth 1, Udo Rolle 2 , Frank Louwen 1 and Juping Yuan (2019) ‘Function of p21 (Cip1/Waf1/CDKN1A) in migration and invasion of cancer and trophoblastic cells’, *Cancers*, 11(7), pp. 1–17. doi: 10.3390/cancers11070989.
- Kuhn, E. dan Wistuba, I. I. (2008) ‘Molecular pathology of thymic epithelial neoplasms’, *hematology/oncology clinics of north america*, 22(3), pp. 443–455. doi: 10.1016/j.hoc.2008.03.007.
- Kulaberoglu, Y., Gundogdu, R. and Hergovich, A. (2016) *The role of p53 / p21 / p16 in DNA-damage signaling and DNA repair, genome stability*. Elsevier Inc. doi: 10.1016/B978-0-12-803309-8.00015-X.
- Leisibach, P., Schneiter, D., Soltermann, A., Yamada, Y., Weder, W., Jungraithmayr, W. (2016) ‘Prognostic value of immunohistochemical markers in malignant thymic epithelial tumors’, *Journal of Thoracic Disease*, 8(9), pp. 2580–2591. doi: 10.21037/jtd.2016.08.82.
- Li, H. A. I., Qiu, Z., Li, F., Wang, C. (2017) ‘The relationship between MMP-2 and MMP-9 expression levels with breast cancer incidence and prognosis’, pp. 5865–5870. doi: 10.3892/ol.2017.6924.
- Lin, F. dan Chen, Z. (2014) ‘Standardization of Diagnostic Immunohistochemistry’, 138(December). doi: 10.5858/arpa.2014-0074-RA.
- Marx, A., Strobel, P., Badve, S., Chalabreysse, L., Chan, J., Chen, G. (2014) ‘ITMIG consensus statement on the use of the WHO Histological classification of thymoma and thymic carcinoma: Refined definitions, histological criteria, and Reporting’, *Journal of Thoracic Oncology*, 9(5), pp. 596–611. doi: 10.1097/JTO.0000000000000154.
- Marx, A., Strobel, P., Schalke, B., Weis, C. (2018) ‘Pathological features of thymoma and thymic carcinoma with therapeutic implications’, (3), pp. 2–4. doi: 10.21037/med.2017.12.03.
- Mineo TC., Ambrogi V., Mineo D., Baldi A. Long-term disease-free survival of patients with radically resected thymomas: relevance of cell-cycle protein expression. *Cancer*. 2005;104(10):2063-2071. doi:10.1002/cncr.21433
- Modh, A., Rimner, A., Allen, P., Greenfield, B., Marom, E., Rice, D. (2013) ‘Treatment Modalities and Outcomes in Patients With Advanced Invasive Thymoma or Thymic Carcinoma A Retrospective Multicenter Study’, 00(00), pp. 1–6. doi: 10.1097/COC.0000000000000024.
- Nishio, K., Motozawa, K., Omagari, D., Gojoubori, T., Ikeda, T., Asano, M., Gionhaku,N. (2016) ‘Comparison of MMP2 and MMP9 expression levels

- between primary and metastatic regions of oral squamous cell carcinoma', *Journal of Oral Science*, 58(1), pp. 59–65. doi: 10.2334/josnusd.58.59.
- Okereke, I. C., Keslee K. A, Morad M. H., Mi Deming, Rieger K. M. (2010) 'Prognostic indicators after surgery for thymoma', *Annals of Thoracic Surgery*. Elsevier Inc., 89(4), pp. 1071–1079. doi: 10.1016/j.athoracsur.2010.01.026.
- Omatsu, M., Toshiaki Kunimura, Tetsuya Mikogami, Akira Shiokawa, Atsuko Masunaga, Tomoko Nagai, Akihiko Kitami, Takashi Suzuki, Mitsutaka Kadokura (2014) 'Cyclin-dependent kinase inhibitors, p16 and p27, demonstrate different expression patterns in thymoma and thymic carcinoma', *General Thoracic and Cardiovascular Surgery*, 62(11), pp. 678–684. doi: 10.1007/s11748-014-0437-3.
- Papoudou-Bai, A., Barbouti, A., Galani, V., Stefanaki, K., Rontogianni, D., Kanavaros, P. (2016) 'Expression of cell cycle and apoptosis regulators in thymus and thymic epithelial tumors', *Clinical and Experimental Medicine*, 16(2), pp. 147–159. doi: 10.1007/s10238-015-0344-7.
- Sogawa, K. I., Kazuya Kondo, Haruhiko Fujino, Yuji Takahashi, Takanori Miyoshi, Shoji Sakiyama, Kiyoshi Mukai, Yasumasa Monden, (2003) 'Increased expression of matrix metalloproteinase-2 and tissue inhibitor of metalloproteinase-2 is correlated with poor prognostic variables in patients with thymic epithelial tumors', *Cancer*, 98(9), pp. 1811–1821. doi: 10.1002/cncr.11725.
- Solinas, G., Germano, G., Mantovani, A., Allavena, P. (2009) 'Tumor-associated macrophages (TAM) as major players of the cancer-related inflammation', *Journal of Leukocyte Biology*, 86(5), pp. 1065–1073. doi: 10.1189/jlb.0609385.
- Takahashi, E., Tateyama, H., Akatsu, H., Fukai, I., Yamakawa, Y., Fuji, Y., Eimoto, T. (2003) 'Expression of Matrix Metalloproteinases 2 and 7 in Tumor Cells Correlates with the World Health Organization Classification Subtype and Clinical Stage of Thymic Epithelial Tumors', *Human Pathology*, 34(12), pp. 1253–1258. doi: 10.1016/j.humpath.2003.07.013.
- Travis, W., Brambilla, E., Burke, A., Marx, A., Nicholson, A. (2015) 'WHO Classification of Tumours of the Lung, Pleura, Thymus and Heart' (2015) pp. 183–204.
- Wang, Y., Xu. H., Ueda, Y., Shimasaki, M., Wang, E. (2007) 'Activation ratio of MMP-2 and expression of MT1-MMP are correlated in thymic epithelial tumours', *Pathology*, 39(5), pp. 486–490. doi: 10.1080/00313020701569964.

Weis, C. A., MSc,Xiaopan Yao, , Yanhong Deng, Frank C. Detterbeck, Mirella Marino, Andrew G. Nicholson, James Huang, Philipp Ströbel, Alberto Antonicelli, and Alexander Marx (2015) 'The impact of thymoma histotype on prognosis in a worldwide database', *Journal of Thoracic Oncology*, 10(2), pp. 367–372. doi: 10.1097/JTO.0000000000000393.

Weissferdt, A. and Moran, C. A. (2014) 'Immunohistochemistry in the diagnosis of thymic epithelial neoplasms', 22(7), pp. 479–487.

Yang, L., Dong, Y., Li, Y., Wang, D., Liu, S., Wang, D., Gao, Q., Ji, S., Chen, X. (2019) 'IL-10 derived from M2 macrophage promotes cancer stemness via JAK1/STAT1/NF- κ B/Notch1 pathway in non-small cell lung cancer', *International Journal of Cancer*, 145(4), pp. 1099–1110. doi: 10.1002/ijc.32151.

Zisis, C., Rontogianni, D., Stefanaki, K., Bellenis, I., Expression of cyclins D1, D3 and p27 in thymic epithelial tumors, *Interactive CardioVascular and Thoracic Surgery*, Volume 3, Issue 2, June 2004, Pages 245–248, <https://doi.org/10.1016/j.icvts.2003.10.001>