

DAFTAR PUSTAKA

- A.A. Al-Kaisy, A. Salih Sahib, Role of the antioxidant effect of vitamin e with vitamin C and topical povidone-iodine ointment in the treatment of burns, Ann. Burns Fire Disasters 18 (2005) 19-30.
- A.J. Mangram, T.C. Horan, M.L. Pearson, L.C. Silver, W.R. Jarvis, Guideline for prevention of surgical site infection, 1999. Centers for disease control and prevention (CDC) hospital infection control practices advisory committee, Am. J. Infect. Control 27 (1999) 97e132 quiz 133-134; discussion 196.
- Abdelkarim H Omari, Muhammad R Khammash, Ghazi R Qasaimeh, Ahmad K Shammary, Mohammad K Bani Yaseen and Sahel K Hammori. Acute appendicitis in the elderly: risk factors for perforation. World Journal of Emergency Surgery. 2014; 9:6.
- Allegranzi B, Nejad SB, Combescure C, Graafmans W, Attar H, Donaldson L, et al. Burden of endemic healthcare-associated infection in developing countries: systematic review and meta-analysis. *Lancet* 2010;377(9761):228–41.
- Anderson DJ, Chen LF, Schmader KE, Sexton DJ, Choi Y, Link K, et al. Poor functional status as a risk factor for surgical site infection due to methicillin-resistant staphylococcus aureus. *Infection Control and Hospital Epidemiology* 2013;29(9):832–9.
- Astagneau P, L'Hériteau F, Daniel F, Parneix P, Venier AG, Malavaud S, et al. ISO-RAISIN Steering Group. Reducing surgical site infection incidence through a network: results from the French ISO-RAISIN surveillance system. *Journal of Hospital Infection* 2009;72(2):127–34.
- Awad, S.S., "Adherence to surgical care improvement project measures and post-operative surgical site infections". *Surgical Infection (Larchmt)*, 13(4): (2012): 234-7.
- B. Konig, K. Reimer, W. Fleischer, W. Konig, Effects of Betaisodona on parameters of host defense, Dermatology 195 (Suppl 2) (1997) 42-8.
- Bader Hamza Shirah, Hamza Assad Shirah, Wael Awad Alhaidari. Perforated Appendix - Delay in Presentation Rather than Delay in the Surgical Intervention: Retrospective Database Analysis of 2573 Saudi Arabian Patients in 10 Years. International Journal of Scientific Study. 2016; 4(1): 32-6
- Bailey IS, Karran SE, Toyn K, Brough P, Ranaboldo C, Karran SJ. Community surveillance of complications after hernia surgery. *BMJ* 1992;304(6825):469–71. [PUBMED:1547415]

- Bruce J, Russel EM, Mollinson J, Krukowski ZH. The Measurement and monitoring of surgical adverse events. *Health Tech Assesss* 2001;5:1-194.
- Brunicardi FC, Anderson DK, Billiar TR, Dunn DL, Hunter JG, Pollock RE. Schwartz's Principles of Surgery. 8th ed , New York , McGraw Hill, 2019. P 1121-34.
- C.J. Beukelman, A.J. van den Berg, M.J. Hoekstra, R. Uhl, K. Reimer, S. Mueller. Anti-inflammatory properties of a liposomal hydrogel with povidone-iodine (Repithel) for wound healing in vitro, *Burns* 34 (2008) 845-55.
- CDC National and State Healthcare-Associated Infections Progress Report, published March 2016, available from: <https://www.cdc.gov/HAI/pdfs/progress-report/hai-progress-report.pdf>
- Chemaly RF, Hachem RY, Husni RN, Bahna B, Abou Rjaili G, Waked A, et al. Characteristics and outcomes of methicillin-resistant staphylococcus aureus surgical-site infections in patients with cancer: a case-control study. *Annals of Surgical Oncology* 2010;17:1499–1506.
- Coello R, Charlett A, Wilson J, Ward V, Pearson A, Borriello P. Adverse impact of surgical site infections in English hospitals. *Journal of Hospital Infection* 2005;60(2):93–103
- D.A. Back, et. al. Recommendations on negative pressure wound therapy with instillation and antimicrobial solutions - when, where and how to use: what does the evidence show? *Int. Wound J.* 10 (Suppl. 1) (2013) 32e42.
- D.J. Hetem, M.J. Bonten, Clinical relevance of mupirocin resistance in *Staphylococcus aureus*, *J. Hosp. Infect.* 85 (2013) 249e256.
- D.J. Leaper, G. Schultz, K. Carville, J. Fletcher, T. Swanson, R. Drake, Extending the TIME concept: what have we learned in the past 10 years, *Int. Wound J.* 9 (Suppl 2). 2012. p1-19.
- D.J. Leaper, P. Durani, Topical antimicrobial therapy of chronic wounds healing by secondary intention using iodine products, *Int. Wound J.* 5 (2008) 361-8.
- de Lissovoy, G., et al., "Surgical site infection: Incidence and impact on hospital utilization and treatment costs". *Am J Infect Control*, 37(5): (2009): 387-97.
- Edwards C, Counsell A, Boulton C, Moran CG. Early infection after hip fracture surgery: risk factors, costs and outcome. *Journal of Bone and Joint Surgery* 2008;90:770–7.
- Fournel I, Tiv M, Soulias M, Hua C, Astruc K and Aho Glele LS. Meta-analysis of intraoperative povidone-iodine application to prevent surgical-site infection. *Br J Surg.* 2010; 97(11):1603-13

- G. Selvaggi, S. Monstrey, K. Van Landuyt, M. Hamdi, P. Blondeel, The role of iodine in antisepsis and wound management: a reappraisal, *Acta Chir. Belg* 103 (2003). 241-7.
- Garcell HG, Arias AV, Sandoval CAP, Garcia EG, Gamboa MEV, Sado AB, Serrano RNA. Incidence and etiology of surgical site infections in appendectomies: A 3-year prospective study. *Oman Medical Journal*. 2017; 32(1):31-5
- Ghafouri HB, et. al. Is 1% povidone-iodine solution superior to normal saline for simple traumatic wound irrigation? *Wound Medicine* 15. 2016. p1–5
- Gibbons C, Bruce J, Carpenter J, Wilson AP, Wilson J, Pearson A, et al. Identification of risk factors by systematic review and development of risk-adjusted models for surgical site infection. *Health Technology Assessment* 2011;15(30):1–156.
- Gill, R. S., Al-adra, D. P., Campbell, S., Olson, D. W., & Rowe, B. H. (2011). *Povidone-Iodine Irrigation of Subcutaneous Tissues May Decrease Surgical Site Infections in Elective Colorectal Operations: A Systematic Review*. 4(3), 97–106. <https://doi.org/10.4021/gr319e>
- Giordano, et. al. Povidone-iodine combined with antibiotic topical irrigation to reduce capsular contracture in cosmetic breast augmentation: a comparative study, *Aesthet. Surg. J.* 33 (2013) 675e680.
- Godfrey Lule. Current Concepts of Colonic Disorders. Croatia. Intech. 2012. P151-66
- H. Banwell, What is the evidence for tissue regeneration impairment when using a formulation of PVP-I antiseptic on open wounds? *Dermatology* 212 (Suppl 1) (2006). 66-76
- H. Rackur, New aspects of mechanism of action of povidone-iodine, *J. Hosp. Infect.* 6 (Suppl A) (1985) 13-23.
- H. Schreier, G. Erdos, K. Reimer, B. Konig, W. Konig, W. Fleischer, Molecular effects of povidone-iodine on relevant microorganisms: an electronmicroscopic and biochemical study, *Dermatology* 195 (Suppl 2) (1997) 111-6.
- H. Vermeulen, et. al. Benefit and harm of iodine in wound care: a systematic review, *J. Hosp. Infect.* 76 (2010) 191e199.
- Horan TC, Gaynes RP, Martone WJ, Jarvis WR, Emori TG. CDC definitions of nosocomial surgical site infections. 1992: a modification of CDC definitions of surgical wound infections. *Infection Control and Hospital Epidemiology*. 1992;13(10):606–8. [PUBMED: 1334988]
- Hospital Infection Control Practices Advisory Committee (HICPAC). Guideline for prevention of surgical site infection 1999. *Infection Control and Hospital Epidemiology*. 1999;20(4):259.

- J. Kanagalingam, R. Feliciano, J.H. Hah, H. Labib, T.A. Le, J.C. Lin, Practical use of povidone-iodine antiseptic in the maintenance of oral health and in the prevention and treatment of common oropharyngeal infections, *Int. J. Clin. Pract.* 69 (2015) 1247-56.
- J. Schmidt, et. al. Cytotoxic effects of octenidine mouth rinse on human fibroblasts and epithelial cells - an in vitro study, *Drug Chem. Toxicol.* (2015) 1e9.
- J.C. Dumville, et. al. Preoperative skin antiseptics for preventing surgical wound infections after clean surgery, *Cochrane Database Syst. Rev.* (2015) CD003949.
- J.M. Lachapelle, A comparison of the irritant and allergenic properties of antiseptics, *Eur. J. Dermatol* 24 (2014) 3e9.
- J.M. Lachapelle, O. Castel, A. Fueyo Casado, Antiseptics era Bact. Resist. a focus povidone iodine *Future Med* 10 (2013) 579-92.
- Jackson DW et al. Biofilm Formation and Dispersal under the Influence of the Global Regulator CsrA of Escherichia coli. *Journal of Bacteriology*. 2002. Vol184;p290-301.
- Jenks PJ, Laurent M, McQuarry S, Watkins R. Clinical and economic burden of surgical site infection (SSI) and predicted financial consequences of elimination of SSI from an English hospital. *Journal of Hospital Infection* 2014;86(1):24–33.
- K. Jayaraja Kumar, E. Jayachandran, C. Hemanth Kumar Reddy, Application of broad spectrum antiseptic povidone iodine as powerful action: a review, *J Pharm Sci. Technol* 1 (2009) 48-58.
- K.O. Oduwole, et. al. Anti-biofilm activity of sub-inhibitory povidoneiodine concentrations against *Staphylococcus epidermidis* and *Staphylococcus aureus*, *J. Orthop. Res.* 28 (2010) 1252e1256.
- Korol E, Johnston K, Waser N, Sifakis F, Jafri HS, Lo M, et al. A systematic review of risk factors associated with surgical site infections among surgical patients. *PLoS ONE* 2013;8(12):p837-43.
- Lorenz EPM, Zuehlke HV, Kange R. Pathophysiology and Classification of Adhesions. Treiner KH and Schumpelick V ed *Peritoneum Adhesions*, Springer-Verlag, Berlin;1997; 29 – 34.
- M. Bubenhofer, et. al. Chlorhexidine: a retrospective observational study of a potentially life-threatening molecule, *J. Investig. Allergol. Clin. Immunol.* 25 (2015) 152e154.
- M.J. Ellington, et al. Emergent and evolving antimicrobial resistance cassettes in community-associated fusidic acid and meticillin-resistant *Staphylococcus aureus*, *Int. J. Antimicrob. Agents* 45 (2015) 477e484.

- M.J. Hoekstra, S.J. Westgate, S. Mueller, Povidone-iodine ointment demonstrates in vitro efficacy against biofilm formation, *Int. Wound J.* 14 (2017), 172e17.
- M.R. Park, et. al. Anaphylaxis to topically applied sodium fusidate, *Allergy Asthma Immunol. Res.* 5 (2013) 110e112.
- Magill, S.S., et al., "Multistate point-prevalence survey of health care-associated infections". *New England Journal of Medicine*, 370(13): (2014): 1198-1208.
- McDermott K.W., et al., Overview of Operating Room Procedures During Inpatient Stays in U.S. Hospitals, 2014. HCUP Statistical Brief #233. December 2017. Agency for Healthcare Research and Quality, Rockville, MD. Diakses dari: <https://www.hcup-us.ahrq.gov/reports/statbriefs/sb233-Operating-Room-Procedures-United-States-2014.jsp>
- Mu, Y., et al., "Improving risk-adjusted measures of surgical site infection for the national healthcare safety network". *Infection Control Hospital Epidemiology*, 32(10): (2011): 970-86.
- Muhar, A. M., Lutfi, F., & Sirait, L. (2017). *Risk factors affecting the difference of surgery 's wound after emergency laparotomy in H . Adam Malik Hospital Medan-Indonesia*. 6(1), 223–226. <https://doi.org/10.15562/bmj.v6i1.559>
- National Institute for Health and Care Excellence (NICE). Surgical site infections: prevention and treatment. NICE guidelines [CG74]. October 2008. Diambil dari www.nice.org.uk/guidance/cg74 diakses Agustus 2019.
- Noorit P, et. al. Clinical prediction score for superficial surgical site infection after appendectomy in adults with complicated appendicitis. *World Journal of Emergency Surgery*. 2018; 13:23
- Oliver Monneuse. S. Abdalla. Zf. Pilleul. V. Hervieu. L. Gruner. E. Tissot. X. Barth, Pain as the only consistent sign of acute appendicitis: Lack of inflammatory signs does not exclude the diagnosis. *World J Surg* 2010; 34: 210-5
- Omran AS, Karimi A, Ahmadi SH, Davoodi S, Marzban M. Superficial and deep sternal wound infection after more than 9000 coronary artery bypass graft (CABG): incidence, risk factors and mortality. *BMC Infectious Diseases* 2007;7:112–7
- P. Phillips, R. Wolcott, J. Fletcher, G. Schultz, Biofilms made easy, *Wounds Int.* 1 (2010) 1e6.
- P.M. Vogt, et. al. PVP-iodine in hydrosomes and hydrogelea novel concept in wound therapy leads to enhanced epithelialization and reduced loss of skin grafts, *Burns* 32 (2006) 698e705.

- P.M. Vogt, et. al. Polyvinyl pyrrolidone-iodine liposome hydrogel improves epithelialization by combining moisture and antisepsis. A new concept in wound therapy, *Wound Repair Regen.* 9 (2001) 116e122.
- Paul Lorenz Bigliardi, Syed Abdul Latiff Alsagoff, Hossam Yehia El-Kafrawi, Jai-Kyong Pyon, Chad Tse Cheuk Wa, Martin Anthony Villa. Povidone iodine in wound healing: A review of current concepts and Practices. *International Journal of Surgery* 44 (2017) 260-8
- Perencevich EN, Sands KE, Cosgrove SE, Guadagnoli E, Meara E, Platt R. Health and economic impact of surgical site infections diagnosed after hospital discharge. *Emerging Infectious Diseases* 2003;9(2):196–203.
- Public Health England. Surveillance of surgical site infections in NHS hospitals in England: 2013 to 2014. Diambil dari [www.gov.uk/government/uploads/system/uploads/attachmentdata/file/38927/SSI report 2013 14 final 3.pdf](http://www.gov.uk/government/uploads/system/uploads/attachmentdata/file/38927/SSI%20report%202013%2014%20final%203.pdf). diakses Agustus 2019
- R. Mariappan, et. al. Circulatory collapse after topical application of vancomycin powder during spine surgery, *J. Neurosurg. Spine* 19 (2013) 381e383.
- R.A. Cooper, Iodine revisited, *Int. Wound J.* 4 (2007) 124-137.
- R.G. Sibbald, et. al. Iodine made easy, *Wounds Int.* 2 (2011) 2.
- R.S. Howell-Jones, et. al. A review of the microbiology, antibiotic usage and resistance in chronic skin wounds, *J. Antimicrob. Chemother.* 55 (2005) 143e149.
- Ridgeway S, Wilson J, Charlet A, Kafatos G, Pearson A, Coello R. Infection of the surgical site after arthroplasty of the hip. *The Journal of Bone and Joint Surgery* 2005;87(6):844–50. [PUBMED: 15911671]
- S. Carvalho, et. al. Is ‘Iodine Allergy’ a contraindication to iodinated contrast media? The spread of a myth, *Allergy* 71 (Suppl. 102) (2016) 413e504.
- S. Lanjri, et. al. In vitro evaluation of the susceptibility of *Acinetobacter baumannii* isolates to antiseptics and disinfectants: comparison between clinical and environmental isolates, Apr 11, *Antimicrob. Resist Infect. Control* 6 (2017) 36, <http://dx.doi.org/10.1186/s13756-017-0195-y>.
- S. Ripa, R. Bruno, R. Reder, Clinical applications of Povidone-Iodine as a topical antimicrobial. *Handbook of Topical Antimicrobials Industrial Applications, Industrial applications in consumer products and Pharmaceuticals:* CRC Press, 2002S.
- S.A. Eming, S. Smola-Hess, P. Kurschat, D. Hirche, T. Krieg, H. Smola, A novel property of povidon-iodine: inhibition of excessive protease levels in chronic non-healing wounds, *J. Invest. Dermatol.* 126 (2006) 2731-3.
- S.J. van Meurs, et. al. Selection of an optimal antiseptic solution for intraoperative irrigation: an in vitro study, *J. Bone Jt. Surg. Am.* 96 (2014) 285e291.

- S.L. Percival, S. Finnegan, G. Donelli, C. Vuotto, S. Rimmer, B.A. Lipsky, Antiseptics for treating infected wounds: efficacy on biofilms and effect of pH, *Crit. Rev. Microbiol.* (2014) 1e17.
- S.S. Kim, et. al. Comparison of disinfective power according to application order of 70% isopropyl alcohol and 10% povidone-iodine, *Korean J. Anesthesiol.* 65 (2013) 519e524.
- Salari AA, Zare M. Evaluation of perforated appendicitis in Yazd Iran (Shahid Sadoughi University of Medical Sciences and Health Services Yazd Iran. *Word J Surg* 2007; 31: 125.
- Silen W, Cop S. Early diagnosis of acute abdomen. 19th edition , New York , Oxford University Press. 1996 : 99-110.
- Singhal H, Kaur K, Zammit C. Wound Infection. eMedicine Specialties, General Surgery, Wounds. Article Last Updated: Aug 21, 2008
- Smyth ET, McIlvenny G, Enstone JE, Emmerson AM, Humphreys H, Fitzpatrick F, et al. Hospital Infection Society Prevalence Survey Steering Group. Four country healthcare associated infection prevalence survey 2006: overview of the results. *The Journal of Hospital Infection* 2008;69(3):230–48. [PUBMED: 18550218]
- T. Kunisada, K. Yamada, S. Oda, O. Hara, Investigation on the efficacy of povidone-iodine against antiseptic-resistant species, *Dermatology* 195 (Suppl 2) (1997) 14e18
- T.M. Barbosa, S.B. Levy, The impact of antibiotic use on resistance development and persistence, *Drug Resist Updat* 3 (2000) 303e311.
- T.W. Hakkarainen, et. al. Surgical Outcomes assessment program, comparative effectiveness of skin antiseptic agents in reducing surgical site infections: a report from the Washington state surgical care and outcomes assessment program, *J. Am. Coll. Surg.* 218 (2014) 336e344.
- Townsend et. al. Sabiston Textbook of Surgery, 15th ed. Philadelphia, W.B.Saunders Company. 2016. P. 961-969
- V.M. Sheth, S. Weitzul, Postoperative topical antimicrobial use, *Dermatitis* 19 (2008) 181e189.
- Vinay HG*, Kirankumar, Rameshreddy G, A. P. and U. B. (2019). Surgery : Current Research Comparison of the Efficacy of Povidone-Iodine and Normal Saline Wash in Preventing Surgical Site Infections in Laparotomy Wounds-Randomized Controlled Trial. *Surgery: Current Research*, 8(2), 2018–2020. <https://doi.org/10.4172/2161-1076.1000319>
- W. Fleischer, K. Reimer, Povidone-iodine in antisepsisstate of the art, *Dermatology* 195 (Suppl 2) (1997) 3-9.

- Wilson AP, Treasure T, Sturridge MF, Gruneberg RN. A scoring method (ASEPSIS) for postoperative wound infections for use in clinical trials of antibiotic prophylaxis. *Lancet.* 1986;1(8476):311–3. [PUBMED: 2868173]
- Xiao Y, et. al. Surgical site infection after laparoscopic and open appendectomy: a multicenter large consecutive cohort study. *Surg Endosc.* Springer. New York. 2015
- Y.S. Lau, P. Brooks, Innovative use of povidone-iodine to guide burn wound debridement and predict the success of biobrane as a definitive treatment for burns, *Adv. Skin. Wound Care* 27 (2014) 111e113.
- Yasuda et al, Comparison of bactericidal effects of commonly used antiseptics against pathogens causing nosocomial infections. Part 2, *Dermatology* 195 (Suppl 2) (1997) 19e28
- Yuwono. Pengaruh Beberapa Faktor Risiko Terhadap Kejadian Surgical Site Infection (SSI) Pada Pasien Laparotomi Emergensi. *JMJ.* 2013;1(1): 15 – 25
- Zimlichman, E., et al., "Health Care-Associated Infections. A Meta-analysis of Costs and Financial Impact on the US Health Care System". *JAMA Intern Med,* 173(22): (2013): 2039-46.