

**DAFTAR PUSTAKA**

- Alkhoury N, Morris-Stiff G, Campbell C, *et al.*, 2012. Neutrophil to lymphocyte ratio: a new marker for predicting steatohepatitis and fibrosis in patients with nonalcoholic fatty liver disease. *Liver Int*, 32(2):297–302.
- Azab B, Camacho-Rivera M, Taioli E, 2014. Average values and racial differences of neutrophil lymphocyte ratio among a nationally representative sample of United States subjects. *PLoS One*, 9: 11.
- Balta S, Celik T, Mikhailidis DP, Ozturk C, Demirkol S, *et al.*, 2016. The Relation Between Atherosclerosis and the Neutrophil-Lymphocyte Ratio. *Clin Appl Thromb Hemost*, 22(5):405-11.
- Bhutta H, Agha R, Wong J, Tang TY, Wilson YG, *et al.*, 2011. Neutrophil-lymphocyte ratio predicts medium-term survival following elective major vascular surgery: a cross-sectional study. *Vasc Endovascular Surg*, 45:227–231.
- Bornfeldt KE and Tabas I, 2011. Insulin resistance, hyperglycemia, and atherosclerosis. *Cell Metab.*, 2;14(5):575-85.
- Bratton, D. L., and Henson, P. M., 2011. Neutrophil clearance: when the party is over, clean-up begins. *Trends Immunol*, 32: 350–357.
- Brillante DG, O’Sullivan AJ, Howes LG, 2009. Arterial stiffness in insulin resistance: the role of nitric oxide and angiotensin II receptors. *Vascular Health and Risk Management*, 5: 73-78.
- Brownlee M, 2005. The pathobiology of diabetic complications. A unifying mechanism. *Diabetes*, 54: 1615-1625.
- Buyukkaya E, Karakas MF, Karakas E, *et al.*, 2014. Correlation of neutrophil to lymphocyte ratio with the presence and severity of metabolic syndrome. *Clin Appl Thromb Hemost*, 20(2):159–163.
- Cai K, Luo Q, Zhu B, Han L, Wu D, *et al.*, 2016. Neutrophil-lymphocyte ratio is associated with arterial stiffness in patients with peritoneal dialysis. *BMC Nephrology*, 17:191.

- Chen, F., Wu W., Millman, A., Craft, J. F., Chen, E., et al., 2014. Neutrophils prime a long-lived effector macrophage phenotype that mediates accelerated helminth expulsion. *Nat. Immunol*, 15, 938–946.
- Cheng X, Yu X, Ding Y-J, et al., 2008. The Th17/Treg imbalance in patients with acute coronary syndrome. *Clin Immunol*, 127(1): 89–97.
- Choi KM, Lee KW, Seo JA, Oh JH, Kim SG, et al., 2004. Relationship between brachial-ankle pulse wave velocity and cardiovascular risk factors of the metabolic syndrome. *Diabetes Res Clin Pract.*, 66(1):57-61.
- Cholil AR, Lindarto D, Pemayun TGD, Wisnu W, Kumala P, Puteri HHS, 2019. DiabCare Asia 2012: diabetes management, control, and complications in patients with type 2 diabetes in Indonesia. *Med J Indones*, 28(1):47-6.
- Alvim R, Santos PC, Musso MM, de Sa Cunha R, Krieger JE, et al., 2013. Impact of diabetes melitus on arterial stiffness in a representative sample of an urban Brazilian population. *Diabetol Metab Syndr*, 5(1):45.
- Daugherty A, Rateri DL, 2002. T lymphocytes in atherosclerosis: the yin-yang of Th1 and Th2 influence on lesion formation. *Circ Res.*, 90(10):1039-40.
- Dermicol S, Balta S, Unlu M, et al., 2014. Neutrophils/lymphocytes ratio in patients with cardiac syndrome X and its association with carotid intima-media thickness. *Clin Appl Thromb Hemost*, 20(3):250-255.
- Doroudchi M, Nikoo MH, Taghavian SR, Golmoghaddam H, Ardakani AA, 2015. Increased IL-17A in atrial fibrillation correlates with neutrophil to lymphocyte ratio. *Atherosclerosis*, 241(1):e91.
- Eriksson EE, Xie X, Werr J, Thoren P, Lindbom L, 2001. Direct viewing of atherosclerosis in vivo: plaque invasion by leukocytes is initiated by the endothelial selectins. *FASEB J*, 15(7): 1149-1157.
- Ericson, J. A., Duffau, P., Yasuda, K., Ortiz-Lopez, A., Rothamel, et al., 2014. Gene expression during the generation and activation of mouse neutrophils: implication of novel functional and regulatory pathways. *PLoS ONE*, 9:e108553.
- Fauzia I, Kashif S and Saadiyah R, 2012. Neutrophil lymphocyte ratio as a measure of systemic inflammation in prevalent chronic diseases in Asian population. *International Archives of Medicine*, 5(1):2.

- Forget P, Khalifa C, Defour J, Latinne D, Van Pel M, et al., 2017. What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Res Notes*, 10:12.
- Gary T, Pichler M, Belaj K, et al., 2013. Neutrophil-to-lymphocyte ratio and its association with critical limb ischemia in PAOD patients. *PLoS One*, 8(2):e56745.
- Greenlee-Wacker, M. C., 2016. Clearance of apoptotic neutrophils and resolution of inflammation. *Immunol. Rev.* 273, 357–370.
- Gordin D, Groop PH, 2016. Aspects of Hyperglycemia Contribution to Arterial Stiffness and Cardiovascular Complications in Patients With Type 1 Diabetes. *Journal of Diabetes Science and Technology*, 10(5) 1059–1064.
- Hae Guen S, Eung Ju K, Hong Seog S, Seong Hwan K, Chang Gyu P, et al., 2010. Relative contributions of different cardiovascular risk factors to significant arterial stiffness. *Int J Cardiol*, 139(3):263-8.
- Hansson G. K., Hamsten A., Goldman L., and Schafer A. I., 2011. *Atherosclerosis, Thrombosis, and Vascular Biology*, Cecil Medicine, Saunders Elsevier, Philadelphia, Pa, USA, 24th edition.
- Horne BD, Anderson JL, John JM, et al., 2005. Which white blood cell subtypes predict increased cardiovascular risk? *J Am Coll Cardiol*, 45(10):1638-1643.
- Hussain M, Babar MZM, Akhtar L, Hussain MS, 2017. Neutrophil lymphocyte ratio (NLR): A well assessment tool of glycemic control in type 2 diabetic patients. *Pak J Med Sci*, 33(6):1366-1370.
- IDF, 2019. *IDF Diabetes Atlas*, 9th edition, 2019, <http://www.idf.org/diabetesatlas>.
- Kalay N, Dogdu O, Koc F, et al., 2012. Hematologic parameters and angiographic progression of coronary atherosclerosis. *Angiology*, 63(3):213-217.
- Katakami N, 2018. Mechanism of Development of Atherosclerosis and Cardiovascular Disease in Diabetes Melitus. *J Atheroscler Thromb*, 25: 27-39.
- Kim H-L and Kim S-H, 2019. Pulse Wave Velocity in Atherosclerosis. *Front. Cardiovasc. Med.* 6:41.
- Kotani K, 2015. Neutrophil/lymphocyte ratio and the oxidative stress burden. *Can J Cardiol*, 31(3):365.e9.

- Kraakman, M. J., Lee, M. K., Al-Sharea, A., Dragoljevic, D., Barrett, T. J., et al., 2017. Neutrophil-derived S100 calcium-binding proteins A8/A9 promote reticulated thrombocytosis and atherogenesis in diabetes. *J. Clin. Invest.* 127, 2133–2147.
- Lee JS, Kim NY, Na SH, Youn YH, Shin CS., 2018. Reference values of neutrophil-lymphocyte ratio, lymphocyte-monocyte ratio, platelet-lymphocyte ratio, and mean platelet volume in healthy adults in South Korea. *Medicine*, 97:26.
- Li J, Chen Q, Luo X, Hong J, Pan K, Lin X, et al., 2015. Neutrophil-to-Lymphocyte Ratio Positively Correlates to Age in Healthy Population. *Journal of Clinical Laboratory Analysis* 29: 437–443.
- Litwak L, Goh S.Y, Hussein Z, Malek R, Prusty V, and Khamseh M. E, 2013. Prevalence of diabetes complications in people with type 2 diabetes melitus and its association with baseline characteristics in the multinational A1chieve study. *Diabetology & Metabolic Syndrome*, 5: 57.
- Li Y L, Chen X, Huang L, Lu J, 2019. Association between neutrophil–lymphocyte ratio and arterial stiffness in patients with acute coronary syndrome. *Bioscience reports*, 39(5).
- Madiyono B, Moeslichan S, Sastroasmoro S, 2011. Perkiraan besar sample. Dalam: *Dasar-Dasar Metodologi Penelitian Klinis*, Edisi 2. Editor: Sastroasmoro S, Ismael S. CV Sagung Seto, Jakarta. 267.
- Mackenzie, I.S., Wilkinson, I.B., Cockcroft, J.R., 2002. Assessment of Arterial Stiffness in Clinical Practice. *Q J Med*, 95: 67-74.
- Madhur MS, Lob HE, McCann LA, et al., 2009. Interleukin 17 promotes angiotensin II-induced hypertension and vascular dysfunction. *Hypertension*, 55(2):500–507.
- Mansuy-Aubert, V., Zhou, Q. L., Xie, X., Gong, Z., Huang, J. Y., Khan, A. R., et al., 2013. Imbalance between neutrophil elastase and its inhibitor  $\alpha$ 1-antitrypsin in obesity alters insulin sensitivity, inflammation, and energy expenditure. *Cell Metab.*, 17: 534–548.
- Martin, C., Burdon, P. C., Bridger, G., Gutierrez-Ramos, J. C., Williams, T. J., and Rankin, S. M., 2003. Chemokines acting via CXCR2 and CXCR4 control the release of neutrophils from the bone marrow and their return following senescence. *Immunity*, 19: 583–593.
- Mayadas, T. N., Cullere, X., and Lowell, C. A., 2014. The multifaceted functions of neutrophils. *Annu. Rev. Pathol.*, 9: 181–218.

- Mazor, R., Shurtz-Swirski, R., Farah, R., Kristal, B., Shapiro, G., et al., 2008. Primed polymorphonuclear leukocytes constitute a possible link between inflammation and oxidative stress in hyperlipidemic patients. *Atherosclerosis*, 197: 937–943.
- Mishalian, I., Granot, Z., and Fridlender, Z. G., 2017. The diversity of circulating neutrophils in cancer. *Immunobiology*, 222, 82–88.
- Moradi, S., Kerman, S. R., Rohani, F., & Salari, F., 2012. Association between diabetes complications and leukocyte counts in Iranian patients. *Journal of inflammation research*, 5, 7–11.
- Moursy EY, Megallaa MH, Mouftah RF, Ahmed SM, 2015. Relationship Between Neutrophil-Lymphocyte Ratio and Microvascular Complications in Egyptian Patients with Type 2 Diabetes. *American Journal of Internal Medicine*, 3(6): 250-255.
- Motobe K, Tomiyama H, Koji Y, Yambe M, Gulinisa Z, 2005. Cut-off value of the ankle-brachial pressure index at which the accuracy of brachial-ankle pulse wave velocity measurement is diminished. *Circ J.*, 69(1):55-60.
- Mozos I, Malainer C, Horbanczuk J, Gug C, Stoian D, et al., 2017. Inflammatory markers for arterial stiffness in cardiovascular disease. *Front. Immunol*, 8:1058.
- Najjar SS, Scuteri A, Shetty V, et al, 2008. Pulse wave velocity is an independent predictor of the longitudinal increase in systolic blood pressure and of incident hypertension in the Baltimore Longitudinal Study of Aging. *J Am Coll Cardiol*, 51: 1377–1383.
- Nauseef, W. M., and Borregaard, N., 2014. Neutrophils at work. *Nat. Immunol*, 15, 602–611.
- Oliver JJ and Webb DJ, 2003. Noninvasive assessment of arterial stiffness and risk of atherosclerotic events. *Arterioscler Thromb Vasc Biol*, 23: 554-566.
- Oztürk ZA, Kuyumcu ME, Yesil Y, et al., 2013. Is there a link between neutrophil-lymphocyte ratio and microvascular complications in geriatric diabetic patients? *J Endocrinol Invest*, 36(8).
- Paquissi FC, 2016. The role of inflammation in cardiovascular diseases: the predictive value of neutrophil-lymphocyte ratio as a marker in peripheral arterial disease. *Therapeutics and Clinical Risk Management*, 12: 851–860.

- Park B-J, Shim J-Y, Lee H-R, et al., 2011. Relationship of neutrophil– lymphocyte ratio with arterial stiffness and coronary calcium score. *Clin Chim Acta*, 412(11-12): 925-929.
- Pecoits-Filho R, Abensur H, Betônico CCR, Machado AD, Parente EB, 2016. Interactions between kidney disease and diabetes: dangerous liaisons. *Diabetol Metab Syndr*, 8:50.
- Perkumpulan Endokrinologi Indonesia, 2019. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. Pengurus Besar Perkumpulan Endokrinologi Indonesia.
- Pong-hong L, Yan W, Xin-xue L, 2006. Increased brachial-ankle pulse wave velocity is associated with impaired endothelial function in patients with coronary artery disease. *Chin Med J*, 119: 1866-1870.
- Popele VBM, Grobbee DE, Bots ML, Asmar R, Topouchian J, Reneman RS, 2001. Association between arterial stiffness. The Rotterdam Study. *Stroke*, 32: 454-460.
- Preis SR, Hwang SJ, Coady S, et al., 2009. Trends in all-cause and cardiovascular disease mortality among women and men with and without diabetes melitus in the Framingham Heart Study, 1950 to 2005. *Circulation*, 119: 1728–1735.
- Rosales C, 2018. Neutrophil: A Cell with Many Roles in Inflammation or Several Cell Types?, *Front. Physiol.*, 20(9):113.
- Scapini, P., and Cassatella, M. A., 2014. Social networking of human neutrophils within the immune system. *Blood*, 124: 710–719.
- Scheiermann, C., Kunisaki, Y., and Frenette, P. S., 2013. Circadian control of the immune system. *Nat. Rev. Immunol*, 13, 190–198.
- Scheiermann, C., Kunisaki, Y., Lucas, D., Chow, A., Jang., et al., 2012. Adrenergic nerves govern circadian leukocyte recruitment to tissues. *Immunity*, 37: 290–301.
- Schwartz SS, Epstein S, Corkey BE, Grant SFA, Gavin JR, et al., 2016. The Time Is Right for a New Classification System for Diabetes: Rationale and Implications of the  $\beta$ -Cell–Centric Classification Schema. *Diabetes Care*, 39(2): 179-186.
- Shiny A, Bibin YS, Shanthirani CS, Regin BS, Anjana RM, et al, 2014. Association of Neutrophil-Lymphocyte Ratio with Glucose Intolerance: An Indicator of

- Systemic Inflammation in Patients with Type 2 Diabetes. *Diabetes Technology and Therapeutics* 16:8;524-531.
- Shirwany NA, 2010. Arterial stiffness: a brief review. *Acta Pharmacologica Sinica*, 31: 1267-1276.
- Smith E, Prasad K-MR, Butcher M, et al. Blockade of interleukin-17A results in reduced atherosclerosis in apolipoprotein E-deficient mice, 2010. *Circulation*, 121(15): 1746–1755.
- Stark, M. A., Huo, Y., Burcin, T. L., Morris, M. A., Olson, T. S., and Ley, K., 2005. Phagocytosis of apoptotic neutrophils regulates granulopoiesis via IL-23 and IL-17. *Immunity*, 22:285–294.
- Stratton IM, Adler AI, Neil HAW, 2000. Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study. *BMJ*, 321: 405-12.
- Talukdar, S., Oh, D. Y., Bandyopadhyay, G., Li, D., Xu, J., et al., 2012. Neutrophils mediate insulin resistance in mice fed a high-fat diet through secreted elastase. *Nat. Med.*, 18: 1407–1412.
- Tecchio, C., and Cassatella, M. A., 2016. Neutrophil-derived chemokines on the road to immunity. *Semin. Immuno*, 28: 119–128.
- Tedgui A, Mallat Z, 2006. Cytokines in atherosclerosis: pathogenic and regulatory pathways. *Physiol Rev*, 86:515–581.
- Theilade S, Laser M, Persson F, Joergensen C, Rossing P, 2013. Arterial Stiffness Is Associated With Cardiovascular, Renal, Retinal, and Autonomic Disease in Type 1 Diabetes. *Diabetes Care*, 36:715–721.
- Tjokroprawiro A, 2012. The CoQ10-COM: the novel FDC of CoQ10, L-Carnitine and ALA (its metabolic and cardiovascular properties for patients with DM). Surabaya Metabolic Syndrome Update-8 (SUMETSU-8) Metabolic Cardiovascular Disease Surabaya-8), Surabaya Obesity Update-4 (SOBU-4). Surabaya 18-19 Februari 2012.
- Tomiyaama H, Hashimoto H, Hirayama Y, 2006. Synergistic acceleration of arterial stiffening in the presence of raised blood pressure and raised plasma glucose. *Hypertension*, 47: 180-188.
- Turkmen K, Tufan F, Selçuk E, Akpınar T, Oflaz H, Ecdar T, 2013. Neutrophil-to-lymphocyte ratio, insulin resistance, and endothelial dysfunction in patients with autosomal dominant polycystic kidney disease. *Indian J Nephrol*, 23(1):34–40.

- Ünlü M and Arslan Z, 2015. The relation between neutrophil-lymphocyte ratio and endothelial dysfunction. *Angiology*, 66(7):694.
- Uribe-Querol, E., and Rosales, C., 2015. Neutrophils in cancer: two sides of the same coin. *J. Immunol. Res.*, 983698.
- Verdoia M, Schaffer A, Barbieri L, Aimaretti G, Marino P, *et al.*, 2015. Impact of diabetes on neutrophil-to-lymphocyte ratio and its relationship to coronary artery disease. *Diabetes Metab.*, 41(4):304-11.
- Von Vietinghoff, S., and Ley, K. (2008). Homeostatic regulation of blood neutrophil counts. *J. Immunol.*, 181: 5183–5188.
- Vojarova B, Weyer C, Lindsay RS, Pratley RE, Bogardus C., 2002. High White Blood Cell Count Is Associated With a Worsening of Insulin Sensitivity and Predicts the Development of Type 2 Diabetes. *Diabetes*, 51(2): 455-461.
- Wang H, Hu Y, Geng Y, Wu H, Chu Y, *et al.*, 2017. The relationship between neutrophil to lymphocyte ratio and artery stiffness in subtypes of hypertension. *J Clin Hypertens (Greenwich)*, 19(8):780-785.
- Wang RT, Zhang JR, Li Y, Liu T, Yu KJ. Neutrophil-Lymphocyte ratio is associated with arterial stiffness in diabetic retinopathy in type 2 diabetes, 2015. *J Diabetes Complications*, 29(2):245-9.
- Wong, S. L., Demers, M., Martinod, K., Gallant, M., Wang, Y., Goldfine, A. B., *et al.*, 2015. Diabetes primes neutrophils to undergo NETosis, which impairs wound healing. *Nat. Med.* 21, 815–819.
- Xiang, M., Yuan, Y., Fan, L., Li, Y., Li, A., *et al.*, 2012. Role of macrophages in mobilization of hematopoietic progenitor cells from bone marrow after hemorrhagic shock. *Shock*, 37, 518–523.
- Yamashina A, Tomiyama H, Takeda K, 2002. Validity, reproducibility, and clinical significance of noninvasive brachial-ankle pulse wave velocity measurement. *Hypertens Res*, 25: 359-364.
- Zieman SJ, Melenovsky V, Kass DA, 2005. Mechanisms, pathophysiology, and therapy of arterial stiffness. *Arterioscler Thromb Vasc Biol*, 25: 932-943.66