

DAFTAR PUSTAKA

- Adham, M. *et al.* (2010) ‘Glycaemic control and its associated factors in type 2 diabetic patients in Amman, Jordan’, *Eastern Mediterranean Health Journal*, 16(7), pp. 732–739. doi: 10.26719/2010.16.7.732.
- American Diabetes Association (2014) ‘Diagnosis and Classification of Diabetes Mellitus’, *Diabetes Care*, 37(1), pp. 81–90. doi: 10.2337/dc14-S081.
- American Diabetes Association (2015) ‘Standards of Medical Care in Diabetes-2015 Abridged for Primary Care Providers’, *Clinical Diabetes*, 33(2), pp. 97–111. doi: 10.2337/diaclin.33.2.97.
- American Diabetes Association (2019) ‘Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2019’, *Diabetes Care*, 42(1), pp. 13–28. doi: 10.2337/dc19-S002.
- Amran, P. and Rahman (2018) ‘Gambaran Hasil Pemeriksaan HbA1c pada Penderita Diabetes Mellitus di RSUD Labuang Baji Makassar’, *Jurnal Media Analis Kesehatan*, 9(2), pp. 149–155. doi: 10.32382/mak.v9i2.686.
- Anonim (2013) ‘Diagnostic Update’, *Summit contributes for healthier life*, 9, pp. 1–2.
- Arisman (2011) ‘Obesitas, Diabetes Mellitus, dan Dislipidemia: Konsep, Teori, dan Penanganan Aplikatif’. Jakarta: Penerbit Buku Kedokteran EGC.
- Astuti, C. M. and Setiarini, A. (2013) ‘Faktor-Faktor yang Berhubungan dengan Pengendalian Kadar Glukosa Darah Pasien Diabetes Mellitus Tipe 2 Rawat Jalan di Poliklinik Penyakit Dalam RSJ Prof.Dr.Soerojo Magelang Tahun 2013’, *Program Studi Gizi, Fakultas Kesehatan Masyarakat, Universitas Indonesia*.
- Aungst, T. (2019) *Smoking, Vaping, and Diabetes_ High Blood Sugar and Other Health Risks, GoodPx*. Available at: <https://www.goodrx.com/blog/smoking-diabetes-high-blood-sugar-insulin-resistance-health-risks/> (Accessed: 25 September 2020).
- B, G. *et al.* (2013) ‘Study of factors associated with poor glycemic control in Type -2 Diabetic patients’, *Global Journal of Medicine and Public Health*, 2(2), pp. 1–5.
- Bajaj, M. (2012) ‘Nicotine and Insulin Resistance: When the Smoke Clears’, *Diabetes*, 61, pp. 3078–3080. doi: 10.2337/db12-1100.
- Baynest, H. W. (2015) ‘Classification, Pathophysiology, Diagnosis and Management of Diabetes Mellitus’, *Journal of Diabetes & Metabolism*, 06(05), pp. 1–9. doi: 10.4172/2155-6156.1000541.
- Betteng, R., Pangemanan, D. and Mayulu, N. (2014) ‘Analisis Faktor Resiko
- SKRIPSI HUBUNGAN MEROKOK, AKTIVITAS ... RIEZA E.

Penyebab Terjadinya Diabetes Melitus Tipe 2 Pada Wanita Pada Wanita Usia Produktif di Puskesmas Wawonasa', *Jurnal e-Biomedik*, 2(2). doi: 10.35790/ebm.2.2.2014.4554.

Bonita, B., Asnawi, H. and Aulia, H. (2017) 'Hubungan Aktivitas Fisik, Kualitas Tidur, dan Indeks Massa Tubuh dengan Kadar HbA 1c Pada Pasien DM Tipe 2 yang Datang ke Poliklinik Endokrin Metabolik Diabetik di RSUD DR. Mohammad Hoesin Palembang', *Jurnal Biomedik Fakultas Kedokteran Universitas Sriwijaya*, 3(1), pp. 30–38.

Buffarini, R. *et al.* (2016) 'Distribution of Glycated Haemoglobin According to Early-Life and Contemporary Characteristics in Adolescents and Adults without Diabetes: The 1982 and 1993 Pelotas Birth Cohorts', *PLoS ONE*, pp. 1–16. doi: 10.1371/journal.pone.0162614.

Canadian Diabetes Association (2008) 'Canadian Diabetes Association 2008 Clinical Practice Guidelines for the Prevention and Management of Diabetes in Canada', *Canadian Journal Of Diabetes*, 32(September).

CDC (2009) *Cigarette Smoking Among Adults and Trends in Smoking Cessation - United States, 2008, Morbidity and Mortality Weekly Report*. Available at: <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5844a2.htm> (Accessed: 28 February 2020).

Clair, C. *et al.* (2011) 'Relationships of Cotinine and Self-Reported Cigarette Smoking with Hemoglobin A 1c in the U.S.: Results from the National Health and Nutrition Examination Survey, 1999-2008', *Diabetes Care*, 34, pp. 2250–2255. doi: 10.2337/dc11-0710.

Colberg, S. R. *et al.* (2010) 'Exercise and type 2 diabetes: The American College of Sports Medicine and the American Diabetes Association: Joint position statement', *Diabetes Care*, 33(12), pp. 147–167. doi: 10.2337/dc10-9990.

Colberg, S. R. *et al.* (2016) 'Physical activity/exercise and diabetes: A position statement of the American Diabetes Association', *Diabetes Care*, 39(11), pp. 2065–2079. doi: 10.2337/dc16-1728.

Craig, C. L. *et al.* (2003) 'International Physical Activity Questionnaire: 12-Country Reliability and Validity', *Medicine and Science in Sports and Exercise*, 35(8), pp. 1381–1395. doi: 10.1249/01.MSS.0000078924.61453.FB.

Davis, N. J. *et al.* (2009) 'Comparative Study of the Effects of a on Weight and Glycemic Control in Type 2 Carbohydrate Diet Versus a Low-Fat Diet 1-Year Dietary Intervention of a Low- Diabetes', *Diabetes Care*, 32(7), pp. 1147–1152. doi: 10.2337/dc08-2108.Clinical.

Decroli, E. (2019) *Diabetes Melitus Tipe 2. Pertama, Fakultas Kedokteran Universitas Andalas. Pertama*. Edited by A. Kam *et al.* Padang: Fakultas

Kedokteran Universitas Andalas.

Diabetes in Control (2014) *HbA1c Increases with Age, Diabetes in Control*.

Dinardo, M. M. *et al.* (2019) ‘Current Smoking: An Independent Predictor of Elevated A1C in Persons with Type 2 Diabetes’, *Diabetes Educ*, 45(2), pp. 146–154. doi: 10.1016/j.physbeh.2017.03.040.

Farmer, A. J. *et al.* (2016) ‘Adherence to Oral Glucose-Lowering Therapies and Associations with 1-year HbA1c: A Retrospective Cohort Analysis in a Large Primary Care Database’, *Diabetes Care*, 39, pp. 258–263. doi: 10.2337/dc15-1194.

Fischbach, F. and Dunning, M. B. (2014) ‘A Manual of Laboratory and Diagnostic Tests’, in. English: Wolters Kluwer Health. doi: 10.1017/CBO9781107415324.004.

Fizelova, M. *et al.* (2015) ‘Glycated hemoglobin levels are mostly dependent on nonglycemic parameters in 9398 Finnish men without diabetes’, *Journal of Clinical Endocrinology and Metabolism*, 100(5), pp. 1989–1996. doi: 10.1210/jc.2014-4121.

Forouhi, N. G. and Wareham, N. J. (2019) ‘Epidemiology of diabetes’, *Medicine (United Kingdom)*. Elsevier Ltd, 47(1), pp. 22–27. doi: 10.1016/j.mpmed.2018.10.004.

Franz, M. J. (2001) ‘High or Low Carbohydrate Diets’, *Current diabetes reports*, pp. 23–27. doi: 10.1007/s11892-001-0031-9.

Gale, E. A. M. and Gillespie, K. M. (2001) ‘Diabetes and gender’, *Diabetologia*, 44(1), pp. 3–15. doi: 10.1007/s001250051573.

Gannon, M. C. *et al.* (2003) ‘An increase in dietary protein improves the blood glucose response in persons with type 2 diabetes’, *American Journal of Clinical Nutrition*, 78, pp. 734–741. doi: 10.1093/ajcn/78.4.734.

Gardiarini, P. and Sudargo, T. (2014) *Kualitas Diet, Sosio-Demografi, dan Dukungan Keluarga Hubungannya dengan Pengendalian Gula Darah pada Penderita Diabetes Melitus Tipe 2 di Rumah Sakit Kanujoso Djatiwibowo (RSKD) Balikpapan*. Available at: http://ejournal.persagi.org/ojspersagi2481/index.php/Gizi_Indon (Accessed: 19 July 2020).

Garnita, D. (2012) *Faktor Risiko Diabetes Melitus di Indonesia (Analisis Data Sakerti 2007)*. Universitas Indonesia.

Gay, J. L., Buchner, D. M. and Schmidt, M. D. (2016) ‘Dose-response association of physical activity with HbA1c: Intensity and bout length’, *Preventive Medicine*. Elsevier Inc., 86, pp. 58–63. doi: 10.1016/j.ypmed.2016.01.008.

- Genuth, S. M., Palmer, J. P. and Nathan, D. M. (2015) *Classification and Diagnosis of Diabetes*. America.
- Goldstein, D. E. *et al.* (2004) 'Tests of Glycemia in Diabetes', *Diabetes Care*, 27(7), pp. 1761–1773. doi: 10.2337/diacare.27.7.1761.
- Haimoto, H. *et al.* (2009) 'Effects of a low-carbohydrate diet on glycemic control in outpatients with severe type 2 diabetes', *Nutrition and Metabolism*, 6(21), pp. 1–5. doi: 10.1186/1743-7075-6-21.
- Hammad, M. A., Noor, D. A. M. and Sulaiman, S. A. S. (2017) 'the Effect of Patient's Adherence on HbA1c Control', *Archives of Medical and Pharmaceutical Sciences Research*, 01(01), pp. 30–35. Available at: www.sterlingacademicjournals.com.
- Harum, A., Larasati, T. and Zuraida, R. (2013) 'Hubungan Diet Serat Tinggi dengan Kadar HbA1c Pasien DM Tipe 2 di RSUD DR.H. Abdul Moeloek Provinsi Lampung', *Medical Journal of Lampung University*, 2(4), pp. 79–87.
- Hastuti, P., Subardjo, Y. P. and Rahmah, H. A. (2020) 'Hubungan Pola Konsumsi Karbohidrat Sederhana dan Kompleks dengan Kadar HbA1c pada Penderita Diabetes Mellitus Tipe 2', *J.Gipas*, 4(1), pp. 40–54.
- Hong, J. W. *et al.* (2015) 'Association between self-reported smoking and hemoglobin A1c in a Korean population without diabetes: The 2011-2012 Korean national health and nutrition examination survey', *PLoS ONE*, 10(5), pp. 1–13. doi: 10.1371/journal.pone.0126746.
- International Diabetes Federation (2019) 'Diabetes Facts & Figures', 2019, p. 1. Available at: <https://www.idf.org/aboutdiabetes/what-is-diabetes/facts-figures.html><https://www.idf.org/aboutdiabetes/what-is-diabetes/facts-figures.html><https://www.idf.org/aboutdiabetes/what-is-diabetes/facts-figures.html>.
- Irmayanti (2018) *Tesis*. Universitas Gajah Mada.
- Isabella *et al.* (2014) 'Hubungan Antara Tingkat Pendidikan dan Riwayat Keluarga Menderita DM dengan Kejadian DM tipe 2 pada Pasien Rawat Jalan di Poliklinik Penyakit Dalam BLU RSUP Prof. Dr. R. D Kandou Manado', *Fakultas Kesehatan Masyarakat Universitas Sam Ratulangi*, pp. 1–6.
- Jaacks, L. M. *et al.* (2015) 'Dietary patterns associated with HbA1c and LDL cholesterol among individuals with type 1 diabetes in China', 29(3), pp. 343–349. doi: 10.1016/j.jdiacomp.2014.12.014.Dietary.
- Jiang, J. *et al.* (2012) 'Dietary Fiber Intake Is Associated with HbA1c Level among Prevalent Patients with Type 2 Diabetes in Pudong New Area of Shanghai, China', *PLoS ONE*, 7(10), pp. 1–7. doi:
- SKRIPSI HUBUNGAN MEROKOK, AKTIVITAS ... RIEZA E.

10.1371/journal.pone.0046552.

Juhartini, Nizmawaty, A. and Muhammad, R. (2017) ‘Konsumsi Ikan terhadap Kadar HbA1C pada Diabetisi di Kota Ternate’, *Link*, 13(1), pp. 32–37. doi: 10.31983/link.v13i1.2186.

Kahn, S. E., Cooper, M. E. and Del Prato, S. (2014) ‘Pathophysiology and Treatment of Type 2 Diabetes: perspectives on the past, present, and future’, *Lancet*. Elsevier Ltd, 383, pp. 1068–1083. doi: 10.1016/S0140-6736(13)62154-6.

Kautzky-Willer, A. *et al.* (2015) ‘Gender-based differences in glycaemic control and hypoglycaemia prevalence in patients with type 2 diabetes: results from patient-level pooled data of six randomized controlled trials’, *Diabetes, Obesity and Metabolism*, 17, pp. 533–540. doi: 10.2337/db06-1293.Additional.

Kementerian Kesehatan Republik Indonesia (2019) *InfoDATIN, Direktorat Pencegahan dan Pengendalian Penyakit Tidak Menular, Badan Litbangkes*. Available at: <http://www.depkes.go.id/resources/download/pusdatin/infodatin/hari-diabetes-sedunia-2018.pdf>.

Kementerian Kesehatan RI (2008) ‘Laporan Nasional Riskesdas 2007’, *Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan, Republik Indonesia Desember 2008*, pp. 1–384. doi: 1 December 2013.

Kementerian Kesehatan RI (2010) ‘Riset Kesehatan Dasar Tahun 2010’, *Laporan Nasional 2010*, pp. 1–446. doi: 1 Desember 2013.

Kementerian Kesehatan RI (2012) *Penyakit Tidak Menular, Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia*. Available at: <https://pusdatin.kemkes.go.id/article/view/13010200029/penyakit-tidak-menular.html>.

Kementerian Kesehatan RI (2018) ‘Hasil Utama Riset Kesehatan Dasar (RISKESDAS) Tahun 2018’, *Journal of Physics A: Mathematical and Theoretical*, 44(8), pp. 1–200. doi: 10.1088/1751-8113/44/8/085201.

Kementerian Kesehatan RI (2019a) *Cegah, Cegah, dan Cegah: Suara Dunia Perangi Diabetes, Kementerian Kesehatan RI*. Available at: <http://www.depkes.go.id/article/view/17070700004/program-indonesia-sehat-dengan-pendekatan-keluarga.html> (Accessed: 20 October 2019).

Kementerian Kesehatan RI (2019b) *Penyakit Diabetes Melitus, Direktorat Jenderal P2P*. Available at: <http://p2ptm.kemkes.go.id/informasi-p2ptm/penyakit-diabetes-melitus/page/3>.

Kementerian Kesehatan RI (2020) ‘Penyakit Tidak Menular Kini Ancam Usia Muda’, *Kementerian Kesehatan RI*, pp. 1–2. Available at:

WWW.depkes.go.id.

- Kementerian Pertanian (2019) *Direktori Perkembangan Konsumsi Pangan, Badan Ketahanan Pangan*. doi: 10.1017/CBO9781107415324.004.
- Kerner, W. and Bruckel, J. (2014) 'Definition, Classification and Diagnosis of Diabetes Mellitus', *German Diabetes Association: Clinical Practice Guidelines*, 122, pp. 384–386. doi: 10.1007/s11428-019-0460-1.
- Khattab, M. *et al.* (2010) 'Factors associated with poor glycemic control among patients with Type 2 diabetes', *Journal of Diabetes and its Complications*. Elsevier Inc., 24, pp. 84–89. doi: 10.1016/j.jdiacomp.2008.12.008.
- Krapek, K. *et al.* (2004) 'Medication Adherence and Associated Hemoglobin A1c in Type 2 Diabetes', *Annals of Pharmacotherapy*, 38, pp. 1357–1362. doi: 10.1345/aph.1D612.
- Kusniyah, Y., Nursiswati and Rahayu, U. (2010) 'Hubungan Tingkat Self Care dengan Tingkat HbA1c Pada Klien Diabetes Melitus Tipe 2 di Poliklinik Endokrin RSUP DR. Hasan Sadikin Bandung', (4).
- Larasati, T. (2013) 'Aktivitas Fisik, Diet Serat dan Kadar HbA1c Pasien Diabetes Melitus Tipe 2 di RSUD Abdul Moeloek Proponsi Lampung', *JUKE*, 3(1), pp. 1–5.
- Larose, J. *et al.* (2011) 'Associations between physical fitness and HbA1c in type 2 diabetes mellitus', *Diabetologia*, 54, pp. 93–102. doi: 10.1007/s00125-010-1941-3.
- Lathifah, N. L. (2017) *Hubungan Antara Karakteristik Penderita, Durasi Penyakit, Keteraturan Periksa, dan Kadar Gula Darah dengan Keluhan Subyektif Pada Penderita Diabetes Melitus Tipe 2*, *Journal of Chemical Information and Modeling*. Universitas Airlangga. doi: 10.1017/CBO9781107415324.004.
- Ley, S. H. *et al.* (2015) *Risk Factor for Type 2 Diabetes Mellitus*. America. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11333683>.
- M.Chang, A. and Halter, J. B. (2003) 'Aging and insulin secretion', *Journal Endocrinol Metabolosim*, 284, pp. E7–E12. doi: 10.1016/B978-0-12-378638-8.00017-8.
- Ma, Q. *et al.* (2016) 'Association between glycated hemoglobin A1c levels with age and gender in Chinese adults with no prior diagnosis of diabetes mellitus', *Biomedical Reports*, 4(6), pp. 737–740. doi: 10.3892/br.2016.643.
- Maddatu, J., Baucum, E. A. and Molina, C. E. (2017) 'Smoking and the Risk of Type 2 Diabetes', *PubMed Central (PMC)*, 184, pp. 101–107. doi: 10.1016/j.physbeh.2017.03.040.

- Madhu, S. V. and Srivastava, S. (2015) 'Diabetes Mellitus: Diagnosis and Management Guidelines', *Journal International Medical Sciences Academy*, 28(1), pp. 47–50.
- Majid, M. A. *et al.* (2019) 'Association between dietary habit and diabetic risk profiles among diagnosed Type-2 diabetic patients in a selected area of Bangladesh', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. Elsevier Ltd, 13, pp. 1633–1637. doi: 10.1016/j.dsx.2019.03.030.
- Marini, M. A. *et al.* (2014) 'Insulin sensitivity, and β -cell function in relation to hemoglobin A1C', *Nutrition, Metabolism and Cardiovascular Diseases*. Elsevier Ltd, 24(1), pp. 27–33. doi: 10.1016/j.numecd.2013.01.011.
- McGinley, S. K. *et al.* (2014) 'Effects of exercise training using resistance bands on glycaemic control and strength in type 2 diabetes mellitus: a meta-analysis of randomised controlled trials', *Acta Diabetologica*. doi: 10.1007/s00592-014-0594-y.
- Meidikayanti, W. (2017) *Hubungan Dukungan Keluarga dan Aktivitas Fisik dengan Kualitas Hisap Diabetes Melitus Tipe 2*. Universitas Airlangga. doi: 10.1017/CBO9781107415324.004.
- Mellergard, E., Johnsson, P. and Eek, F. (2020) 'Sociodemographic factors associated with HbA1c variability in type 2 diabetes: a prospective exploratory cohort study', *BMC Endocrine Disorders*. BMC Endocrine Disorders, 20(102), pp. 1–8. doi: 10.1186/s12902-020-00585-6.
- Mohamed, J. *et al.* (2016) 'Mechanisms of Diabetes-Induced Liver Damage: The role of oxidative stress and inflammation', *Sultan Qaboos University Medical Journal*, 16(2), pp. 132–141. doi: 10.18295/squmj.2016.16.02.002.
- Møller, G. *et al.* (2017) 'A protein diet score, including plant and animal protein, investigating the association with hba1c and eGFR-The PREVIEW project', *Nutrients*, 9(7), pp. 1–14. doi: 10.3390/nu9070763.
- Mosen, D. M. *et al.* (2017) 'Assessing the Association Between Medication Adherence and Glycemic Control', 9(3), pp. 82–88.
- Najafipour, F. *et al.* (2017) 'Effect of Regular Exercise Training on Changes in HbA1c, BMI and VO 2 Max Among Patients with Type 2 Diabetes Mellitus: An 8-year trial', *BMJ Open Diabetes Research and Care*, 5(1), pp. 1–8. doi: 10.1136/bmjdr-2017-000414.
- Nathan, D. M. *et al.* (2008) 'Translating the A1C assay into estimated average glucose values', *Diabetes Care*, 31(8), pp. 1473–1478. doi: 10.2337/dc08-0545.
- National Diabetes Education Program (2017) 'Diabetes: What Is It?', *CDC*, p. 2. Available at:
- SKRIPSI HUBUNGAN MEROKOK, AKTIVITAS ... RIEZA E.

<https://www.cdc.gov/diabetes/diabetesatwork/pdfs/DiabetesWhatIsIt.pdf>.

- Nilsson, P. M. *et al.* (2004) 'Smoking is associated with increased HbA1C values and microalbuminuria in patients with diabetes', *Diabetes & Metabolism*, 30, pp. 261–268.
- Nurayati, L. and Adriani, M. (2017) 'Hubungan Aktifitas Fisik dengan Kadar Gula Darah Puasa Penderita Diabetes Melitus Tipe 2', *Amerta Nutrition*, 1(2), pp. 80–87. doi: 10.20473/amnt.v1i2.6229.
- Omran, A. R. (2005) 'The Epidemiologic Transition: A theory of the Epidemiology of Population Change', *The Milbank Memorial Fund Quarterly*, 83(4), pp. 731–67. doi: 10.1007/s13398-014-0173-7.2.
- Pamungkas, R. A. *et al.* (2017) 'Factors Associated With Poor Glycemic Control Among Type 2 Diabetes Mellitus in Indonesia', *Belitung Nursing Journal*, 3(3), pp. 272–280. doi: 10.33546/bnj.61.
- Permana, H. (2000) 'Komplikasi Kronik dan Penyakit Penyerita pada Diabetes', *Medical Care*.
- Putra, I. W. A. (2016) *Hubungan Antara Olahraga dan Pola Makan Pada Pasien Diabetes Melitus Tipe 2 dengan Kadar HbA1c di RSUD Dr. H. Abdoel Moeloek Bandar Lampung*, *Journal of Chemical Information and Modeling*. Universitas Lampung. doi: 10.1017/CBO9781107415324.004.
- Ramadhanisa, A., Larasati, T. and Mayasari, D. (2013) 'Hubungan Aktivitas Fisik dengan Kadar HbA1c Pasien Diabetes Melitus Tipe 2 di Laboratorium Patologi Klinik RSUD DR. H. Abdul Moeloek Bandar Lampung', *Medical Journal of Lampung University*, 2(4), pp. 44–51.
- Rawal, G. *et al.* (2016) 'Glycosylated hemoglobin (HbA1C): A brief overview for clinicians', *Indian Journal of Immunology and Respiratory Medicine*, 1(2), pp. 33–36.
- Reswan, H., Alioes, Y. and Rita, R. S. (2017) 'Gambaran Glukosa Darah pada Lansia di Panti Sosial Tresna Werdha Sabai Nan Aluih Sicincin', *Jurnal Kesehatan Andalas*, 6(3), pp. 673–678. doi: 10.2523/17967-ms.
- Sacks, D. B. *et al.* (2011) 'Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus', *Diabetes Care*, 34(6). doi: 10.2337/dc11-9998.
- Saghir, S. A. M. *et al.* (2019) 'Factors associated with poor glycemic control among type-2 diabetes mellitus patients in Yemen', *Tropical Journal of Pharmaceutical Research*, 18(7), pp. 1539–1546. doi: 10.4314/tjpr.v18i7.26.
- Saibuathong, N. and Neelapaichit, N. (2015) 'Smoking, Hemoglobin A1c and Complications in People with Type 2 Diabetes Mellitus', *The Bangkok*
- SKRIPSI HUBUNGAN MEROKOK, AKTIVITAS ... RIEZA E.

- Medical Journal*, 10(01), pp. 10–15. doi: 10.31524/bkkmedj.2015.09.003.
- Sakane, N. *et al.* (2017) ‘Determinants of Glycated Hemoglobin in Subjects With Impaired Glucose Tolerance: Subanalysis of the Japan Diabetes Prevention Program’, *Journal of Clinical Medicine Research*, 9(4), pp. 360–365. doi: 10.14740/jocmr2928w.
- Samara, M. *et al.* (2017) ‘Prevalence of Glycemic Control and Factors Associated With Increasing Levels of HbA1c Among A Sample of Palestinian Patients With Type 2 Diabetes Mellitus’, *Palestinian Medical and Pharmaceutical Journal*, 2(2), pp. 82–92.
- Sargeant, L. A. *et al.* (2001a) ‘Cigarette smoking and glycaemia: The EPIC-Norfolk study’, *International Journal of Epidemiology*, 30, pp. 547–554. doi: 10.1093/ije/30.3.547.
- Sargeant, L. A. *et al.* (2001b) ‘Cigarette Smoking and Glycaemia: The EPIC-Norfolk study’, *International Journal of Epidemiology*, 30(3), pp. 547–554. doi: 10.1093/ije/30.3.547.
- Sari, N. (2017) *Pengaruh Merokok Terhadap Kadar Glukosa Darah dan Kadar HbA1c pada Penderita Diabetes Melitus di Rumah Sakit Universitas Sumatera Utara*. Universitas Sumatera Utara.
- Saslow, L. R. *et al.* (2014) ‘A randomized pilot trial of a moderate carbohydrate diet compared to a very low carbohydrate diet in overweight or obese individuals with type 2 diabetes mellitus or prediabetes’, *PLoS ONE*, 9(4). doi: 10.1371/journal.pone.0091027.
- Setia, M. S. (2016) ‘Methodology Series Module 3: Cross-sectional studies’, *Indian Journal of Dermatology*, 61(3), pp. 261–264. doi: 10.4103/0019-5154.182410.
- Sherifali, D. *et al.* (2010) ‘The Effect of Oral Antidiabetic Agents on A1C levels: A systematic review and meta-analysis’, *Diabetes Care*, 33(8), pp. 1859–1864. doi: 10.2337/dc09-1727.
- Sigal, R. J. *et al.* (2018) ‘Physical Activity and Diabetes’, *Canadian Journal of Diabetes*, 42, pp. S54–S63. doi: 10.1016/j.jcjd.2017.10.008.
- Sliwinska-Mosson, M. and Milnerowicz, H. (2017) ‘The impact of smoking on the development of diabetes and its complications’, *Diabetes and Vascular Disease Research*, 14(4), pp. 265–276. doi: 10.1177/1479164117701876.
- Soelistijo, S. A. *et al.* (2015) *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. 1st edn, PERKENI. 1st edn. Jakarta: PB. PERKENI.
- Strauss, J. *et al.* (2016) ‘The 5th Wave of the Indonesia Family Life Survey (IFLS): Overview and Field Report’, (WR-144/1-NIA/NCHID). Available at:

http://www.rand.org/content/dam/rand/pubs/working_papers/WR1100/WR1143z2/RAND_WR1143z2.pdf.

- Sunarti (2017) *Serat Pangan dalam Penanganan Sindrom Metabolik*. Yogyakarta: Gadjah Mada University Press. Available at:
[https://books.google.co.id/books?id=jhlmDwAAQBAJ&printsec=frontcover&hl=id&source=gbs_ge_summary_r&cad=0#v=onepage&q=Serat Pangan dalam Penatalaksanaan Diabetes Melitus&f=false](https://books.google.co.id/books?id=jhlmDwAAQBAJ&printsec=frontcover&hl=id&source=gbs_ge_summary_r&cad=0#v=onepage&q=Serat%20Pangan%20dalam%20Penatalaksanaan%20Diabetes%20Melitus&f=false).
- T.V.D, S. *et al.* (2013) ‘Gender: Does it have role has a role in glycaemic control and diabetic distress in type 2 diabetes?’, *IOSR Journal of Dental and Medical Sciences*, 4(6), pp. 48–51. doi: 10.9790/0853-0464851.
- Todkar, S. S. (2016) ‘Diabetes mellitus the “Silent Killer” of mankind: An overview on the eve of upcoming World Health Day!’, *Journal of Medical and Allied Sciences*, 6(1), pp. 39–44. doi: 10.5455/jmas.214333.
- Tolonen, H. *et al.* (2002) *Review of Surveys for Risk Factors of Major Chronic Diseases and Comparability of the Results*. Finland: European Health Risk Monitoring (EHRM) Project.
- Velázquez-López, L. *et al.* (2016) ‘Fiber in Diet is Associated with Improvement of Glycated Hemoglobin and Lipid Profile in Mexican Patients with Type 2 Diabetes’, *Journal of Diabetes Research*, pp. 1–9. doi: 10.1155/2016/2980406.
- Vetrivel Venkatasamy, V. *et al.* (2013) ‘Effect of physical activity on insulin resistance, inflammation and oxidative stress in diabetes mellitus’, *Journal of Clinical and Diagnostic Research*, 7(8), pp. 1764–1766. doi: 10.7860/JCDR/2013/6518.3306.
- Vidhya, K. (2015) ‘The Effects of Cigarette Smoking on Glycosylated Hemoglobin in Nondiabetic Individuals’, *International Journal of Advanced Research*, 3(12), pp. 566–571.
- WHO (2011) *Use of Glycated Haemoglobin (HbA1c) in the Diagnosis of Diabetes Mellitus*. WHO. doi: 10.1007/BF00534342.
- WHO (2019) ‘Types of Tobacco Use’, *WHO*, pp. 20–21.
- Widyastuti (2017) *Hubungan Kadar Glukosa Darah dengan HbA1c pada Penderita Diabetes Melitus (DM) Tipe 2*. Universitas Muhammadiyah Semarang.
- Woldu, A. M. *et al.* (2014) ‘Factors Associated with Poor Glycemic Control among Patients with Type 2 Diabetes Mellitus in Ambo Hospital, Ambo; Ethiopia’, *Endocrinology & Metabolic Syndrome*, 03(04), pp. 2–6. doi: 10.4172/2161-1017.1000143.
- Wolever, T. M. S. (2000) ‘Dietary carbohydrates and insulin action in humans’,

British Journal of Nutrition, 83(1), pp. S97–S102. doi: 10.1017/s0007114500001021.

World Health Organization (2015) *World Health Organization, World Health Organization*.

World Health Organization (2016) ‘Diabetes Country Profile’, *World Health Organization*, p. 1. Available at: https://www.who.int/diabetes/country-profiles/bra_en.pdf.

World Health Organization (2018) *Noncommunicable Disease, Heart of Africa: Clinical Profile of an Evolving Burden of Heart Disease in Africa*. doi: 10.1002/9781119097136.part5.

World Health Organization (2020) ‘Diabetes’. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes>.

Wulandari, I. A. T., Herawati, S. and Wandu, I. N. (2020) ‘Gambaran Kadar HbA1c pada Pasien Diabetes Melitus Tipe II di RSUP Sanglah Periode Juli-Desember 2017’, *Jurnal Medika Udayana*, 9(1), pp. 71–75.

Yu, K. *et al.* (2014) ‘The impact of soluble dietary fibre on gastric emptying, postprandial blood glucose and insulin in patients with type 2 diabetes’, *Asia Pacific Journal of Clinical Nutrition*, 23(2), pp. 210–218. doi: 10.6133/apjcn.2014.23.2.01.

Yu, Z. *et al.* (2019) ‘Effects of high-protein diet on glycemic control, insulin resistance and blood pressure in type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials’, *Clinical Nutrition*. Elsevier Ltd, pp. 1–11. doi: 10.1016/j.clnu.2019.08.008.

Adham, M. *et al.* (2010) ‘Glycaemic control and its associated factors in type 2 diabetic patients in Amman, Jordan’, *Eastern Mediterranean Health Journal*, 16(7), pp. 732–739. doi: 10.26719/2010.16.7.732.

American Diabetes Association (2014) ‘Diagnosis and Classification of Diabetes Mellitus’, *Diabetes Care*, 37(1), pp. 81–90. doi: 10.2337/dc14-S081.

American Diabetes Association (2015) ‘Standards of Medical Care in Diabetes-2015 Abridged for Primary Care Providers’, *Clinical Diabetes*, 33(2), pp. 97–111. doi: 10.2337/diaclin.33.2.97.

American Diabetes Association (2019) ‘Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2019’, *Diabetes Care*, 42(1), pp. 13–28. doi: 10.2337/dc19-S002.

Amran, P. and Rahman (2018) ‘Gambaran Hasil Pemeriksaan HbA1c pada Penderita Diabetes Melitus di RSUD Labuang Baji Makassar’, *Jurnal Media Analisis Kesehatan*, 9(2), pp. 149–155. doi: 10.32382/mak.v9i2.686.

- Anonim (2013) 'Diagnostic Update', *Summit contributes for healthier life*, 9, pp. 1–2.
- Arisman (2011) 'Obesitas, Diabetes Mellitus, dan Dislipidemia: Konsep, Teori, dan Penanganan Aplikatif'. Jakarta: Penerbit Buku Kedokteran EGC.
- Astuti, C. M. and Setiarini, A. (2013) 'Faktor-Faktor yang Berhubungan dengan Pengendalian Kadar Glukosa Darah Pasien Diabetes Melitus Tipe 2 Rawat Jalan di Poliklinik Penyakit Dalam RSJ Prof.Dr.Soerojo Magelang Tahun 2013', *Program Studi Gizi, Fakultas Kesehatan Masyarakat, Universitas Indonesia*.
- Aungst, T. (2019) *Smoking, Vaping, and Diabetes_ High Blood Sugar and Other Health Risks, GoodPx*. Available at: <https://www.goodrx.com/blog/smoking-diabetes-high-blood-sugar-insulin-resistance-health-risks/> (Accessed: 25 September 2020).
- B, G. *et al.* (2013) 'Study of factors associated with poor glycemic control in Type -2 Diabetic patients', *Global Journal of Medicine and Public Health*, 2(2), pp. 1–5.
- Bajaj, M. (2012) 'Nicotine and Insulin Resistance: When the Smoke Clears', *Diabetes*, 61, pp. 3078–3080. doi: 10.2337/db12-1100.
- Baynest, H. W. (2015) 'Classification, Pathophysiology, Diagnosis and Management of Diabetes Mellitus', *Journal of Diabetes & Metabolism*, 06(05), pp. 1–9. doi: 10.4172/2155-6156.1000541.
- Betteng, R., Pangemanan, D. and Mayulu, N. (2014) 'Analisis Faktor Resiko Penyebab Terjadinya Diabetes Melitus Tipe 2 Pada Wanita Pada Wanita Usia Produktif di Puskesmas Wawonasa', *Jurnal e-Biomedik*, 2(2). doi: 10.35790/ebm.2.2.2014.4554.
- Bonita, B., Asnawi, H. and Aulia, H. (2017) 'Hubungan Aktivitas Fisik , Kualitas Tidur , dan Indeks Massa Tubuh dengan Kadar HbA 1c Pada Pasien DM Tipe 2 yang Datang ke Poliklinik Endokrin Metabolik Diabetik di RSUP DR . Mohammad Hoesin Palembang', *Jurnal Biomedik Fakultas Kedokteran Universitas Sriwijaya*, 3(1), pp. 30–38.
- Buffarini, R. *et al.* (2016) 'Distribution of Glycated Haemoglobin According to Early-Life and Contemporary Characteristics in Adolescents and Adults without Diabetes: The 1982 and 1993 Pelotas Birth Cohorts', *PLoS ONE*, pp. 1–16. doi: 10.1371/journal.pone.0162614.
- Canadian Diabetes Association (2008) 'Canadian Diabetes Association 2008 Clinical Practice Guidelines for the Prevention and Management of Diabetes in Canada', *Canadian Journal Of Diabetes*, 32(September).
- CDC (2009) *Cigarette Smoking Among Adults and Trends in Smoking Cessation - United States, 2008, Morbidity and Mortality Weekly Report*. Available at: SKRIPSI HUBUNGAN MEROKOK, AKTIVITAS ... RIEZA E.

<https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5844a2.htm>
(Accessed: 28 February 2020).

- Clair, C. *et al.* (2011) 'Relationships of Cotinine and Self-Reported Cigarette Smoking with Hemoglobin A_{1c} in the U.S.: Results from the National Health and Nutrition Examination Survey, 1999-2008', *Diabetes Care*, 34, pp. 2250–2255. doi: 10.2337/dc11-0710.
- Colberg, S. R. *et al.* (2010) 'Exercise and type 2 diabetes: The American College of Sports Medicine and the American Diabetes Association: Joint position statement', *Diabetes Care*, 33(12), pp. 147–167. doi: 10.2337/dc10-9990.
- Colberg, S. R. *et al.* (2016) 'Physical activity/exercise and diabetes: A position statement of the American Diabetes Association', *Diabetes Care*, 39(11), pp. 2065–2079. doi: 10.2337/dc16-1728.
- Craig, C. L. *et al.* (2003) 'International Physical Activity Questionnaire: 12-Country Reliability and Validity', *Medicine and Science in Sports and Exercise*, 35(8), pp. 1381–1395. doi: 10.1249/01.MSS.0000078924.61453.FB.
- Davis, N. J. *et al.* (2009) 'Comparative Study of the Effects of a on Weight and Glycemic Control in Type 2 Carbohydrate Diet Versus a Low-Fat Diet 1-Year Dietary Intervention of a Low- Diabetes', *Diabetes Care*, 32(7), pp. 1147–1152. doi: 10.2337/dc08-2108.Clinical.
- Decroli, E. (2019) *Diabetes Melitus Tipe 2. Pertama*, Fakultas Kedokteran Universitas Andalas. Pertama. Edited by A. Kam et al. Padang: Fakultas Kedokteran Universitas Andalas.
- Diabetes in Control (2014) *HbA_{1c} Increases with Age*, *Diabetes in Control*.
- Dinardo, M. M. *et al.* (2019) 'Current Smoking: An Independent Predictor of Elevated A_{1C} in Persons with Type 2 Diabetes', *Diabetes Educ*, 45(2), pp. 146–154. doi: 10.1016/j.physbeh.2017.03.040.
- Farmer, A. J. *et al.* (2016) 'Adherence to Oral Glucose-Lowering Therapies and Associations with 1-year HbA_{1c}: A Retrospective Cohort Analysis in a Large Primary Care Database', *Diabetes Care*, 39, pp. 258–263. doi: 10.2337/dc15-1194.
- Fischbach, F. and Dunning, M. B. (2014) 'A Manual of Laboratory and Diagnostic Tests', in. English: Wolters Kluwer Health. doi: 10.1017/CBO9781107415324.004.
- Fizelova, M. *et al.* (2015) 'Glycated hemoglobin levels are mostly dependent on nonglycemic parameters in 9398 Finnish men without diabetes', *Journal of Clinical Endocrinology and Metabolism*, 100(5), pp. 1989–1996. doi: 10.1210/jc.2014-4121.

- Forouhi, N. G. and Wareham, N. J. (2019) ‘Epidemiology of diabetes’, *Medicine (United Kingdom)*. Elsevier Ltd, 47(1), pp. 22–27. doi: 10.1016/j.mpmed.2018.10.004.
- Franz, M. J. (2001) ‘High or Low Carbohydrate Diets’, *Current diabetes reports*, pp. 23–27. doi: 10.1007/s11892-001-0031-9.
- Gale, E. A. M. and Gillespie, K. M. (2001) ‘Diabetes and gender’, *Diabetologia*, 44(1), pp. 3–15. doi: 10.1007/s001250051573.
- Gannon, M. C. *et al.* (2003) ‘An increase in dietary protein improves the blood glucose response in persons with type 2 diabetes’, *American Journal of Clinical Nutrition*, 78, pp. 734–741. doi: 10.1093/ajcn/78.4.734.
- Gardiarini, P. and Sudargo, T. (2014) *Kualitas Diet, Sosio-Demografi, dan Dukungan Keluarga Hubungannya dengan Pengendalian Gula Darah pada Penderita Diabetes Melitus Tipe 2 di Rumah Sakit Kanujoso Djatiwibowo (RSKD) Balikpapan*. Available at: http://ejournal.persagi.org/ojspersagi2481/index.php/Gizi_Indon (Accessed: 19 July 2020).
- Garnita, D. (2012) *Faktor Risiko Diabetes Melitus di Indonesia (Analisis Data Sakerti 2007)*. Universitas Indonesia.
- Gay, J. L., Buchner, D. M. and Schmidt, M. D. (2016) ‘Dose-response association of physical activity with HbA1c: Intensity and bout length’, *Preventive Medicine*. Elsevier Inc., 86, pp. 58–63. doi: 10.1016/j.ypmed.2016.01.008.
- Genuth, S. M., Palmer, J. P. and Nathan, D. M. (2015) *Classification and Diagnosis of Diabetes*. America.
- Goldstein, D. E. *et al.* (2004) ‘Tests of Glycemia in Diabetes’, *Diabetes Care*, 27(7), pp. 1761–1773. doi: 10.2337/diacare.27.7.1761.
- Haimoto, H. *et al.* (2009) ‘Effects of a low-carbohydrate diet on glycemic control in outpatients with severe type 2 diabetes’, *Nutrition and Metabolism*, 6(21), pp. 1–5. doi: 10.1186/1743-7075-6-21.
- Hammad, M. A., Noor, D. A. M. and Sulaiman, S. A. S. (2017) ‘the Effect of Patient’s Adherence on HbA1c Control’, *Archives of Medical and Pharmaceutical Sciences Research*, 01(01), pp. 30–35. Available at: www.sterlingacademicjournals.com.
- Harum, A., Larasati, T. and Zuraida, R. (2013) ‘Hubungan Diet Serat Tinggi dengan Kadar HbA1c Pasien DM Tipe 2 di RSUD DR.H. Abdul Moeloek Provinsi Lampung’, *Medical Journal of Lampung University*, 2(4), pp. 79–87.
- Hastuti, P., Subardjo, Y. P. and Rahmah, H. A. (2020) ‘Hubungan Pola Konsumsi Karbohidrat Sederhana dan Kompleks dengan Kadar HbA1c pada

Penderita Diabetes Mellitus Tipe 2', *J.Gipas*, 4(1), pp. 40–54.

Hong, J. W. *et al.* (2015) 'Association between self-reported smoking and hemoglobin A1c in a Korean population without diabetes: The 2011-2012 Korean national health and nutrition examination survey', *PLoS ONE*, 10(5), pp. 1–13. doi: 10.1371/journal.pone.0126746.

International Diabetes Federation (2019) 'Diabetes Facts & Figures', 2019, p. 1. Available at: <https://www.idf.org/aboutdiabetes/what-is-diabetes/facts-figures.html>
<https://www.idf.org/aboutdiabetes/what-is-diabetes/facts-figures.html>

Irmayanti (2018) *Tesis*. Universitas Gajah Mada.

Isabella *et al.* (2014) 'Hubungan Antara Tingkat Pendidikan dan Riwayat Keluarga Menderita DM dengan Kejadian DM tipe 2 pada Pasien Rawat Jalan di Poliklinik Penyakit Dalam BLU RSUP Prof. Dr. R. D Kandou Manado', *Fakultas Kesehatan Masyarakat Universitas Sam Ratulangi*, pp. 1–6.

Jaacks, L. M. *et al.* (2015) 'Dietary patterns associated with HbA1c and LDL cholesterol among individuals with type 1 diabetes in China', 29(3), pp. 343–349. doi: 10.1016/j.jdiacomp.2014.12.014.Dietary.

Jiang, J. *et al.* (2012) 'Dietary Fiber Intake Is Associated with HbA1c Level among Prevalent Patients with Type 2 Diabetes in Pudong New Area of Shanghai, China', *PLoS ONE*, 7(10), pp. 1–7. doi: 10.1371/journal.pone.0046552.

Juhartini, Nizmawaty, A. and Muhammad, R. (2017) 'Konsumsi Ikan terhadap Kadar Hba1C pada Diabetisi di Kota Ternate', *Link*, 13(1), pp. 32–37. doi: 10.31983/link.v13i1.2186.

Kahn, S. E., Cooper, M. E. and Del Prato, S. (2014) 'Pathophysiology and Treatment of Type 2 Diabetes: perspectives on the past, present, and future', *Lancet*. Elsevier Ltd, 383, pp. 1068–1083. doi: 10.1016/S0140-6736(13)62154-6.

Kautzky-Willer, A. *et al.* (2015) 'Gender-based differences in glycaemic control and hypoglycaemia prevalence in patients with type 2 diabetes: results from patient-level pooled data of six randomized controlled trials', *Diabetes, Obesity and Metabolism*, 17, pp. 533–540. doi: 10.2337/db06-1293.Additional.

Kementerian Kesehatan Republik Indonesia (2019) *InfoDATIN, Direktorat Pencegahan dan Pengendalian Penyakit Tidak Menular, Badan Litbangkes*. Available at: <http://www.depkes.go.id/resources/download/pusdatin/infodatin/hari->

diabetes-sedunia-2018.pdf.

- Kementerian Kesehatan RI (2008) ‘Laporan Nasional Riskesdas 2007’, *Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan, Republik Indonesia Desember 2008*, pp. 1–384. doi: 1 December 2013.
- Kementerian Kesehatan RI (2010) ‘Riset Kesehatan Dasar Tahun 2010’, *Laporan Nasional 2010*, pp. 1–446. doi: 1 Desember 2013.
- Kementerian Kesehatan RI (2012) *Penyakit Tidak Menular, Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia*. Available at: <https://pusdatin.kemkes.go.id/article/view/13010200029/penyakit-tidak-menular.html>.
- Kementerian Kesehatan RI (2018) ‘Hasil Utama Riset Kesehatan Dasar (RISKESDAS) Tahun 2018’, *Journal of Physics A: Mathematical and Theoretical*, 44(8), pp. 1–200. doi: 10.1088/1751-8113/44/8/085201.
- Kementerian Kesehatan RI (2019a) *Cegah, Cegah, dan Cegah: Suara Dunia Perangi Diabetes, Kementerian Kesehatan RI*. Available at: <http://www.depkes.go.id/article/view/17070700004/program-indonesia-sehat-dengan-pendekatan-keluarga.html> (Accessed: 20 October 2019).
- Kementerian Kesehatan RI (2019b) *Penyakit Diabetes Melitus, Direktorat Jenderal P2P*. Available at: <http://p2ptm.kemkes.go.id/informasi-p2ptm/penyakit-diabetes-melitus/page/3>.
- Kementerian Kesehatan RI (2020) ‘Penyakit Tidak Menular Kini Ancam Usia Muda’, *Kementerian Kesehatan RI*, pp. 1–2. Available at: [WWW.depkes.go.id](http://www.depkes.go.id).
- Kementerian Pertanian (2019) *Direktori Perkembangan Konsumsi Pangan, Badan Ketahanan Pangan*. doi: 10.1017/CBO9781107415324.004.
- Kerner, W. and Bruckel, J. (2014) ‘Definition, Classification and Diagnosis of Diabetes Mellitus’, *German Diabetes Association: Clinical Practice Guidelines*, 122, pp. 384–386. doi: 10.1007/s11428-019-0460-1.
- Khattab, M. *et al.* (2010) ‘Factors associated with poor glycemic control among patients with Type 2 diabetes’, *Journal of Diabetes and its Complications*. Elsevier Inc., 24, pp. 84–89. doi: 10.1016/j.jdiacomp.2008.12.008.
- Krapek, K. *et al.* (2004) ‘Medication Adherence and Associated Hemoglobin A1c in Type 2 Diabetes’, *Annals of Pharmacotherapy*, 38, pp. 1357–1362. doi: 10.1345/aph.1D612.
- Kusniyah, Y., Nursiswati and Rahayu, U. (2010) ‘Hubungan Tingkat Self Care dengan Tingkat HbA1c Pada Klien Diabetes Melitus Tipe 2 di Poliklinik Endokrin RSUP DR. Hasan Sadikin Bandung’, (4).

- Larasati, T. (2013) 'Aktivitas Fisik, Diet Serat dan Kadar HbA1c Pasien Diabetes Melitus Tipe 2 di RSUD Abdul Moeloek Proponsi Lampung', *JUKE*, 3(1), pp. 1–5.
- Larose, J. *et al.* (2011) 'Associations between physical fitness and HbA1c in type 2 diabetes mellitus', *Diabetologia*, 54, pp. 93–102. doi: 10.1007/s00125-010-1941-3.
- Lathifah, N. L. (2017) *Hubungan Antara Karakteristik Penderita, Durasi Penyakit, Keteraturan Periksa, dan Kadar Gula Darah dengan Keluhan Subyektif Pada Penderita Diabetes Melitus Tipe 2*, *Journal of Chemical Information and Modeling*. Universitas Airlangga. doi: 10.1017/CBO9781107415324.004.
- Ley, S. H. *et al.* (2015) *Risk Factor for Type 2 Diabetes Melitus*. America. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11333683>.
- M.Chang, A. and Halter, J. B. (2003) 'Aging and insulin secretion', *Journal Endocrinol Metabolosim*, 284, pp. E7–E12. doi: 10.1016/B978-0-12-378638-8.00017-8.
- Ma, Q. *et al.* (2016) 'Association between glycated hemoglobin A1c levels with age and gender in Chinese adults with no prior diagnosis of diabetes mellitus', *Biomedical Reports*, 4(6), pp. 737–740. doi: 10.3892/br.2016.643.
- Maddatu, J., Baucum, E. A. and Molina, C. E. (2017) 'Smoking and the Risk of Type 2 Diabetes', *PubMed Central (PMC)*, 184, pp. 101–107. doi: 10.1016/j.physbeh.2017.03.040.
- Madhu, S. V. and Srivastava, S. (2015) 'Diabetes Mellitus: Diagnosis and Management Guidelines', *Journal International Medical Sciences Academy*, 28(1), pp. 47–50.
- Majid, M. A. *et al.* (2019) 'Association between dietary habit and diabetic risk profiles among diagnosed Type-2 diabetic patients in a selected area of Bangladesh', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. Elsevier Ltd, 13, pp. 1633–1637. doi: 10.1016/j.dsx.2019.03.030.
- Marini, M. A. *et al.* (2014) 'Insulin sensitivity, and β -cell function in relation to hemoglobin A1C', *Nutrition, Metabolism and Cardiovascular Diseases*. Elsevier Ltd, 24(1), pp. 27–33. doi: 10.1016/j.numecd.2013.01.011.
- McGinley, S. K. *et al.* (2014) 'Effects of exercise training using resistance bands on glycaemic control and strength in type 2 diabetes mellitus: a meta-analysis of randomised controlled trials', *Acta Diabetologica*. doi: 10.1007/s00592-014-0594-y.
- Meidikayanti, W. (2017) *Hubungan Dukungan Keluarga dan Aktivitas Fisik dengan Kualitas Hisap Diabetes Melitus Tipe 2*. Universitas Airlangga.

doi: 10.1017/CBO9781107415324.004.

- Mellergard, E., Johnsson, P. and Eek, F. (2020) ‘Sociodemographic factors associated with HbA1c variability in type 2 diabetes: a prospective exploratory cohort study’, *BMC Endocrine Disorders*. *BMC Endocrine Disorders*, 20(102), pp. 1–8. doi: 10.1186/s12902-020-00585-6.
- Mohamed, J. *et al.* (2016) ‘Mechanisms of Diabetes-Induced Liver Damage: The role of oxidative stress and inflammation’, *Sultan Qaboos University Medical Journal*, 16(2), pp. 132–141. doi: 10.18295/squmj.2016.16.02.002.
- Møller, G. *et al.* (2017) ‘A protein diet score, including plant and animal protein, investigating the association with hba1c and eGFR-The PREVIEW project’, *Nutrients*, 9(7), pp. 1–14. doi: 10.3390/nu9070763.
- Mosen, D. M. *et al.* (2017) ‘Assessing the Association Between Medication Adherence and Glycemic Control’, 9(3), pp. 82–88.
- Najafipour, F. *et al.* (2017) ‘Effect of Regular Exercise Training on Changes in HbA1c, BMI and VO 2 Max Among Patients with Type 2 Diabetes Mellitus: An 8-year trial’, *BMJ Open Diabetes Research and Care*, 5(1), pp. 1–8. doi: 10.1136/bmjdr-2017-000414.
- Nathan, D. M. *et al.* (2008) ‘Translating the A1C assay into estimated average glucose values’, *Diabetes Care*, 31(8), pp. 1473–1478. doi: 10.2337/dc08-0545.
- National Diabetes Education Program (2017) ‘Diabetes: What Is It?’, *CDC*, p. 2. Available at: <https://www.cdc.gov/diabetes/diabetesatwork/pdfs/DiabetesWhatIsIt.pdf>.
- Nilsson, P. M. *et al.* (2004) ‘Smoking is associated with increased HBA1C values and microalbuminuria in patients with diabetes’, *Diabetes & Metabolism*, 30, pp. 261–268.
- Nurayati, L. and Adriani, M. (2017) ‘Hubungan Aktifitas Fisik dengan Kadar Gula Darah Puasa Penderita Diabetes Melitus Tipe 2’, *Amerta Nutrition*, 1(2), pp. 80–87. doi: 10.20473/amnt.v1i2.6229.
- Omran, A. R. (2005) ‘The Epidemiologic Transtition: A theory of the Epidemiology of Population Change’, *The Milbank Memorial Fund Quarterly*, 83(4), pp. 731–67. doi: 10.1007/s13398-014-0173-7.2.
- Pamungkas, R. A. *et al.* (2017) ‘Factors Associated With Poor Glycemic Control Among Type 2 Diabetes Mellitus in Indonesia’, *Belitung Nursing Journal*, 3(3), pp. 272–280. doi: 10.33546/bnj.61.
- Permana, H. (2000) ‘Komplikasi Kronik dan Penyakit Penyerita pada Diabetes’, *Medical Care*.

- Putra, I. W. A. (2016) *Hubungan Antara Olahraga dan Pola Makan Pada Pasien Diabetes Melitus Tipe 2 dengan Kadar HbA1c di RSUD Dr. H. Abdoel Moeloek Bandar Lampung, Journal of Chemical Information and Modeling*. Universitas Lampung. doi: 10.1017/CBO9781107415324.004.
- Ramadhanisa, A., Larasati, T. and Mayasari, D. (2013) 'Hubungan Aktivitas Fisik dengan Kadar HbA1c Pasien Diabetes Melitus Tipe 2 di Laboratorium Patologi Klinik RSUD DR. H. Abdul Moeloek Bandar Lampung', *Medical Journal of Lampung University*, 2(4), pp. 44–51.
- Rawal, G. *et al.* (2016) 'Glycosylated hemoglobin (HbA1C): A brief overview for clinicians', *Indian Journal of Immunology and Respiratory Medicine*, 1(2), pp. 33–36.
- Reswan, H., Alioes, Y. and Rita, R. S. (2017) 'Gambaran Glukosa Darah pada Lansia di Panti Sosial Tresna Werdha Sabai Nan Aluih Sicincin', *Jurnal Kesehatan Andalas*, 6(3), pp. 673–678. doi: 10.2523/17967-ms.
- Sacks, D. B. *et al.* (2011) 'Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus', *Diabetes Care*, 34(6). doi: 10.2337/dc11-9998.
- Saghir, S. A. M. *et al.* (2019) 'Factors associated with poor glycemic control among type-2 diabetes mellitus patients in Yemen', *Tropical Journal of Pharmaceutical Research*, 18(7), pp. 1539–1546. doi: 10.4314/tjpr.v18i7.26.
- Saibuathong, N. and Neelapaichit, N. (2015) 'Smoking, Hemoglobin A1c and Complications in People with Type 2 Diabetes Mellitus', *The Bangkok Medical Journal*, 10(01), pp. 10–15. doi: 10.31524/bkkmedj.2015.09.003.
- Sakane, N. *et al.* (2017) 'Determinants of Glycated Hemoglobin in Subjects With Impaired Glucose Tolerance: Subanalysis of the Japan Diabetes Prevention Program', *Journal of Clinical Medicine Research*, 9(4), pp. 360–365. doi: 10.14740/jocmr2928w.
- Samara, M. *et al.* (2017) 'Prevalence of Glycemic Control and Factors Associated With Increasing Levels of Hba1c Among A Sample of Palestinian Patients With Type 2 Diabetes Mellitus', *Palestinian Medical and Pharmaceutical Journal*, 2(2), pp. 82–92.
- Sargeant, L. A. *et al.* (2001a) 'Cigarette smoking and glycaemia: The EPIC-Norfolk study', *International Journal of Epidemiology*, 30, pp. 547–554. doi: 10.1093/ije/30.3.547.
- Sargeant, L. A. *et al.* (2001b) 'Cigarette Smoking and Glycaemia: The EPIC-Norfolk study', *International Journal of Epidemiology*, 30(3), pp. 547–554. doi: 10.1093/ije/30.3.547.
- Sari, N. (2017) *Pengaruh Merokok Terhadap Kadar Glukosa Darah dan Kadar*

HbA1c pada Penderita Diabetes Melitus di Rumah Sakit Universitas Sumatera Utara. Universitas Sumatera Utara.

- Saslow, L. R. *et al.* (2014) ‘A randomized pilot trial of a moderate carbohydrate diet compared to a very low carbohydrate diet in overweight or obese individuals with type 2 diabetes mellitus or prediabetes’, *PLoS ONE*, 9(4). doi: 10.1371/journal.pone.0091027.
- Setia, M. S. (2016) ‘Methodology Series Module 3: Cross-sectional studies’, *Indian Journal of Dermatology*, 61(3), pp. 261–264. doi: 10.4103/0019-5154.182410.
- Sherifali, D. *et al.* (2010) ‘The Effect of Oral Antidiabetic Agents on A1C levels: A systematic review and meta-analysis’, *Diabetes Care*, 33(8), pp. 1859–1864. doi: 10.2337/dc09-1727.
- Sigal, R. J. *et al.* (2018) ‘Physical Activity and Diabetes’, *Canadian Journal of Diabetes*, 42, pp. S54–S63. doi: 10.1016/j.jcjd.2017.10.008.
- Sliwiska-Mosson, M. and Milnerowicz, H. (2017) ‘The impact of smoking on the development of diabetes and its complications’, *Diabetes and Vascular Disease Research*, 14(4), pp. 265–276. doi: 10.1177/1479164117701876.
- Soelistijo, S. A. *et al.* (2015) *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. 1st edn, PERKENI. 1st edn. Jakarta: PB. PERKENI.
- Strauss, J. *et al.* (2016) ‘The 5th Wave of the Indonesia Family Life Survey (IFLS): Overview and Field Report’, (WR-144/1-NIA/NCHID). Available at:
http://www.rand.org/content/dam/rand/pubs/working_papers/WR1100/WR1143z2/RAND_WR1143z2.pdf.
- Sunarti (2017) *Serat Pangan dalam Penanganan Sindrom Metabolik*. Yogyakarta: Gadjah Mada University Press. Available at:
https://books.google.co.id/books?id=jhlmDwAAQBAJ&printsec=frontcover&hl=id&source=gbs_ge_summary_r&cad=0#v=onepage&q=Serat Pangan dalam Penatalaksanaan Diabetes Melitus&f=false.
- T.V.D, S. *et al.* (2013) ‘Gender: Does it have role has a role in glycaemic control and diabetic distress in type 2 diabetes?’, *IOSR Journal of Dental and Medical Sciences*, 4(6), pp. 48–51. doi: 10.9790/0853-0464851.
- Todkar, S. S. (2016) ‘Diabetes mellitus the “Silent Killer” of mankind: An overview on the eve of upcoming World Health Day!’, *Journal of Medical and Allied Sciences*, 6(1), pp. 39–44. doi: 10.5455/jmas.214333.
- Tolonen, H. *et al.* (2002) *Review of Surveys for Risk Factors of Major Chronic Diseases and Comparability of the Results*. Finland: European Health Risk Monitoring (EHRM) Project.

- Velázquez-López, L. *et al.* (2016) 'Fiber in Diet is Associated with Improvement of Glycated Hemoglobin and Lipid Profile in Mexican Patients with Type 2 Diabetes', *Journal of Diabetes Research*, pp. 1–9. doi: 10.1155/2016/2980406.
- Vetrivel Venkatasamy, V. *et al.* (2013) 'Effect of physical activity on insulin resistance, inflammation and oxidative stress in diabetes mellitus', *Journal of Clinical and Diagnostic Research*, 7(8), pp. 1764–1766. doi: 10.7860/JCDR/2013/6518.3306.
- Vidhya, K. (2015) 'The Effects of Cigarette Smoking on Glycosylated Hemoglobin in Nondiabetic Individuals', *International Journal of Advanced Research*, 3(12), pp. 566–571.
- WHO (2011) *Use of Glycated Haemoglobin (HbA1c) in the Diagnosis of Diabetes Mellitus*. WHO. doi: 10.1007/BF00534342.
- WHO (2019) 'Types of Tobacco Use', *WHO*, pp. 20–21.
- Widyastuti (2017) *Hubungan Kadar Glukosa Darah dengan HbA1c pada Penderita Diabetes Melitus (DM) Tipe 2*. Universitas Muhammadiyah Semarang.
- Woldu, A. M. *et al.* (2014) 'Factors Associated with Poor Glycemic Control among Patients with Type 2 Diabetes Mellitus in Ambo Hospital, Ambo; Ethiopia', *Endocrinology & Metabolic Syndrome*, 03(04), pp. 2–6. doi: 10.4172/2161-1017.1000143.
- Wolever, T. M. S. (2000) 'Dietary carbohydrates and insulin action in humans', *British Journal of Nutrition*, 83(1), pp. S97–S102. doi: 10.1017/s0007114500001021.
- World Health Organization (2015) *World Health Organization, World Health Organization*.
- World Health Organization (2016) 'Diabetes Country Profile', *World Health Organization*, p. 1. Available at: https://www.who.int/diabetes/country-profiles/bra_en.pdf.
- World Health Organization (2018) *Noncommunicable Disease, Heart of Africa: Clinical Profile of an Evolving Burden of Heart Disease in Africa*. doi: 10.1002/9781119097136.part5.
- World Health Organization (2020) 'Diabetes'. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes>.
- Wulandari, I. A. T., Herawati, S. and Wandu, I. N. (2020) 'Gambaran Kadar HbA1c pada Pasien Diabetes Melitus Tipe II di RSUP Sanglah Periode Juli-Desember 2017', *Jurnal Medika Udayana*, 9(1), pp. 71–75.

- Yu, K. *et al.* (2014) ‘The impact of soluble dietary fibre on gastric emptying, postprandial blood glucose and insulin in patients with type 2 diabetes’, *Asia Pacific Journal of Clinical Nutrition*, 23(2), pp. 210–218. doi: 10.6133/apjcn.2014.23.2.01.
- Yu, Z. *et al.* (2019) ‘Effects of high-protein diet on glycemic control, insulin resistance and blood pressure in type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials’, *Clinical Nutrition*. Elsevier Ltd, pp. 1–11. doi: 10.1016/j.clnu.2019.08.008.