

## DAFTAR PUSTAKA

- Almatsier, S. 1989. Prinsip Dasar Ilmu Gizi. Penerbit Gramedia. Jakarta.
- Arvanitoyannis I, Biliaderis CG.1999.Arvanitoyannis, S. I and Biliaderis, C. G. 1999. Physical Properties of Polyol–Plasticized Edible Blends Made of Methyl Cellulose and Soluble Starch. Carbohydrate Polymers. 38, 47 – 48. Carbohydr Polym 38:47–58.
- Arvanitoyannis I, Nakayama A, Aiba S-I. 1998. Edible films made from hydroxypropyl starch and gelatin and plasticized by polyols and water. Carbohydr Polym 36:105–119.
- Bourtoom T., M.S. Chinnan,2, P. Jantawat dan R. Sanguandeekul. 2005. Effect of *Plasticizer* Type and Concentration on the Properties of *Edible film* from Water-Soluble Fish Proteins in Surimi Wash-Water. Food Science and Technology International. 12: 119
- Budianto, A K. 2009. Dasar-Dasar Ilmu Gizi. Malang. UMM Pers.
- Cao, N., X. Yang and Y. Fu. 2009. Effects of various *plasticizers* on mechanical and water vapor barrier properties of gelatin films. Food Hydrocolloids, 23 : 729-735.
- Caner, C., P.J. Vergano and J.L.Wiles. 1998. Chitosan film mechanical and permeation properties as affected by acid, *plasticizer* and storage. J. Food Sci, (63), 1049-1053.
- Chang C, Nickerson M. 2014. Effect of *plasticizer*-type and genipin on the mechanical, optical, and water vapor barrier properties of canola protein isolate-based *edible films*. Eur Food Res Technol. 238:35–46.
- Choi, S.S., and Regenstein, J.M. 2000. Physicochemical and Sensory Characteristics of Fish Gelatin. Journal of Food Science. 65 : 194-199.
- Cho, S.M., K.S. Kwak., D.C. Park., Y.S. Gu., C.I. Ji., and D.H. Jang. 2004. Processing optimization and functional properties of gelatin from shark (*Isurus oxyrinchus*) cartilage. Food Hydrocolloid, 18 : 573-579.
- Craig, D.Q.M., 1990, Polyethylene Glycols and Drug Release, Drug Dev. Ind. Pharm. 16, 2501-2526.Cristsania. 2008. Pengaruh Pelapisan Dengan *Edible coating* Berbahan Baku Karagenan Terhadap Karakteristik Buah Stroberi (*Fragaria nilgerrensis*) Selama Penyimpanan Pada Suhu 5OC + 2 OC. Skripsi. Teknologi Industri Pertanian, Universitas Padjadjaran, Jatinangor.
- Cuq B., Gontard N., Guilbert S. and Guilbert S. (1997). Selected functional properties of fish myofibrillar protein-based films as affected by hydrophilic *plasticizers*. Journal of Agricultural and Food Chemistry 45: 622–626.

- Di Piero, P., B. Chico, R. Villalongan, L., Mariniello, A. Damiao, P. Masi. 2006. Chitosan-Whey Protein *Edible film* Produces in The Presence of Transglutaminase; analisys of Their and Barrier Properties. *Biomacromolekules*, 7: 744-749.
- Donhowe, I.G. dan Fennema, O.R. 1994. *Edible films and Coatings* Characteristics, Formation, Definitions, and Testing Methods. Academic Press Inc., London.
- Fahrullah, Malaka, R., dan Maruddin, F. 2015. Karakteristik *edible film* berbahan dasar whey dangke, karagenan dan jenis *plasticizer* sorbitol dan gliserol. *J. Sain dan Teknologi*, 15 (3), 288-293.
- Fahlivi, M.R. 2009. Characteristic of Collagen and Gelatin Hydrolysate from Milkfish (*Chanoschanos*) Bone and Its Antioxidant Activities. Master Thesis. Departement of Seefood Science, National Kaohsiung Marine University.
- Fatimah, D. 2008. Efektifitas Penggunaan Asam Sitrat dalam Pembuatan Gelatin Tulang Ikan Bandeng. Universitas Islam Negeri Malang.
- Galdeano MC, Wilhelm AE, Mali S, Grossmann MVE (2013) Influence of thickness on properties of plasticized oat starch films. *Braz Arch Biol Technol* 56:637–644.
- Gaman, P.M., dan Sherrington, K.B, (1992), Pengantar Ilmu Pangan Nutrisi dan Mikrobiologi, edisi kedua, Gadjah mada University, Yogyakarta.
- Gennadios A. and C.L. Weller. 1990. *Edible films and coating* from wheat and corn proteins. *Food Technol.* 44: 10: 63–69.
- Gennadios A., Weller C.L. and Testin R.F. 1993. Property modification of edible wheat gluten-based films. *Transactions of the ASAE* 36: 465–470.
- Ghasemzadeh Raheleh, kharbasi, A, dan H, B, Ghoddousi. 2008. Application Of EdibleCoating For Improvement Of Quality And Shelf-Life Of Raisins. *World AppliedSciences Journal* 3(1):82-87.
- Gontard N., Guilbert S. and Cuq J.L. 1993. Water and glycerol as *plasticizers* affect mechanical and water vapor barrier properties of an edible wheat gluten film. *Journal of Food Science* 58: 206–211.
- Haris, M. A. 2008. Pemanfaatan Limbah Tulang Ikan Nila (*Oreochromis niloticus*) sebagai Gelatin dan Pengaruh Lama Penyimpanan pada Suhu Ruang. Skripsi. Institut Pertanian Bogor, Bogor
- Hadi S. 2005. Karakteristik Fisiko Kimia Gelatin dari Tulang Ikan Kakap Merah (*Lutjanus sp.*) serta Pemanfaatannya dalam Produk Jelly. Skripsi. Institut Pertanian Bogor, Bogor.

- Jannah dan Fatimah. 2008. Efektifitas Penggunaan Asam Sitrat dalam Pembuatan Gelatin Ikan Bandeng (*Chanos chanos* Forskal). Jurusan Kimia, Fakultas Sains dan Teknologi, Universitas Islam Negeri Maulana Malik Ibrahim. Malang.
- Jun H. Han. 2005. Innovations in Food Packaging. Elsevier Ltd.
- Junianto, Haetami, Maulina. 2006. Produksi gelatin dari tulang ikan dan pemanfaatannya sebagai bahan dasar pembuatan cangkang kapsul. Bandung (ID): Universitas Padjadjaran.
- Kowalczyk dan Baraniak, 2011. Effects of *plasticizers*, pH and heating of film-forming solution on the properties of pea protein isolate films. Journal of Food Engineering. 105 : 295-305.
- Krochta, J. M. and Johnston, C de-Mulderson. 1997. Edible and Biodegradable Polymers Film: Changes & Opportunities. Food Technol 51 (2): 61-74.
- Krochta, J.M., E.A. Baldwin, and M.O. Nisperos-Carriedo. 1994. *Edible coatings and Films to Improve Food Quality*. Lancaster Pa. Technomic Publishing.
- Krochta, J. M. 2002. Proteins as raw materials for films and *coatings*: definitions, current status, and opportunities ProteinBased Films and *Coatings*,. Boca Raton, FL: CRC Press. 1-41
- Lalopua,Vonda M.N.2004. Pembuatan *Edible film* Kalsium Alginat dari *Sargassum* sp. Jurnal Teknologi Hasil Perikanan. 3 (1) Januari 2004:35-40.
- Lee, S. Y. dan Wan, V. C. H. 2006. *Edible films and coatings*. Di dalam: Y. H. Hui (Ed.). Handbook of Food Science, Technology, and Engineering Volume 3. Boca Raton: Taylor & Francis Group.
- Leung HK. 1986. Water activity and other colligative properties of foods. In Okos MR (ed) Physical and Cemical Properties of Food. American Society of Agricultural Engineers, Michigan, pp 138–185
- Leuner, C. and Dressman, J., 2000, Improving drug solubility for oral delivery using solid dispersion, Eur. J. Pharm. Biopharm., 50, 47-60.
- Marseno, D.W. 2003. Pengaruh Sorbitol Terhadap Sifat Mekanik dan Transmisi Uap Air Film dari Pati Jagung. Prosiding Seminar Nasional Industri Pangan. Yogyakarta.
- Martin, A., J. Swarbrick, dan A. Cammarata. (1993). Farmasi Fisik: Dasar-dasarFarmasi Fisik dalam Ilmu Farmasetik. Edisi Ketiga.Penerjemah: Yoshita.Jakarta: UI-Press.
- Mc.Hugh, T.H., J.F. Aujard and J.M. Krochta. 1994. Plasticized whey protein *edible films* : water vapor permeability. J. Food Sci, 59 : 416 – 419.

- Mulia. 2006. Keefektifan Vaksin Aeromonas hydrophilla untuk Mengendalikan Penyakit MAS (Motile Aeromonas Septicemia) pada Gurami (Osphronemus gouramy). Jurnal Pembangunan Pedesaan. 7 (1):43-52.
- Murtini, J.T., D. Dahlia, & B. Mursito. 2009. Ekstraksi gelatin dari tulang ikan kakap putih (*Lates calcarifer* Bloch) dan analis komposisi asam amino. Seminar Nasional Tahun IV Perikanan dan Kelautan. Yogyakarta. Prosiding PB-04.
- Myhrman R, Bruner-Lorand J. 1970. Lobster muscle transpeptidase. Methods enzymol 19: 765.
- Nuanmano S, Prodpran T, Benjakul S. 2015. Potential use of gelatin hydrolysate as *plasticizer* in fish myofibrillar protein film. Food Hydrocolloid 47:61–68.
- Orliac O, Rouilly A, Silvestre F, Rigal L. 2003. Effects of various plasticizers on the mechanical properties, water resistance and aging of thermo-moulded films made from sunflower proteins. Ind Crops Prod 18:91–100.
- Ou S, Wang Y, Tang S, Huang C, Jackson MG. 2005. Role of ferulic acid in preparing *edible films* from soy protein isolate. J Food Eng 70(2):205–10.
- Paschoalick TM, Garcia FT, Sobral PJA, Habitante AMQB. 2003. Characterization of some functional properties of edible films based on muscle proteins of nile tilapia. Food Hydrocolloids 17:419–427.
- Piotrowsska Barbara, Katarzyna Sztuka, Ilona Kolodziejska, Elzbieta Dobrosielska. 2008. Influence of transglutaminase or 1-ethyl-3- (3-dimethylaminopropyl) carbodiimide (EDC) on the properties of fish-skin gelatin films. Jurnal food hydrocolloids (22): 1362-1371.
- Prasetyaningrum, A., Rokhati, N., Kinashih, D. N., & Wardhani, F. D. 2010. Karakterisasi Bioactive *Edible film* dari Komposit Alginat dan Lilin Lebah sebagai Bahan Pengemas Makanan Biodegradable. Jurnal Riptek. Vol. 1. 78-80
- Poedjiadi, A. 1994. Dasar-Dasar Biokimia. Penerbit UI-Press: Jakarta
- Rohman, M. A. 2016. Pengaruh Penambahan Glutaraldehida terhadap Karakteristik Film Bioplastik Kitosan Terplastis Carboxy Methyl Cellulose (CMC). Skripsi. Fakultas Perikanan dan Kelautan. Universitas Arlangga. Surabaya, 6-19.
- Raymond C. 2006. Kimia Dasar Edisi ketiga Jilid 1. Penerbit Erlangga. Jakarta
- Saputra, E., Kismiyati, H. Pramono, A. A. Abdillah dan M. A. Alamsjah. An *Edible film* Characteristic of Chitosan Made from Shrimp Waste as a *Plasticizer*. Journal of Natural Sciences Research, 5 (4) : 118 – 124.

- Simpson, B.K. 2000. Digestive proteinases from marine animals. In Seafood Enzymes: Utilization and Influence on Postharvest Seafood Qualit, New York, pp. 531-540.
- Skurlys, O. Acevedo., Cpedreschi., F.Enrione., J.Osorio., dan F.Aguilera.2011. Food Hydrocolloid *Edible films and Coatings*. Universidad de Santiago de Chile.
- Sorbal P.J.A., Menegalli F.C., Hubinger M.D. and Roques M.A. 2001. Mechanical, water vapor barrier and thermal properties of gelatin based *edible film*. Food Hydrocolloids 15: 423–432.
- Sothornvit, R. dan Krochta, J. M. 2005. *Plasticizers in edible films and coatings*. Di dalam: J. H. Han (Ed.). Innovations in Food Packaging, pp. 403-433. London: Elsevier Academic Press.
- Sudarmadji, S; B. Haryono dan Suhardi. 1989. Analisa Bahan Makanan dan Pertanian. Penerbit Liberty. Yogyakarta.
- Suyatma, N. E., L. Tighzert, and A. Copinet. 2005. Effects of Hydrophilic plasticizers on Mechanical, Thermal, and Surface Properties of Chitosan films. J. Agric. Food Chem, 53: 3950-3957Tanaka M, Iwata K, Sanguandekul R, Handa A, Ishizaki S. (2001) Fish Sci 67:346–351.
- Taufik, M. 2011. Potensi Kulit Kaki Ayam Broiler sebagai Bahan Dasar Gelatin dan *Edible film*. Disertasi, Program Pascasarjana, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Tazwir & R. Kusumawati. 2009. Produksi gelatin kulit tuna (*Thunus sp.*) secara asam dengan modifi kasi teknik ekstraksi menggunakan ion exchange dan freeze 'drying. Seminar Nasional Tahun IV Perikanan dan Kelautan. Yogyakarta. Prosiding PB-14.
- Tazwir, D. L. Ayudiarti dan R. Peranginangin. 2007. Optimasi Pembuatan Gelatin Dari Tulang Ikan Kaci-kaci Menggunakan Berbagai Konsentrasi Asam Dan Waktu Ekstraksi. Jurnal Pascapanen dan Bioteknologi Kelautan.
- Wahyuni, M. Dan P. Rosmawaty. 2003. Perbaikan daya saing industri pengolahan perikanan melalui pemanfaatan limbah non ekonomis ikan menjadi gelatin. Artikel. Departemen Kelautan dan Perikanan Jakarta.
- Wang, J., J. Sang, and F. Ren. 2010. Study of the Physical Propertes of Whey Protein; Sericin Protein-Blended *Edible film*. Eur. Food Res. Tech., 231: 109-116.
- Wang, Y., A. Liu, R. Ye, W. Wang dan X. Li. 2015. Transglutaminase-induced crosslinking of gelatin-calcium carbonate composite films. Journal Food Chemistry, 166 : 414 – 422.

Winarno, F.G.1992. Kimia Pangan dan Gizi, Penerbit PT. Gramedia Pustaka Utama, Jakarta.

Yang L. and Paulson A.T. 2000. Mechanical and water vapor barrier properties of edible gellan films. Food Research International 33: 563–570.