

**DAFTAR PUSTAKA**

- Afoakwa, E. O., Paterson, A., Fowler, M., & Vieira, J. 2009. Influence of tempering and fat crystallization behaviours on microstructural and melting properties in dark chocolate systems. *Food Research International*, 42 (1) : 200-209.
- Amin, M. N. G., Pralebda, S. A., Hasan, M. N., Subekti, S., Saputra, E., Andriyono, S., ... & Alamsjah, M. A. 2018. Physicochemical properties of *Bruguiera gymnorrhiza* flour (BGF). *International Food Research Journal*, 25 (5) : 1852-1857.
- Angelia, I.O. 2017. Kandungan Ph, Total Asam Tertitrasi, Padatan Terlarut Dan Vitamin C Pada Beberapa Komoditas Hortikultura. *Journal of Agritech Science*, 1(2) : 68-74.
- Aroyeun, S. O., & Jayeola, C. O. 2016. Effects of Green Tea Extracts on the Caffeine, Tannin, Total Polyphenolic Contents and Organoleptic Properties of Milk Chocolate. *J Food Process Technol*, 7 (579) : 2.
- Awika, J. M., Yang, L., Browning, J. D., & Faraj, A. 2009. Comparative antioxidant, antiproliferative and phase II enzyme inducing potential of sorghum (*Sorghum bicolor*) varieties. *LWT-Food Science and Technology*, 42 (6) : 1041-1046.
- Belitz, H.D., Grosch, W. dan Scheberle, P. 2004. Food Chemistry. Springer-Verlag. Berlin. p : 560.
- Bertazzo, A., Comai, S., Mangiarini, F. dan Chen, Su. 2013. Composition of Cacao Beans. Di dalam: R.R. Watson *et al.* (eds.), *Chocolate in Health and Nutrition, Nutrition and Health 7*. Humana Press. New York.
- Buck, D. F. 1991. Antioxidants. In *Food Additive User's Handbook*. Springer, Boston, MA. p : 1-46.
- Caballero, B., Finglas, P., & Toldrá, F. 2015. *Encyclopedia of food and health*. Academic Press.
- Cahyaningtya, Y. D. 2018. Pengaruh Lama Fermentasi Terhadap Total Asam Tertitrasi (TAT) dan Karakteristik Fisik (Uji Organoleptik) Pada Teh Kombucha Serai (*Cymbopogon citratus*). Universitas Sanata Dharma. Yogyakarta.
- Desrosier, N.W. 1988. *Teknologi Pengawetan Pangan*. Penerjemah M. Muljoharjo. UI Press. Jakarta

- Di Mattia, C. D., Sacchetti, G., Mastrocola, D., & Serafini, M. 2017. From cocoa to chocolate: The impact of processing on in vitro antioxidant activity and the effects of chocolate on antioxidant markers in vivo. *Frontiers in immunology*, 8 (1207) : 1-7.
- Dia, S. P. S., Nurjanah, N., & Jacob, A. M. 2015. Komposisi Kimia dan Aktivitas Antioksidan Akar, Kulit Batang, dan Daun Lindur. *Jurnal Pengolahan Hasil Perikanan Indonesia*, (18) : 201-219.
- Duke N.C., and James, A.A. 2006. *Bruguiera gymnorrhiza* (large-leafed mangrove). Elevation, CR Species Profiles for Pacific Island Agroforestry. Permanent Agriculture Resources (PAR), Hōlualoa, Hawai'i.
- Effendi, M. S. 2016. Kajian Organoleptik dan Fisiko Kimia Olahan Cokelat Rasa Jahe Dengan Tempering Dan Tanpa Tempering. Doctoral Dissertation, Fakultas Teknik Unpas.
- EFSA Panel on Food Contact Materials, Enzymes, Flavourings and Processing Aids (CEF). 2013. Scientific Opinion on the toxicological evaluation of phenol. *EFSA Journal*, 11(4): 3189.
- Fessenden, R.J. dan J.S.Fessenden. 1999. Kimia Organik. Jilid I. Alih Bahasa A.H. Pudjaatmaka. Erlangga. Jakarta.
- Genovese, M. I., & Lannes, S. C. D. S. 2009. Comparison of total phenolic content and antiradical capacity of powders and "chocolates" from cocoa and cupuassu. *Food Science and Technology*, 29 (4) : 810-814.
- Glen, H.F. 2005. *Bruguiera gymnorrhiza* (L.) Lam. KwaZulu-Natal Herbarium. the South African National Biodiversity Institute's.
- Harris, D.C. 2000. Quantitative Chemical Analysis 5th ed. New York(US): W H Freeman and Company
- Hartomo. A.J, dan M.C. Widiatmoko. 1993. Emulsi dan Pangan Instant Berlesitin. Andi Offset. Jogjakarta.
- Hidayat, T., Pipit, S., dan Nurjanah. 2013. Karakterisasi Tepung Buah Lindur (*Bruguiera gymnorrhiza*) Sebagai Beras Analog Dengan Penambahan Sagu dan Kitosan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 16 (3) : 268 – 277.
- Ho,C., Lee, C.Y., and Huang, M.T. 1992. Phenolic Compound in Food and Their Effects on Health I : Analysis, Occurrence, and Chemistry, ACS Symposium Series, American Chemical Society Washington, DC.
- Hudiyanti, D., Tri, J.R., Narsito, dan Sri, N. 2012. Isolasi Dan Karakterisasi Lesitin Kelapa Dan Wijen. *Jurnal AGRITECH*, 32 (1) : 23-26.

- Indarti, E., Normalina, A., dan Slamet, B. 2013. Kajian Pembuatan Cokelat Batang Dengan Metode Tempering Dan Tanpa Tempering. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 5 (1) : 1-6.
- Irwanto. 2006. Analisis Vegetasi Untuk Pengelolaan Kawasan Hutan Lindung Pulau Marsegu, Kabupaten Seram Bagian Barat, Provinsi Maluku. Universitas Gajah Mada, Yogyakarta.
- Jacob, A.M., Suptijah, P., dan Zahidah. 2013. Komposisi Kimia, Komponen Bioaktif, dan Aktivitas Antioksidan Buah Lindur (*Bruguiera gymnorrhiza*). *Jurnal Pengolahan Hasil Perikanan Indonesia*. 16 (1) : 86 – 94.
- Jan, R., Saxena, D.C., and Singh, S. 2016. Physico-Chemical, Textural, Sensory and Antioxidant Characteristics of Gluten-Free-Cookies Made from Raw and Germinal Chenopodium (*Chenopodium Album*) Flour. *Journal of Food Science and Technology*, 71 : 281 – 287.
- Joel, N., Pius, B., Deborah, A., & Chris, U. 2013. Production and quality evaluation of cocoa products (plain cocoa powder and chocolate). *American journal of food and nutrition*, 3 (1), 31-38.
- Kim, M. C., & Pratt, D. E. 1992. Thermal degradation of phenolic antioxidants.
- Latif, R. 2013. Chocolate/cocoa and human health : a review. *The Journal of Medicine*, 71 (2) : 63-68.
- Lecumberri, E., Goya, L., Mateos, R., Alía, M., Ramos, S., Izquierdo-Pulido, M., & Bravo, L. 2007. A diet rich in dietary fiber from cocoa improves lipid profile and reduces malondialdehyde in hypercholesterolemic rats. *Nutrition*, 23 (4) : 332-341.
- Lončarević, I., Pajin, B., Fišteš, A., Šaponjac, V. T., Petrović, J., Jovanović, P., ... & Zarić, D. 2018. Enrichment of white chocolate with blackberry juice encapsulate: Impact on physical properties, sensory characteristics and polyphenol content. *LWT*, 92 : 458-464
- Lončarević, I., Pajin, B., Tumbas Šaponjac, V., Petrović, J., Vulić, J., Fišteš, A., & Jovanović, P. 2019. Physical, sensorial and bioactive characteristics of white chocolate with encapsulated green tea extract. *Journal of the Science of Food and Agriculture*, 99 (13) : 5834-5841.
- Minifie, W. B. 1999. Chocolate, Cocoa and Confectionery, Science and Technology. Verlag AVI Publishing Company, Inc., Westport/Connecticut.
- Monika, P., Widyawati, P. S., & Sutedja, A. M. 2017. Perubahan Kadar Senyawa Bioaktif dan Aktivitas Antioksidan Beras Organik Merah Varietas Lokal dalam Kemasan Polipropilen dengan Variasi Lama Penyimpanan. *Jurnal Teknologi Pangan dan Gizi*, 13(1), 1-5.

- Mudjirahmini, D., dan T. Ersam. 2006. 4-Fenilkumarin pada Fraksi Polar Ekstrak Etil Asetat dari Batang *Garcinia balica* Miq. Seminar Nasional Kimia VIII, 8 : 1-9.
- Mulato, S, S. Widyotomo, Misnawi, E. Suharyanto. 2005. Pengolahan Produk Primer dan Sekunder Kakao. Pusat Penelitian Kopi dan Kakao Indonesia. Jember.
- Mulato, S., dan Suharyanto, E. 2014. Kakao, Cokelat, dan Kesehatan. Pusat Penelitian Kopi dan Kakao, Jember.
- Nair, C.I., Jayachandran, K., and Shashidar, S. 2008. Biodegradation of Phenol. *African Journal of Biotechnology*, 7 : 4951-4958.
- National Center for Biotechnology Information. 2019. PubChem Database. Phenol.
- Pavlovic, A., Mrmosanin, J., Krstic, J., Mitic, S., Tosic, S., Mitić, M., ... & Micic, R. 2017. Effect of storage temperature on the decay of catechins and procyanidins in dark chocolate. *Czech Journal of Food Sciences*, 35 (4): 360-366.
- Petromijevic, J.L., Drazenka, K., Stanislava, G., Ana, B.C., Lato, P., Ferenc, P., Sanja, O., Jovanka, P.R., and Desanka, S. 2016. Effect of Chocolate Storage on Total Phenolics, Flavan-3-Ols, Proanthocyanidins, Oxidative Stability and Antioxidant Capacity. *Journal of Food Technology and Biotechnology*, 54 (1) : 13-20.
- Purnobasuki. 2011. Hasil Penelitian Kandungan Buah *Bruguiera gymnorrhiza*.
- Ristanti, E.Y., Suprapti, dan Dhenok, A. 2016. Karakteristik Komposisi Asam Lemak Pada Biji Kakao Dari 12 Daerah Di Sulawesi Selatan. *Jurnal Industri Hasil Perkebunan*, 11 : 15-22.
- Sabahannur, S.T. dan Nirwana. 2017. Kajian Pengaruh Berat Biji Kakao Perkotak Dan Waktu Pengadukan Terhadap Keberhasilan Proses Fermentasi. *Jurnal Pendidikan Matematika dan IPA*, 8 (2) : 18 – 30.
- Sah, B. N. P., Vasiljevic, T., McKechnie, S., & Donkor, O. N. 2016. Physicochemical, textural and rheological properties of probiotic yogurt fortified with fibre-rich pineapple peel powder during refrigerated storage. *LWT-Food Science and Technology*, 65 : 978-986.
- Seknun, N. 2012. Pemanfaatan Tepung Buah Lindur Dalam Pembuatan Dodol Sebagai Upaya Dalam Meningkatkan Nilai Tambah. Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor.

- Sharma, B., Gujral, H. S., and Solah, V. 2017. Effect of Incorporating finger Millet in Wheat Flour on Mixolab Behavior, Chepatti Quality. And Starch Digestibility. *Journal of Food Chemistry*, 231 (4) : 156 – 164.
- Siagian, A. 2002. Bahan Tambahan Makanan. Fakultas Kesehatan Masyarakat, Universitas Sumatera Utara. Medan.
- Singh, R. G., Negi, P. S., & Radha, C. 2013. Phenolic composition, antioxidant and antimicrobial activities of free and bound phenolic extracts of *Moringa oleifera* seed flour. *Journal of functional foods*, 5 (4) : 1883-1891.
- Sulistiyawati, Wignyanto, dan Sri, K. 2012. Produksi Tepung Buah Lindur (*Bruguiera gymnorrhiza* Lamk.) Rendah Tanin Dan Hcn Sebagai Bahan Pangan Alternatif. *Jurnal Teknologi Pertanian*, 13 (3) : 187 – 198.
- Tensiska, W. C., & Andarwulan, N. 2003. Aktivitas antioksidan ekstrak buah andaliman (*Zanthoxylum acanthopodium* DC) dalam beberapa sistem pangan dan kestabilan aktivitasnya terhadap kondisi suhu dan pH. *JTIP*, 14 (1) : 29-39.
- Thiansilakul, Y., Benjakul, S., & Richards, M. P. 2011. Effect of myoglobin from Eastern little tuna muscle on lipid oxidation of washed Asian seabass mince at different pH conditions. *Journal of food science*, 76 (2): C242-C249.
- Towaha, J. 2014. Kandungan Senyawa Polifenol Pada Biji Kakao Dan Kontribusinya Terhadap Kesehatan. *Jurnal SIRINOV* 2 (1) : 1 – 16.
- Vinson, J.A., J. Proch, P. Bose, S. Muchler, P. Taffera, D. Shuta, N. Samman and G. A. Agbor. 2006. Chocolate Is A Powerful Ex Vivo And In Vivo Antioxidant An Antiatherosclerotic Agent In A Animal Model And A Significant Cotributor To Antioxidants In The European And American Diets. *Journal of Agricultural and Food Chemistry* (54) : 8071-8076.
- Wahyudi, T., Pangabean, T.R., dan Pujiyanto. 2008. Panduan Lengkap Kakao: Manajemen Agribisnis dari Hulu hingga Hilir. Penebar Swadaya, Jakarta.
- Walter, M., & Marchesan, E. (2011). Phenolic compounds and antioxidant activity of rice. *Brazilian Archives of Biology and Technology*, 54 (2): 371-377.
- Winarsi, H. 2007. Antioksidan Alami dan Radikal Bebas. Kanisius Deresan: Yogyakarta.
- Wirawan, E. Y. 2016. Uji Antioksidan Ekstrak Tumbuhan Sisik Naga (*Pyrrosia piloselloides* (L.) MG Price) pada Pohon Inang Jambu Air (*Syzygium aqueum*) dengan Metode 2, 2-Diphenyl-1-Picrylhidrazyl (DPPH) dan Penetapan Karakter Ekstrak.

Xu, Z., & Howard, L. R. (Eds.). 2012. Analysis of antioxidant-rich phytochemicals. John Wiley & Sons.

Zyzelewicz, D., Nebesny, e., Motyl, I., and Libudzisz, Z. 2010. Effect of Milk Chocolate Supplementation with Isophylized *Lactobacillus* cells on its attributes. *Czech Journal of Food Science*, 28 (5) : 392 – 406.