

## DAFTAR PUSTAKA

- Abramovici, S., dan Bagic, A. (2016). Epidemiology of epilepsy. Handbook of Clinical Neurology, Vol. 138 (3rd series) Neuroepidemiology. *Handbook Of Clinical Neurology*. pp 159-172. Elsevier
- Al Al-aqeel S., Al-sabhan, J, Hiligsmann M, (2017) Strategies for improving adherence to antiepileptic drug treatmentin people withepilepsy. *Cochrane Database of Systematic Reviews*, Issue2. Art. No.: CD008312
- Aminoff, M., dan Douglas, V. (2017) Nervous System Disorders. In : Papadakis, M. A., McPhee, S. J., Rabow, M. W. (Eds). *Current Medical Diagnosis & Treatment* 56<sup>th</sup> ed. Pp 983-990. New York : McGraw Hill Education.
- Baker GA, Hothersal AJ, Mallow JE. (2008) Memory. Epilepsy Action, 10, 1-6
- Bauer, L. (2008) *Applied Clinical Pharmacokinetic*. 2<sup>nd</sup> Edition. Mc Graw Hill. USA pp 485 – 547
- Brunton, Laurence., et al. (2011) *Goodman & Gilman's The Pharmacological Basis of Therapeutics*, 12th edition. New York: McGraw-Hill Education.
- Chapman SCE, Horne R, Eade R, Balestrini S, Rush J, Sisodiya S. (2015) Applying a perceptions and practicalities approach to understanding nonadherence to antiepileptic drugs. *Epilepsia* ;56(9):1398–407
- Chaudary, A.S., Urban, T.J., Lamb J.K., Burnbum, A.K., Kemmel, R.P., et. al., (2010) Polymorphism in linkage with CYP2C19\*2, Affect Phenytoin autoinduction of cleareance and maintenance dose. *Journal of Pharmacology and Experimental Therapeutics* vol 332, issue 2, page 599-611

- Chetty, M., Miller R., Seymond M.A., (1998) Phenytoin autoinduction. *The Drug Monitoring*. 1998. Feb; 20(1):60-2
- Connor MJ. (1994) Epilepsy: Nature, Management, And Memory. *Epilepsia*, 24, 182-7.
- Crowter, J. (2001) *Elisa Guidedbook*. Humana Press, Totowa New Jersey.pp 15-446
- Culig & Leppee, M., (2014) From Morisky to Hill-Bone, self-report scale for measuring adherence to medication. *Collegium Antropologicum*, 38 (1), 55-62
- Dagenais, R., Wilby, K., Elewa, H., Ensom, M. (2017) Systematic Review. Impact of Genetic Polymorphisms on Phenytoin Pharmacokinetics and Clinical Outcomes in the Middle East and North Africa Region. *Drugs R D*. DOI 10.1007/s40268-017-0195-7
- Dash, D., et al. (2015) Impact of health education on drug adherence and self-care in people with epilepsy with low education. *Epilepsy & Behavior*. 44. 213–17.
- Depkes RI (2007) *Pedoman Konseling Pelayanan Kefarmasian Di Sarana Kesehatan*. Direktorat Bina Farmasi Komunitas Dan Klinik Direktorat Jenderal Bina Kefarmasian Dan Alat Kesehatan Departemen Kesehatan RI
- Desai JD. (2008) Epilepsy And Cognition. *J Pediatr Neurosci*, 3, 16-27
- Elger CE, Schmidt D. (2008) Modern management of epilepsy: a practical approach. *Epilepsy Behav*; 12: 501-39
- Ernawati, I., Islamiyah, W.R., Sumarno (2018) How To Improve Clinical Outcome of Epileptic Seizure Control Based on medication Adherence? A

- Literature Review. *Open Access Macedonian Journal of Medical Sciences.* Jun 20; 6(6): 1174-1179
- Ferrari, C.M., De Sousa, R.M., Castro, L.H., (2013) Factors associated with treatment non-adherence in patients with epilepsy in Brazil. *Seizure* 22 ; 384–89
- Ferro, M.A. (2011) A population-based study of the prevalence and sociodemographic risk factors of self-reported epilepsy among adults in the United Kingdom. *Seizure.* Dec;20 (10) :784-8
- Gabr, WM, Shams, M. (2015) Adherence to medication among outpatient adolescents with epilepsy. *Saudi Pharmaceutical Journal* ; 23: 33–40
- Glauser, T., Shinnar, S., Gloss, D., Alldredge, B., Arya, R., Bainbridge, et al. (2016). Evidence-Based Guideline : Treatment of Convulsive Status Epilepticus in Children and Adults : Report of The Guideline Committee of Americam Epilepsy Society. *Epilepsy Currents* Vol 16 No.1 p.48-61.
- Gomes MDM, Maia Filho HDS, Noe RA. (1998) Anti-epileptic drug intake adherence. The value of the blood drug level measurement and the clinical approach. *Arquivos de Neuro psiquiatria* 56:708–713.
- Gurumurthy, R., Chanda, K., Sarma. (2017) An evaluation of factors affecting adherence to antiepileptic drugs in patients with epilepsy: a cross-sectional study. *Singapore Med J* ; 58(2): 98-102.
- Hidalgo, P.R., Antunes, M.V., Spaniol, B., Peteffy, G.P., Da Silva, C.A., Linden, R (2014) Adherence to Antiepileptic Pharmacotherapy: Evaluation Using a Standardized Questionnaire and Drug Concentration in Biological Samples. *Latin American Journal of Pharmacy*, 33 (9): 1481-6

- Hovinga C.A, Asato M.R, Manjunath R, Wheles J.W, Phelps S.J, Sheth R.D. (2008) Association of non-adherence to antiepileptic drugs and *seizures*, quality of life, and productivity: survey of patients with epilepsy and physicians. *Epilepsy Behav*;13(2):316–22
- Howard, R.L., (2008) *Compliance, Adherence, and Concordance*. In: Whalley, BJ., Fletcher, KE., Weston, SE., Howard, RL., Rawlison, C.F., Foundation in Pharmacy Practice. London: Pharmaceutical Press: 135-50
- Jones, R.M., Butler, J.A., Thomas V.A., Peveler R.C., Prevett, M. (2006) Adherence to treatment in patients with epilepsy: association with *seizure* control illness beliefs. *Seizure*. 15: 504-8
- Karthikeyan, M., dan Saquib, A. (2009). Review Article Therapeutic Applications Of Fenitoin. *Asian Journal of Pharmaceutical and Clinical Research* Vol.2 Issue 3
- Katzung, Bertram G., et al. 2015. *Basic & Clinical Pharmacology*, 13th edition. New York: McGraw-Hill Education.
- Kripalani, S., J., Gatti. M.E., & Jacobson, T.A., (2009) Development and Evaluation of the Adherence to Refill and Medication Scale (ARMS) among Low –Literacy Patients with Cronich Disease. *Value Disease*, 12 (1), 118-123.
- Lacy, Charles F. (2009). *Drug Information Handbook*, 17th edition. Ohio: Lexi-Comp, Inc.
- Lam, W.Y., dan Fresco, P. (2015) Medication Adherence Measure: An Overview. *Biomed Research International*, 12

- Leach, J.P., Davenport, R.J.(2014). Neurological Disease. In : Walker, B.R., Colledge, N.R., Ralston, S.H., Penman, I.D. (Eds). *Davidson's Principles & Practice of Medicine 22<sup>th</sup> ed.* London : Churchill Livingstone Elsevier.
- Leppik I.E. (1997) *Compliance in the treatment of epilepsi. In: The treatment of epilepsi.* 2<sup>nd</sup> ed. Willie E, editor. Williams and Wilkins. pp 779-784.
- Lertsinudom, S., Chaiyakum, A., Tuntapakul, S, Sawanyawisuth, S., Tiamkao, S.,(2014) Therapeutic drug monitoring in Epileptic Clinic. *Neurology International*; volume 6:5620
- Lin, J., Sklar, G.E., OH, V.M., Li, S.C. (2008) Factors affecting Therapeutic Compliance: A Review from the patients perspective. *Therapeutics and Clinical Risk Management*, 4 (1): 269-86
- Lowenstein, D.H.(2017). *Seizures and Epilepsi.* In: Hauser, S.L., et al. (2017). *Harrison's Neurology in Clinical Medicine, 4th edition.* New York: McGraw-Hill Education.
- Manjunath, R., Davis, K.L., Candrilli, S.D., Ettinger, A.B. (2009) Association of antiepileptic drug nonadherence with risk of *seizure* in adults with epilepsy. *Epilepsy Behaviour*, 14: 372-8
- Mc Evoy (2011) *AHFS Drug Information Essentials.* American Society of Health-System Pharmacist, Bethesda, Maryland
- Nakhutina, L., Gonzalez, J.S., Margolis, S.A., Spada, A., Grant, A.(2011). Adherence to antiepileptic drugs and beliefs about medication among predominantly ethnic minority patients with epilepsy. *Epilepsy & Behavior* 22; 584–586

- O' Rourke, G., O' Brien, J.J, (2017) Review. Identifying the barriers to antiepileptic drug adherence among adults with epilepsy. *Seizure*. 45
- Paschal, A.M., Hawley, S.R, Romain, T.S., and Ablah, E., (2008) Measures of adherence to epilepsy treatment: Review of present practices and recommendations for future directions. *Epilepsia*, 49(7):1115–22.
- Patsalos, P.N. (2016) *Antiepileptic Drug Interaction. A Clinical Guide. Third Edition*. Springer International Publishing. Page 87-91
- PERDOSSI, (2016). *Acuan Panduan Praktik Klinis Neurologi*. Perhimpunan Dokter Spesialis Saraf Indonesia.
- Pratiwi, P.I., (2016). Kepatuhan Penggunaan Obat Pada Pasien Lansia dengan Penyakit Kronis. Surabaya: Fakultas Farmasi Universitas Airlangga.  
*Skripsi*
- Preston, C.L. (2015) *Stockley Drug Interaction Pocket Companion*. Pharmaceutical Press. Page 538-62
- Rasheva M., Staikov I., Svinarov D., Mihnev N., Neykov N., Staneva M. (2015). Low Serum Levels of Antiepileptic Drugs in Patients with Epilepsy-Bad Compliance or Something Else?. *Austin J Clin Neurol* ; 2(10): 1083.
- Rogers,S.J., Cavazos, J.E. (2011). Epilepsy. In : Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M. (Eds). *Pharmacotherapy A Pathophysiologic Approach 8<sup>th</sup> ed.* New York : the McGraw-Hill Companies, Inc.
- Sabaté E. (2003) *Adherence to long-term therapies: evidence for action*. World Health Organization

- Samsonsen, C., Reimers, A. Helle, G., Brodkorb, E. (2014) Nonadherence to treatment causing acute hospitalizations in people with epilepsy: An observational, prospective study. *Epilepsia*, 55(11):125–128
- Shallcross AJ, Becker AB, Singh A, Friedman D, Jurd R, French JA, et al.(2015) Psychosocial factors associated with medication adherence in ethically and socioeconomically diverse patients with epilepsy. *Epilepsy Behav*; 46: 242–5
- Shams, M.E., Barakat, E.A. (2010) Measuring the rate of therapeutic adherence among outpatients with T2DM in Egypt. *Saudi Pharm. J.* 18. (4), 225.
- Shargel, L dan Yu, A. (2015) *Applied Biopharmaceutics & Pharmacokinetics*, Seventh Edition. Mc Graw Hill Education. Pp 229-373
- Shorvon, S. (2010) *Handbook of Epilepsy Treatment*. 3<sup>rd</sup> Edition, A John Wiley & Sons, Ltd., Publication pp 218-228
- Sibernagl, S., Lang, F. (2016) *Colour of Atlas Pathophysiology*, 3<sup>rd</sup> edition, Thieme Publishers New York pp 364-365
- Singh, R.K., Gaillard, W.D. (2009). Status Epilepticus in Children. *Current Neurology and Neuroscience Reports* Vol 9 p.137-144.
- Siregar, S. (2013) *Metode Penelitian Kuantitatif: Dilengkapi dengan Perbandingan Perhitungan Manual & SPSS*. Kencana. Jakarta
- Smith, D.M., McGinnis, E.L., Walleigh, D.J., Abend, N.S. (2016). Management of Status Epilepticus in Children. *Journal of Clinical Medicine* Vol 6 No.47.
- Swarjana, I.K. (2016) *Statistik Kesehatan*. ANDI. Yogyakarta

- WHO (2017). World Health Organization Fact Sheet: *Epilepsy*, updated February 2017. [www.who.int/mediacentre/factsheets/fs999/en](http://www.who.int/mediacentre/factsheets/fs999/en). diakses 4 April 2018
- Widyati, Soediatmoko, Ikawati, Z., Hakim, L., (2013), Dampak Positif Pelayanan Farmasi Klinik Pada Pasien Epilepsi. *Jurnal Manajemen dan Pelayanan Farmasi*
- World Health Organization. (2004) *Epilepsy in the WHO Africa Region, Bridging the Gap: the Global Campaign Against Epilepsy “Out of the Shadows.* Geneva: WHO Press
- Wu, M., dan Lim, W., (2013). REVIEW Fenitoin: *A Guide to Therapeutic Drug Monitoring Proceedings of Singapore Healthcare*, Volume 22, Number 3, 2013